

**KENTUCKY AIRPORT ZONING COMMISSION**

**AGENDA**

December 10, 2020

# KENTUCKY AIRPORT ZONING COMMISSION AGENDA

December 10, 2020

## I. ROLL CALL:

Randall Royer, Acting Administrator  
Susan Chaplin, Interim Chairman  
Michael Betson, Commissioner  
Lindsey Case, Commissioner  
William DeReamer, Commissioner

Kimber Heddens, Jr, Commissioner  
Charles Miller, Commissioner  
Timothy Talton, Commissioner  
Jason Salazar-Munoz, Administration  
Tammi Jarboe, Administration  
Not Present, Office of Legal Service

## II. INTRODUCTIONS:

Guests:

## III. APPROVAL OF MINUTES FROM PREVIOUS MEETINGS – October 08, 2020

## IV. OLD BUSINESS - ACTION REQUIRED -

### 1. AS-CHRISTIAN-HOP-2020-047

APPLICANTS NAME HWEA  
CONSTRUCTION LOCATION Hopkinsville, KY  
LATITUDE/LONGITUDE 36° 43' 14.00" N / 87° 27' 21.4" W  
HEIGHT (In Feet) 215' AGL/800' AMSL  
CONSTRUCTION PROPOSED Water Tank

**NOTES:** The water tank will be located 3.36 nm north of Campbell Army Airfield. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-10903-OE. Interim.

**RECOMMENDATION:** Defer until FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Tuesday, June 09, 2020.

### 2. AS-CALLOWAY-CEY-2020-111

APPLICANTS NAME Verizon Wireless  
CONSTRUCTION LOCATION Kirksey, KY  
LATITUDE/LONGITUDE 36° 40' 52.45" N / 88° 23' 53.22" W  
HEIGHT (In Feet) 270' AGL/835' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 1.6nm. Northwest of Kyle-Oakley Field Airport. Preliminary review indicates this exceeds state standard KAR 602 50:010 Sec 2(14) by 109ft. Obstruction marking/lighting proposed

**FAA DETERMINATION:** 2020-ASO-22859-OE. Interim

**RECOMMENDATION:** Defer until FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, October 07, 2020.

**V. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION BUT DO NOT EXCEED MINIMUM OBSTRUCTION STANDARDS:**

**1. AS-BOONE-CVG-2020-127**

APPLICANTS NAME Duke Energy  
CONSTRUCTION LOCATION Florence, KY  
LATITUDE/LONGITUDE 39° 04' 42.97" N / 84° 38' 42.21" W  
HEIGHT (In Feet) 131' AGL/721' AMSL  
CONSTRUCTION PROPOSED Power Lines (Replacement)

**NOTES:** The two power lines 138KV/69Kv will replace the existing power lines located 1.36nm/8215ft. North of Cincinnati/Northern Kentucky International Airport's Runway 18L. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-3851&52-NRA. No Hazard, Medium Dual Obstruction Lighting.  
**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**2. AS-WARREN-BWG-2020-128**

APPLICANTS NAME BG-WC Regional Airport  
CONSTRUCTION LOCATION Bowling Green, KY  
LATITUDE/LONGITUDE 36° 57' 46.32" N / 86° 25' 37.99" W  
HEIGHT (In Feet) 40' AGL/587' AMSL  
CONSTRUCTION PROPOSED Flag Pole

**NOTES:** The flag pole will be located within Bowling Green/Warren County Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-5357-NRA. No Hazard, No Marking/Lighting Required.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**3. AS-ADAIR-I96-2020-129**

APPLICANTS NAME Uniti Towers LLC  
CONSTRUCTION LOCATION Columbia, KY  
LATITUDE/LONGITUDE 37° 2' 41.72" N / 85° 27' 27.5" W  
HEIGHT (In Feet) 212' AGL/1108' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 5.64 nm. West South West of Columbia-Adair County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

**FAA DETERMINATION:** 2020-ASO-21916-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**4. AS-PULASKI-SME-2020-130**

APPLICANTS NAME                      Uniti Towers LLC  
CONSTRUCTION LOCATION              Somerset, KY  
LATITUDE/LONGITUDE                 37° 5' 58.31" N / 84° 40' 2.45" W  
HEIGHT (In Feet)                     267' AGL/1337' AMSL  
CONSTRUCTION PROPOSED             Antenna Tower

**NOTES:** The Antenna Tower will be located 3.71 nm. North West Lake Cumberland Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-18852-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**5. AS-RUSSELL-K24-2020-131**

APPLICANTS NAME                      Uniti Towers LLC  
CONSTRUCTION LOCATION              Jamestown, KY  
LATITUDE/LONGITUDE                 36° 59' 15.31" N / 85° 4' 1.99" W  
HEIGHT (In Feet)                     220' AGL/1210' AMSL  
CONSTRUCTION PROPOSED             Antenna Tower

**NOTES:** The antenna tower will be located 2.18 nm. South East of Russell County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-9124-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**6. AS-MONTGOMERY-IOB-2020-133**

APPLICANTS NAME                      Uniti Towers LLC  
CONSTRUCTION LOCATION              Mt. Sterling, KY  
LATITUDE/LONGITUDE                 37° 59' 38.91" N / 83° 53' 40.75" W  
HEIGHT (In Feet)                     212' AGL/1130' AMSL  
CONSTRUCTION PROPOSED             Antenna Tower

**NOTES:** The antenna tower will be located 5.55 nm. South East of Mount Sterling-Montgomery County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-29355-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

7. **AS-LAWRENCE-9KY9-2020-134**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION Cherokee, KY  
LATITUDE/LONGITUDE 38° 5' 33.61" N / 82° 50' 20.94" W  
HEIGHT (In Feet) 310' AGL/1306' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 21.03 nm. North of Paintsville-Prestonsburg-Combs Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-31483-OE. No Hazard, MIWOL Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

8. **AS-LAWRENCE-DWU-2020-135**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION Louisa, KY  
LATITUDE/LONGITUDE 38° 9' 32.46" N / 82° 39' 53.24" W  
HEIGHT (In Feet) 199' AGL/1211' AMSL  
CONSTRUCTION PROPOSED Antenna Tower (Replacement)

**NOTES:** The Antenna Tower will replace an existing antenna (190' AGL) located 24.0 nm. South by East of Ashland Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2019-ASO-31494-OE. Work in Progress.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

9. **AS-CLAY-CPF-2020-136**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION Oneida, KY  
LATITUDE/LONGITUDE 37° 15' 34.6" N / 83° 38' 46.3" W  
HEIGHT (In Feet) 410' AGL/1402' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 19.9 nm. West South West of Wendell H Ford Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-218595-OE. No Hazard, MIWOL Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**10. AS-LAWRENCE-DWU-2020-137**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION Webbville, KY  
LATITUDE/LONGITUDE 38° 9' 17.35" N / 82° 50' 46.12" W  
HEIGHT (In Feet) 310' AGL/1287' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 24.30 nm. South by West of Ashland Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-31490-OE. No Hazard, MIWOL Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**11. AS-FLOYD-PBX-2020-138**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION Martin, KY  
LATITUDE/LONGITUDE 37° 35' 4.8" N / 82° 45' 38.3" W  
HEIGHT (In Feet) 260' AGL/1637' AMSL  
CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

**NOTES:** The antenna tower is located 9.37 nm. West by North of Pike County-Hatcher Field Airport. Preliminary review indicates this structure exceeds no state standard. Change Medium Dual Obstruction Lighting to MIWOL Obstruction Lighting.

**FAA DETERMINATION:** 2020-ASO-31498-OE. Work in Progress.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**12. AS-PIKE-PBX-2020-139**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION Pikeville, KY  
LATITUDE/LONGITUDE 37° 30' 14.39" N / 82° 31' 12.16" W  
HEIGHT (In Feet) 260' AGL/1372' AMSL  
CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

**NOTES:** The antenna tower is located 4.0 nm. South East of Pike County-Hatcher Field Airport. Preliminary review indicates this structure exceeds no state standard. Change Medium Dual Obstruction Lighting to MIWOL Obstruction Lighting.

**FAA DETERMINATION:** 2020-ASO-33001-OE. No Hazard, MIWOL Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**13. AS-PIKE-PBX-2020-140**

APPLICANTS NAME East Kentucky Network, LLC  
CONSTRUCTION LOCATION South Williamson, KY  
LATITUDE/LONGITUDE 37° 38' 53.87" N / 82° 16' 46.3" W  
HEIGHT (In Feet) 325' AGL/1705' AMSL  
CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

**NOTES:** The antenna tower is located 14.6 nm. East North East of Pike County-Hatcher Field Airport. Preliminary review indicates this structure exceeds no state standard. Change Medium Dual Obstruction Lighting to MIWOL Obstruction Lighting.

**FAA DETERMINATION:** 2020-ASO-33005-OE. Work in Progress.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**14. AS-JEFFERSON-SDF-2020-141**

APPLICANTS NAME Verizon Wireless  
CONSTRUCTION LOCATION Louisville, KY  
LATITUDE/LONGITUDE 38° 12' 19.73" N / 85° 43' 59.73" W  
HEIGHT (In Feet) 34' AGL/542' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 1.08 nm/ 6,597ft. North of Louisville Muhammad Ali International Airport's Runway 17L. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-29078-OE. No Hazard, No Marking/Lighting Required.

**RECOMMENDATION:** Approve in accordance with the FAA determination. Coordinate frequency activation and verify that no interference is caused to FAA facilities, prior to beginning any transmission from the site.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**15. AS-BARREN-GLW-2020-142**

APPLICANTS NAME Tillman Infrastructure, LLC  
CONSTRUCTION LOCATION Glasgow, KY  
LATITUDE/LONGITUDE 36° 55' 44.49" N / 85° 50' 44.64" W  
HEIGHT (In Feet) 325' AGL/1087' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 8.03 nm. South East of Glasgow Municipal Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-667-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**16. AS-McCRACKEN-PAH-2020-143**

APPLICANTS NAME Tillman Infrastructure, LLC  
CONSTRUCTION LOCATION Louisville, KY  
LATITUDE/LONGITUDE 37° 0' 43.91" N / 88° 43' 49.6" W  
HEIGHT (In Feet) 245' AGL/710' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 3.5 nm. Southeast by South of Barkley Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-6138-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**17. AS-CUMBERLAND-TZV-2020-144**

APPLICANTS NAME Verizon Wireless  
CONSTRUCTION LOCATION Burkesville, KY  
LATITUDE/LONGITUDE 36° 38' 15.98" N / 85° 21' 46.45" W  
HEIGHT (In Feet) 255' AGL/1239' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 15.00 nm. East South East of Tompkinsville-Monroe County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-29805-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**18. AS-ANDERSON-FFT-2020-145**

APPLICANTS NAME Doug Updegraff  
CONSTRUCTION LOCATION Lawrenceburg, KY  
LATITUDE/LONGITUDE 38° 1' 50.08" N / 84° 56' 28" W  
HEIGHT (In Feet) 299' AGL/1115' AMSL  
CONSTRUCTION PROPOSED Antenna Tower (Coordinate Correction)

**NOTES:** The antenna tower is located 9.1 nm. South by West of Capital City Airport. The applicant is filing to update the coordinates. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-33253-OE. No Hazard, Paint/Red Lights.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**19. AS-KENTON-CVG-2020-146**

APPLICANTS NAME Duke Energy  
CONSTRUCTION LOCATION Crescent Springs, KY  
LATITUDE/LONGITUDE 39° 02' 25.65" N / 84° 35' 04.88" W  
HEIGHT (In Feet) 77' AGL/911' AMSL  
CONSTRUCTION PROPOSED Power Lines (Replacement)

**NOTES:** The power lines are located 3.21 nm. West of Cincinnati/Northern Kentucky International Airport's Runway 27. Preliminary review indicates these structures exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-33455-33465-OE. Work in Progress.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**20. AS-McCRACKEN-PAH-2020-147**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 15.07" N / 88° 46' 13.81" W  
HEIGHT (In Feet) 30' AGL/440' AMSL  
CONSTRUCTION PROPOSED Light Poles

**NOTES:** The light poles will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-4602-4631-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**21. AS-McCRACKEN-PAH-2020-148**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 22.54" N / 88° 46' 24.36" W  
HEIGHT (In Feet) 50' AGL/457' AMSL  
CONSTRUCTION PROPOSED Apron Lights

**NOTES:** The apron lights will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-4664-4666-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**22. AS-McCRACKEN-PAH-2020-151**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 14.83" N / 88° 46' 27.72" W  
HEIGHT (In Feet) 50' AGL/464' AMSL  
CONSTRUCTION PROPOSED Boom Lift Trucks (Temporary)

**NOTES:** The boom lift trucks will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-4580-4592-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**23. AS-McCRACKEN-PAH-2020-153**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 14.61" N / 88° 46' 28.05" W  
HEIGHT (In Feet) 50' AGL/462' AMSL  
CONSTRUCTION PROPOSED Excavators (Temporary)

**NOTES:** The excavator trucks will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-4593-4601-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**24. AS-LETCHER-I35-2020-156**

APPLICANTS NAME John Monday  
CONSTRUCTION LOCATION Hallie, KY  
LATITUDE/LONGITUDE 37° 6' 50.08" N / 83° 0' 3.54" W  
HEIGHT (In Feet) 320' AGL/2127' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 22.89 nm. North East of Tucker-Guthrie Memorial Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** Pending.

**RECOMMENDATION:** Defer until FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**25. AS-MUHLENBERG-M21-2020-157**

APPLICANTS NAME John Monday  
CONSTRUCTION LOCATION Greenville, KY  
LATITUDE/LONGITUDE 37° 11' 52.11" N / 87° 9' 43.54" W  
HEIGHT (In Feet) 173' AGL/699' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 1.69 nm. South by West of Muhlenberg County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-23331-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**26. AS-HART-GLW-2020-158**

APPLICANTS NAME John Monday  
CONSTRUCTION LOCATION Munfordville, KY  
LATITUDE/LONGITUDE 37° 19' 59.47" N / 85° 45' 45.48" W  
HEIGHT (In Feet) 250' AGL/996' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 20.24 nm. Northeast by North of Glasgow Municipal Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** 2020-ASO-35025-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**27. AS-HARDIN-EKX-2020-159**

APPLICANTS NAME John Monday  
CONSTRUCTION LOCATION Elizabethtown, KY  
LATITUDE/LONGITUDE 37° 43' 3.22" N / 86° 1' 53.43" W  
HEIGHT (In Feet) 250' AGL/1031' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 5.0 nm. West North West of Addington Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** Pending.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**28. AS-HICKMAN-1M7-2020-160**

APPLICANTS NAME John Monday  
CONSTRUCTION LOCATION Columbus, KY  
LATITUDE/LONGITUDE 36° 45' 35.7" N / 89° 6' 36.9" W  
HEIGHT (In Feet) 199' AGL/531' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 16.75 nm. Northwest by West of Fulton Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed.

**FAA DETERMINATION:** FAA Determination Not Required. FAA Notice Criteria Tool.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**VI. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH EXCEEDS MINIMUM OBSTRUCTION STANDARDS:**

**1. AS-WAYNE-EKQ-2020-132**

APPLICANTS NAME Uniti Towers LLC  
CONSTRUCTION LOCATION Monticello, KY  
LATITUDE/LONGITUDE 36° 51' 44.48" N / 84° 49' 45.00" W  
HEIGHT (In Feet) 167' AGL/1146' AMSL  
CONSTRUCTION PROPOSED Antenna Tower

**NOTES:** The antenna tower will be located 1.44 nm. East North East of Wayne County Airport. Preliminary review indicates this exceeds state standard KAR 602 50:010 Sec 2(14) by 27ft. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-11564-OE. No Hazard, Medium Dual Obstruction Lighting.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**2. AS-McCRACKEN-PAH-2020-149**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 18.08" N / 88° 46' 36.48" W  
HEIGHT (In Feet) 24' AGL/424' AMSL  
CONSTRUCTION PROPOSED Fence

**NOTES:** The fence will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds state standard KAR 602 50:010 Sec 2(27) by 6.25ft. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-4632-4663-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**3. AS-McCRACKEN-PAH-2020-150**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 17.93" N / 88° 46' 38.43" W  
HEIGHT (In Feet) 25' AGL/427' AMSL  
CONSTRUCTION PROPOSED Excavators (Temporary)

**NOTES:** The excavators will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds state standard KAR 602 50:010 Sec 2(20) by 22ft. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-5134-5152-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**4. AS-McCRACKEN-PAH-2020-152**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 22.67" N / 88° 46' 24.85" W  
HEIGHT (In Feet) 75' AGL/483' AMSL  
CONSTRUCTION PROPOSED Boom Lift Trucks (Temporary)

**NOTES:** The boom lift trucks will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds state standard KAR 602 50:010 Sec 2(27) by 18.09ft. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-4674-4677-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**5. AS-McCRACKEN-PAH-2020-154**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 3' 24.73" N / 88° 46' 24.73" W  
HEIGHT (In Feet) 75' AGL/482' AMSL  
CONSTRUCTION PROPOSED Cranes (Temporary)

**NOTES:** The cranes will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds state standard KAR 602 50:010 Sec 2(27) by 37ft. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-4678-4681-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**6. AS-McCRACKEN-PAH-2020-155**

APPLICANTS NAME Barkley Regional Airport Authority  
CONSTRUCTION LOCATION West Paducah, KY  
LATITUDE/LONGITUDE 37° 4' 5.46" N / 88° 46' 35.75" W  
HEIGHT (In Feet) 25' AGL/411' AMSL  
CONSTRUCTION PROPOSED Excavators (Temporary)

**NOTES:** The excavators will be located within Barkley Regional Airport. Preliminary review indicates this structure exceeds state standard KAR 602 50:010 Sec 2(8) by 10ft. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-4682-4698-OE. Proposed.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**VII. EMERGENCY APPLICATION FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE:**

**1. AS-MARTIN-SJS-2020-161**

APPLICANTS NAME Antoin Hana, MD  
CONSTRUCTION LOCATION Debord, KY  
LATITUDE/LONGITUDE 37° 44' 59.43" N / 82° 38' 31.46" W  
HEIGHT (In Feet) 20' AGL/1201.5' AMSL  
CONSTRUCTION PROPOSED Hangar

**NOTES:** The Hangar will be located within Big Sandy Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** Pending.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**2. AS-JEFFERSON-LOU-2020-162**

APPLICANTS NAME U.S. Departments of Veterans Affairs  
CONSTRUCTION LOCATION Louisville, KY  
LATITUDE/LONGITUDE 38° 16' 39.36" N / 85° 37' 54.25" W  
HEIGHT (In Feet) 162' AGL/762' AMSL  
CONSTRUCTION PROPOSED Building With a 20ft Antenna Tower (Permit Extension)

**NOTES:** The building with the antenna will be located 3.35 nm. Northeast By North of Bowman Field Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting proposed. Previously approved on July 26, 2019 AS-056-LOU-2019-050.

**FAA DETERMINATION:** 2019-ASO-8968-OE. No Hazard, No Marking/Lighting Required.

**RECOMMENDATION:** Approve in accordance with the FAA determination.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**3. AS-JEFFERSON-SDF-2020-163**

APPLICANTS NAME Michael Kern, LG&E and KU  
CONSTRUCTION LOCATION Louisville, KY  
LATITUDE/LONGITUDE 38° 7' 58.04" N / 85° 44' 10.06" W  
HEIGHT (In Feet) 61' AGL/516' AMSL  
CONSTRUCTION PROPOSED Power Lines (Replacement)

**NOTES:** The two power lines 69Kv will replace the existing power lines located 1.36 nm/8,220ft. South of Louisville Muhammad Ali International Airport's Runway 35L. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

**FAA DETERMINATION:** 2020-ASO-28979-28980-OE. Work In Progress.

**RECOMMENDATION:** Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

**PUBLIC COMMENTS:** Public comments must be received before Wednesday, December 09, 2020.

**VIII. FINES:**

American Roofing & Metal Co. - Using a crane near Louisville International Airport without a permit on November 30, 2020  
4610 Roofing Rd  
Louisville, KY 40218  
\$500.00 Fine

**IX. ADJOURN:**

**Next Meeting – February 11, 2021**