



**COMMONWEALTH OF KENTUCKY  
TRANSPORTATION CABINET**  
Frankfort, Kentucky 40622  
[www.transportation.ky.gov/](http://www.transportation.ky.gov/)

**Matthew G. Bevin**  
Governor

**Greg Thomas**  
Secretary

May 24, 2016

CALL NO. 103  
CONTRACT ID NO. 161230  
ADDENDUM # 2

Subject: Hopkins County, STP BRO 8023 (011)  
Letting May 27, 2016

- (1) Revised - Plan Sheets - R2A & R2B
- (2) Revised - Bid Items - Pages 249-250 of 250

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.  
Director  
Division of Construction Procurement

RM:ks  
Enclosures



An Equal Opportunity Employer M/F/D





COUNTY OF	ITEM NO.	SHEET NO.
HOPKINS	2-1079.00	R2B

# GENERAL & SPECIAL NOTES

GENERAL NOTES

N.G.S. (U.S.G.S.) BENCH MARKS

DO NOT DISTURB N.G.S. (U.S.G.S.) BENCH MARKS IN ANY MANNER UNLESS DIRECTED BY THE ENGINEER.

BEFORE YOU DIG

THE CONTRACTOR IS INSTRUCTED TO CALL 1-800-752-6007 TO REACH KY 811, THE ONE-CALL SYSTEM FOR INFORMATION ON THE LOCATION OF EXISTING UNDERGROUND UTILITIES. THE CALL IS TO BE PLACED A MINIMUM OF TWO (2) AND NO MORE THEN TEN (10) BUSINESS DAYS PRIOR TO EXCAVATION. THE CONTRACTOR SHOULD BE AWARE THAT OWNERS OF UNDERGROUND FACILITIES ARE NOT REQUIRED TO BE MEMBERS OF THE KY 811 ONE-CALL BEFORE-U-DIG (BUD) SERVICE. THE CONTRACTOR MUST COORDINATE EXCAVATION WITH THE UTILITY OWNERS, INCLUDING THOSE WHOM DO NOT SUBSCRIBE TO KY 811. IT MAY BE NECESSARY FOR THE CONTRACTOR TO CONTACT THE COUNTY COURT CLERK TO DETERMINE WHAT UTILITY COMPANIES HAVE FACILITIES IN THE AREA. UTILITIES AND A CONTACT PERSON FOR EACH COMPANY IS SHOWN ON SHEET NO. R3 OF THE PLANS.

DEPARTMENT OF THE ARMY PERMIT AND WATER QUALITY CERTIFICATION APPROVALS

A DEPARTMENT OF THE ARMY (DA) PERMIT, WHICH MAY REQUIRE APPROVAL OF A STATE WATER QUALITY CERTIFICATION FROM THE KENTUCKY DIVISION OF WATER, REGULATES THIS PROJECT AT ONE OR MORE LOCATIONS. PERFORM ALL APPLICABLE WORK IN COMPLIANCE WITH THE CONDITIONS STATED IN THE DA PERMIT AND THE APPROVED WATER QUALITY CERTIFICATION. POST A COPY OF THE DA PERMIT AND THE WATER QUALITY CERTIFICATION IN A CONSPICUOUS PLACE AT THE PROJECT SITE. IF A DA PERMIT OR WATER QUALITY CERTIFICATION APPROVAL IS PENDING, DO NOT WORK IN OR DISTURB THE DESIGNATED AREA(S) UNTIL OBTAINING THE APPROPRIATE APPROVAL(S). REFER TO NOTICE(S) CONTAINED IN THE CONTRACT BID PROPOSAL FOR DESIGNATED AREA(S) WHERE WORK IS PROHIBITED BY THE ABSENCE OF APPROVAL.

IT WILL BE THE CONTRACTORS RESPONSIBILITY TO ACQUIRE THE KY RIO PERMIT.

SPECIFICATIONS: REFERENCES TO THE SPECIFICATIONS ARE TO THE CURRENT EDITION OF THE KENTUCKY DEPARTMENT OF HIGHWAYS STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION INCLUDING ANY CURRENT SUPPLEMENTAL SPECIFICATIONS. ALL REFERENCES TO THE AASHTO SPECIFICATIONS ARE TO THE CURRENT EDITION OF THE AASHTO STANDARD SPECIFICATIONS FOR HIGHWAY BRIDGES, WITH INTERIMS.

STANDARD DRAWINGS

STANDARD DRAWINGS ARE NOT ATTACHED TO THESE PLANS. A STANDARD DRAWING BOOK AND THE HEADWALL SUPPLEMENTAL BOOK MAY BE OBTAINED FROM THE POLICY SUPPORT BRANCH OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES IN FRANKFORT, KY. AT (502) 564-3670

EDGE KEY

THIS WORK INCLUDES CUTTING OUT THE EXISTING ASPHALT SURFACE TO A MINIMUM DEPTH AND WIDTH AS DETAILED ELSEWHERE IN THE PLANS SO THAT THE NEW SURFACE MAY HEEL INTO THE EXISTING SURFACE. THE CONTRACT UNIT PRICE BID LINEAR FOOT (PER METER) FOR 'EDGE KEY' INCLUDES ALL NECESSARY MATERIALS, LABOR AND EQUIPMENT NECESSARY TO PERFORM THE WORK AND DISPOSE OF THE REMOVED ASPHALT MATERIAL.

FILE NAME:

USER: rccudll  
DATE PLOTTED: March 28, 2016

E-SHEET NAME:

MicroStation v8.11.9.609

SCALE: 1"=N/A

GENERAL NOTES

COUNTY OF	ITEM NO.	SHEET NO.
HOPKINS	2-1079.00	R2B

REVISED 5-24-2016

# GENERAL & SPECIAL NOTES



GENERAL NOTES

N.G.S. (U.S.G.S.) BENCH MARKS

DO NOT DISTURB N.G.S. (U.S.G.S.) BENCH MARKS IN ANY MANNER UNLESS DIRECTED BY THE ENGINEER.

BEFORE YOU DIG

THE CONTRACTOR IS INSTRUCTED TO CALL 1-800-752-6007 TO REACH KY 811, THE ONE-CALL SYSTEM FOR INFORMATION ON THE LOCATION OF EXISTING UNDERGROUND UTILITIES. THE CALL IS TO BE PLACED A MINIMUM OF TWO (2) AND NO MORE THEN TEN (10) BUSINESS DAYS PRIOR TO EXCAVATION. THE CONTRACTOR SHOULD BE AWARE THAT OWNERS OF UNDERGROUND FACILITIES ARE NOT REQUIRED TO BE MEMBERS OF THE KY 811 ONE-CALL BEFORE-U-DIG (BUD) SERVICE. THE CONTRACTOR MUST COORDINATE EXCAVATION WITH THE UTILITY OWNERS, INCLUDING THOSE WHOM DO NOT SUBSCRIBE TO KY 811. IT MAY BE NECESSARY FOR THE CONTRACTOR TO CONTACT THE COUNTY COURT CLERK TO DETERMINE WHAT UTILITY COMPANIES HAVE FACILITIES IN THE AREA. UTILITIES AND A CONTACT PERSON FOR EACH COMPANY IS SHOWN ON SHEET NO. R3 OF THE PLANS.

DEPARTMENT OF THE ARMY PERMIT AND WATER QUALITY CERTIFICATION APPROVALS

A DEPARTMENT OF THE ARMY (DA) PERMIT, WHICH MAY REQUIRE APPROVAL OF A STATE WATER QUALITY CERTIFICATION FROM THE KENTUCKY DIVISION OF WATER, REGULATES THIS PROJECT AT ONE OR MORE LOCATIONS. PERFORM ALL APPLICABLE WORK IN COMPLIANCE WITH THE CONDITIONS STATED IN THE DA PERMIT AND THE APPROVED WATER QUALITY CERTIFICATION. POST A COPY OF THE DA PERMIT AND THE WATER QUALITY CERTIFICATION IN A CONSPICUOUS PLACE AT THE PROJECT SITE. IF A DA PERMIT OR WATER QUALITY CERTIFICATION APPROVAL IS PENDING, DO NOT WORK IN OR DISTURB THE DESIGNATED AREA(S) UNTIL OBTAINING THE APPROPRIATE APPROVAL(S). REFER TO NOTICE(S) CONTAINED IN THE CONTRACT BID PROPOSAL FOR DESIGNATED AREA(S) WHERE WORK IS PROHIBITED BY THE ABSENCE OF APPROVAL.

IT WILL BE THE CONTRACTORS RESPONSIBILITY TO ACQUIRE THE KY RIO PERMIT.

SPECIFICATIONS: REFERENCES TO THE SPECIFICATIONS ARE TO THE CURRENT EDITION OF THE KENTUCKY DEPARTMENT OF HIGHWAYS STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION INCLUDING ANY CURRENT SUPPLEMENTAL SPECIFICATIONS. ALL REFERENCES TO THE AASHTO SPECIFICATIONS ARE TO THE CURRENT EDITION OF THE AASHTO STANDARD SPECIFICATIONS FOR HIGHWAY BRIDGES, WITH INTERIMS.

STANDARD DRAWINGS

STANDARD DRAWINGS ARE NOT ATTACHED TO THESE PLANS. A STANDARD DRAWING BOOK AND THE HEADWALL SUPPLEMENTAL BOOK MAY BE OBTAINED FROM THE POLICY SUPPORT BRANCH OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES IN FRANKFORT, KY. AT (502) 564-3670

EDGE KEY

THIS WORK INCLUDES CUTTING OUT THE EXISTING ASPHALT SURFACE TO A MINIMUM DEPTH AND WIDTH AS DETAILED ELSEWHERE IN THE PLANS SO THAT THE NEW SURFACE MAY HEEL INTO THE EXISTING SURFACE. THE CONTRACT UNIT PRICE BID LINEAR FOOT (PER METER) FOR 'EDGE KEY' INCLUDES ALL NECESSARY MATERIALS, LABOR AND EQUIPMENT NECESSARY TO PERFORM THE WORK AND DISPOSE OF THE REMOVED ASPHALT MATERIAL.

FILE NAME:

USER: rccudll  
DATE PLOTTED: March 28, 2016

E-SHEET NAME:

MicroStation v8.11.9.609

SCALE: 1"=N/A

GENERAL NOTES

**PROPOSAL BID ITEMS**

161230

Page 1 of 2

Report Date 5/24/16

**Section: 0001 - PAVING**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	652.00	TON		\$	
0020	00078		CRUSHED AGGREGATE SIZE NO 2	3,532.00	TON		\$	
0030	00100		ASPHALT SEAL AGGREGATE	6.00	TON		\$	
0040	00103		ASPHALT SEAL COAT	1.00	TON		\$	
0050	00221		CL2 ASPH BASE 0.75D PG64-22	583.00	TON		\$	
0060	00301		CL2 ASPH SURF 0.38D PG64-22	108.00	TON		\$	

**Section: 0002 - ROADWAY**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0070	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	8.00	EACH		\$	
0080	02014		BARRICADE-TYPE III	4.00	EACH		\$	
0090	02200		ROADWAY EXCAVATION	2,759.00	CUYD		\$	
0100	02351		GUARDRAIL-STEEL W BEAM-S FACE	737.50	LF		\$	
0110	02360		GUARDRAIL TERMINAL SECTION NO 1	1.00	EACH		\$	
0120	02367		GUARDRAIL END TREATMENT TYPE 1	3.00	EACH		\$	
0130	02429		RIGHT-OF-WAY MONUMENT TYPE 1	14.00	EACH		\$	
0140	02432		WITNESS POST	3.00	EACH		\$	
0150	02545		CLEARING AND GRUBBING (APPROXIMATELY 1.93 ACRES)	1.00	LS		\$	
0160	02562		TEMPORARY SIGNS	115.00	SQFT		\$	
0170	02585		EDGE KEY	45.00	LF		\$	
0180	02599		FABRIC-GEOTEXTILE TYPE IV	2,000.00	SQYD		\$	
0190	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0200	02701		TEMP SILT FENCE	344.00	LF		\$	
0210	02704		SILT TRAP TYPE B	2.00	EACH		\$	
0220	02707		CLEAN SILT TRAP TYPE B	2.00	EACH		\$	
0230	02726		STAKING	1.00	LS		\$	
0240	02731		REMOVE STRUCTURE	1.00	LS		\$	
0250	05950		EROSION CONTROL BLANKET	81.00	SQYD		\$	
0260	05952		TEMP MULCH	2,082.00	SQYD		\$	
0270	05963		INITIAL FERTILIZER	.10	TON		\$	
0280	05964		20-10-10 FERTILIZER	.10	TON		\$	
0290	05985		SEEDING AND PROTECTION	2,082.00	SQYD		\$	
0300	05992		AGRICULTURAL LIMESTONE	2.00	TON		\$	
0310	06514		PAVE STRIPING-PERM PAINT-4 IN	724.00	LF		\$	
0320	06562		PAVE MARKING-THERMO R 6 FT	2.00	EACH		\$	
0330	06563		PAVE MARKING-R/R XBUCKS 16 IN	43.00	LF		\$	
0340	06568		PAVE MARKING-THERMO STOP BAR-24IN	49.00	LF		\$	

**Section: 0003 - BRIDGE - GREASY CREEK - DWG. 27382**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0360	02231		STRUCTURE GRANULAR BACKFILL	84.00	CUYD		\$	
0370	02355		GUARDRAIL-STEEL W BEAM-S FACE A	100.00	LF		\$	

**PROPOSAL BID ITEMS**

REVISED ADDENDUM #2: 5-24-16

161230

Page 2 of 2

Report Date 5/24/16

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0380	02998		MASONRY COATING	60.00	SQYD		\$	
0390	03299		ARMORED EDGE FOR CONCRETE	56.00	LF		\$	
0400	08019		CYCLOPEAN STONE RIP RAP	517.00	TON		\$	
0410	08033		TEST PILES	66.00	LF		\$	
0420	08046		PILES-STEEL HP12X53	184.00	LF		\$	
0430	08094		PILE POINTS-12 IN	10.00	EACH		\$	
0440	08100		CONCRETE-CLASS A	29.60	CUYD		\$	
0450	08104		CONCRETE-CLASS AA	95.10	CUYD		\$	
0460	08151		STEEL REINFORCEMENT-EPOXY COATED	18,029.00	LB		\$	
0470	08672		PRECAST PC BOX BEAM SB42	318.00	LF		\$	
0480	08801		GUARDRAIL-STEEL W BEAM-S FACE BR	148.00	LF		\$	

**Section: 0004 - UTILITY - ELECTRICAL**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0490	17033		EC ANCHOR SPECIAL	7.00	EACH		\$	
0500	17035		EC POLE REMOVE AND STOCKPILE	6.00	EACH		\$	
0510	17036		EC POLE SPECIAL	6.00	EACH		\$	
0520	17037		EC WIRE SPECIAL	3,688.00	LF		\$	
0530	17038		EC WIRE TRANSFER SPECIAL	392.00	LF		\$	
0540	17039		EC WIRE REMOVE SPECIAL	3,600.00	LF		\$	

**Section: 0005 - WATERLINE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0550	02555		CONCRETE-CLASS B (THRUST BLOCKING, 2,500 PSI)	10.00	CUYD		\$	
0560	05985		SEEDING AND PROTECTION (LANDSCAPING)	1,500.00	SQYD		\$	
0570	14003		W CAP EXISTING MAIN (CUT & CAP EXISTING 10 IN WATER MAIN)	1.00	EACH		\$	
0580	14019		W FIRE HYDRANT ASSEMBLY	1.00	EACH		\$	
0590	14021		W FIRE HYDRANT REMOVE (EXISTING)	2.00	EACH		\$	
0600	14028		W METER 3/4 INCH (TAP & METER BOX, TEST POINT)	1.00	EACH		\$	
0610	14038		W PIPE DUCTILE IRON 10 INCH (CLASS 52 DIP, TRENCH)	620.00	LF		\$	
0620	14062		W PIPE PVC 12 INCH (DIPS DR11 HDPE, DIRECTIONAL DRILL)	240.00	LF		\$	
0630	14113		W VALVE BOX ADJUST	4.00	EACH		\$	

**Section: 0006 - DEMOBILIZATION &/OR MOBILIZATION**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0640	02569		DEMOBILIZATION	1.00	LS		\$	