



**COMMONWEALTH OF KENTUCKY  
TRANSPORTATION CABINET**  
Frankfort, Kentucky 40622  
[www.transportation.ky.gov/](http://www.transportation.ky.gov/)

**Matthew G. Bevin**  
Governor

**Greg Thomas**  
Secretary

April 26, 2016

CALL NO. 108  
CONTRACT ID NO. 161213  
ADDENDUM # 3

Subject: Simpson County, STP 5071 (018)  
Letting April 29, 2016

- (1) Revised - Plan Sheet - R2D
- (2) Revised - Bid Items - Pages 156-159 of 159

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.  
Director  
Division of Construction Procurement

RM:ks  
Enclosures



An Equal Opportunity Employer M/F/D

### ASPHALT ALTERNATE PAVING AREAS

ITEM DESCRIPTION	MAINLINE			DIVERSION 1		DIVERSION 2			DIVERSION 3		TOTAL PROJECT
	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	
<b>SQUARE YARDS UNLESS OTHERWISE **NOTED**</b>											
1" CL3 ASPH SURF 0.50B PG 64-22				3,512		8,619	906		3,919		16,956
1.5" CL3 ASPH SURF 0.50B PG 64-22	56,421	4,973	8,142								69,536
3" CL3 ASPH BASE 1.00D PG 64-22		2,805	8,196								11,001
4" CL3 ASPH BASE 1.00D PG 64-22				3,540		8,685	704		3,949		16,878
4.25" CL3 ASPH BASE 1.00D PG 64-22	56,855										56,855
4.50" CL3 ASPH BASE 1.00D PG 64-22	58,085										58,085
6" CL3 ASPH BASE 1.00D PG 64-22 (9)		2,207									2,207
8" JPC CONCRETE			206								206
4" TRAFFIC BOUND BASE					402			1,665		291	2,358
4" CRUSHED STONE BASE		2,224	8,462								10,686
8" CRUSHED STONE BASE		2,827		3,567		8,752	710		3,979		19,835
ASPHALT SEAL AGGREGATE (TWO APPLICATIONS)	21,040										21,040
ASPHALT SEAL COAT (TWO APPLICATIONS)	21,040										21,040
FULL DEPTH 4" CRUSHED STONE BASE (CU YDS) (4)	16,261										16,261
LIME STABILIZED ROADBED	63,124										63,124
LIME	63,124										63,124
ASPHALT CURING SEAL	63,124										63,124
SAND FOR BLOTTER	63,124										63,124

### CONCRETE ALTERNATE PAVING AREAS

ITEM DESCRIPTION	MAINLINE			DIVERSION 1		DIVERSION 2			DIVERSION 3		TOTAL PROJECT
	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	
<b>SQUARE YARDS UNLESS OTHERWISE **NOTED**</b>											
1" CL3 ASPH SURF 0.50B PG 64-22				3,512		8,619	906		3,919		16,956
1.5" CL3 ASPH SURF 0.50B PG 64-22		4,973	8,142								13,115
3" CL3 ASPH BASE 1.00D PG 64-22		2,805	8,196								11,001
4" CL3 ASPH BASE 1.00D PG 64-22				3,540		8,685	704		3,949		16,878
6" CL3 ASPH BASE 1.00D PG 64-22 (9)		2,207									2,207
9" JPC CONCRETE	41,524										41,524
8" JPC CONCRETE			206								206
6" JPC CONCRETE - SHLD.	13,567										13,567
4" TRAFFIC BOUND BASE					402			1,665		291	2,358
4" CRUSHED STONE BASE		2,224	8,462								10,686
8" CRUSHED STONE BASE		2,827		3,567		8,752	710		3,979		19,835
ASPHALT SEAL AGGREGATE (TWO APPLICATIONS)	21,040										21,040
ASPHALT SEAL COAT (TWO APPLICATIONS)	21,040										21,040
FULL DEPTH 4" CRUSHED STONE BASE (CU YDS) (4)	15,564										15,564
LIME STABILIZED ROADBED	63,124										63,124
LIME	63,124										63,124
ASPHALT CURING SEAL	63,124										63,124
SAND FOR BLOTTER	63,124										63,124

### ASPHALT ALTERNATE PAVING SUMMARY

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
0003	CRUSHED STONE BASE (1)(8)	TONS	45,743
0020	TRAFFIC BOUND BASE (1)	TONS	542
0013	LIME STABILIZED ROADBED	SQ YD	63,124
0014	LIME (5)	TONS	1,187
0100	ASPHALT SEAL AGGREGATE (TWO APPLICATIONS)(2)	TONS	421
0103	ASPHALT SEAL COAT (TWO APPLICATIONS) (3)	TONS	51
0214	CL3 ASPH BASE 1.00D PG 64-22	TONS	33,923
0324	CL3 ASPH SURF 0.50B PG 64-22	TONS	6,670
0358	ASPHALT CURING SEAL (6)	TONS	64
2084	8" JPC CONCRETE	SQ YD	206
2230	EMBANKMENT IN PLACE (11)	CY	157,664
2702	SAND FOR BLOTTER (7)	TONS	158

- NOTES:**  
 ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ YD PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
- ① ESTIMATED AT 115 LBS. PER SQ YD PER INCH OF DEPTH.
  - ② ESTIMATED AT 20 LBS. PER SQ YD (SIZE NO. 8 OR 9M) TWO APPLICATIONS
  - ③ ESTIMATED AT 2.4 LBS. PER SQ YD (TWO APPLICATIONS)
  - ④ ESTIMATED AT 2.07 TONS PER CY
  - ⑤ ESTIMATED AT 6% BY WEIGHT AT 103.9 LBS. PER CU. FT.
  - ⑥ ESTIMATED AT 2 LBS. PER SQ. YD. LIME STABILIZED BASE
  - ⑦ ESTIMATED AT 5 LBS. PER SQ. YD. LIME STABILIZED ROADBED
  - ⑧ INCLUDES 500 TONS FOR MAINTAINING TRAFFIC
  - ⑨ MAJOR APPROACH BASE (2-3" BASE COURSES)
  - ⑩ SEE PROPOSAL FOR SPECIAL NOTE FOR ALTERNATE PAVEMENT BID ADJUSTMENT
  - ⑪ INCLUDES 218 CU YD FOR EMBANKMENT BENCHES

### CONCRETE ALTERNATE PAVING SUMMARY

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
0003	CRUSHED STONE BASE (1)(8)	TONS	44,300
0020	TRAFFIC BOUND BASE (1)	TONS	542
0013	LIME STABILIZED ROADBED	SQ YD	63,124
0014	LIME (5)	TONS	1,187
0100	ASPHALT SEAL AGGREGATE (TWO APPLICATIONS)(2)	TONS	421
0103	ASPHALT SEAL COAT (TWO APPLICATIONS) (3)	TONS	51
0214	CL3 ASPH BASE 1.00D PG 64-22	TONS	6,258
0324	CL3 ASPH SURF 0.50B PG 64-22	TONS	2,015
0358	ASPHALT CURING SEAL (6)	TONS	64
2073	9" JPC CONCRETE	SQ YD	41,524
2078	6" JPC CONCRETE - SHLD.	SQ YD	13,567
2084	8" JPC CONCRETE	SQ YD	206
2230	EMBANKMENT IN PLACE (11)	CY	159,379
2702	SAND FOR BLOTTER (7)	TONS	158

- ESTIMATE FOR EARTHWORK (CONCRETE OPTION)**
- Earthwork (CU YD) = 151,407
  - Excavation (Mainline) = 1,059
  - Excavation (Approaches) = 6,695
  - Excavation (Entrances) = 16,696
  - Excavation (Diversion) = 666
  - Excavation (Approaches/Entrances) = 218
  - EMBANKMENT = 175,026
  - Excavation (Mainline) = 130,170
  - Excavation (Approaches) = 1,852
  - Excavation (Entrances) = 1,868
  - Excavation (Diversion) = 19,931
  - Excavation (Approaches/Entrances) = 1,404
  - Excavation (Embankment/Benching) = 218
  - EXCAVATION = 155,443

MicroStation v8.11.7.443 E-SHEET NAME: \_\_\_\_\_ USER: andrew.stewart DATE PLOTTED: April 26, 2016 FILE NAME: G:\PWORK\ANDREW.STEWART\NEW\0634316\RD020D\SUL.DGN

**ESTIMATE FOR EARTHWORK CALCULATIONS IS FOR DESIGN ONLY (ASPHALT OPTION)**

- Earthwork (CU YD) = 149,692
- Excavation (Mainline) = 1,059
- Excavation (Approaches) = 6,695
- Excavation (Entrances) = 16,696
- Excavation (Diversion) = 666
- Excavation (Approaches/Entrances) = 218
- EMBANKMENT = 175,026
- Excavation (Mainline) = 130,170
- Excavation (Approaches) = 1,852
- Excavation (Entrances) = 1,868
- Excavation (Diversion) = 19,931
- Excavation (Approaches/Entrances) = 1,404
- Excavation (Embankment/Benching) = 218
- EXCAVATION = 155,443

### ASPHALT ALTERNATE PAVING AREAS

### CONCRETE ALTERNATE PAVING AREAS

REVISED 4-26-16

ITEM DESCRIPTION	MAINLINE			DIVERSION 1		DIVERSION 2			DIVERSION 3		TOTAL PROJECT
	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	
<b>SQUARE YARDS UNLESS OTHERWISE **NOTED**</b>											
1" CL3 ASPH SURF 0.50B PG 64-22				3,512		8,619	906		3,919		16,956
1.5" CL3 ASPH SURF 0.50B PG 64-22	56,421	4,973	8,142								69,536
3" CL3 ASPH BASE 1.00D PG 64-22		2,805	8,196								11,001
4" CL3 ASPH BASE 1.00D PG 64-22				3,540		8,685	704		3,949		16,878
4.25" CL3 ASPH BASE 1.00D PG 64-22	56,855										56,855
4.50" CL3 ASPH BASE 1.00D PG 64-22	58,085										58,085
6" CL3 ASPH BASE 1.00D PG 64-22 (9)		2,207									2,207
8" JPC CONCRETE			206								206
4" TRAFFIC BOUND BASE					402			1,665		291	2,358
4" CRUSHED STONE BASE		2,224	8,462								10,686
8" CRUSHED STONE BASE		2,827		3,567		8,752	710		3,979		19,835
ASPHALT SEAL AGGREGATE (TWO APPLICATIONS)	21,040										21,040
ASPHALT SEAL COAT (TWO APPLICATIONS)	21,040										21,040
FULL DEPTH 4" CRUSHED STONE BASE (CU YDS) (4)		16,261									16,261
LIME STABILIZED ROADBED	63,124										63,124
LIME	63,124										63,124
ASPHALT CURING SEAL	63,124										63,124
SAND FOR BLOTTER	63,124										63,124

ITEM DESCRIPTION	MAINLINE			DIVERSION 1		DIVERSION 2			DIVERSION 3		TOTAL PROJECT
	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	KY 100	APPROACHES	ENTRANCES	KY 100	ENTRANCES	
<b>SQUARE YARDS UNLESS OTHERWISE **NOTED**</b>											
1" CL3 ASPH SURF 0.50B PG 64-22				3,512		8,619	906		3,919		16,956
1.5" CL3 ASPH SURF 0.50B PG 64-22		4,973	8,142								13,115
3" CL3 ASPH BASE 1.00D PG 64-22		2,805	8,196								11,001
4" CL3 ASPH BASE 1.00D PG 64-22				3,540		8,685	704		3,949		16,878
6" CL3 ASPH BASE 1.00D PG 64-22 (9)		2,207									2,207
9" JPC CONCRETE	41,524										41,524
8" JPC CONCRETE			206								206
6" JPC CONCRETE - SHLD.	13,567										13,567
4" TRAFFIC BOUND BASE					402			1,665		291	2,358
4" CRUSHED STONE BASE		2,224	8,462								10,686
8" CRUSHED STONE BASE		2,827		3,567		8,752	710		3,979		19,835
ASPHALT SEAL AGGREGATE (TWO APPLICATIONS)	21,040										21,040
ASPHALT SEAL COAT (TWO APPLICATIONS)	21,040										21,040
FULL DEPTH 4" CRUSHED STONE BASE (CU YDS) (4)		15,564									15,564
LIME STABILIZED ROADBED	63,124										63,124
LIME	63,124										63,124
ASPHALT CURING SEAL	63,124										63,124
SAND FOR BLOTTER	63,124										63,124

### ASPHALT ALTERNATE PAVING SUMMARY

### CONCRETE ALTERNATE PAVING SUMMARY

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
0003	CRUSHED STONE BASE (1)(8)	TONS	45,743
0020	TRAFFIC BOUND BASE (1)	TONS	542
0013	LIME STABILIZED ROADBED	SQ YD	63,124
0014	LIME (5)	TONS	1,187
0100	ASPHALT SEAL AGGREGATE (TWO APPLICATIONS) (2)	TONS	421
0103	ASPHALT SEAL COAT (TWO APPLICATIONS) (3)	TONS	51
0214	CL3 ASPH BASE 1.00D PG 64-22	TONS	33,923
0324	CL3 ASPH SURF 0.50B PG 64-22	TONS	6,670
0358	ASPHALT CURING SEAL (6)	TONS	64
2084	8" JPC CONCRETE	SQ YD	206
2230	EMBANKMENT IN PLACE (11)	CY	157,664
2702	SAND FOR BLOTTER (7)	TONS	158

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
0003	CRUSHED STONE BASE (1)(8)	TONS	44,300
0020	TRAFFIC BOUND BASE (1)	TONS	542
0013	LIME STABILIZED ROADBED	SQ YD	63,124
0014	LIME (5)	TONS	1,187
0100	ASPHALT SEAL AGGREGATE (TWO APPLICATIONS) (2)	TONS	421
0103	ASPHALT SEAL COAT (TWO APPLICATIONS) (3)	TONS	51
0214	CL3 ASPH BASE 1.00D PG 64-22	TONS	6,258
0324	CL3 ASPH SURF 0.50B PG 64-22	TONS	2,015
0358	ASPHALT CURING SEAL (6)	TONS	64
2073	9" JPC CONCRETE	SQ YD	41,524
2078	6" JPC CONCRETE - SHLD.	SQ YD	13,567
2084	8" JPC CONCRETE	SQ YD	206
2230	EMBANKMENT IN PLACE (11)	CY	159,379
2702	SAND FOR BLOTTER (7)	TONS	158

- NOTES:**  
 ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ YD PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
- (1) ESTIMATED AT 115 LBS. PER SQ YD PER INCH OF DEPTH.
  - (2) ESTIMATED AT 20 LBS. PER SQ YD (SIZE NO. 8 OR 9M) TWO APPLICATIONS
  - (3) ESTIMATED AT 2.4 LBS. PER SQ YD (TWO APPLICATIONS)
  - (4) ESTIMATED AT 2.07 TONS PER CY
  - (5) ESTIMATED AT 6% BY WEIGHT AT 103.9 LBS. PER CU. FT.
  - (6) ESTIMATED AT 2 LBS. PER SQ. YD. LIME STABILIZED BASE
  - (7) ESTIMATED AT 5 LBS. PER SQ. YD. LIME STABILIZED ROADBED
  - (8) INCLUDES 500 TONS FOR MAINTAINING TRAFFIC
  - (9) MAJOR APPROACH BASE (2-3" BASE COURSES)
  - (10) SEE PROPOSAL FOR SPECIAL NOTE FOR ALTERNATE PAVEMENT BID ADJUSTMENT
  - (11) INCLUDES 218 CU YD FOR EMBANKMENT BENCHES

- ESTIMATE FOR EARTHWORK (CONCRETE OPTION)**
- Earthwork (CU YD) = 157,407
  - Excavation (Mainline) = 1,059
  - Excavation (Approaches) = 6,695
  - Excavation (Entrances) = 1,868
  - Excavation (Diversion) = 19,931
  - Excavation (Diversion Approaches/Entrances) = 1,404
  - Excavation (Embankment) = 218
  - Excavation (Embankment Benching) = 175,741
  - Excavation (Mainline) = 129,962
  - Excavation (Approaches) = 1,868
  - Excavation (Entrances) = 19,931
  - Excavation (Diversion) = 1,404
  - Excavation (Diversion Approaches/Entrances) = 1,404
  - Excavation (Embankment) = 218
  - Excavation (Embankment Benching) = 153,793

MicroStation v8.11.7.443 E-SHEET NAME: \_\_\_\_\_ USER: andrew.stewart DATE PLOTTED: April 26, 2016 FILE NAME: G:\PWORK\ANDREW.STEWART\NEW\0634316\RD020D\SUL.DGN

- ESTIMATE FOR EARTHWORK (ASPHALT OPTION)**
- Earthwork (CU YD) = 149,692
  - Excavation (Mainline) = 1,059
  - Excavation (Approaches) = 6,695
  - Excavation (Entrances) = 1,868
  - Excavation (Diversion) = 16,696
  - Excavation (Diversion Approaches/Entrances) = 666
  - Excavation (Embankment) = 218
  - Excavation (Embankment Benching) = 175,026
  - Excavation (Mainline) = 130,170
  - Excavation (Approaches) = 1,852
  - Excavation (Entrances) = 1,868
  - Excavation (Diversion) = 19,931
  - Excavation (Diversion Approaches/Entrances) = 1,404
  - Excavation (Embankment) = 218
  - Excavation (Embankment Benching) = 155,443

**PROPOSAL BID ITEMS**

161213

Page 1 of 4

Report Date 4/26/16

**Section: 0001 - PAVING - ASPHALT ALTERNATE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	45,743.00	TON		\$	
0020	00013		LIME STABILIZED ROADBED	63,124.00	SQYD		\$	
0030	00014		LIME	1,187.00	TON		\$	
0040	00020		TRAFFIC BOUND BASE	542.00	TON		\$	
0050	00100		ASPHALT SEAL AGGREGATE	421.00	TON		\$	
0060	00103		ASPHALT SEAL COAT	51.00	TON		\$	
0070	00214		CL3 ASPH BASE 1.00D PG64-22	33,923.00	TON		\$	
0080	00324		CL3 ASPH SURF 0.50B PG64-22	6,670.00	TON		\$	
0090	00358		ASPHALT CURING SEAL	64.00	TON		\$	
0100	02084		JPC PAVEMENT-8 IN	206.00	SQYD		\$	
0110	02230		EMBANKMENT IN PLACE (REVISED: 4-26-16)	157,664.00	CUYD		\$	
0120	02702		SAND FOR BLOTTER	158.00	TON		\$	
0130	10203ND		PAVEMENT ADJUSTMENT (ASPHALT)	1.00	LS	312,480.00	\$	\$312,480.00

**Section: 0002 - PAVING - CONCRETE ALTERNATE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0140	00003		CRUSHED STONE BASE	44,300.00	TON		\$	
0150	00013		LIME STABILIZED ROADBED	63,124.00	SQYD		\$	
0160	00014		LIME	1,187.00	TON		\$	
0170	00020		TRAFFIC BOUND BASE	542.00	TON		\$	
0180	00100		ASPHALT SEAL AGGREGATE	421.00	TON		\$	
0190	00103		ASPHALT SEAL COAT	51.00	TON		\$	
0200	00214		CL3 ASPH BASE 1.00D PG64-22	6,258.00	TON		\$	
0210	00324		CL3 ASPH SURF 0.50B PG64-22	2,015.00	TON		\$	
0220	00358		ASPHALT CURING SEAL	64.00	TON		\$	
0230	02073		JPC PAVEMENT-9 IN	41,524.00	SQYD		\$	
0240	02078		JPC PAVEMENT-6 IN SHLD	13,567.00	SQYD		\$	
0250	02084		JPC PAVEMENT-8 IN	206.00	SQYD		\$	
0260	02230		EMBANKMENT IN PLACE (REVISED: 4-26-16)	159,379.00	CUYD		\$	
0270	02702		SAND FOR BLOTTER	158.00	TON		\$	
0280	10203ND		PAVEMENT ADJUSTMENT (CONCRETE)	1.00	LS	173,541.00	\$	\$173,541.00

**Section: 0003 - ROADWAY**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0290	00078		CRUSHED AGGREGATE SIZE NO 2	2,544.00	TON		\$	
0300	01825		ISLAND CURB AND GUTTER	200.00	LF		\$	
0310	01982		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	21.00	EACH		\$	
0320	01984		DELINEATOR FOR BARRIER - WHITE	2.00	EACH		\$	
0330	02014		BARRICADE-TYPE III	16.00	EACH		\$	



**PROPOSAL BID ITEMS**

REVISED ADDENDUM #3: 4-26-16

161213

Page 2 of 4

Report Date 4/26/16

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0335	02203		STRUCTURE EXCAV-UNCLASSIFIED (ADDED: 4-22-16)	36.00	CUYD		\$	
0340	02223		GRANULAR EMBANKMENT (REVISED: 4-22-16)	116.00	CUYD		\$	
0350	02242		WATER (FOR DUST CONTROL)	100.00	MGAL		\$	
0360	02263		FENCE-WOVEN WIRE TYPE 2	630.00	LF		\$	
0370	02351		GUARDRAIL-STEEL W BEAM-S FACE	1,930.00	LF		\$	
0380	02360		GUARDRAIL TERMINAL SECTION NO 1	5.00	EACH		\$	
0390	02363		GUARDRAIL CONNECTOR TO BRIDGE END TY A	8.00	EACH		\$	
0400	02391		GUARDRAIL END TREATMENT TYPE 4A	1.00	EACH		\$	
0410	02429		RIGHT-OF-WAY MONUMENT TYPE 1	71.00	EACH		\$	
0420	02432		WITNESS POST	36.00	EACH		\$	
0430	02469		CLEAN SINKHOLE	2.00	EACH		\$	
0440	02483		CHANNEL LINING CLASS II	1,529.00	TON		\$	
0450	02545		CLEARING AND GRUBBING (APPROXIMATELY 53.12 ACRES)	1.00	LS		\$	
0455	02555		CONCRETE-CLASS B (ADDED: 4-22-16)	19.00	CUYD		\$	
0460	02562		TEMPORARY SIGNS	280.00	SQFT		\$	
0470	02585		EDGE KEY	390.00	LF		\$	
0480	02599		FABRIC-GEOTEXTILE TYPE IV	5,652.00	SQYD		\$	
0490	02600		FABRIC GEOTEXTILE TY IV FOR PIPE	2,800.00	SQYD	\$2.00	\$	\$5,600.00
0500	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0510	02651		DIVERSIONS (BY-PASS DETOURS)	1.00	LS		\$	
0520	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0530	02701		TEMP SILT FENCE	10,597.00	LF		\$	
0540	02704		SILT TRAP TYPE B	174.00	EACH		\$	
0550	02707		CLEAN SILT TRAP TYPE B	174.00	EACH		\$	
0560	02726		STAKING	1.00	LS		\$	
0570	05950		EROSION CONTROL BLANKET	45,848.00	SQYD		\$	
0571	05952		TEMP MULCH (ADDED: 4-20-16)	100,880.00	SQYD		\$	
0572	05953		TEMP SEEDING AND PROTECTION (ADDED: 4-20-16)	136,527.00	SQYD		\$	
0580	05963		INITIAL FERTILIZER	5.00	TON		\$	
0590	05964		20-10-10 FERTILIZER	8.00	TON		\$	
0600	05985		SEEDING AND PROTECTION	150,565.00	SQYD		\$	
0610	05990		SODDING	21,600.00	SQYD		\$	
0620	05992		AGRICULTURAL LIMESTONE	94.00	TON		\$	
0630	06406		SBM ALUM SHEET SIGNS .080 IN	376.00	SQFT		\$	
0640	06410		STEEL POST TYPE 1	648.00	LF		\$	
0650	06510		PAVE STRIPING-TEMP PAINT-4 IN	48,196.00	LF		\$	
0660	06514		PAVE STRIPING-PERM PAINT-4 IN	61,914.00	LF		\$	
0670	06568		PAVE MARKING-THERMO STOP BAR-24IN	62.00	LF		\$	
0680	20000ES724		TREE	11.00	EACH		\$	
0690	20315ED		CLAY SOIL CAP	15.00	CUYD		\$	
0700	20362ES403		SHOULDER RUMBLE STRIPS-SAWED	30,333.00	LF		\$	
0710	20458ES403		CENTERLINE RUMBLE STRIPS	15,008.00	LF		\$	
0720	23274EN11F		TURF REINFORCEMENT MAT 1	23,372.00	SQYD		\$	
0730	24631EC		BARCODE SIGN INVENTORY	89.00	EACH		\$	

**PROPOSAL BID ITEMS**

REVISED ADDENDUM #3: 4-26-16

161213

Page 3 of 4

Report Date 4/26/16

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0740	24779EC		INTELLIGENT COMPACTION FOR SOIL	174,579.00	CUYD		\$	
0750	24780EC		INTELLIGENT COMPACTION FOR AGGREGATE	45,213.00	TON		\$	
0760	24781EC		INTELLIGENT COMPACTION FOR ASPHALT	40,560.00	TON		\$	

**Section: 0004 - DRAINAGE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0770	00440		ENTRANCE PIPE-15 IN	883.00	LF		\$	
0780	00441		ENTRANCE PIPE-18 IN	348.00	LF		\$	
0790	00443		ENTRANCE PIPE-24 IN	277.00	LF		\$	
0800	00452		ENTRANCE PIPE-24 IN EQUIV	242.00	LF		\$	
0810	00454		ENTRANCE PIPE-30 IN EQUIV	442.00	LF		\$	
0820	00462		CULVERT PIPE-18 IN	109.00	LF		\$	
0830	00464		CULVERT PIPE-24 IN	96.00	LF		\$	
0840	00466		CULVERT PIPE-30 IN	194.00	LF		\$	
0850	00468		CULVERT PIPE-36 IN	60.00	LF		\$	
0860	00492		CULVERT PIPE-24 IN EQUIV	239.00	LF		\$	
0870	00494		CULVERT PIPE-30 IN EQUIV	104.00	LF		\$	
0880	01000		PERFORATED PIPE-4 IN	486.00	LF		\$	
0890	01010		NON-PERFORATED PIPE-4 IN	629.00	LF		\$	
0900	01028		PERF PIPE HEADWALL TY 3-4 IN	8.00	EACH		\$	
0910	01208		PIPE CULVERT HEADWALL-24 IN	2.00	EACH		\$	
0920	01210		PIPE CULVERT HEADWALL-30 IN	2.00	EACH		\$	
0930	01212		PIPE CULVERT HEADWALL-36 IN	1.00	EACH		\$	
0940	01452		S & F BOX INLET-OUTLET-30 IN	2.00	EACH		\$	
0950	01453		S & F BOX INLET-OUTLET-36 IN	1.00	EACH		\$	
0960	01670		SPRING BOX INLET TYPE B	1.00	EACH		\$	
0970	08100		CONCRETE-CLASS A	69.60	CUYD		\$	
0980	22581EN		ENTRANCE PIPE-36 IN	206.00	LF		\$	
0990	23049ES701		CULVERT PIPE-21 IN EQUIV	256.00	LF		\$	
1000	24814EC		PIPELINE INSPECTION	671.00	LF		\$	

**Section: 0005 - BRIDGE - 6 X 4 CULVERT - DWG. 27312 - STA. 562+11.35**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1010	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1020	08100		CONCRETE-CLASS A	86.10	CUYD		\$	
1030	08150		STEEL REINFORCEMENT	7,248.00	LB		\$	

**Section: 0006 - BRIDGE - 16 X 6 CULVERT - DWG. 27394 - STA. 596+01.36**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1040	08002		STRUCTURE EXCAV-SOLID ROCK	209.00	CUYD		\$	
1050	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1060	08100		CONCRETE-CLASS A	229.40	CUYD		\$	
1070	08150		STEEL REINFORCEMENT	28,112.00	LB		\$	

**PROPOSAL BID ITEMS**

161213

Page 4 of 4

Report Date 4/26/16

**Section: 0007 - BRIDGE - LICK CREEK - DWG. 27395 - STA. 10+84.75**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1080	02998		MASONRY COATING	202.00	SQYD		\$	
1090	03299		ARMORED EDGE FOR CONCRETE	24.00	LF		\$	
1100	08001		STRUCTURE EXCAVATION-COMMON	311.00	CUYD		\$	
1110	08002		STRUCTURE EXCAV-SOLID ROCK	57.00	CUYD		\$	
1120	08100		CONCRETE-CLASS A	143.20	CUYD		\$	
1130	08104		CONCRETE-CLASS AA	29.70	CUYD		\$	
1140	08150		STEEL REINFORCEMENT	14,649.00	LB		\$	
1150	08151		STEEL REINFORCEMENT-EPOXY COATED	8,287.00	LB		\$	
1160	21532ED		RAIL SYSTEM TYPE III	68.00	LF		\$	

**Section: 0008 - BRIDGE - LICK CREEK - DWG. 27396 - STA. 619+05.67**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1170	02231		STRUCTURE GRANULAR BACKFILL	498.00	CUYD		\$	
1180	02998		MASONRY COATING	581.00	SQYD		\$	
1190	03299		ARMORED EDGE FOR CONCRETE	86.60	LF		\$	
1200	08001		STRUCTURE EXCAVATION-COMMON	1,777.00	CUYD		\$	
1210	08019		CYCLOPEAN STONE RIP RAP	624.00	TON		\$	
1220	08033		TEST PILES	34.00	LF		\$	
1230	08039		PRE-DRILLING FOR PILES	180.00	LF		\$	
1240	08046		PILES-STEEL HP12X53	224.00	LF		\$	
1250	08100		CONCRETE-CLASS A	109.00	CUYD		\$	
1260	08104		CONCRETE-CLASS AA	198.50	CUYD		\$	
1270	08151		STEEL REINFORCEMENT-EPOXY COATED	49,716.00	LB		\$	
1280	08634		PRECAST PC I BEAM TYPE 4	557.50	LF		\$	
1290	21532ED		RAIL SYSTEM TYPE III	226.40	LF		\$	
1300	23813EC		DECK DRAIN	6.00	EACH		\$	

**Section: 0009 - DEMOBILIZATION &/OR MOBILIZATION**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1310	02568		MOBILIZATION	1.00	LS		\$	
1320	02569		DEMOBILIZATION	1.00	LS		\$	