

CALL NO. 323
CONTRACT ID. 081010
CARTER COUNTY
FED/STATE PROJECT NUMBER CPTL 022 8038

LETTING DATE: March 21, 2008

Sealed Bids will be received in the Division of Construction Procurement and/or the Auditorium located on the 1st floor of the Transportation Cabinet Office Building until 10:00 AM EASTERN DAYLIGHT TIME March 21, 2008. Bids will be publicly opened and read at 10:00 AM EASTERN DAYLIGHT TIME.

ROAD AND/OR BRIDGE PLANS

(Check guaranty	POSAL GUARANTY: Not less submitted: Cashier's Check HEN SUBMITTED WILL BE RE an Included	Certified Check	Bid Bond []	
BID 🗌	PROPOSAL ISSUED TO:			
SPECIMEN				
	Address	City	State	Zip

TABLE OF CONTENTS

PART I SCOPE OF WORK

- PROJECT(S), COMPLETION DATE(S), & LIQUIDATED DAMAGES
- CONTRACT NOTES
- ASPHALT MIXTURE
- DGA BASE
- INCIDENTAL SURFACING
- FUEL AND ASPHALT PAY ADJUSTMENT
- OPTION A
- KPDES STORM WATER PERMIT, BMP AND NOI

PART II SPECIFICATIONS AND STANDARD DRAWINGS

- SPECIFICATIONS REFERENCE
- SUPPLEMENTAL SPECIFICATIONS

PART III EMPLOYMENT, WAGE AND RECORD REQUIREMENTS

- LABOR AND WAGE REQUIREMENTS
- EXECUTIVE BRANCH CODE OF ETHICS
- KENTUCKY EQUAL EMPLOYMENT OPPORTUNITY ACT OF 1978
- PROJECT WAGE RATES

PART IV INSURANCE

PART V STATEMENT OF INCOMPLETED WORK

PART VI BID ITEMS

PART VII CERTIFICATION

- PROVISIONS RELATED TO SENATE BILL 258 (1994)
- NON-COLLUSION CERTIFICATION
- CERTIFICATION OF BID PROPOSAL

PART I SCOPE OF WORK

CONTRACT ID - 081010

ADMINISTRATIVE DISTRICT - 09

PROJECT(S) IDENTIFICATION AND DESCRIPTION:

COUNTY - CARTER PCN - DE02280380810

CPTL 022 8038

GRAYSON LAKE STATE PARK (KY 8038) WIDEN AND IMPROVE EXISTING APPROACH ROAD FROM KY 7 INTO GRAYSON LAKE STATE PARK. MAINTENANCE.

GEOGRAPHIC COORDINATES LATITUDE 38^12'00" LONGITUDE 83^01'00"

COMPLETION DATE(S):
76 WORKING DAYS
APPLIES TO ENTIRE CONTRACT

CONTRACT NOTES

PROPOSAL ADDENDA

All addenda to this proposal must be incorporated into the proposal when the bid is submitted to the Kentucky Department of Highways. Failure to use the correct and most recent bid sheet(s) may result in the bid being rejected.

BID SUBMITTAL

Bidder must use the Department's Highway Bid Program available on the Internet web site of the Department of Highways, Division of Construction Procurement. (www.transportation.ky.gov/contract)

The Bidder must download the bid items created from the web site to prepare a bid proposal for submission to the Department. The bidder must insert the completed bid item sheets printed from the Program into the bidder's proposal and submit with the disk created by said program.

JOINT VENTURE BIDDING

Joint Venture bidding is permissible. However, both companies MUST purchase a bidding proposal. Either proposal may be submitted but must contain the company names and signatures of both parties where required. A joint bid bond of 5% may be submitted for both companies or each company may submit a separate bond of 5%.

UNDERGROUND FACILITY DAMAGE PROTECTION

The contractor is advised that the Underground Facility Damage Protection Act of 1994, became law January 1, 1995. It is the contractor's responsibility to determine the impact of the act regarding this project, and take all steps necessary to be in compliance with the provision of the act.

ASPHALT MIXTURE

The rate of application for all asphalt mixtures shall be estimated at 110 lbs/sy per inch of depth, unless otherwise noted.

DGA BASE

The rate of application for DGA Base shall be estimated at 115 lbs/sy per inch of depth.

INCIDENTAL SURFACING

The quantities established in the proposal include estimated quantities required for resurfacing or surfacing mailbox turnouts, farm field entrances, residential and commercial entrances, and road and street approaches. These items are to be paved to the limits as shown on Standard Drawing RPM 110 or to the limits as directed by the Engineer. In the event signal detectors are present in the intersecting streets or roads, the paving of the crossroads shall be to the right of way limit or back of the signal detector, whichever is the farthest back of the mainline. These areas are to be surfaced or resurfaced as directed by the Engineer and no direct payment will be allowed for placing and compacting.

FUEL AND ASPHALT PAY ADJUSTMENT

These contract items Lot Pay Adjustment, Asphalt Adjustment and Fuel Adjustment, are for possible future payments. Additional monies may need to be setup with an additional change order if existing contract amount is insufficient to pay all items on the contract. Unit price is \$1.00. Quantity will be actual adjustment after work is completed.

OPTION A

The Contractor is advised that the compaction of asphalt mixtures furnished for driving lanes and ramps, at 25mm (1 inch) or greater, on this project will be accepted according to OPTION A in accordance with Section 402 and Section 403 of the *current Standard Specification*. Joint cores as described in subsection 402.03.02 are required for surface mixtures only. The compaction of all other asphalt mixtures will be accepted by OPTION B.











jh

į

P

5

Grayson Lake State Park
Golf Course and Campground Access Road

Project information

Note -(1) = Design (2) = Construction (3) = Contractor

- 1. Owner Kentucky Transportation Cabinet, District _9_
- 2. Resident Engineer: (2)
- 3. Contractor name: (2)

Address: (2)

Phone number: (2)

Contact: (2)

Contractors agent responsible for compliance with the KPDES permit requirements (3):

- 4. Project Control Number (2)
- 5. Route (Address) Grayson Lake State Park Access Road (KY 8038)
- 6. Latitude/Longitude (project mid-point) 38-12-24, 83-1-25
- 7. County (project mid-point) Carter
- 8. Project start date (date work will begin): (2)
- 9. Projected completion date: (2)

A. Site description:

- 1. Nature of Construction Activity (from letting project description) *Improve* Grayson Lake State Park Access Road (KY 8038)
- 2. Order of major soil disturbing activities (2) and (3)
- 3. Projected volume of material to be moved 14,917 cubic yards
- 4. Estimate of total project area (acres) 8.36 acres (no right of way acquired)
- 5. Estimate of area to be disturbed (acres) 8.36 acres
- 6. Post construction runoff coefficient will be included in the project drainage folder. Persons needing information pertaining to the runoff coefficient will contact the resident engineer to request this information.
- 7. Data describing existing soil condition *None.* & (2)
- 8. Data describing existing discharge water quality (if any) None. & (2)
- 9. Receiving water name Grayson Lake/Little Sandy River
- 10. TMDLs and Pollutants of Concern in Receiving Waters: Checked on the TMDL for Grayson Lake and determined that the project would not be contributing lead, so therefore, decided to proceed.
- 11. Site map Project layout sheet plus the erosion control sheets in the project plans that depict Disturbed Drainage Areas (DDAs) and related information. These sheets depict the existing project conditions with areas delineated by DDA (drainage area bounded by watershed breaks and right of way limits), the storm water discharge locations (either as a point discharge or as overland flow) and the areas that drain to each discharge point. These plans define the limits of areas to be disturbed and the location of control measures. Controls will be either site specific as designated by the designer or will be annotated by the contractor and resident engineer before disturbance commences. The project layout sheet shows the surface waters and wetlands.
- 12. Potential sources of pollutants:

The primary source of pollutants is solids that are mobilized during storm events. Other sources of pollutants include oil/fuel/grease from servicing

KPDES BMP Plan Page 3 of 14

and operating construction equipment, concrete washout water, sanitary wastes and trash/debris. (3)

B. Sediment and Erosion Control Measures:

1. Plans for highway construction projects will include erosion control sheets that depict Disturbed Drainage Areas (DDAs) and related information. These plan sheets will show the existing project conditions with areas delineated by DDA within the right of way limits, the discharge points and the areas that drain to each discharge point. Project managers and designers will analyze the DDAs and identify Best Management Practices (BMPs) that are site specific. The balance of the BMPs for the project will be listed in the bid documents for selection and use by the contractor on the project with approval by the resident engineer.

Projects that do not have DDAs annotated on the erosion control sheets will employ the same concepts for development and managing BMP plans.

- 2. Following award of the contract, the contractor and resident engineer will annotate the erosion control sheets showing location and type of BMPs for each of the DDAs that will be disturbed at the outset of the project. This annotation will be accompanied by an order of work that reflects the order or sequence of major soil moving activities. The remaining DDAs are to be designated as "Do Not Disturb" until the contractor and resident engineer prepare the plan for BMPs to be employed. The initial BMP's shall be for the first phase (generally Clearing and Grubbing) and shall be modified as needed as the project changes phases. The BMP Plan will be modified to reflect disturbance in additional DDA's as the work progresses. All DDA's will have adequate BMP's in place before being disturbed.
- 3. As DDAs are prepared for construction, the following will be addressed for the project as a whole or for each DDA as appropriate:
 - ➤ Construction Access This is the first land-disturbing activity. As soon as construction begins, bare areas will be stabilized with gravel and temporary mulch and/or vegetation.
 - At the beginning of the project, all DDAs for the project will be inspected for areas that are a source of storm water pollutants. Areas that are a source of pollutants will receive appropriate cover or BMPs to arrest the introduction of pollutants into storm water. Areas that have not been opened by the contractor will be

KPDES BMP Plan Page 4 of 14

inspected periodically (once per month) to determine if there is a need to employ BMPs to keep pollutants from entering storm water.

- ➤ Clearing and Grubbing The following BMP's will be considered and used where appropriate.
 - Leaving areas undisturbed when possible.
 - Silt basins to provide silt volume for large areas.
 - Silt Traps Type A for small areas.
 - Silt Traps Type C in front of existing and drop inlets which are to be saved
 - Diversion ditches to catch sheet runoff and carry it to basins or traps or to divert it around areas to be disturbed.
 - Brush and/or other barriers to slow and/or divert runoff.
 - Silt fences to catch sheet runoff on short slopes. For longer slopes, multiple rows of silt fence may be considered.
 - Temporary Mulch for areas which are not feasible for the fore mentioned types of protections.
 - Non-standard or innovative methods.
- > Cut & Fill and placement of drainage structures The BMP Plan will be modified to show additional BMP's such as:
 - Silt Traps Type B in ditches and/or drainways as they are completed
 - Silt Traps Type C in front of pipes after they are placed
 - Channel Lining
 - Erosion Control Blanket
 - Temporary mulch and/or seeding for areas where construction activities will be ceased for 21 days or more.
 - Non-standard or innovative methods
- Profile and X-Section in place The BMP Plan will be modified to show elimination of BMP's which had to be removed and the addition of new BMP's as the roadway was shaped. Probably changes include:
 - Silt Trap Type A, Brush and/or other barriers, Temporary Mulch, and any other BMP which had to be removed for final grading to take place.
 - Additional Silt Traps Type B and Type C to be placed as final drainage patterns are put in place.
 - Additional Channel Lining and/or Erosion Control Blanket.
 - Temporary Mulch for areas where Permanent Seeding and Protection cannot be done within 21 days.
 - Special BMP's such as Karst Policy
- ➤ Finish Work (Paving, Seeding, Protect, etc.) A final BMP Plan will result from modifications during this phase of construction. Probably changes include:
 - Removal of Silt Traps Type B from ditches and drainways if they are protected with other BMP's which are sufficient to

control erosion, i.e. Erosion Control Blanket or Permanent Seeding and Protection on moderate grades.

- Permanent Seeding and Protection
- Placing Sod
- Planting trees and/or shrubs where they are included in the project
- BMP's including Storm Water Management Devices such as velocity dissipation devices and Karst policy BMP's to be installed during construction to control the pollutants in storm water discharges that will occur after construction has been completed are: Channel lining and turf reinforcement mat will be used in some pipe outlet locations to prevent erosion.

C. Other Control Measures

1. No solid materials, including building materials, shall be discharged to waters of the commonwealth, except as authorized by a Section 404 permit.

2. Waste Materials

All waste materials that may leach pollutants (paint and paint containers, caulk tubes, oil/grease containers, liquids of any kind, soluble materials, etc.) will be collected and stored in appropriate covered waste containers. Waste containers shall be removed from the project site on a sufficiently frequent basis as to not allow wastes to become a source of pollution. All personnel will be instructed regarding the correct procedure for waste disposal. Wastes will be disposed in accordance with appropriate regulations. Notices stating these practices will be posted in the office.

3. Hazardous Waste

All hazardous waste materials will be managed and disposed of in the manner specified by local or state regulation. The contractor shall notify the Resident Engineer if there any hazardous wastes being generated at the project site and how these wastes are being managed. Site personnel will be instructed with regard to proper storage and handling of hazardous wastes when required. The Transportation Cabinet will file for generator, registration when appropriate, with the Division of Waste Management and advise the contractor regarding waste management requirements.

4. Spill Prevention

The following material management practices will be used to reduce the risk of spills or other exposure of materials and substances to the weather and/or runoff.

KPDES BMP Plan Page 6 of 14

Good Housekeeping:

The following good housekeeping practices will be followed onsite during the construction project.

- An effort will be made to store only enough product required to do the job
- All materials stored onsite will be stored in a neat, orderly manner in their appropriate containers and, if possible, under a roof or other enclosure
- Products will be kept in their original containers with the original manufacturer's label
- Substances will not be mixed with one another unless recommended by the manufacturer
- Whenever possible, all of the product will be used up before disposing of the container
- Manufacturers' recommendations for proper use and disposal will be followed
- The site contractor will inspect daily to ensure proper use and disposal of materials onsite

> Hazardous Products:

These practices will be used to reduce the risks associated with any and all hazardous materials.

- Products will be kept in original containers unless they are not resealable
- Original labels and material safety data sheets (MSDS) will be reviewed and retained
- Contractor will follow procedures recommended by the manufacturer when handling hazardous materials
- If surplus product must be disposed of, manufacturers' or state/local recommended methods for proper disposal will be followed

The following product-specific practices will be followed onsite:

Petroleum Products:

Vehicles and equipment that are fueled and maintained on site will be monitored for leaks, and receive regular preventative maintenance to reduce the chance of leakage. Petroleum products onsite will be stored in tightly sealed containers, which are clearly labeled and will be protected from exposure to weather.

The contractor shall prepare an Oil Pollution Spill Prevention Control and Countermeasure plan when the project that involves the storage of petroleum

KPDES BMP Plan Page 7 of 14

products in 55 gallon or larger containers with a total combined storage capacity of 1,320 gallons. This is a requirement of 40 CFR 112.

This project (will / will not) (3) have over 1,320 gallons of petroleum products with a total capacity, sum of all containers 55 gallon capacity and larger.

> Fertilizers:

Fertilizers will be applied at rates prescribed by the contract, standard specifications or as directed by the resident engineer. Once applied, fertilizer will be covered with mulch or blankets or worked into the soil to limit exposure to storm water. Storage will be in a covered shed. The contents of any partially used bags of fertilizer will be transferred to a sealable plastic bin to avoid spills.

> Paints:

All containers will be tightly sealed and stored indoors or under roof when not being used. Excess paint or paint wash water will not be discharged to the drainage or storm sewer system but will be properly disposed of according to manufacturers' instructions or state and local regulations.

> Concrete Truck Washout:

Concrete truck mixers and chutes will not be washed on pavement, near storm drain inlets, or within 75 feet of any ditch, stream, wetland, lake, or sinkhole. Where possible, excess concrete and wash water will be discharged to areas prepared for pouring new concrete, flat areas to be paved that are away from ditches or drainage system features, or other locations that will not drain off site. Where this approach is not possible, a shallow earthen wash basin will be excavated away from ditches to receive the wash water

> Spill Control Practices

In addition to the good housekeeping and material management practices discussed in the previous sections of this plan, the following practices will be followed for spill prevention and cleanup:

- Manufacturers' recommended methods for spill cleanup will be clearly posted. All personnel will be made aware of procedures and the location of the information and cleanup supplies.
- Materials and equipment necessary for spill cleanup will be kept in the material storage area. Equipment and materials will include as appropriate, brooms, dust pans, mops, rags, gloves, oil absorbents, sand, sawdust, and plastic and metal trash containers.
- All spills will be cleaned up immediately after discovery.

KPDES BMP Plan Page 8 of 14

- The spill area will be kept well ventilated and personnel will wear appropriate protective clothing to prevent injury from contract with a hazardous substance.
- Spills of toxic or hazardous material will be reported to the appropriate state/local agency as required by KRS 224 and applicable federal law.
- The spill prevention plan will be adjusted as needed to prevent spills from reoccurring and improve spill response and cleanup.
- Spills of products will be cleaned up promptly. Wastes from spill clean up will be disposed in accordance with appropriate regulations.

D. Other State and Local Plans

This BMP plan shall include any requirements specified in sediment and erosion control plans, storm water management plans or permits that have been approved by other state or local officials. Upon submittal of the NOI, other requirements for surface water protection are incorporated by reference into and are enforceable under this permit (even if they are not specifically included in this BMP plan). This provision does not apply to master or comprehensive plans, non-enforceable guidelines or technical guidance documents that are not identified in a specific plan or permit issued for the construction site by state or local officials. The project is not in a MS4 area. Therefore, there are no local requirements.

E. Maintenance

- The BMP plan shall include a clear description of the maintenance procedures necessary to keep the control measures in good and effective operating condition.
- Maintenance of BMPs during construction shall be a result of weekly and post rain event inspections with action being taken by the contractor to correct deficiencies.
- Post Construction maintenance will be a function of normal highway maintenance operations. Following final project acceptance by the cabinet, district highway crews will be responsible for identification and correction of deficiencies regarding ground cover and cleaning of storm water BMPs. The project manager shall identify any BMPs that will be for the purpose of post construction storm water management with specific guidance for any non-routine maintenance. None identified other than routine channel lining and turf reinforcement mat at the pipe outlet locations.

F. Inspections

Inspection and maintenance practices that will be used to maintain erosion and sediment controls:

- All erosion prevention and sediment control measures will be inspected at least once each week and following any rain of one-half inch or more.
- ➤ Inspections will be conducted by individuals that have received KyTC Grade Level II training or other qualification as prescribed by the cabinet that includes instruction concerning sediment and erosion control.
- Inspection reports will be written, signed, dated, and kept on file.
- > Areas at final grade will be seeded and mulched within 14 days.
- Areas that are not at final grade where construction has ceased for a period of 21 days or longer and soil stock piles shall receive temporary mulch no later than 14 days from the last construction activity in that area.
- ➤ All measures will be maintained in good working order; if a repair is necessary, it will be initiated within 24 hours of being reported.
- ➤ Built-up sediment will be removed from behind the silt fence before it has reached halfway up the height of the fence.
- Silt fences will be inspected for bypassing, overtopping, undercutting, depth of sediment, tears, and to ensure attachment to secure posts.
- Sediment basins will be inspected for depth of sediment, and built-up sediment will be removed when it reaches 70 percent of the design capacity and at the end of the job.
- ➤ Diversion dikes and berms will be inspected and any breaches promptly repaired. Areas that are eroding or scouring will be repaired and re-seeded / mulched as needed.
- > Temporary and permanent seeding and mulching will be inspected for bare spots, washouts, and healthy growth. Bare or eroded areas will be repaired as needed.
- ➤ All material storage and equipment servicing areas that involve the management of bulk liquids, fuels, and bulk solids will be inspected weekly for conditions that represent a release or possible release of pollutants to the environment.

G. Non – Storm Water discharges

It is expected that non-storm water discharges may occur from the site during the construction period. Examples of non-storm water discharges include:

KPDES BMP Plan Page 10 of 14

- Water from water line flushings.
- Water form cleaning concrete trucks and equipment.
- Pavement wash waters (where no spills or leaks of toxic or hazardous materials have occurred).
- > Uncontaminated groundwater and rain water (from dewatering during excavation).


All non-storm water discharges will be directed to the sediment basin or to a filter fence enclosure in a flat vegetated infiltration area or be filtered via another approved commercial product.

H. Groundwater Protection Plan (3)

This plan serves as the groundwater protection plan as required by 401 KAR 5:037.

Contractors statement: (3)

The following activities, as enumerated by 401 KAR 5:037 Section 2 that require the preparation and implementation of a groundwater protection plan, will or may be may be conducted as part of this construction project:



Or, check the following only if there are no qualifying activities

There are no activities for this project as listed in 401 KAR 5:037 Section 2 that require the preparation and implementation of a groundwater protection plan.

The contractor is responsible for the preparation of a plan that addresses the

401 KAR 5:037 Section 3. (3) Elements of site specific groundwater protection plan:

- (a) General information about this project is covered in the Project information:
- (b) Activities that require a groundwater protection plan have been identified above;
- (c) Practices that will protect groundwater from pollution are addressed in section C. Other control measures.
- (d) Implementation schedule all practices required to prevent pollution of groundwater are to be in place prior to conducting the activity;
- (e) Training is required as a part of the ground water protection plan. All employees of the contractor, sub-contractor and resident engineer personnel will be trained to understand the nature and requirements of this plan as they pertain to their job function(s). Training will be accomplished within one week of employment and annually thereafter. A record of training will be maintained by the contractor with a copy provide to the resident engineer.
- (f) Areas of the project and groundwater plan activities will be inspected as part of the weekly sediment and erosion control inspections
- (g) Certification (see signature page.)

Contractor and Resident Engineer Plan certification

The contractor that is responsible for implementing this BMP plan is identified in the Project Information section of this plan.

The following certification applies to all parties that are signatory to this BMP plan:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Further, this plan complies with the requirements of 401 KAR 5:037. By this certification, the undersigned state that the individuals signing the plan have reviewed the terms of the plan and will implement its provisions as they pertain to ground water protection.

Resident Engineer and Contractor Certification:

(2) Resident Engine	eer signature	
Signed	title	
Typed or	printed name ²	signature
(3) Signed	title	·
Typed or p	rinted name ¹	signature


- 1. Contractors Note: to be signed by a person who is the owner, a responsible corporate officer, a general partner or the proprietor or a person designated to have the authority to sign reports by such a person in accordance with 401 KAR 5:060 Section 9. This delegation shall be in writing to: Manager, KPDES Branch, Division of Water, 14 Reilly Road, Frankfort Kentucky 40601. Reference the Project Control Number (PCN) and KPDES number when one has been issued.
- 2. KyTC note: to be signed by the Chief District Engineer or a person designated to have the authority to sign reports by such a person (usually the resident engineer) in accordance with 401 KAR 5:060 Section 9. This delegation shall be in writing to: Manager, KPDES Branch, Division of Water, 14 Reilly Road, Frankfort Kentucky 40601 Reference the Project Control Number (PCN) and KPDES number when one has been issued.

Sub-Contractor Certification

The following sub-contractor shall be made aware of the BMP plan and responsible for implementation of BMPs identified in this plan as follows:

Subcontractor	
Name: Address: Address:	
Phone:	
The part of BMP plan this subcontractor is re	sponsible to implement is:
I certify under penalty of law that I understa Kentucky Pollutant Discharge Elimination Sydischarges, the BMP plan that has been devidischarged as a result of storm events associated as a result of storm events associated as a result of storm events.	stem permit that authorizes the storm wate reloped to manage the quality of water to be ciated with the construction site activity and
Signedtitle	
Signedtitle Typed or printed name ¹	signature
	ed by a person who is the owner, a

responsible corporate officer, a general partner or the proprietor or a person designated to have the authority to sign reports by such a person in accordance with 401 KAR 5:060 Section 9. This delegation shall be in writing to: Manager, KPDES Branch, Division of Water, 14 Reilly Road, Frankfort Kentucky 40601. Reference the Project Control Number (PCN) and KPDES number when one has been issued.



Kentucky Pollutant Discharge Elimination System (KPDES)

Notice of Intent (NOI)
for Storm Water Discharges
Associated with Industrial Activity Under the
KPDES General Permit

Submission of this Notice of Intent constitutes notice that the party identified in Section I of this form intends to be authorized by a KPDES permit issued for storm water discharges associated with industrial activity. Becoming a permittee obligates such discharger to comply with the terms and conditions of the permit.

ALL NECESSARY INFORMATION MUST BE PROVIDED ON THIS FORM (See Instructions on back)

I. Facility Opera	or Info								
		•						06.04	5 0551
Name:	KYTC	District 9				Phone: Status of	10	06-84	5-2551
Address:	822 EI	izaville Avenue			1	Owner/Ope	rator:		S
		MEAN							
City, State, Zip C		Flemingsburg, KY	41041		,				
II. Facility/Site I	ocation	ı Information				<u> </u>			
Name:	KYTC	PCN ##-####	<u>:</u>						
Kridness:	Grayso	on Lake State Park A	ccess Road	(KY 803	8)				
city State: Zap o	ode.	Olive Hill, KY 41	164						
Bounty	Carter								
Suc Launde:					Site Lon	gitude:			
(degrees/minutes			ere e e e e e e e e e e e e e e e e e e	با	(degrees	/minutes/sec	onds)	83	/1/25
III. Site Activity	Intorm	ation		<u>101 i 16 i</u>					
VISA COPERATOR N	ame:		N/A				**		
Receiving Water	Body:		Grayson L						`
Are there existin	g quant	itative data?	Yes 🔲 🛚 No 🗵	If Yes, su	bmit wit	h this form.		-	(7000 0000000)
		ity Code Primary		2nd		3rd			4*
If this facility is a	memb	er of a Group Appl	ication, ent	ter Group	Applica	tion Numbe	r:	1	
If you have other	existin	g KPDES Permits,	enter Perm	iit Numb	ers:				
IV. Additional In	format	ion Required FOR	CONSTRU	JCTION	ACTIVI		r .		
Progress and Da				सुरुष्ट स्टब्स	Compl	etion Date			
Estimated Acca t	o be dis	sturbed (in acres):	an in Com	nliance	 			****************	
Is the Storm Water Pollution Prevention Plan in Compliance with State and/or Eggal Sediment and Erosion Plans? Yes			Yes 🗵	No □					
V. Certification: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations:									
Printed or Typed	Name	Katrina O.	Bradley, P.	.E., Execu	utive Dir	ector, Office	of Dist	rict Ni	ine
Signature:					Date:				

21 of 53 Comment [K3]: The addition to the second of Comment (K81) there may be up the form that it is not during the many them the project of the first of the fi or interaction of the management of the manageme Comment (K9); the file (Ale to the fine mindle Ale file (Ale file Comments (KCO); This held will i Comment [ACL] The USE ample of the distribution will be the distribution will be the distribution of the d comment [Ki2]: to be comiled he breside. Unit will be the projected completion date based on the project start late plus the contract duration. Comment (K12)) (Insus o es Malo) insproject disproject Drain Araus (PDAS) (Insus October 1988) Comment (CCM) The design promote the control of the Comment (1615), Tilk asto be stock tva : Practicle account office (170) (va C. his will be the chart bising the

Revised June 1999

PART II SPECIFICATIONS AND STANDARD DRAWINGS

SPECIFICATIONS REFERENCE

Any reference in the plans or proposal to the Standard Specifications for Road and Bridge Construction, Edition of 2004, and Standard Drawings, Edition of 2000 are superseded by Standard Specifications for Road and Bridge Construction, Edition of 2008 and Standard Drawings, Edition of 2003.

Special Notes [SN] and Special Provisions [SP] marked with an asterisk * and listed under Part II of the Table of Contents within this proposal can be referenced in the *Standard Specifications for Road and Bridge Construction, Edition of 2008*. Special Notes and Special Provisions not marked with an asterisk will be attached to this proposal.

Supplemental Specifications to The Standard Specifications for Road and Bridge Construction, 2008 Edition

(Effective with the February 22, 2008 Letting)

SUBSECTION:	837.03.01 Composition.		
REVISION:	COMPOSITION Table:		
	Replace		
	Lead Chromate	0.0 max.	4.0 min.
	with		
	Heavy Metals Content	Comply with	40 CFR 261

PART III

EMPLOYMENT, WAGE AND RECORD REQUIREMENTS

TRANSPORTATION CABINET DEPARTMENT OF HIGHWAYS

LABOR AND WAGE REQUIREMENTS APPLICABLE TO OTHER THAN FEDERAL-AID SYSTEM PROJECTS

- I. Application
- II. Nondiscrimination of Employees (KRS 344)
- III. Payment of Predetermined Minimum Wages
- IV. Statements and Payrolls

I. APPLICATION

- 1. These contract provisions shall apply to all work performed on the contract by the contractor with his own organization and with the assistance of workmen under his immediate superintendence and to all work performed on the contract by piecework, station work or by subcontract. The contractor's organization shall be construed to include only workmen employed and paid directly by the contractor and equipment owned or rented by him, with or without operators.
- 2. The contractor shall insert in each of his subcontracts all of the stipulations contained in these Required Provisions and such other stipulations as may be required.
- 3. A breach of any of the stipulations contained in these Required Provisions may be grounds for termination of the contract.

II. NONDISCRIMINATION OF EMPLOYEES

AN ACT OF THE KENTUCKY GENERAL ASSEMBLY TO PREVENT DISCRIMINATION IN EMPLOYMENT KRS CHAPTER 344 EFFECTIVE JUNE 16, 1972

The contract on this project, in accordance with KRS Chapter 344, provides that during the performance of this contract, the contractor agrees as follows:

- 1. The contractor shall not fail or refuse to hire, or shall not discharge any individual, or otherwise discriminate against an individual with respect to his compensation, terms, conditions, or privileges of employment, because of such individual's race, color, religion, national origin, sex, disability or age (between forty and seventy); or limit, segregate, or classify his employees in any way which would deprive or tend to deprive an individual of employment opportunities or otherwise adversely affect his status as an employee, because of such individual's race, color, religion, national origin, sex, disability or age (between forty and seventy). The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.
- 2. The contractor shall not print or publish or cause to be printed or published a notice or advertisement relating to employment by such an employer or membership in or any classification or referral for employment by the employment agency, indicating any preference, limitation, specification, or discrimination, based on race, color, religion, national origin, sex, disability or age (between forty and seventy), except that such notice or advertisement may indicate a preference, limitation, or specification based on religion, or national origin when religion, or national origin is a bona fide occupational qualification for employment.
- 3. If the contractor is in control of apprenticeship or other training or retraining, including on-the-job training programs, he shall not discriminate against an individual

because of his race, color, religion, national origin, sex, disability or age (between forty and seventy), in admission to, or employment in any program established to provide apprenticeship or other training.

4. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representative of the contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment. The contractor will take such action with respect to any subcontract or purchase order as the administrating agency may direct as a means of enforcing such provisions, including sanctions for non-compliance.

III. PAYMENT OF PREDETERMINED MINIMUM WAGES

- 1. These special provisions are supplemented elsewhere in the contract by special provisions which set forth certain predetermined minimum wage rates. The contractor shall pay not less than those rates.
- 2. The minimum wage determination schedule shall be posted by the contractor, in a manner prescribed by the Department of Highways, at the site of the work in prominent places where it can be easily seen by the workers.

IV. STATEMENTS AND PAYROLLS

- 1. All contractors and subcontractors affected by the terms of KRS 337.505 to 337.550 shall keep full and accurate payroll records covering all disbursements of wages to their employees to whom they are required to pay not less than the prevailing rate of wages. Payrolls and basic records relating thereto will be maintained during the course of the work and preserved for a period of one (1) year from the date of completion of this contract.
- 2. The payroll records shall contain the name, address and social security number of each employee, his correct classification, rate of pay, daily and weekly number of hours worked, itemized deductions made and actual wages paid.
- 3. The contractor shall make his daily records available at the project site for inspection by the State Department of Highways contracting office or his authorized representative.

Periodic investigations shall be conducted as required to assure compliance with the labor provisions of the contract. Interrogation of employees and officials of the contractor shall be permitted during working hours.

Aggrieved workers, Highway Managers, Assistant District Engineers, Resident Engineers and Project Engineers shall report all complaints and violations to the Division of Contract Procurement.

The contractor shall be notified in writing of apparent violations. The contractor may correct the reported violations and notify the Department of Highways of the action taken or may request an informal hearing. The request for hearing shall be in writing within ten (10) days after receipt of the notice of the reported violation. The contractor may submit

records and information which will aid in determining the true facts relating to the reported violations.

Any person or organization aggrieved by the action taken or the findings established as a result of an informal hearing by the Division of Contract Procurement may request a formal hearing.

- 4. The wages of labor shall be paid in legal tender of the United States, except that this condition will be considered satisfied if payment is made by a negotiable check, on a solvent bank, which may be cashed readily by the employee in the local community for the full amount, without discount or collection charges of any kind. Where checks are used for payments, the contractor shall make all necessary arrangements for them to be cashed and shall give information regarding such arrangements.
- 5. No fee of any kind shall be asked or accepted by the contractor or any of his agents from any person as a condition of employment on the project.
- 6. No laborers shall be charged for any tools used in performing their respective duties except for reasonably avoidable loss or damage thereto.
- 7. Every employee on the work covered by this contract shall be permitted to lodge, board, and trade where and with whom he elects and neither the contractor nor his agents, nor his employees shall directly or indirectly require as a condition of employment that an employee shall lodge, board or trade at a particular place or with a particular person.
- 8. Every employee on the project covered by this contract shall be an employee of either the prime contractor or an approved subcontractor.
- 9. No charge shall be made for any transportation furnished by the contractor or his agents to any person employed on the work.
- 10. No individual shall be employed as a laborer or mechanic on this contract except on a wage basis, but this shall not be construed to prohibit the rental of teams, trucks or other equipment from individuals.

No Covered employee may be employed on the work except in accordance with the classification set forth in the schedule mentioned above; provided, however, that in the event additional classifications are required, application shall be made by the contractor to the Department of Highways and (1) the Department shall request appropriate classifications and rates from the proper agency, or (2) if there is urgent need for additional classification to avoid undue delay in the work, the contractor may employ such workmen at rates deemed comparable to rates established for similar classifications provided he has made written application through the Department of Highways, addressed to the proper agency, for the supplemental rates. The contractor shall retroactively adjust, upon receipt of the supplemental rates schedule, the wages of any employee paid less than the established rate and may adjust the wages of any employee overpaid.

11. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any laborer or mechanic in any work-week in which he is employed on such work, to work in excess of eight hours in any calendar day or in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one half times his basic rate of pay for all hours worked in excess of eight hours in any calendar day or in excess of forty hours in such work-week. A laborer, workman or mechanic and an employer may enter into a written agreement or a collective bargaining agreement to work more than eight (8) hours a calendar day but not more than ten (10) hours a calendar day for the straight time hourly rate. This agreement shall be in writing and shall be executed prior to the employee working in excess of eight (8) hours, but not more than ten (10) hours, in any one (1) calendar day.

12. Payments to the contractor may be suspended or withheld due to failure of the contractor to pay any laborer or

mechanic employed or working on the site of the work, all or part of the wages required under the terms of the contract. The Department may suspend or withhold payments only after the contractor has been given written notice of the alleged violation and the contractor has failed to comply with the wage determination of the Department of Highways.

13. Contractors and subcontractors shall comply with the sections of Kentucky Revised Statutes, Chapter 337 relating to contracts for Public Works.

Revised 2-16-95

EXECUTIVE BRANCH CODE OF ETHICS

In the 1992 regular legislative session, the General Assembly passed and Governor Brereton Jones signed Senate Bill 63 (codified as KRS 11A), the Executive Branch Code of Ethics, which states, in part:

KRS 11A.040 (6) provides:

No present or former public servant shall, within six (6) months of following termination of his office or employment, accept employment, compensation or other economic benefit from any person or business that contracts or does business with the state in matters in which he was directly involved during his tenure. This provision shall not prohibit an individual from returning to the same business, firm, occupation, or profession in which he was involved prior to taking office or beginning his term of employment, provided that, for a period of six (6) months, he personally refrains from working on any matter in which he was directly involved in state government. This subsection shall not prohibit the performance of ministerial functions, including, but not limited to, filing tax returns, filing applications for permits or licenses, or filing incorporation papers.

KRS 11A.040 (8) states:

A former public servant shall not represent a person in a matter before a state agency in which the former public servant was directly involved, for a period of one (1) year after the latter of:

- a) The date of leaving office or termination of employment; or
- b) The date the term of office expires to which the public servant was elected.

This law is intended to promote public confidence in the integrity of state government and to declare as public policy the idea that state employees should view their work as a public trust and not as a way to obtain private benefits.

If you have worked for the executive branch of state government within the past six months, you may be subject to the law's prohibitions. The law's applicability may be different if you hold elected office or are contemplating representation of another before a state agency.

Also, if you are affiliated with a firm which does business with the state and which employs former state executive-branch employees, you should be aware that the law may apply to them.

In case of doubt, the law permits you to request an advisory opinion from the Executive Branch Ethics Commission, Room 136, Capitol Building, 700 Capitol Avenue, Frankfort, Kentucky 40601; telephone (502) 564-7954.

Kentucky Equal Employment Opportunity Act of 1978

The requirements of the Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) shall apply to this Contract. The apparent low Bidder will be required to submit EEO forms to the Division of Construction Procurement, which will then forward to the Finance and Administration Cabinet for review and approval. No award will become effective until all forms are submitted and EEO/CC has certified compliance. The required EEO forms are as follows:

- EEO-1: Employer Information Report
- Affidavit of Intent to Comply
- Employee Data Sheet
- Subcontractor Report

These forms are available on the Finance and Administration's web page under *Vendor Information*, *Standard Attachments and General Terms* at the following address: https://www.eProcurement.ky.gov.

Bidders currently certified as being in compliance by the Finance and Administration Cabinet may submit a copy of their approval letter in lieu of the referenced EEO forms.

For questions or assistance please contact the Finance and Administration Cabinet by email at **finance.contractcompliance@ky.gov** or by phone at 502-564-2874.

HIGHWAY BASIC HOURLY RATES

FRINGE BENEFIT PAYMENTS COMBINED

CRAFTS:		
Breckinridge County:		
Bricklayers	25.90	10.70
Bullitt, Carroll, Grayson, Hardin, Henry	, Jefferson, Larue, Marion, Meade, Ne	lson, Oldham, Shelby,
Spencer and Trimble Counties:		
Bricklayers	22.93	8.85
Bracken, Gallatin, Grant, Mason and R		
Bricklayers	25.86	9.49
Boyd, Carter, Elliott, Fleming, Greenu	p, Lewis and Rowan Counties:	
Bricklayers	25.49	13.86
Anderson, Bath, Bourbon, Boyle, Clark	k, Fayette, Franklin, Harrison, Jessami	ne, Madison, Mercer,
Montgomery, Nicholas, Owen, Scott, V	Washington and Woodford Counties:	
Bricklayers	22.93	8.85
Bricklayers (Layout Men)		
Refractory/Acid Brick/Glass	23.43	8.85
All Counties		
Carpenters:	24.05	9.77
Divers	36.45	9.77
Piledrivermen	24.30	9.77
Bracken and Grant Counties:		
Millwrights		
Anderson, Bath, Bourbon, Boyle, Clark	k, Fayette, Franklin, Harrison, Jessami	ne, Madison, Mercer,
Montgomery, Nicholas, Owen, Scott a		
Millwrights	21.75	12.50
Boyd, Carter, Elliott, Fleming, Greenu	p, Lewis, Mason, Robertson, and Rov	van Counties:
Millwrights	29.25	12.16
Breckinridge, Bullitt, Carroll, Gallatin,		arue, Marion, Meade,
Nelson, Oldham, Shelby, Spencer, Trii		
Millwrights	23.65	14.22
Bracken, Gallatin and Grant Counties:		
Electricians	24.24	9.34
Sound Communications:		
	9.00	
Installer	18.00	3.475

Three/Federal-State Sheet 1 of 11

HIGHWAY BASIC HOURLY RATES

FRINGE BENEFIT PAYMENTS COMBINED

CRAFTS: (continued)

Boyd, Carter, Elliott and Rowan Counties:

Electricians:

 Cable Splicers
 27.46
 16.12

 Electricians
 26.15
 16.08

Anderson, Bath, Bourbon, Boyle, Breckinridge, Bullitt, Carroll, Clark, Fayette, Franklin, Grayson, Hardin, Harrison, Henry, Jefferson, Jessamine, Larue, Madison, Marion, Meade, Mercer, Montgomery, Nelson, Nicholas, Oldham, Owen, Robertson, Scott, Shelby, Spencer, Trimble, Washington and Woodford Counties:

Fleming, Greenup, Lewis and Mason Counties:

<u>Bourbon</u> (Northern third, including Townships of Jackson, Millersburg, Ruddel Mills & Shawhan); <u>Carroll</u> (Eastern third, including the Township of Ghent); <u>Fleming</u> (Western part, excluding Townships of Beechburg, Colfax, Elizaville, Flemingsburg, Flemingsburg Junction, Foxport, Grange City, Hillsboro, Hilltop, Mount Carmel, Muses Mills, Nepton, Pecksridge, Plummers Landing, Plummers Mill, Poplar Plains, Ringos Mills, Tilton & Wallingford); <u>Mason</u> (Western two-thirds, including Townships of Dover, Lewisburg, Mays Lick, Maysville, Minerva, Moranburg, Murphysville, Ripley, Sardis, Shannon, South Ripley & Washington);

<u>Nicholas</u> (Townships of Barefoot, Barterville, Carlisle, Ellisville, Headquarters, Henryville, Morningglory, Myers & Oakland Mills); <u>Owen</u> (Townships of Beechwood, Bromley, Fairbanks, Holbrook, Jonesville, Long Ridge, Lusby's Mill, New, New Columbus, New Liberty, Owenton, Poplar Grove, Rockdale, Sanders, Teresita & Wheatley); Scott (Northern two-thirds, including Townships of Biddle, Davis, Delaplain, Elmville, Longlick, Muddy Ford, Oxford, Rogers Gap, Sadieville, Skinnersburg & Stonewall) & Bracken, Gallatin, Grant, Harrison & Robertson Counties: Ironworkers:

Fence Erector	22.25	15.67
Structural	24.72	15.67

<u>Bourbon</u> (Southern two-thirds, including Townships of Austerlity, Centerville, Clintonville, Elizabeth, Hutchison, Littlerock, North Middletown & Paris); <u>Carroll</u> (Western two-thirds, including Townships of Carrollton, Easterday, English, Locust, Louis, Prestonville & Worthville); <u>Clark</u> (Western two-thirds, including Townships of Becknerville, Flanagan, Ford, Pine Grove, Winchester & Wyandotte); <u>Owen</u> (Eastern eighth, including Townships of Glenmary, Gratz, Monterey, Perry Park & Tacketts Mill); <u>Scott</u> (Southern third, including Townships of Georgetown, Great Crossing, Newtown, Stamping Ground & Woodlake); <u>Anderson</u>, <u>Boyle</u>, <u>Breckinridge</u>, <u>Bullitt</u>, <u>Fayette</u>, <u>Franklin</u>, <u>Grayson</u>, <u>Hardin</u>, <u>Henry</u>, <u>Jefferson</u>,

Three/Federal-State Sheet 2 of 11

HIGHWAY BASIC HOURLY RATES

FRINGE BENEFIT PAYMENTS COMBINED

CRAFTS: (continued)

Jessamine, Larue, Madison, Marion, Meade, Mercer, Nelson, Oldham, Shelby, Spencer, Trimble, Washington & Woodford Counties:

Bourbon (Northern third, including Townships of Jackson, Millersburg, Ruddel Mills & Shawhan); Carroll (Eastern third, including the Townships of Ghent); Flemingsburg (Western part, excluding Townships of Beechburg, Colfax, Elizaville, Flemingsburg, Flemingsburg Junction, Foxport, Grange City, Hillsboro, Hilltop, Mount Carmel, Muses Mills, Nepton, Pecksridge, Plummers Landing, Plummers Mill, Poplar Plains, Ringos Mills, Tilton & Wallingford); Mason (Western two-thirds, including Townships of Dover, Lewisburg, Mays Lick, Maysville, Minerva, Moranburg, Murphysville, Ripley, Sardis, Shannon, South Ripley & Washington); Nicholas (Townships of Barefoot, Barterville, Carlisle, Ellisville, Headquarters, Henryville, Morningglory, Myers & Oakland Mills); Owen (Townships of Beechwood, Bromley, Fairbanks, Holbrook, Jonesville, Long Ridge, Lusby's Mill, New, New Columbus, New Liberty, Owenton, Poplar Grove, Rockdale, Sanders, Teresita & Wheatley); Scott (Northern two-thirds, including Townships of Biddle, Davis, Delaplain, Elmville, Longlick, Muddy Ford, Oxford, Rogers Gap, Sadieville, Skinnersburg & Stonewall); Bracken, Gallatin, Grant, Harrison & Robertson Counties:

Ironworkers:

Up to and including 30- mile radius of Hamilton County, Ohio Courthouse.......25.15.......14.85
Beyond 30- mile radius of Hamilton County, Ohio Courthouse...........25.40.......14.85
Clark (Eastern third, including Townships of Bloomingdale, Hunt, Indian Fields, Kiddville, Loglick, Rightangele & Thomson); Fleming (Townships of Beechburg, Colfax, Elizaville, Flemingsburg, Flemingsburg Junction, Foxport, Grange City, Hillsboro, Hilltop, Mount Carmel, Muses Mills, Nepton, Pecksridge, Plummers Landing, Plummers Mill, Poplar Plains, Ringos Mills, Tilton & Wallingford); Mason (Eastern third, including Townships of Helena, Marshall, Orangeburg, Plumville & Springdale); Nicholas (Eastern eighth, including the Township of Moorefield Sprout); Bath, Boyd, Carter, Elliott, Greenup, Lewis, Montgomery & Rowan Counties:

Ironworkers:

Zone 1	26.87	15.82
Zone 2	27.27	15.82
Zone 3	28 87	15.82

- Zone 1 Up to 10 mi. radius of union hall, Ashland, KY, 1643 Greenup Avenue;
- Zone 2 10 to 50 mi. radius of union hall;
- Zone 3 50 mi. radius and beyond.

Three/Federal-State Sheet 3 of 11

HIGHWAY BASIC HOURLY RATES

FRINGE BENEFIT PAYMENTS COMBINED

CRAFTS : (continued)	
Anderson, Breckinridge, Bullitt, Carroll, Grayson,	Hardin, Henry, Jefferson, Larue, Marion, Meade,
Nelson, Oldham, Shelby, Spencer, Trimble and W	Vashington Counties:
Painters:	
Brush & Roller17.87	9.07
Spray, Sand Blast, Power Tools,	
Water Blast & Steam Cleaning18.62	9.07
Bracken, Gallatin, Grant, Mason, and Owen Cour	nties:
Painters:	
(Heavy and Highway Bridges-	
Guardrails-Lightpoles-Striping):	
Bridge/Equipment Tender and	
Containment Builder20.40	6.30
Brush and Roller23.00	
Elevated Tanks;	
Steeplejack Work; Bridge &	
Lead Abatement24.00	6.30
Sand Blasting & Water	
Blasting	6.30
Spray23.50	
Bath, Bourbon, Boyle, Clark, Fayette, Fleming, F	
Montgomery, Nicholas, Robertson, Scott and Wo	
Painters:	
Brush & Roller	5.90
Elevated Tanks;	
Steeplejack Work; Bridge &	
Lead Abatement	5.90
Sandblasting & Waterblasting	
Spray	
Bridge/Equipment Tender and/or	
Containment Builder	5.90
Boyd, Carter, Elliott, Greenup, Lewis and Rowan	
Painters:	
Bridges	10.95
All Other Work24.23	

Three/Federal-State Sheet 4 of 11

HIGHWAY BASIC HOURLY RATES

FRINGE BENEFIT PAYMENTS COMBINED

CRAFTS:	(continued))
----------------	-------------	---

Breckinridge, Bullitt, Carroll (Western Half), Franklin (Western three-fourths), Grayson, Hardin, Henry, Jefferson, Larue, Marion, Meade, Nelson, Oldham, Shelby, Spencer, Trimble and Washington Counties:

Boyd, Carter, Elliott, Greenup, Lewis and Rowan Counties:

Bracken, Carroll (Eastern Half), Gallatin, Grant, Mason, Owen and Robertson Counties:

LABORERS:

Bath, Bourbon, Boyd, Boyle, Bracken, Carter, Clark, Elliott, Fayette, Fleming, Franklin, Gallatin, Grant, Greenup, Harrison, Jessamine, Lewis, Madison, Mason, Mercer, Montgomery, Nicholas, Owen, Robertson, Rowan, Scott, & Woodford Counties:

GROUP 1 - Aging and curing of concrete, Asbestos Abatement Worker, Asphalt Plant, Asphalt, Batch Truck Dump, Carpenter Tender, Cement Mason Tender, Cleaning of Machines, Concrete, Demolition, Dredging, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Level D, Flagperson, Grade Checker, Hand Digging and Hand Back Filling, Highway Marker Placer, Landscaping Mesh Handler and Placer, Puddler, Railroad, Rip-Rap and Grouter, Right-of-Way Sign, Guard rail and Fence Installer, Signal Person, Sound Barrier Installer, Storm and Sanitary Sewer, Swamper, Truck Spotter and Dumper, and Wrecking of Concrete Forms, General Cleanup.

BASE RATE	19.33
FRINGE BENEFITS	9.18

Group 2 - Batter Board Man (Sanitary And Storm Sewer), Brickmason Tender, Mortar Mixer Operator, Scaffold Builder, Burner and Welder, Bushammer, Chain Saw Operator, Concrete Saw Operator, Deckhand Scow Man, Dry Cement Handler, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Level C, Forklift Operator for Masonary, Form Setter, Green Concrete Cutting, Hand Operated Grouter and Grinder Machine Operator, Jackhammer, Pavement Breaker, Paving Joint Machine, Pipelayer, Plastic Pipe Fusion, Power Driven Georgia Buggy and Wheel Barrow, Power Post Hole Digger, Precast Manhole Setter, Walk-Behind Tamper, Walk-Behind Trencher, Sand Blaster, Concrete Chipper, Surface Grinder, Vibrator Operator and Wagon Driller.

BASE RATE	19.58
FRINGE BENEFITS	9.18

Three/Federal-State Sheet 5 of 11

LABORERS: (continued)

GROUP 3 - Asphalt Luteman and Raker, Gunnite Nozzleman, Gunnite Operator and Mixer, Grout Pump Operator, Side Rail Setter, Rail Paved Ditch, Screw Operator, Tunnel (Free Air) and Water Blaster.

BASE RATE	19.63
FRINGE BENEFITS	9.18

GROUP 4 - Caisson Worker (Free Air), Cement Finisher, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Levels A and B, Miner and Driller (Free Air), Tunnel Blaster and Tunnel Mucker (Free Air), Directional & Horizontal Boring, Air Track Drillers (all types), Powdermen & Blasters, Troxler & Concrete Tester if Laborer is Utilized.

BASE RATE	20.23
FRINGE BENEFITS	9.18

LABORERS:

Anderson, Bullitt, Carroll, Hardin, Henry, Jefferson, Larue, Marion, Meade, Nelson, Oldham, Shelby, Spencer, Trimble & Washington Counties:

GROUP 1 - Aging and curing of concrete, Asbestos Abatement Worker, Asphalt Plant, Asphalt, Batch Truck Dump, Carpenter Tender, Cement Mason Tender, Cleaning of Machines, Concrete, Demolition, Dredging, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Level D, Flagperson, Grade Checker, Hand Digging and Hand Back Filling, Highway Marker Placer, Landscaping Mesh Handler and Placer, Puddler, Railroad, Rip-Rap and Grouter, Right-of-Way Sign, Guardrail and Fence Installer, Signal Person, Sound Barrier Installer, Storm and Sanitary Sewer, Swamper, Truck Spotter and Dumper, and Wrecking of Concrete Forms, General Cleanup.

BASE RATE	19.33
FRINGE BENEFITS	9.18

Group 2 - Batter Board Man (Sanitary And Storm Sewer), Brickmason Tender, Mortar Mixer Operator, Scaffold Builder, Burner and Welder, Bushammer, Chain Saw Operator, Concrete Saw Operator, Deckhand Scow Man, Dry Cement Handler, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Level C, Forklift Operator for Masonary, Form Setter, Green Concrete Cutting, Hand Operated Grouter and Grinder Machine Operator, Jackhammer, Pavement Breaker, Paving Joint Machine, Pipelayer, Plastic Pipe Fusion, Power Driven Georgia Buggy and Wheel Barrow, Power Post Hole Digger, Precast Manhole Setter, Walk-Behind Tamper, Walk-Behind Trencher, Sand Blaster, Concrete Chipper, Surface Grinder, Vibrator Operator and Wagon Driller.

BASE RATE	19.58
FRINGE BENEFITS	9.18

Three/Federal-State Sheet 6 of 11

LABORERS: (continued)

GROUP 3 - Asphalt Luteman and Raker, Gunnite Nozzleman, Gunnite Operator and Mixer, Grout Pump Operator, Side Rail Setter, Rail Paved Ditch, Screw Operator, Tunnel (Free Air) and Water Blaster.

BASE RATE	19.63
FRINGE BENEFITS	9.18

GROUP 4 - Caisson Worker (Free Air), Cement Finisher, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Levels A and B, Miner and Driller (Free Air), Tunnel Blaster and Tunnel Mucker (Free Air), Directional & Horizontal Boring, Air Track Drillers (all types), Powdermen & Blasters, Troxler & Concrete Tester if Laborer is Utilized.

BASE RATE	20.23
FRINGE BENEFITS	9.18

LABORERS:

Breckinridge & Grayson Counties:

GROUP 1 - Aging and curing of concrete, Asbestos Abatement Worker, Asphalt Plant, Asphalt, Batch Truck Dump, Carpenter Tender, Cement Mason Tender, Cleaning of Machines, Concrete, Demolition, Dredging, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Level D, Flagperson, Grade Checker, Hand Digging and Hand Back Filling, Highway Marker Placer, Landscaping Mesh Handler and Placer, Puddler, Railroad, Rip-Rap and Grouter, Right-of-Way Sign, Guard rail and Fence Installer, Signal Person, Sound Barrier Installer, Storm and Sanitary Sewer, Swamper, Truck Spotter and Dumper, and Wrecking of Concrete Forms, General Cleanup.

BASE RATE	19.88
FRINGE BENEFITS	8.63

Group 2 - Batter Board Man (Sanitary And Storm Sewer), Brickmason Tender, Mortar Mixer Operator, Scaffold Builder, Burner and Welder, Bushammer, Chain Saw Operator, Concrete Saw Operator, Deckhand Scow Man, Dry Cement Handler, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Level C, Forklift Operator for Masonary, Form Setter, Green Concrete Cutting, Hand Operated Grouter and Grinder Machine Operator, Jackhammer, Pavement Breaker, Paving Joint Machine, Pipelayer, Plastic Pipe Fusion, Power Driven Georgia Buggy and Wheel Barrow, Power Post Hole Digger, Precast Manhole Setter, Walk-Behind Tamper, Walk-Behind Trencher, Sand Blaster, Concrete Chipper, Surface Grinder, Vibrator Operator and Wagon Driller.

BASE RATE	20.13
FRINGE BENEFITS	8.63

Three/Federal-State Sheet 7 of 11

LABORERS: (continued)

GROUP 3 - Asphalt Luteman and Raker, Gunnite Nozzleman, Gunnite Operator and Mixer, Grout Pump Operator, Side Rail Setter, Rail Paved Ditch, Screw Operator, Tunnel (Free Air) and Water Blaster.

BASE RATE	20.18
FRINGE BENEFITS	8.63

GROUP 4 - Caisson Worker (Free Air), Cement Finisher, Environmental - Nuclear, Radiation, Toxic and Hazardous Waste - Levels A and B, Miner and Driller (Free Air), Tunnel Blaster and Tunnel Mucker (Free Air), Directional & Horizontal Boring, Air Track Drillers (all types), Powdermen & Blasters, Troxler & Concrete Tester if Laborer is Utilized.

BASE RATE	20.78
FRINGE BENEFITS	8 63

TRUCK DRIVER CLASSIFICATIONS: TEAMSTERS GROUP 1 - Mobile Batch Truck Tender	BASE RATE . 16.57
GROUP 2 - Greaser, Tire Changer and Mechanic Tender	16.68
GROUP 3 - Single Axle Dump, Flatbed, Semi-trailer or Pole Trailer when used to p materials and equipment, Tandem Axle Dump, Distributor, Mixer and Truck Mechanic	C
GROUP 4 - Euclid & Other Heavy Earthmoving Equipment & Lowboy, Articulator Vehicle, Winch & A-Frame when used in transporting materials, Ross Carrier, Forklift veransport building materials and Pavement Breaker	when used to
FRINGE BENEFITS	7.34

OPERATING ENGINEERS:

A-Frame Winch Truck, Auto Patrol, Backfiller, Batcher Plant, Bituminous Paver, Bituminous Transfer Machine, Boom Cat, Bulldozer, Mechanic, Cableway, Carry-All Scoop, Carry Deck Crane, Central Compressor Plant, Clamshell, Concrete Mixer (21 Cu. Ft. or Over), Concrete Paver, Truck-Mounted Concrete Pump, Core Drill, Crane, Crusher Plant, Derrick, Derrick Boat, Ditching and Trenching Machine, Dragline, Dredge Operator, Dredge Engineer, Elevating Grader and Loaders, Grade-All, Gurries, Heavy Equipment Robotics Operator/Mechanic, High Lift, Hoe-Type Machine, Hoist (two or more drums), Hoisting Engine (two or more drums), Horizontal Directional Drill Operator, Hydrocrane, Hyster, Kecal Loader, Letourneau, Locomotive,

Three/Federal-State Sheet 8 of 11

OPERATING ENGINEERS: (continued)

Mechanically Operated Laser Screed, Mechanic Welder, Mucking Machine, Motor Scraper, Orangepeel Bucket, Piledriver, Power Blade, Pumpcrete, Push Dozer, Rock Spreader Attached to Equipment, Rotary Drill, Roller (Bituminous), Scarifier, Scoopmobile, Shovel, Side Boom, Subgrader, Tailboom, Telescoping Type Forklift, Tow or Push Boat, Tower Crane (French, German and other types), Tractor Shovel and Truck Crane, Tunnel Mining Machines, Including Moles, Shields or similar types of Tunnel Mining Equipment.

BASE RATE	23.60
FRINGE BENEFITS	12.40

Air Compressor (over 900 cu. ft. per min.), Bituminous Mixer, Boom Type Tamping Machine, Bull Float, Concrete Mixer (under 21 cu. ft.), Dredge Engineer, Electric Vibrator Compactor/Self-Propelled Compactor, Elevator (one drum or Buck Hoist), Elevator (when used to hoist building material), Finish Machine, Fireman & Hoist (one drum), Flexplane, Forklift (reguardless of lift height), Form Grader, Joint Sealing Machine, Outboard Motor Boat, Power Sweeper (riding type), Roller (rock), Ross Carrier, Skid Mounted Or Trailer Mounted Concrete Pump, Skid Steer Machine with all attachments, Switchman or Brakeman, Throttle Valve Person, Tractair and Road Widening Trencher, Tractor (50 H.P. or over), Truck Crane Oiler, Tugger, Welding Machine, Well Points and Whirley Oiler.

BASE RATE	21.18
FRINGE BENEFITS	12.40

All off road material handling equipment, including Articulating Dump Trucks, Greaser on Grease facilities servicing heavy equipment.

BASE RATE	21.56
FRINGE BENEFITS	12.40

Bituminous Distributor, Burlap and Curing Machine, Cement Gun, Concrete Saw, Conveyor, Deckhand Oiler, Grout Pump, Hydraulic Post Driver, Hydro Seeder, Mud Jack, Oiler, Paving Joint Machine, Power Form Handling Equipment, Pump, Roller (Earth), Steerman, Tamping Machine, Tractor (under 50 H.P.) and Vibrator.

BASE RATE	20.92
FRINGE BENEFITS	12.40

Cranes - with Booms 150 ft. and over (including jib), and where the length of the Boom in combination with the length of the piling leads equals or exceeds 150 ft. - \$1.00 over Group 1 rate.

Three/Federal-State Sheet 9 of 11

Employees assigned to work below ground level are to be paid 10% above basic wage rate. This does not apply to open cut work.

WELDERS - Receive rate for craft in which welding is incidental.

Fringe benefit amounts are applicable for all hours worked except when otherwise noted.

These rates are listed pursuant to Kentucky Determination No. CR-06-III HWY dated July 10, 2007 and/or Federal Decision Number KY20080027 dated February 8, 2008 modification #0 dated February 8, 2008.

No Laborer, workman or mechanic shall be paid at a rate less than that of a Journeyman except those classified as bona fide apprentices.

Apprentices or trainees shall be permitted to work as such subject to Administrative Regulations adopted by the Commissioner of Workplace Standards. Copies of these regulations will be furnished upon request from any interested person.

Before using apprentices on the job the contractor shall present to the Contracting Officer written evidence of registration of such employees in a program of a State apprenticeship and training agency approved and recognized by the U. S. Bureau of Apprenticeship and Training. In the absence of such a State agency, the contractor shall submit evidence of approval and registration by the U. S. Bureau of Apprenticeship and Training.

The contractor shall submit to the Contracting Officer, written evidence of the established apprenticeship-journeyman ratios and wage rates in the project area, which will be the basis for establishing such ratios and rates for the project under the applicable contract provisions.

Three/Federal-State Sheet 10 of 11

TO: EMPLOYERS/EMPLOYEES

PREVAILING WAGE SCHEDULE:

The wages indicated on this wage schedule are the least permitted to be paid for the occupations indicated. When an employee works in more than one classification, the employer must record the number of hours worked in each classification at the prescribed hourly base rate.

OVERTIME:

Overtime is to be paid after an employee works eight (8) hours a day or forty (40) hours a week, whichever gives the employee the greater wages. At least time and one-half the base rate is required for all overtime. A laborer, workman or mechanic and an employer may enter into a written agreement or a collective bargaining agreement to work more than eight (8) hours a calendar day but not more than ten (10) hours a calendar day for the straight time hourly rate. Wage violations or questions should be directed to the designated Engineer or the undersigned.

Steve Waddle, Director Division of Construction Procurement Frankfort, Kentucky 40622

Three/Federal-State Sheet 11 of 11

PART IV

INSURANCE

INSURANCE

The Contractor shall carry the following insurance in addition to the insurance required by law:

- 1. Contractor's Public Liability Insurance not less than \$100,000.00 for damages arising out of bodily injuries to or death to one person. Not less than \$300,000.00 for damages arising out of bodily injuries to or death to two or more persons.
- 2. Contractor's Property Damages Liability Insurance. Not less than \$100,000.00 for all damages arising out of injury or destruction of property in any one accident. Not less than \$300,000.00 for all damages during the policy period.
- 3. Contractor's Protective Public Liability and Property Damage Insurance. The contractor shall furnish evidence with respect to operations performed for him by subcontractors that he carries in his own behalf for the above stipulated amounts.
- 4. The insurance required above must be evidenced by a Certificate of Insurance and this Certificate of Insurance must contain one of the following statements:
 - a. "policy contains no deductible clauses."
 b. "policy contains ______ (amount) deductible property damage clause but company will pay claim and collect the deductible from the insured."
- 5. WORKMEN'S COMPENSATION INSURANCE. The contractor shall furnish evidence of coverage of all his employees or give evidence of self-insurance by submitting a copy of a certificate issued by the Workmen's Compensation Board.

PART V

STATEMENT OF INCOMPLETE WORK

STATEMENT OF INCOMPLETED WORK

All active prime contracts must be reported. This includes prime contracts with public and private owners and joint-ventured contracts. The names of the joint venturers must be shown when reporting these projects. A machine or typed listing reporting the status of each contract is acceptable when attached to this report; however, the total amounts on the itemized listing must be reported in the space provided below:

CONTRACT WITH	PROJECT IDENTIFICATION	PRIME CONTRACT AMOUNT	EARNINGS THROUGH LAST APPROVED ESTIMATE	TOTAL AMOUNT OF WORK REMAINING
TOTAL				
TOTAL (Attach Summary if not itemized above)		\$	\$	\$

PART VI

BID ITEMS

TRANSPORTATION CABINET

Department of Highways FRANKFORT, KY 40622

Sheet No: 1

Contract ID: 08-1010

CARTER COUNTY CPTL 022 8038 Letting: 3/21/08

Item No.	Code No.	 Item	Approximate Quantity	 Unit	Unit Price Dollars	Amount Dollars
 		ROADWAY	l I	 	.	
0010 00	00001	DGA BASE	4,632.00	TON	.	
020 00	0003	CRUSHED STONE BASE	600.00	TON	·	
0030 00	00020	TRAFFIC BOUND BASE	484.00	TON	.	
040 00	0100	ASPHALT SEAL AGGREGATE	3.60	TON	.	
0050 00	0190	LEVELING & WEDGING PG64-22	394.00	TON	.	
0060 00	0221	CL2 ASPH BASE 0.75D PG64-22	2,141.00	TON	.	
0070 00	0291	EMULSIFIED ASPHALT RS-2	0.50	TON	.	
080 0800	0301	CL2 ASPH SURF 0.38D PG64-22	1,382.00	TON	.	
090 00	0440	ENTRANCE PIPE-15 IN	89.00	LF	.	
100 00	0462	CULVERT PIPE-18 IN	79.00	LF	.	•
110 00	0464	CULVERT PIPE-24 IN	130.00	LF	.	
120 00	0466	CULVERT PIPE-30 IN	46.00	LF	.	
130 00	0469	CULVERT PIPE-42 IN	70.00	LF	.	
140 00	0521	STORM SEWER PIPE-15 IN	43.00	LF	.	
150 00	0522	STORM SEWER PIPE-18 IN	138.00	LF	.	
160 0	1390	METAL END SECTION TY 3-15 IN	1.00	EACH	.	
0170 0°	 11391	METAL END SECTION TY 3-18 IN	1.00	EACH		
0180 0°	1393	METAL END SECTION TY 3-24 IN	1.00	EACH		
190 0	1396	METAL END SECTION TY 3-42 IN	1.00	EACH	.	
200 0	1432	SLOPED BOX OUTLET TYPE 1-15 IN	5.00	EACH	.	
210 0°	1450	S & F BOX INLET-OUTLET-18 IN	2.00	EACH	.	
220 0°	 11451	S&FBOX INLET-OUTLET-24 IN	2.00	EACH		
230 0°	 11452	S & F BOX INLET-OUTLET-30 IN	1.00	EACH		
240 0°	 11496	DROP BOX INLET TYPE 3	1.00	EACH		
250 0	 1499	DROP BOX INLET TYPE 4	1.00	EACH		
)260 0°	 1577	DROP BOX INLET TYPE 14	 1.00	EACH	 	

TRANSPORTATION CABINET

Department of Highways FRANKFORT, KY 40622

Sheet No: 2 **Contract ID: 08-1010**

CARTER COUNTY
CPTL 022 8038
Letting: 3/21/08

tem Cod	de	Approximate		Unit Price	Amount
lo. No 	o. Item 	Quantity	Unit	Dollars 	Dollars
70 01580	DROP BOX INLET TYPE 15	1.00	EACH		
80 02091	REMOVE PAVEMENT	941.00	SQYD	.	
290 02101	CEM CONC ENT PAVEMENT-8 IN	153.00	SQYD	·	
300 02159	TEMP DITCH	4,000.00	LF	.	
310 02200	ROADWAY EXCAVATION	14,917.00	CUYD	.	
320 02242	WATER	500.00	MGAL	.	
330 02351	GUARDRAIL-STEEL W BEAM-S FACE	187.50	LF	·	 •
340 02371	GUARDRAIL END TREATMENT TYPE 7	1.00	EACH	·	
350 02483	CHANNEL LINING CLASS II	287.70	TON	. I	 •
360 02484	CHANNEL LINING CLASS III	318.00	TON	. I	
370 02545	CLEARING AND GRUBBING	1.00	LS	. I	
l	8.4 ACRES	1	1	I	
380 02562	SIGNS	416.00	SQFT	.	•
390 02585	EDGE KEY	232.00	LF	.	•
100 02600	FABRIC GEOTEXTILE TY IV FOR PIPE	1,788.00	SQYD	2.0000	3,576
410 02650	MAINTAIN & CONTROL TRAFFIC	1.00	LS	.	•
420 02651	DIVERSIONS (BY-PASS DETOURS)	1.00	LS	.	
130 02690	SAFELOADING	1.50	CUYD	.	
440 02701	TEMP SILT FENCE	4,000.00	LF	. I	
450 02703	SILT TRAP TYPE A	13.00	EACH	. I	
460 02704	SILT TRAP TYPE B	8.00	EACH	. I	 •
470 02705	SILT TRAP TYPE C	15.00	EACH	.	
480 02706	CLEAN SILT TRAP TYPE A	26.00	EACH	. l	
490 02707	CLEAN SILT TRAP TYPE B	16.00	EACH	. l	
500 02708	CLEAN SILT TRAP TYPE C	30.00	EACH	.	
510 02709	CLEAN TEMP SILT FENCE	8,000.00	LF	.	
 520 02726	STAKING	1.00	LS		

TRANSPORTATION CABINET

Department of Highways FRANKFORT, KY 40622

Sheet No: 3 **Contract ID: 08-1010**

CPTL 022 8038 Letting: 3/21/08

CARTER COUNTY

Item Code No. No.	 Item	Approximate Quantity	 Unit	Unit Price Dollars	Amount Dollars
0530 03262	CLEAN PIPE STRUCTURE	1.00	EACH	.	
0540 05950	EROSION CONTROL BLANKET	1,679.00	SQYD	.	
0550 05952	TEMP MULCH	30,976.00	SQYD	. l	
0560 05953	TEMP SEEDING AND PROTECTION	30,976.00	SQYD	. I	•
0570 05985	SEEDING AND PROTECTION	30,976.00	SQYD	·	
0580 05989	SPECIAL SEEDING CROWN VETCH	4,925.00	SQYD	. I	
0590 05990	SODDING	196.00	SQYD	.	
0600 06510	PAVE STRIPING-TEMP PAINT-4 IN	45,560.00	LF	.	
0610 06514	PAVE STRIPING-PERM PAINT-4 IN	9,061.00	LF	.	
0620 06549	PAVE STRIPING-TEMP REM TAPE-B	2,000.00	LF	.	•
0630 06550	PAVE STRIPING-TEMP REM TAPE-W	10,000.00	LF	.	•
0640 06551	PAVE STRIPING-TEMP REM TAPE-Y	10,000.00	LF	.	•
0650 06569	PAVE MARKING-THERMO CROSS-HATCH	562.00	SQFT	.	•
0660 06574	PAVE MARKING-PREF THERM CURV ARROW	2.00	EACH	.	
0670 08100	CONCRETE-CLASS A	7.82	CUYD	.	
0680 08150	STEEL REINFORCEMENT	750.00	LB	.	
0690 10000NS	LOT PAY ADJUSTMENT	11,763.00	DOLL	1.0000	11,763.0
0700 10020NS	FUEL ADJUSTMENT	5,419.00	DOLL	1.0000	5,419.0
 0710 10030NS	ASPHALT ADJUSTMENT	7,058.00	DOLL	1.0000	7,058.0
0720 20391NS835	JUNCTION BOX TYPE A	1.00	EACH	.	
0730 21261ED	TURF REINFORCEMENT MAT	1,190.00	SQYD	. I	
0740 21722EN	MILLING CONCRETE PAVEMENT	2.00	TON	. I	
I	SIGNING			. I	
0750 06405	SBM ALUMINUM PANEL SIGNS	70.25	SQFT	. I	
0760 06410	STEEL POST TYPE 1	116.00	LF	. I	
0770 21373ND	REMOVE SIGN	9.00	EACH	.	

Carter County CPTL 022 8038

TRANSPORTATION CABINET

Department of Highways FRANKFORT, KY 40622

Sheet No: 4

Contract ID: 08-1010

CARTER COUNTY CPTL 022 8038 Letting: 3/21/08

	Code No.	ltem		Approximate Quantity	Unit		Unit Price Dollars	 	Amount Dollars
		DEMOBILIZATION					•	 	•
0780 02569	9 l	DEMOBILIZATION		1.00	LS				
		TOTAL BID		I				\$	

PART VII CERTIFICATIONS

PROVISIONS RELATIVE TO SENATE BILL 258 (1994)

During the performance of the contract, the contractor agrees to comply with applicable provisions of:							
1.	KRS 136	Corporation and Utility Taxes					
2.	KRS 139	Sale and Use Taxes					
3.	KRS 141	Income Taxes					
4.	KRS 337	Wages and Hours					
5.	KRS 338	Occupational Safety and Health of Employees					
6.	KRS 341	Unemployment Compensation					
7.	KRS 342	Workers Compensation					
Any final determinations of a violation by the contractor within the previous five (5) years pursuant to the applicable statutes above are revealed as follows:							

REVISED: 8-23-89

NON-COLLUSION CERTIFICATION

COMMONWEALTH OF KENTUCKY	
COUNTY	
PROJECT NO	
I,(Name of officer signing certification)	,
penalty of perjury under the laws of the United States, do her	eby certify that
(Insert name of Individual, Joint Venture, Co-partn	ership, or Corporation submitting bid)
its agent, officers or employees have not directly or indirec	tly entered into any agreement, participated in any
collusion, or otherwise taken action in restraint of free compe	etitive bidding in connection with this proposal.
	(Signature)
REVISED: 8-23-89	(Title)
NON-COLLUSION CE	
COMMONWEALTH OF KENTUCKY	
COUNTY	
PROJECT NO	
I,	,, under
(Name of officer signing certification)	(Title)
penalty of perjury under the laws of the United States, do her	eby certify that
(Insert name of Individual, Joint Venture, Co-partn	ership, or Corporation submitting bid)
its agent, officers or employees have not directly or indirec	tly entered into any agreement, participated in any
collusion, or otherwise taken action in restraint of free compe	etitive bidding in connection with this proposal.
	(Signature)
	(Title)

CERTIFICATION OF BID PROPOSAL

We (I) propose to furnish all labor, equipment and materials necessary to construct and/or improve the subject project in accordance with the plans, the Transportation Cabinet's Standard Specifications for Road and Bridge Construction, current edition, special provisions, notes applicable to the project as indicated herein and all addenda issued on this project subsequent to purchase of proposal.

We (I) attach a bid proposal guaranty as provided in the special provisions in an amount not less than 5% of the total bid. We agree to execute a contract in accordance with this bid proposal within 15 calendar days after the receipt of the notice of award for the project.

We (I) have examined the site of proposed work, project plans, specifications, special provisions, and notes applicable to the project referred to herein. We understand that the quantities shown herein are estimated quantities subject to increase or decrease as provided in the specifications.

We (I) acknowledge receipt of all addendum(s) (if applicable) and have made the necessary revisions to the bid proposal. We have considered all addendum(s) in the calculation of the submitted bid and applied the updated bid items, which are included.

• No Addendum(s) have been posted

	Name of Contracting	g Firm		
BY:				
	Authorized Agent (Signature)	Title		
	Address	City	State	Zip Code
Telephor	ne Number			

When two or more organizations bid as a joint venture, enter names of each organization and an authorized agent for each organization must sign above.