

ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Revision Date: 05/04/2020 Print Date: 05/05/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name

ESPLANADE® 200 SC

Product code (UVP)

79930208

SDS Number

102000023686

EPA Registration No.

432-1516

Relevant identified uses of the substance or mixture and uses advised against

Use

Herbicide

Restrictions on use

See product label for restrictions.

Information on supplier

Supplier

Bayer Environmental Science

A division of Bayer CropScience LP 500 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department

Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone

Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Specific target organ toxicity - repeated exposure: Category 2 Specific target organ toxicity - single exposure: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word Warning

Hazard statements

May cause damage to organs (Nervous system) through prolonged or repeated



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686 Revision Date: 05/04/2020 Print Date: 05/05/2020

exposure if swallowed.

May cause damage to organs (Nervous system) if swallowed.

Precautionary statements

Do not breathe spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name

CAS-No.

Concentration % by weight

Indaziflam

950782-86-2

19.05

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Revision Date: 05/04/2020 Print Date: 05/05/2020

Treatment

Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Advice for firefighters

Special protective equipment for firefighters

Further information

Flash point

Auto-ignition temperature

Lower explosion limit Upper explosion limit

Explosivity

In the event of fire the following may be released:, Hydrogen cyanide

(hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO),

Nitrogen oxides (NOx)

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

No flash point - Determination conducted up to the boiling point.

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

> 100 °C

> 500 °C / > 932 °F

The product is not self-ignitable. No data available

No data available

Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid Methods for cleaning up

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

4/11 Revision Date: 05/04/2020 Print Date: 05/05/2020

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Indaziflam	950782-86-2	0.56 mg/m3		OES BCS*
	ļ	(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Odour Threshold

Revision Date: 05/04/2020 Print Date: 05/05/2020

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white

Physical State suspension Odor characteristic

No data available

9.0 - 10.0 (100 %) (23 °C) рΗ

Viscosity, kinematic 113 mm²/s20 °CShear rate of 20/sec 98 mm²/s40 °CShear rate of 20/sec 57 mm²/s20 °CShear rate of 100/sec

40 mm²/s40 °CShear rate of 100/sec

Vapor Pressure No data available Vapor Density (Air = 1) No data available

Specific Gravity 1.051 (20 °C) 1.044 (40 °C)

Density ca. 1.05 g/cm3 (20 °C)

Evaporation rate No data available No data available **Boiling Point** No data available Melting / Freezing Point

dispersible Water solubility

Minimum Ignition Energy Not applicable

Decomposition Stable under normal conditions. temperature

No data available Self-accelarating

decomposition temperature (SADT)

Partition coefficient: noctanol/water

No data available

Viscosity 30 - 75 mPa.s (20 °C) Velocity gradient 100 /s

80 - 180 mPa.s (20 °C) Velocity gradient 20 /s

No data available **Flammability**



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Revision Date: 05/04/2020 Print Date: 05/05/2020

Oxidizing properties No oxidizing properties

Flash point > 100 °C

No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature > 500 °C / > 932 °F

The product is not self-ignitable.

Lower explosion limit No data available
Upper explosion limit No data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Particle size No data available

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Inhalation, Skin Absorption, Ingestion

Immediate Effects

Eye May cause slight irritation.

Skin Harmful if absorbed through skin.

Ingestion Harmful if swallowed.

Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Revision Date: 05/04/2020 Print Date: 05/05/2020

Acute inhalation toxicity

LC50 (Rat) >= 3.624 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Test conducted with a similar formulation.

Acute dermal toxicity

LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation

No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Test conducted with a similar formulation.

Slight irritant effect - does not require labelling. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Indaziflam: May cause damage to organs in nervous system following oral route.

Assessment STOT Specific target organ toxicity – repeated exposure

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs. Indaziflam: May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Assessment mutagenicity

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

8/11 Revision Date: 05/04/2020 Print Date: 05/05/2020

Further information

Acute toxicity studies have not been performed on this product as formulated. Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.85 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 149 mg/l

Exposure time: 48 h

Growth rate; Exposure time: 96 h

NOEC (Skeletonema costatum) 0.125 mg/l

Growth rate; Exposure time: 96 h

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.750 mg/l

Growth rate; Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) 0.000712 mg/l

Growth rate: Exposure time: 7 d

Biodegradability Indaziflam:

Not rapidly biodegradable

Koc Indaziflam: Koc: 496

Bioaccumulation Indaziflam: Bioconcentration factor (BCF) 66

Does not bioaccumulate.

Mobility in soil Indaziflam: Moderately mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Revision Date: 05/04/2020 Print Date: 05/05/2020

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

NOS

(INDAZIFLAM SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm, Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID.

N.O.S.

(INDAZIFLAM SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than

poison, HAVING A DENSITY OF 20 LBS OR GREATER PER

CUBIC FOOT



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

10/11 Revision Date: 05/04/2020 Print Date: 05/05/2020

EPA Registration No.

432-1516

US Federal Regulations

TSCA list

Water 7732-18-5 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1.2-Propanediol

57-55-6

MN, RI

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:

Caution!

Hazard statements:

Harmful if swallowed, inhaled or absorbed through the skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods



ESPLANADE® 200 SC

Version 3.0 / USA 102000023686

Revision Date: 05/04/2020 Print Date: 05/05/2020

N.O.S.

Not otherwise specified

NTP OECD US. National Toxicology Program (NTP) Report on Carcinogens Organization for Economic Co-operation and Development

TDG

Transportation of Dangerous Goods

TWA

Time weighted average

UN

United Nations

WHO

World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1

Flammability - 1

Instability - 0

Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1

Flammability - 1

Physical Hazard - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 11: Toxicological Information, Section 12. Ecological information, Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 05/04/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.

