

# **Milestone®**

Version 1.0 Revision Date: 06/29/2022

SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

#### **SECTION 1. IDENTIFICATION**

Product name

: Milestone®

Manufacturer or supplier's details

#### COMPANY IDENTIFICATION

Manufacturer/importer

: CORTEVA AGRISCIENCE LLC

9330 ZIONSVILLE RD

INDIANAPOLIS, IN, 46268-1053

UNITED STATES

**Customer Information** 

Number

: 800-992-5994

E-mail address

: customerinformation@corteva.com

Emergency telephone

: INFOTRAC (CONTRACT 84224).

800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use

: End use herbicide product

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

**GHS** label elements

Not a hazardous substance or mixture.

Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture





Version 1.0

Revision Date:

SDS Number: 06/29/2022

800080004418

Date of last issue: -

Date of first issue: 06/29/2022

## Components

Chemical name	CAS-No.	Concentration (% w/w)	
Aminopyralid Triisopropanolamine Salt	566191-89-7	40.6	
1,1',1'-nîtrilotripropan-2-ol	122-20-3	>= 1 - < 3	
Balance	Not Assigned	> 50	

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

If inhaled

Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

In case of skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of eye contact

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice. No emergency medical treatment necessary.

If swallowed

Most important symptoms and effects, both acute and

Protection of first-aiders

delayed

None known.

: If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician

No specific antidote.

Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or

doctor, or going for treatment.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media

Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Hazardous combustion prod-

ucts

Exposure to combustion products may be a hazard to health.

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Carbon oxides

Nitrogen oxides (NOx) Hydrogen chloride gas

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SQ.





Version 1.0

Revision Date: 06/29/2022

SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

Evacuate area.

Use water spray to cool unopened containers.

Further information

: Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Clean up remaining materials from spill with suitable absorb-

ant.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).

See Section 13, Disposal Considerations, for additional infor-

mation.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

Do not breathe vapors/dust.

Handle in accordance with good industrial hygiene and safety

practice.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage

Store in a closed container.

Keep in properly labeled containers.

Store in accordance with the particular national regulations.



# Milestone®

Version Revision Date: 1.0

06/29/2022

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

Materials to avoid

Strong oxidizing agents

Packaging material

Unsuitable material: None known.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1',1'-nitrilotripropan-2-ol	122-20-3	TWA	10 mg/m3	Dow IHG

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Local exhaust ventilation may be necessary for some opera-

## Personal protective equipment

Respiratory protection

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an ap-

proved air-purifying respirator.

Hand protection

Remarks

Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice

for any material, skin contact should be minimized.

Eye protection

Skin and body protection

Use safety glasses (with side shields).

No precautions other than clean body-covering clothing

should be needed.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid:

Color Brown

Mild Odor

Odor Threshold : No data available

: 7.3 (67.6 °F / 19.8 °C) рН

Method: pH Electrode

Melting point/range Not applicable



# **Milestone®**

Version Revision Date: 06/29/2022

Date: SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

Freezing point

< 14 °F / < -10 °C

Boiling point/boiling range

: No data available

Flash point

: > 212 °F / > 100 °C

Method: Pensky-Martens Closed Cup ASTM D 93

Evaporation rate

: No data available

Flammability (solid, gas)

: Not applicable

Upper explosion limit / Upper

flammability limit

: No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure

: No data available

Relative vapor density

: No data available

Relative density

: No data available

Density

: 1.1401 g/cm3 (68 °F / 20 °C) Method: Digital density meter

Solubility(ies)

Water solubility

Soluble

Autoignition temperature

: none below 400 degC

Viscosity

Viscosity, dynamic

: 12.2 cP (68 °F / 20 °C)

Method: EPA OPPTS 830.7100 (Viscosity)

Explosive properties

: No

Oxidizing properties

: No

Surface tension

: 54.4 mN/m, 68 °F / 20 °C

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

Not classified as a reactivity hazard.

Chemical stability

No decomposition if stored and applied as directed.

Stable under normal conditions.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

None known.

Conditions to avoid

None known.



# Milestone®

Revision Date: Version 1.0 06/29/2022

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

Incompatible materials

Strong acids Strong bases

Hazardous decomposition

products

Decomposition products depend upon temperature, air supply

and the presence of other materials.

Decomposition products can include and are not limited to:

Carbon oxides

Nitrogen oxides (NOx) Hydrogen chloride gas

#### SECTION 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Product:

Acute oral toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat, male and female); > 5.79 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

# Components:

Aminopyralid Triisopropanolamine Salt:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Remarks: For similar material(s):

Acute inhalation toxicity

LC50 (Rat): > 5.79 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: For similar material(s):

Acute dermal toxicity

: LD50 (Rat): > 5,000 mg/kg

Remarks: For similar material(s):

1,1',1'-nitrilotripropan-2-ol:

Acute oral toxicity

: LD50 (Rat): 4,000 mg/kg

Acute inhalation toxicity

(Rat): Exposure time: 8 h

Symptoms: No deaths occurred following exposure to a satu-

rated atmosphere.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity

: LD50 (Rabbit): > 5,000 mg/kg



# Milestone®

Version Revision Date: 1.0

06/29/2022

SDS Number: 800080004418 Date of last issue:-

Date of first issue: 06/29/2022

Skin corrosion/irritation

Product:

Result

: No skin irritation

Components:

Aminopyralid Triisopropanolamine Salt:

Result

: No skin irritation

1,1',1'-nitrilotripropan-2-ol:

Result

No skin irritation

Serious eye damage/eye irritation

**Product:** 

Result

: No eye irritation

Components:

Aminopyralid Triisopropanolamine Salt:

Result

: No eye irritation

1,1',1'-nitrilotripropan-2-ol:

Result

Eye irritation

Respiratory or skin sensitization

**Product:** 

Species

Guinea pig

Assessment

Does not cause skin sensitization.

Components:

Aminopyralid Triisopropanolamine Salt:

Assessment

Does not cause skin sensitization.

Remarks

For similar active ingredient(s).

Did not cause allergic skin reactions when tested in guinea

pigs.

Remarks

For respiratory sensitization: No relevant data found.

1,1',1'-nitrilotripropan-2-ol:

Assessment

Does not cause skin sensitization.

Remarks

Did not cause allergic skin reactions when tested in guinea

Did not cause allergic skin reactions when tested in humans.

Remarks

For respiratory sensitization:



# **Milestone®**

Version 1.0

Revision Date: 06/29/2022

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

No relevant data found.

Germ cell mutagenicity

Components:

Aminopyralid Triisopropanolamine Salt:

Germ cell mutagenicity -

Assessment

For similar active ingredient(s)., Aminopyralid., In vitro genetic toxicity studies were predominantly negative., Animal genetic

toxicity studies were negative.

1,1',1'-nitrilotripropan-2-ol:

Germ cell mutagenicity -

Assessment

In vitro genetic toxicity studies were negative. Animal genetic

toxicity studies were negative.

Carcinogenicity

Components:

Aminopyralid Triisopropanolamine Salt:

Carcinogenicity - Assess-

For similar active ingredient(s), Aminopyralid, Did not cause

cancer in laboratory animals.

1,1',1'-nitrilotripropan-2-ol:

Carcinogenicity - Assess-

ment

ment

Did not cause cancer in laboratory animals.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is NTP

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

Aminopyralid Triisopropanolamine Salt:

Reproductive toxicity - As-

sessment

For similar active ingredient(s). Aminopyralid., In animal stud-

ies, did not interfere with reproduction.

For similar active ingredient(s), Aminopyralid, Did not cause birth defects or other effects in the fetus even at doses which

caused toxic effects in the mother.

1,1',1'-nitrilotripropan-2-ol:

Reproductive toxicity - As-

sessment

In animal studies, did not interfere with reproduction.

Did not cause birth defects or any other fetal effects in labora-

tory animals.



# **Milestone®**

Version 1.0

Revision Date:

06/29/2022

SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

STOT-single exposure

**Product:** 

Assessment

Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Components:

Aminopyralid Triisopropanolamine Salt:

Assessment

Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

1,1',1'-nitrilotripropan-2-ol:

Assessment

Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

STOT-repeated exposure

Product:

Assessment

: Evaluation of available data suggests that this material is not

an STOT-RE toxicant.

Repeated dose toxicity

Components:

Aminopyralid Triisopropanolamine Salt:

Remarks

For similar active ingredient(s).

Aminopyralid.

In animals, effects have been reported on the following or-

gans:

Gastrointestinal tract

1,1',1'-nitrilotripropan-2-ol:

Remarks

Based on available data, repeated exposures are not antici-

pated to cause significant adverse effects.

**Aspiration toxicity** 

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Aminopyralid Triisopropanolamine Salt:

Based on physical properties, not likely to be an aspiration hazard.

1,1',1'-nitrilotripropan-2-ol:

Based on physical properties, not likely to be an aspiration hazard.



# **Milestone®**

Version 1.0

Revision Date: 06/29/2022

SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 360 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203 or Equivalent

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100

mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 460 mg/l

Exposure time: 48 h
Test Type: static test

LC50 (saltwater mysid Mysidopsis bahia): > 104 mg/l

Exposure time: 96 h
Test Type: static test

Toxicity to algae/aquatic

plants

Remarks: For similar material(s):

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

ErC50 (Myriophyllum spicatum): 0.363 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

NOEC (Myriophyllum spicatum): 0.0639 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

ErC50 (Pseudokirchneriella subcapitata (green algae)); >

1,000 mg/l

Exposure time: 72 h

Remarks: For similar material(s):

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)); > 10,000 mg/kg

Exposure time: 14 d End point: survival

Toxicity to terrestrial organ-

isms

Remarks: Material is practically non-toxic to birds on an acute

basis (LD50 > 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis

(LC50 > 5000 ppm).

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 21422

mg/kg diet.



# Milestone®

Version Revision Date: 1.0 06/29/2022

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

oral LD50 (Colinus virginianus (Bobwhite quail)): > 10,000

ppm

oral LD50 (Apis mellifera (bees)): > 460 micrograms/bee

contact LD50 (Apis mellifera (bees)): > 460 micrograms/bee

**Ecotoxicology Assessment** 

Acute aquatic toxicity

Very toxic to aquatic life.

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects.

Components:

Aminopyralid Triisopropanolamine Salt:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 360 mg/l

Exposure time: 96 h

Remarks: For similar material(s):

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 460 mg/l

Exposure time: 48 h

Remarks: For similar material(s):

Toxicity to algae/aquatic

plants

ErC50 (Myriophyllum spicatum): 0.363 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

NOEC (Myriophyllum spicatum): 0.0639 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

ErC50 (Pseudokirchneriella subcapitata (green algae)): >

1,000 mg/l

Exposure time: 72 h

Remarks: For similar material(s):

Toxicity to terrestrial organ-

isms

Remarks: Based on information for a similar material:, Material is practically non-toxic to birds on an acute basis (LD50 >

2000 mg/kg)., Material is practically non-toxic to birds on a

dietary basis (LC50 > 5000 ppm).

**Ecotoxicology Assessment** 

Acute aquatic toxicity

Very toxic to aquatic life.

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects.

1,1',1'-nitrilotripropan-2-ol:

Toxicity to fish

Remarks: Material is practically non-toxic to aquatic organ-

isms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in

the most sensitive species tested).

LC50 (Leuciscus idus (Golden orfe)): 3,158.4 mg/l



# Milestone®

Version Revision Date: 1.0 06/29/2022

SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

Exposure time: 96 h Test Type: static test Method: DIN 38412

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic

plants

EC50 (alga Scenedesmus sp.): 710 mg/l

End point: Growth rate inhibition

Exposure time: 72 h
Test Type: static test

Method: EU Method C.3 (Algal Inhibition test)

Toxicity to microorganisms

EC10 (activated sludge): > 1,195 mg/l

Exposure time: 30 min

## Persistence and degradability

#### Components:

# **Aminopyralid Triisopropanolamine Salt:**

Biodegradability

Remarks: For similar material(s):

Aminopyralid.

Material is not readily biodegradable according to OECD/EEC

guidelines.

#### 1,1',1'-nitrilotripropan-2-ol:

Biodegradability

Remarks: Biodegradation under aerobic static laboratory con-

ditions is high (BOD20 or BOD28/ThOD > 40%).

Biodegradation rate may increase in soil and/or water with

acclimation.

Material is not readily biodegradable according to OECD/EEC

quidelines.

aerobic

Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

Remarks: 10-day Window: Fail

ThOD 2.35 kg/kg

Photodegradation Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals
Rate constant: 1.2E-10 cm3/s

Method: Estimated...



# **Milestone®**

Version 1.0 Revision Date: 06/29/2022

SDS Number: 800080004418

Date of last issue! -

Date of first issue: 06/29/2022

## Bioaccumulative potential

## Components:

## Aminopyralid Triisopropanolamine Salt:

Partition coefficient: n-

octano!/water

Remarks: For similar active ingredient(s).

Aminopyralid.

Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

1,1',1'-nitrilotripropan-2-ol:

Bioaccumulation

Species: Fish

Bioconcentration factor (BCF): < 0.57

Exposure time: 42 d Method: Measured

Partition coefficient: n-

: log Pow: -0.015 (73 °F / 23 °C)

octanol/water

Method: Measured

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Balance:

Partition coefficient: n-

octanol/water

: Remarks: No relevant data found.

Mobility in soil

## Components:

## Aminopyralid Triisopropanolamine Salt:

Distribution among environ-

mental compartments

Remarks: For similar active ingredient(s).

Aminopyralid.

Potential for mobility in soil is very high (Koc between 0 and

50)

1,1',1'-nitrilotripropan-2-ol:

Distribution among environmental compartments Koc: 10

Method: Estimated,

Remarks: Potential for mobility in soil is very high (Koc be-

tween 0 and 50).

Balance:

Distribution among environmental compartments

mental compartments

: Remarks: No relevant data found.

#### Other adverse effects

# Components:

### Aminopyralid Triisopropanolamine Salt:

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).



# Milestone®

Version 1.0

Revision Date: 06/29/2022

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

Ozone-Depletion Potential

Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

1,1',1'-nitrilotripropan-2-ol:

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential

Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential

Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

#### SECTION 13. DISPOSAL CONSIDERATIONS

## Disposal methods

Waste from residues

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

# SECTION 14. TRANSPORT INFORMATION

# International Regulations

UNRTDG

UN number

UN 3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Aminopyralid Triisopropanolamine Salt)

Class

9

Packing group

Ш

Labels

9



# Milestone®

Version 1.0

Revision Date: 06/29/2022

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

IATA-DGR

UN/ID No.

UN 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s.

(Aminopyralid Triisopropanolamine Salt)

Class

9

Packing group

111

Labels

Miscellaneous

Packing instruction (cargo

964

aircraft)

Packing instruction (passen-

964

ger aircraft)

IMDG-Code

UN number

UN 3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Aminopyralid Triisopropanolamine Salt)

Class

Packing group Labels

111 9

EmS Code Marine pollutant F-A, S-F yes

Remarks

Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Domestic regulation

Not regulated as a dangerous good

# **Further information**

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards

: No SARA Hazards

**SARA 313** 

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



# Milestone®

Version Revision Date:

06/29/2022 1.0

SDS Number: 800080004418 Date of last issue: -

Date of first issue: 06/29/2022

#### **US State Regulations**

# Pennsylvania Right To Know

1.1',1'-nitrilotripropan-2-ol

122-20-3

## The ingredients of this product are reported in the following inventories:

TSCA

: Product contains substance(s) not listed on TSCA inventory.

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-519

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### CAUTION

Causes moderate eye irritation

# SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

## Full text of other abbreviations

Dow IHG

: Dow Industrial Hygiene Guideline

Dow IHG / TWA

: Time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan), ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer, IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration, ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -



# Milestone®

Version 1.0 Revision Date: 06/29/2022

SDS Number: 800080004418

Date of last issue: -

Date of first issue: 06/29/2022

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 06/29/2022

Product code: GF-871

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN