

KENTUCKY AIRPORT ZONING COMMISSION

MINUTES

August 18, 2022

KENTUCKY AIRPORT ZONING COMMISSION
MINUTES
 August 18, 2022

I. ROLL CALL:

Brad Schwandt, Administrator – in person	Kimber Heddens, Jr, Commissioner - virtual
Terry Hancock, Co-Administrator – in person	Brandon Edmiston, Commissioner - virtual
Randall Royer, Chairman – in person	Timothy Talton, Commissioner - absent
Susan Chaplin, Office of Legal Service – in person	Michael Betson, Commissioner – virtual
Shelby Peel, KDA Commissioner’s Office – in person	Lindsey Case, Commissioner – virtual
	Gary Cox, Commissioner – virtual

II. INTRODUCTIONS:

Guests:

Mark Carter, Commissioner	In person
Corporex: Nicole Chimento Dracon, Director of Development	In person
Continental Refining: Kristopher Gibson, VP Operations,	Virtual
Megan Rawlins, Compliance Manager and Nate Russo, Project Managers	

III. APPROVAL OF MINUTES FROM PREVIOUS MEETING – June 9, 2022

ACTION: Chairman Royer brought forward issue with the June 9, 2022 minutes and called on lawyer Susan Chaplin to digress. Chapman stated that the cover page of the minutes included “updated with actions” in the title which was deemed unnecessary. Chairman Royer suggested deferring the approval of minutes until the formatting had been corrected. Commissioner Heddens ask if that was necessary, and a motion to defer was deemed unnecessary when the Commission can approve with the necessary revision to the cover page. Chairman Royer called for a motion to approve the minutes with the removal of “updated with actions” removed from the header. A motion was made by Commissioner Heddens to approve as suggested by the Chairperson. Commissioner Cox seconded it. The motion was carried and was so ordered.

IV. OLD BUSINESS - ACTION REQUIRED -

1. AS-JEFFERSON-SDF-2022-060

APPLICANTS NAME	Kevin Dant, MBA
-----------------	-----------------

CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 06' 57.14" N / 85° 43' 41.974" W – Multiple Locations
HEIGHT (In Feet) 100' AGL/625.21'~655.43' AMSL
CONSTRUCTION PROPOSED Light Poles

NOTES: The Light Poles will be located 2.41 Nautical Miles South from SDF Louisville Muhammad Ali International Airport's Runway 35L. Preliminary review indicates this structure exceeds no state standard. No obstruction marking/lighting is proposed.

FAA DETERMINATION: ASN 2022-ASO6852 No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 08, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #1 in accordance with the Administrator's recommendation to approve in accordance with the FAA determinations no hazard, no marking / lighting required. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

2. **AS-HENDERSON-EHR-2022-064**

APPLICANTS NAME Tom Williams, P.E.
CONSTRUCTION LOCATION Henderson, KY
LATITUDE/LONGITUDE 37° 47' 50.00" N / 87° 38' 13.00" W
HEIGHT (In Feet) 163.25' AGL/577.25' AMSL
CONSTRUCTION PROPOSED Water Tank – Height Increase

NOTES: The Water Tank will be located 2.43 Nautical Miles East by South from EHR Henderson City-County Airport. Preliminary review indicates this structure exceeds no state standard. No obstruction marking/lighting is proposed. This application was approved in the April 14th KAZC meeting at 154'.

FAA DETERMINATION: 2022-ASO-14734-OE. No Hazard. No Lighting Marking necessary.

RECOMMENDATION: Approve per FAA Determination.

PUBLIC COMMENTS: Airport Board commented with no objection to this request.

ACTION: Chairman Royer called for a motion. Commissioner Heddens abstained from voting due to a conflict of interest. A motion was made by Commissioner Case to approve Item #2 in accordance with the Administrator's recommendation to approve in accordance with the FAA determinations no hazard, no lighting / no marking required. Commissioner Betson seconded it. The motion was carried and was so ordered.

V. **APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION BUT DO NOT EXCEED MINIMUM OBSTRUCTION STANDARDS:**

1. **AS-CLINTON-EKQ-2022-068**

APPLICANTS NAME Harmoni Towers LLC

CONSTRUCTION LOCATION Albany, KY
LATITUDE/LONGITUDE 36° 44' 26.3" N / 85° 8' 17.5" W
HEIGHT (In Feet) 267' AGL/1371' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 15.19 nm SW from EKQ Monticello – Wayne Co Airport. Preliminary review indicates this structure exceeds no state standard. Dual- red & white medium intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2022-ASO-2366-OE. No Hazard, Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determinations.

PUBLIC COMMENTS: Airport Board made note of no objections to this request.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #1 in accordance with the Administrator’s recommendation to approve in accordance with the with FAA determinations no hazard, with medium dual obstruction lighting. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

2. **AS-PULASKI-SME-2022-069**

APPLICANTS NAME Harmoni Towers LLC
CONSTRUCTION LOCATION Somerset, KY
LATITUDE/LONGITUDE 37° 05' 58.31" N / 84° 40' 02.45 W
HEIGHT (In Feet) 267' AGL/1104' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna tower will be located 3.70 nm NW from SME Lake Cumberland Regional Airport. Preliminary review indicates this structure exceeds no state standard. Extension approved by FAA.

FAA DETERMINATION: 2020-ASO-18852-OE. No Hazard. Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with the FAA determination(s).

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Edmiston to approve Item #2 in accordance with the Administrator’s recommendation to approve in accordance with the FAA determinations no hazard, with medium dual obstruction lighting. Commissioner Heddens seconded it. The motion was carried and was so ordered.

3. **AS-WAYNE-EKQ-2022-070**

APPLICANTS NAME Harmoni Towers LLC
CONSTRUCTION LOCATION Monticello, KY
LATITUDE/LONGITUDE 36° 51' 44.48" N / 84° 49' 45.00" W
HEIGHT (In Feet) 167' AGL/979' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This antenna tower will be located 1.37 nm NE from EKQ Monticello-Wayne Co Airport. Review indicates this structure exceeds EKQ 100:1 Slope Surface by 109.14 ft and exceeds the Horizontal Surface by 27 ft.

FAA DETERMINATION: 2020-ASO-11564-OE. No Hazard. Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination(s).

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion to defer. A motion was made by Commissioner Heddens to defer item #3 for the Zoning Administrator to obtain clarification on conflicting information provided regarding the approach hazards. Commissioner Cox seconded it. The motion was carried and was so ordered.

4. AS-JEFFERSON-SDF-2022-071

APPLICANTS NAME Chris Brawner (Louisville Expo Center Concert)

CONSTRUCTION LOCATION Louisville, KY

LATITUDE/LONGITUDE 38° 11' 37.96" N / 85° 44' 19.07" W

HEIGHT (In Feet) 75' AGL / 561 AMSL

CONSTRUCTION PROPOSED Temporary Music Stage

NOTES: This structure will be located 3185 ft from runway 17L/35R. Review indicates it will exceed the 100:1 slope by 29.15 ft. Red lights and paint requested by submitter.

FAA DETERMINATION: No Hazard for Temporary Structure. No Lighting Required.

RECOMMENDATION: Approve in accordance with FAA determination with Med Red lighting.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Cox to approve item #4 in accordance with the Administrator's recommendation to approve in accordance with the FAA determinations of no hazard and no lighting required. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

5. AS-PULASKI-SME-2022-072

APPLICANTS NAME Continental Refining Company LLC

CONSTRUCTION LOCATION Somerset, KY

LATITUDE/LONGITUDE 37° 04' 11.13" N / 84° 36' 45.36" W

HEIGHT (In Feet) 180' AGL / 1110' AMSL

CONSTRUCTION PROPOSED Grain Elevator

NOTES: This Grain Tower is 3918 ft North of SME Lake Cumberland Regional Airport runway 05/23. Exceeds the 100:1 Slope Surface by 143 ft.

FAA DETERMINATION: 2022-ASO-29919-OE. FAA determination in progress.

RECOMMENDATION: Approve pending FAA determination of No Hazard and with Marking/Lighting.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion to defer. A motion was made by Commissioner Edmiston to defer item #5 for Continental Refining Company to meet with their Engineer, the Airport Board and obtainment of the FAA determinations. Commissioner Heddens seconded it. The motion was carried and was so ordered.

6. AS-HARDIN-EKX-2022-075

APPLICANTS NAME Kentucky Utilities Co
CONSTRUCTION LOCATION Glendale, KY
LATITUDE/LONGITUDE 37°35'49.27" N / 85°53'52.82" W
HEIGHT (In Feet) 195' AGL / 900' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This tower is 5.48 nm SE Addington Field (EKX). Exceeds no state obstruction standards.

FAA DETERMINATION: 2022-ASO-21331-OE. FAA determination in progress.

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Case to approve Item #6 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

7. AS-RUSSELL-K24-2022-076

APPLICANTS NAME Russell County Airport Board
CONSTRUCTION LOCATION Airport Taxiway Extension
LATITUDE/LONGITUDE 37°00'58.74" N / 84°06'08.55 W
HEIGHT (In Feet) 0'
CONSTRUCTION PROPOSED Extension of existing taxiway on Rwy 17

NOTES: This is an FAA funded project and part of the airport's ALP. No state obstruction

FAA DETERMINATION: 2021-ASO-2746-NRA. No Hazard.

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Edmiston to approve Item #7 in accordance with the Administrator's recommendation to approve in accordance with the FAA determinations of no hazard. Commissioner Case seconded it. The motion was carried and was so ordered.

8. AS-FAYETTE-LEX-2022-077

APPLICANTS NAME Municipal Communications III LLC
CONSTRUCTION LOCATION Lexington, KY
LATITUDE/LONGITUDE 38°00'40.09" N / 84°34'28.61" W
HEIGHT (In Feet) 120' AGL / 1007' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This tower is located 1.56 nm SE of LEX. Exceeds 100:1 Slope by 1'.

FAA DETERMINATION: 2022-ASO-18910-OE. Awaiting FAA Determination

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Betson to approve Item #8 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

9. AS-CLINTON-EKQ-2022-078

APPLICANTS NAME Harmoni Towers LLC
CONSTRUCTION LOCATION Albany, KY
LATITUDE/LONGITUDE 36°45'25.06" N / 85°03'58.34" W
HEIGHT (In Feet) 292' AGL / 1431' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This tower is located 11.83 nm SW of Wayne County Airport. Exceeds no state obstruction standards.

FAA DETERMINATION: 2022-ASO-17848-OE. Awaiting FAA Determination.

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Cox to approve Item #9 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Case seconded it. The motion was carried and was so ordered.

10. AS-BOONE-CVG-2022-079

APPLICANTS NAME DHL Express
CONSTRUCTION LOCATION Erlanger, KY
LATITUDE/LONGITUDE 39°01'13.74" N / 84°38'56.25" W
HEIGHT (In Feet) 17' AGL / 943' AMSL
CONSTRUCTION PROPOSED Traffic Direction Sign

NOTES: This is a solar powered traffic sign to direct motorists from Aero Pkwy to the DHL facility.

FAA DETERMINATION: FAA No Hazard. Exceeds no state obstruction standards.

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #10 in accordance with the Administrator's recommendation to approve in accordance with the FAA Determinations of no hazard. Commissioner Betson seconded it. The motion was carried and was so ordered.

11. AS-PULASKI-SME-2022-080

APPLICANTS NAME Ferguson Fire Department
CONSTRUCTION LOCATION Ferguson, KY
LATITUDE/LONGITUDE 37°04'11.07" N / 84°35'40.21"
HEIGHT (In Feet) 50' AGL / 1058' AMSL
CONSTRUCTION PROPOSED Flag Pole

NOTES: This flag pole at the Ferguson Fire Station is 5631' NE of the Lake Cumberland Regional Airport Rwy 05/23. Exceeds the Approach Surface by 28'. Exceeds the Horizontal Surface by 31'. Exceeds the 100:1 Slope by 12'.

FAA DETERMINATION: 2022-ASO-23313-OE. Awaiting FAA Response.

RECOMMENDATION: Disapprove due to the Approach Surface penetration. The state had previously purchased land to clear the obstructions in the approach of this runway.

PUBLIC COMMENTS: Correspondence obtained from Airport Board Manager, Kellie Baker. It was so asked that the Board disapprove Item # 11, based on approach obstructions.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to disapprove Item #11. Commissioner Cox seconded it. The motion was carried and was so ordered.

12. AS-CLAY-CPF-2022-081

APPLICANTS NAME East Kentucky Network LLC
CONSTRUCTION LOCATION Oneida, KY
LATITUDE/LONGITUDE 37°15'34.6" N / 83°38'46.3" W
HEIGHT (In Feet) 410' AGL / 1402' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: Tower is located 19.9 nm NE of Wendall Ford (Hazard) Airport. Review indicates this structure exceeds no state standard.

FAA DETERMINATION: 2020-ASO28595-OE. No Hazard. Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve per FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Cox to approve Item #12 in accordance with the Administrator's recommendation to approve in accordance with the FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

13. AS-JEFFERSON-SDF-2022-082

APPLICANTS NAME UPS Airlines
CONSTRUCTION LOCATION Muhammed Ali International Airport
LATITUDE/LONGITUDE 38°11'10.76" N / 85°45'12.98" W
HEIGHT (In Feet) 120' AGL / 599 AMSL
CONSTRUCTION PROPOSED Aircraft Maintenance Hangar

NOTES: New UPS hangar to be located on the NW corner of the field.

FAA DETERMINATION: 2022-ASO-5610-NRA. Awaiting FAA Determination.

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Edmiston to approve Item #13 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Cox seconded it. The motion was carried and was so ordered.

14. AS-HICKMAN-1M7-2022-083

APPLICANTS NAME John Monday (ATT)
CONSTRUCTION LOCATION Columbus, KY
LATITUDE/LONGITUDE 36°45'35.70" N / 89°06'36.90" W
HEIGHT (In Feet) 199' AGL / 531' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This tower is 16.83 nm NW of Fulton Co Airport. Exceeds no state obstruction standards

FAA DETERMINATION: None Required

RECOMMENDATION: Approve

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #14 in accordance with the Administrator's recommendation. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

15. AS-BALLARD-PAH-2022-084

APPLICANTS NAME Verizon Wireless c/o CMI ACQ
CONSTRUCTION LOCATION Wickliffe, KY
LATITUDE/LONGITUDE 37°01'45.61" N / 89°00'07.63" W
HEIGHT (In Feet) 299' AGL / 742' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This tower is 15.98 nm West of Barkley Regional Airport. Exceeds no state obstruction standards.

FAA DETERMINATION: 2019-ASO-26576-OE. No Hazard. Medium Dual Obstruction Lighting

RECOMMENDATION: Approve per FAA Determination(s).

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Edmiston to approve Item #15 in accordance with the Administrator's recommendation to approve in accordance with the FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Cox seconded it. The motion was carried and was so ordered.

16. AS-MONROE-TZV-2022-085

APPLICANTS NAME Southern Towers
CONSTRUCTION LOCATION Tompkinsville, KY
LATITUDE/LONGITUDE 36°42'24.12" N / 85°43'17.68" W
HEIGHT (In Feet) 195' AGL / 1215' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This tower is 3.5 nm SW of Tompkinsville Airport. Exceeds no state obstruction standards.

FAA DETERMINATION: 2022-ASO-26253-OE. Awaiting FAA Determination.

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting.
PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #6 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Case seconded it. The motion was carried and was so ordered.

17. AS-MARION-612-2022-086

APPLICANTS NAME Harmoni Towers LLC
CONSTRUCTION LOCATION Lebanon, KY
LATITUDE/LONGITUDE 37°37'55.60" N / 85°16'05.44" W
HEIGHT (In Feet) 159' AGL / 964' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: Tower is 1.28 nm SW of Lebanon-Springfield Airport. Exceeds the 100:1 Slope by 40'. Airport Board has requested that the Zoning Commission disapprove the requested permit. This is a second request by Harmoni Towers for this tower (2021-ASO-37316-OE)

FAA DETERMINATION: 2022-ASO-25422-OE. Awaiting FAA Determination.

RECOMMENDATION: Request Airport Board to address the Commission on specific concerns.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion to defer. A motion was made by Commissioner Betson to defer Item #17 pending FAA Determinations and airport board considerations. Commissioner Edmiston seconded it. The motion to defer was carried and was so ordered.

18. AS-BOONE-CVG-2022-087

APPLICANTS NAME Corporex Parks of Kentucky Inc.
CONSTRUCTION LOCATION Erlanger, KY
LATITUDE/LONGITUDE 39°03'02.99" N / 84°37'47.01" W
HEIGHT (In Feet) 90' AGL / 980' AMSL
CONSTRUCTION PROPOSED Multi-Family Apartments

NOTES: These apartments are 1.65 nm east of Rwy 18L/36R at CVG. Exceeds the 100:1 Slope by 35'. CVG Operations has requested we defer ruling. It appears the coordinates provided by the requester are inaccurate. The actual location may be under and penetrating the Approach Surface.

FAA DETERMINATION: 2022-ASO-25061-OE. Awaiting FAA Determination.

RECOMMENDATION: Defer ruling until coordinates can be verified with the submitter.

PUBLIC COMMENTS: Ms. Dracon commented that Corporex was unsure of the height or location of buildings.

ACTION: Chairman Royer called for a motion to Withdrawal. A motion was made by Commissioner Case to withdraw Item #18 allowing Coporex an opportunity to regroup and supply plans for actual site location for review and determination. Commissioner Betson seconded it. The motion to withdraw was carried and was so ordered.

19. AS-JEFFERSON-SDF-2022-088

APPLICANTS NAME	Cambridge Construction
CONSTRUCTION LOCATION	Louisville, KY
LATITUDE/LONGITUDE	38°08'14.68" N / 85°45'09.40" W
HEIGHT (In Feet)	36' AGL / 492' AMSL
CONSTRUCTION PROPOSED	Building

NOTES: This building 1.27 nm SW of SDF Airport. Exceeds no state obstruction standards

FAA DETERMINATION: 2022-ASO-23719-OE. Awaiting FAA Determination

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #19 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Betson seconded it. The motion was carried and was so ordered.

20. AS-BOONE-CVG-2022-089

APPLICANTS NAME	Erik Frey
CONSTRUCTION LOCATION	Erlanger, KY
LATITUDE/LONGITUDE	39°03'09.87" N / 84°38'12.17" W
HEIGHT (In Feet)	26' AGL / 946' AMSL
CONSTRUCTION PROPOSED	Residential Garage

NOTES: This building 2830 ft east of Rwy 18L/36R. Exceeds the 100:1 Slope by 21'. The building is shielded (surrounded) by other residential buildings. CVG Operations has no objection.

FAA DETERMINATION: 2022-ASO-23958-OE. Awaiting FAA Determination

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Cox to approve Item #20 in accordance with the Administrator's recommendation to approve pending FAA's Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Heddens seconded it. The motion was carried and was so ordered.

21. AS-WEBSTER-TWT-2022-090

APPLICANTS NAME LG&E
CONSTRUCTION LOCATION Dixon, KY
LATITUDE/LONGITUDE 37°29'42.3" N / 87°43'18.5" W
HEIGHT (In Feet) 130' AGL / 694' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: This radio tower is 11.41 nm SW of TWT Airport. Exceeds no state obstruction standards.

FAA DETERMINATION: 2022-ASO-24098-OE. Awaiting FAA Determination

RECOMMENDATION: Approve pending FAA determination of No Hazard with Marking/Lighting

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #21 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, marking with medium dual obstruction lighting. Commissioner Betson seconded it. The motion was carried and was so ordered.

22. AS-MADISON-RGA-2022-091

APPLICANTS NAME Central Kentucky Regional Airport
CONSTRUCTION LOCATION Airport Property
LATITUDE/LONGITUDE 37°37'45.68" N / 84°14'43.41" W
HEIGHT (In Feet) 11' AGL / 1001' AMSL
CONSTRUCTION PROPOSED Airport Electrical Vault

NOTES: This vault will be constructed adjacent to the existing vault. Exceeds no state obstruction standards.

FAA DETERMINATION: 2022-ASO-5212-NRA. Awaiting FAA Determination.

RECOMMENDATION: Approve pending FAA determination of No Hazard.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Edmiston to approve Item #22 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard. Commissioner Betson seconded it. The motion was carried and was so ordered.

23. AS-PERRY-CPF-2022-092

APPLICANTS NAME Housing Alliance
CONSTRUCTION LOCATION Hazard, KY
LATITUDE/LONGITUDE 37°22'41.95" N / 83°14'46.14" W
HEIGHT (In Feet) 24' AGL / 1274 AMSL
CONSTRUCTION PROPOSED Residential Housing

NOTES: Nine homes 2398' east of Rwy 06/24 (on the 24 end). Exceeds no state standards.

FAA DETERMINATION: 2022-ASO-17360-67 & 70-OE. No Hazard, No Lighting/Marking

RECOMMENDATION: Approve per FAA Determination

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Edmiston to approve Item #23 in accordance with the Administrator's recommendation to approve pending FAA Determinations of no hazard, no marking/lighting required. Commissioner Heddens seconded it. The motion was carried and was so ordered.

24. AS-WARREN-BWG-2022-093

APPLICANTS NAME ACES Inc.
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36°58'04.39" N / 86°24'33.66" W
HEIGHT (In Feet) 59' AGL / 584' AMSL
CONSTRUCTION PROPOSED Hotel

NOTES: This hotel is 2301' east of BWG Rwy 03/21. Exceeds 100:1 Slope by 13'

FAA DETERMINATION: No FAA Study number but applicant states he is submitting one.

RECOMMENDATION: Defer until an FAA Study number is supplied.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Administrator Schwandt recommended to remove item #24 and item #25 applicant to submit FAA study. Chairman Royer called for a motion. A motion was made by Commissioner Case to remove Item #24 in accordance with the Administrator's recommendation. Commissioner Betson seconded it. The motion was carried and was so ordered.

25. AS-WARREN-BWG-2022-094

APPLICANTS NAME ACES Inc.
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36°58'06.80" N / 86°24'41.26" W
HEIGHT (In Feet) 34' AGL / 558' AMSL
CONSTRUCTION PROPOSED Apartment Building

NOTES: This building is 1645' east of BWG Rwy 03/21. Exceed no state obstruction standard

FAA DETERMINATION: No FAA Study number but applicant states he is submitting one.

RECOMMENDATION: Defer until an FAA Study number is supplied*

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Administrator Schwandt recommended to remove item #24 and item #25 applicant to submit FAA study. Chairman Royer called for a motion. A motion was made by Commissioner Case to remove Item #25. Commissioner Betson seconded it. The motion was carried and was so ordered.

26. AS-FULTON-1M7-2022-095

APPLICANTS NAME KYTC
CONSTRUCTION LOCATION Fulton, KY
LATITUDE/LONGITUDE 36°31'02.71" N / 88°53'32.28" W
HEIGHT (In Feet) 137' AGL / 543' AMSL
CONSTRUCTION PROPOSED High Mast Light Pole

NOTES: Light pole on I-69 at Hwy 51 Exit 1. 1.0 nm east of 1M7 Rwy 09/27. Exceeds 100:1 Slope by 77'

FAA DETERMINATION: 2022-ASO-24383-OE. No Hazard. No Lighting/Marking Required.

RECOMMENDATION: Approve per FAA Determination

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Heddens to approve Item #26 in accordance with the Administrator's recommendation to approve in accordance with the FAA Determinations of no hazard, no marking / lighting required. Commissioner Cox seconded it. The motion was carried and was so ordered.

27. AS-FULTON-1M7-2022-096

APPLICANTS NAME KYTC
CONSTRUCTION LOCATION Fulton, KY
LATITUDE/LONGITUDE 36°31'09.75" N / 88°52'10.01"
HEIGHT (In Feet) 137' AGL / 522' AMSL
CONSTRUCTION PROPOSED High Mast Light Pole

NOTES: This light pole on I-69 Hwy 307 Exit 2 is 2.411 nm east of 1M7 Rwy 09/27.

FAA DETERMINATION: 2022-ASO-24385-OE. No Hazard. No Lighting/Marking Required.

RECOMMENDATION: Approve per FAA Determination

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Betson to approve Item #27 in accordance with the Administrator's recommendation to approve in accordance with the FAA Determinations of no hazard, no marking / lighting required. Commissioner Heddens seconded it. The motion was carried and was so ordered.

VI. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH EXCEEDS MINIMUM OBSTRUCTION STANDARDS:

1. AS-BOONE-CVG-2022-073

APPLICANTS NAME KYTC
CONSTRUCTION LOCATION CVG Airport access roads
LATITUDE/LONGITUDE 39° 02' 30.29" N / 84° 38' 19.90" W
HEIGHT (In Feet) 39' AGL / 949' AMSL
CONSTRUCTION PROPOSED 12 Traffic signal poles for CVG access roads.

NOTES: Traffic signal poles for the KY 236 intersections with S. Airfield Road, KY 3176, and KY 717. Approximately 2000' SE of Rwy 09/27. No objection from CVG Operations.

FAA DETERMINATION: 12 OE/AAA Studies submitted and all 12 were determined to be N Hazard with no lighting or markings required.

RECOMMENDATION: Approve in accordance with FAA Determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 17, 2022.

ACTION: Chairman Royer called for a motion. A motion was made by Commissioner Betson to approve Item #1 in accordance with the Administrator's recommendation to approve in accordance with the FAA Determinations. Commissioner Heddens seconded it. The motion was carried and was so ordered.

VI. FINES:

None proposed

IX. ADJOURN:

ACTION: Chairman Royer called for a motion to adjourn. A motion was made by Commissioner Hedden to adjourn. Commissioner Edmiston seconded it. The motion was carried and was so ordered.

Meeting was Adjourned at 10:53 am.

Next Meeting – October 13th, 2022, 9:30 AM ET