

KENTUCKY AIRPORT ZONING COMMISSION

AGENDA

October 14, 2021

KENTUCKY AIRPORT ZONING COMMISSION

AGENDA

October 14, 2021

I. ROLL CALL:

Randall Royer, Acting Administrator
Susan Chaplin, Interim Chairman
Michael Betson, Commissioner
Lindsey Case, Commissioner
William DeReamer, Commissioner

Kimber Heddens, Jr, Commissioner
Charles Miller, Commissioner
Timothy Talton, Commissioner
Jason Salazar-Munoz, Administration
Tammi Jarboe, Administration
Not Present, Office of Legal Service

II. INTRODUCTIONS:

Guests: Mark Carter, Commissioner, Department of Aviation
Brad Schwandt, Deputy Commissioner, Department of Aviation

III. APPROVAL OF MINUTES FROM PREVIOUS MEETINGS – August 12, 2021

IV. OLD BUSINESS - ACTION REQUIRED -

1. AS-JEFFERSON-SDF-2021-070

APPLICANTS NAME	Crown Castle
CONSTRUCTION LOCATION	Louisville, KY
LATITUDE/LONGITUDE	38° 9' 25.99" N / 85° 39' 39.97" W
HEIGHT (In Feet)	127' AGL/615.4' AMSL
CONSTRUCTION PROPOSED	Antenna Tower (Height Correction)

NOTES: The Antenna Tower is located 3.0 Nautical Miles East South East of SDF Louisville Muhammad Ali International Airport's Runway 29. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed. Antenna was previously approved at 122ft.

FAA DETERMINATION: 2021-ASO-18194-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, August 11, 2021.

V. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION BUT DO NOT EXCEED MINIMUM OBSTRUCTION STANDARDS:

1. AS-BOYD-DWU-2021-081

APPLICANTS NAME American Electric Power
CONSTRUCTION LOCATION Ashland, KY
LATITUDE/LONGITUDE 38° 29' 38.25" N / 82° 39' 39.63" W
HEIGHT (In Feet) 268' AGL/815' AMSL
CONSTRUCTION PROPOSED Power Line - Rebuild

NOTES: The Power Line 138kV double circuit line will be located 5.1 Nautical Miles South East from DWU Ashland Regional Airport. Preliminary review indicates this structure exceeds no state standard. Dual red & white medium intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-31730-OE. No Hazard, Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

2. AS-MONROE-TZV-2021-082

APPLICANTS NAME Tompkinsville-Monroe Co Airport
CONSTRUCTION LOCATION Tompkinsville, KY
LATITUDE/LONGITUDE 36° 43' 41.06" N / 85° 39' 0.08" W
HEIGHT (In Feet) 54' AGL/1085' AMSL
CONSTRUCTION PROPOSED Rotating Beacon Tower

NOTES: The Rotating Beacon Tower will be located within TZV Tompkinsville-Monroe County Airport. Preliminary review indicates this structure exceeds no state standard. Red lights and paint obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-4686-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

3. AS-BARREN-GLW-2021-083

APPLICANTS NAME Glasgow Municipal Airport
CONSTRUCTION LOCATION Glasgow, KY
LATITUDE/LONGITUDE 37° 1' 51.4" N / 85° 56' 53.37" W
HEIGHT (In Feet) 54' AGL/775' AMSL
CONSTRUCTION PROPOSED Rotating Beacon Tower

NOTES: The Rotating Beacon Tower will be located within GLW Glasgow Municipal Airport. Preliminary review indicates this structure exceeds no state standard. Red lights and paint obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-4687-NRA. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

4. **AS-CALDWELL-2M0-2021-084**

APPLICANTS NAME Princeton-Caldwell Co Airport
CONSTRUCTION LOCATION Princeton, KY
LATITUDE/LONGITUDE 37° 7' 2.83" N / 87° 51' 24.54" W
HEIGHT (In Feet) 44' AGL/591' AMSL
CONSTRUCTION PROPOSED Rotating Beacon Tower

NOTES: The Rotating Beacon Tower will be located within 2M0 Princeton-Caldwell County Airport. Preliminary review indicates this structure exceeds no state standard. Red lights and paint obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-4688-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

5. **AS-NELSON-BRY-2021-085**

APPLICANTS NAME Samuels Field Airport
CONSTRUCTION LOCATION Bardstown, KY
LATITUDE/LONGITUDE 37° 48' 30.18" N / 85° 30' 3.68" W
HEIGHT (In Feet) 17' AGL/651' AMSL
CONSTRUCTION PROPOSED T-Hangar

NOTES: The T-Hangar will be located within BRY Samuels Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2019-ASO-5116-NRA. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

6. **AS-WARREN-BWG-2021-087**

APPLICANTS NAME Bowling Green Regional Airport
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36° 57' 47.51" N / 86° 25' 29.26" W
HEIGHT (In Feet) 0' AGL/529' AMSL
CONSTRUCTION PROPOSED Terminal Apron – Rehabilitation & Reconstruction

NOTES: The Terminal Apron will be located within BWG Bowling Green-Warren County Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-4753-4767-NRA. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

7. **AS-WARREN-BWG-2021-088**

APPLICANTS NAME Bowling Green Regional Airport
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36° 57' 49.17" N / 86° 25' 32.18" W
HEIGHT (In Feet) 25' AGL/554' AMSL
CONSTRUCTION PROPOSED Excavators – Temporary Equipment

NOTES: The Excavators will be within BWG Bowling Green-Warren County Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-4711-4751-NRA. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

8. **AS-BOONE-CVG-2021-089**

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Hebron, KY
LATITUDE/LONGITUDE 39° 4' 50.29" N / 84° 41' 35.3" W
HEIGHT (In Feet) 103' AGL/914' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Structure

NOTES: The Antenna Tower is located 2.24 Nautical Miles Northwest by North from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2020-ASO-1184-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

9. **AS-BOONE-CVG-2021-090**

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Hebron, KY
LATITUDE/LONGITUDE 39° 5' 28.36" N / 84° 43' 47.44" W
HEIGHT (In Feet) 143' AGL/1027' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Structure

NOTES: The Antenna Tower is located 3.18 Nautical Miles North West from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-6667-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

10. AS-BOONE-CVG-2021-091

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Richwood, KY
LATITUDE/LONGITUDE 38° 54' 23.18" N / 84° 38' 40.53" W
HEIGHT (In Feet) 130' AGL/975' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Structure

NOTES: The Antenna Tower is located 8.59 Nautical Miles South by East from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-9752-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

11. AS-BOONE-CVG-2021-092

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Hebron, KY
LATITUDE/LONGITUDE 39° 3' 37.22" N / 84° 37' 33.53" W
HEIGHT (In Feet) 143' AGL/1013' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Structure

NOTES: The Antenna Tower is located 2.07 Nautical Miles East North East from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2020-ASO-1185-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

12. AS-GALLATIN-K62-2021-093

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Verona, KY
LATITUDE/LONGITUDE 38° 47' 4.84" N / 84° 42' 54.84" W
HEIGHT (In Feet) 110' AGL/880' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Tower

NOTES: The Antenna Tower is located 15.93 Nautical Miles West North West from K62 Gene Snyder Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-9751-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

13. AS-GALLATIN-CVG-2021-094

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Verona, KY
LATITUDE/LONGITUDE 38° 50' 7.64" N / 84° 45' 29.22" W
HEIGHT (In Feet) 135' AGL/803' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Structure

NOTES: The Antenna Tower is located 13.45 Nautical Miles South by West from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-9753-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

14. AS-SCOTT-27K-2021-095

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Stamping Ground, KY
LATITUDE/LONGITUDE 38° 19' 21.9" N / 84° 38' 40.1" W
HEIGHT (In Feet) 280' AGL/1279' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Existing Structure

NOTES: The Antenna Tower is located 11.00 Nautical Miles Northwest by West from 27K Georgetown-Scott County Regional Airport. Preliminary review indicates this structure exceeds no state standard. Dual red & white medium intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2018-ASO-1006-OE. No Hazard, Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

15. AS-PENDLETON-K62-2021-096

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Butler, KY
LATITUDE/LONGITUDE 38° 43' 50.04" N / 84° 23' 4.48" W
HEIGHT (In Feet) 125' AGL/1049' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 1.7 Nautical Miles North by East from K62 Gene Snyder Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-22045-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

16. AS-CAMPBELL-K62-2021-097

APPLICANTS NAME Owen Electric Cooperative
CONSTRUCTION LOCATION Grantslick, KY
LATITUDE/LONGITUDE 38° 51' 20.83" N / 84° 23' 14.23" W
HEIGHT (In Feet) 195' AGL/898' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 9.15 Nautical Miles North from K62 Gene Snyder Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: FAA Notice Criteria Tool. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

17. AS-OHIO-JQD-2021-098

APPLICANTS NAME Ohio County Airport
CONSTRUCTION LOCATION Hartford, KY
LATITUDE/LONGITUDE 37° 27' 30.34" N / 86° 51' 4.69" W
HEIGHT (In Feet) 12' AGL/539' AMSL
CONSTRUCTION PROPOSED Fuel Tank

NOTES: The Fuel Tank will be located within JQD Ohio County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-4430-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

18. AS-HOPKINS-2I0-2021-099

APPLICANTS NAME Madisonville Regional Airport
CONSTRUCTION LOCATION Madisonville, KY
LATITUDE/LONGITUDE 37° 21' 13.21" N / 87° 23' 44.37" W
HEIGHT (In Feet) 0' AGL/409.38' AMSL
CONSTRUCTION PROPOSED Apron Expansion

NOTES: The Apron Expansion will be located within 2I0 Madisonville Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-4878-4881-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

19. AS-HOPKINS-2I0-2021-100

APPLICANTS NAME Madisonville Regional Airport
CONSTRUCTION LOCATION Madisonville, KY
LATITUDE/LONGITUDE 37° 21' 11.78" N / 87° 23' 47.73" W
HEIGHT (In Feet) 7' AGL/416' AMSL
CONSTRUCTION PROPOSED Fence

NOTES: The Fence will be located within 2I0 Madisonville Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-4502-4509-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

20. AS-HOPKINS-2I0-2021-101

APPLICANTS NAME Madisonville Regional Airport
CONSTRUCTION LOCATION Madisonville, KY
LATITUDE/LONGITUDE 37° 21' 12.10" N / 87° 23' 43.57" W
HEIGHT (In Feet) 39.29' AGL/451.29' AMSL
CONSTRUCTION PROPOSED Hangar

NOTES: The Hangar will be located within 2I0 Madisonville Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-4510-4513-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

21. AS-HOPKINS-2I0-2021-102

APPLICANTS NAME Madisonville Regional Airport
CONSTRUCTION LOCATION Madisonville, KY
LATITUDE/LONGITUDE 37° 21' 13.82" N / 87° 23' 46.16" W
HEIGHT (In Feet) 0' AGL/408.91' AMSL
CONSTRUCTION PROPOSED Taxi Lane

NOTES: The Taxi Lane will be located within 2I0 Madisonville Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-4882-4883-NRA. Proposed.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

22. AS-WHITLEY-BYL-2021-103

APPLICANTS NAME East Kentucky Network, LLC
CONSTRUCTION LOCATION Corbin, KY
LATITUDE/LONGITUDE 36° 55' 35.55" N / 84° 5' 49.9" W
HEIGHT (In Feet) 310' AGL/1656' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 9.3 Nautical Miles North East from BYL Williamsburg-Whitley County Airport. Preliminary review indicates this structure exceeds no state standard. Medium white intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-30022-OE. No Hazard, MIWOL Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

23. AS-MAGOFFIN-9KY9-2021-104

APPLICANTS NAME East Kentucky Network, LLC
CONSTRUCTION LOCATION Salyersville, KY
LATITUDE/LONGITUDE 37° 45' 47.34" N / 82° 59' 26.62" W
HEIGHT (In Feet) 310' AGL/1546' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 10.20 Nautical Miles West from 9KY9 Paintsville-Prestonsburg-Combs Field Airport. Preliminary review indicates this structure exceeds no state standard. Medium white intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-30125-OE. Work In Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

24. AS-PIKE-PBX-2021-105

APPLICANTS NAME East Kentucky Network, LLC
CONSTRUCTION LOCATION Phelps, KY
LATITUDE/LONGITUDE 37° 30' 27.89" N / 82° 10' 1.03" W
HEIGHT (In Feet) 310' AGL/1955' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 19.30 Nautical Miles East by South from PBX Pike County Airport-Hatcher Field. Preliminary review indicates this structure exceeds no state standard. Medium white intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-35033-OE. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

25. AS-HART-M20-2021-106

APPLICANTS NAME Tillman Infrastructure
CONSTRUCTION LOCATION Cub Run, KY
LATITUDE/LONGITUDE 37° 20' 9.2" N / 86° 7' 44.54" W
HEIGHT (In Feet) 200' AGL/805' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 7.40 Nautical Miles Southeast by East from M20 Leitchfield-Grayson County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-12673-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

26. AS-GRAVES-M25-2021-107

APPLICANTS NAME Tillman Infrastructure
CONSTRUCTION LOCATION Sedalia, KY
LATITUDE/LONGITUDE 36° 38' 16.36" N / 88° 36' 9.62" W
HEIGHT (In Feet) 265' AGL/783' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 7.96 Nautical Miles South by West from M25 Mayfield Graves County Airport. Preliminary review indicates this structure exceeds no state standard. Dual red & white medium intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-15664-OE. No Hazard, Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

27. AS-WARREN-BWG-2021-108

APPLICANTS NAME Vertical Bridge Development, LLC
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 37° 6' 27.93" N / 86° 21' 49.9" W
HEIGHT (In Feet) 199' AGL/863.6' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 8.99 Nautical Miles North by East from BWG Bowling Green-Warren County Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: FAA Notice Criteria Tool. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

28. AS-GRAVES-M25-2021-109

APPLICANTS NAME Vertical Bridge Development, LLC
CONSTRUCTION LOCATION Hickory, KY
LATITUDE/LONGITUDE 36° 50' 23.71" N / 88° 40' 32.73" W
HEIGHT (In Feet) 320' AGL/748' AMSL
CONSTRUCTION PROPOSED Antenna Tower – Time Extension

NOTES: The Antenna Tower will be located 6.08 Nautical Miles Northwest from M25 Mayfield Graves County Airport. The Antenna Tower was approved during the August 13, 2020 KAZC meeting with dual red & white medium intensity lighting. Preliminary review indicates this structure exceeds no state standard. Dual red & white medium intensity obstruction marking/lighting is proposed.

FAA DETERMINATION: 2020-ASO-9879-OE, Expires 10/27/21. No Hazard, Medium Dual Obstruction Lighting. Extension has been filed with the FAA.

RECOMMENDATION: Approve in accordance with the expired FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

29. AS-JEFFERSON-SDF-2021-110

APPLICANTS NAME Kentucky Transportation Cabinet
CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 07' 03.72" N / 85° 42' 02.88" W
HEIGHT (In Feet) 120' AGL/595' AMSL
CONSTRUCTION PROPOSED Light Poles

NOTES: The Light Poles will be located 2.97 Nautical Miles South Southeast of SDF Louisville Muhammad Ali International Airport's Runway 35R. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-35536-35542-OE. Work in Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

30. AS-JEFFERSON-SDF-2021-111

APPLICANTS NAME Kentucky Transportation Cabinet
CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 08' 24.72" N / 85° 35' 14.27" W
HEIGHT (In Feet) 120' AGL/772' AMSL
CONSTRUCTION PROPOSED Light Poles

NOTES: The Light Poles will be located 6.63 Nautical Miles East South East of SDF Louisville Muhammad Ali International Airport's Runway 29. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-35544-35547-OE. Work in Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

31. AS-BOONE-CVG-2021-112

APPLICANTS NAME Kentucky Transportation Cabinet
CONSTRUCTION LOCATION Erlanger, KY
LATITUDE/LONGITUDE 39° 02' 42.133" N / 84° 38' 24.889" W
HEIGHT (In Feet) 36' AGL/940.86' AMSL
CONSTRUCTION PROPOSED Traffic Signal Poles

NOTES: The Traffic Signal Poles will be located 3640ft/ .59 Nautical Miles East from CVG Cincinnati/Northern Kentucky International Airport's Runway 27. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-32595-32598-OE. Work in Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

VI. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH EXCEEDS MINIMUM OBSTRUCTION STANDARDS:

1. AS-WHITLEY-BYL-2021-086

APPLICANTS NAME Williamsburg - Whitley Co. Airport
CONSTRUCTION LOCATION Williamsburg, KY
LATITUDE/LONGITUDE 36° 48' 0.12" N / 84° 11' 57.47" W
HEIGHT (In Feet) 20' AGL/1190' AMSL
CONSTRUCTION PROPOSED T-Hangar

NOTES: The T-Hangar will be located within BYL Williamsburg-Whitley County Airport. Preliminary review indicates this structure exceeds BYL Runway 02/20 transitional surface by 16.59ft. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-5122-NRA. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, October 13, 2021.

VII. FINES:

IX. ADJOURN:

Next Meeting – December 9th, 2021 9:30 AM EST