# KENTUCKY AIRPORT ZONING COMMISSION MINUTES

June 12, 2025

# KENTUCKY AIRPORT ZONING COMMISSION

June 12, 2025 AGENDA

I. ROLL CALL:

Mark Carter, Chairperson - Absent Lindsey Case, Commissioner - Absent

Susan Chaplin, Office of Legal Service Gary Cox, Commissioner

Anthony Adams, Administrator
Terry Hancock, Co-Administrator
Brad Schwandt, KDA Commissioner's Office

Brandon Edmiston, Commissioner
Kimber Heddens, Jr, Commissioner
Emily Herron, Commissioner

Connor Tilford, Commissioner

II. INTRODUCTIONS: Steve Woodrum – Georgetown-Scott County Regional Airport

**Shawn McMullen** – Bob Ray Company

## III. APPROVAL OF MINUTES FROM PREVIOUS MEETING – April 10, 2025

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox	X		Emily Herron		
Brandon Edmiston			Connor Tilford		Х
Comments: Approved.	•	•		•	•

# IV. OLD BUSINESS: None

V. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION – NEW BUSINESS Public Comments on New Business must be received before noon, Wednesday, June 11, 2025

1. AS-2025-036-1A6 Middlesboro-Bell County Airport

**APPLICANTS NAME:** BTS Towers, LLC

NEAREST CITY: Chenoa, KY

**LATITUDE/LONGITUDE:** 36°39'57.81" N, 83°51'30.74" W

HEIGHT (In Feet): 265' AGL/1869' AMSL CONSTRUCTION PROPOSED: Telecommunications Tower

**NOTES:** The tower is approx 6.7 nm NW of 1A6, exceeds 200 ft AGL, and penetrates no

protected air surfaces.

**FAA DETERMINATION:** 2025-ASO-7808-OE. Filed 4/14/2025. Studying. **ACTION:** Approve, **PENDING**, FAA ASN of No Hazard to Air Navigation.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr	Χ	
Gary Cox			Emily Herron		
Brandon Edmiston		X	Connor Tilford		
Comments:					

2. AS-2025-037-27K Georgetown-Scott County Regional Airport

**APPLICANTS NAME:** TAG Towers, LLC **NEAREST CITY:** Georgetown, KY

LATITUDE/LONGITUDE: 38°12'11.35" N, 84°16'50" W
HEIGHT (In Feet): 259' AGL /1083' AMSL
CONSTRUCTION PROPOSED: Telecommunications Tower

NOTES: The tower is approx 7.7 nm E of 27K, exceeds 200 ft AGL, and penetrates no

protected air surfaces. 27K submitted Objection Letter.

**FAA DETERMINATION:** 2025-ASO-8278-OE. Filed 4/21/2025. Evaluating. **ACTION:** Approve, **PENDING**, FAA ASN of No Hazard to Air Navigation

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox			Emily Herron	Χ	
Brandon Edmiston		X	Connor Tilford		

Comments: Scott Woodrum expressed the airports objection to an additional tower near the airport or any future construction encroaching on the airport.

Steve and the Commissioners exchanged several Q&A about this subject and the airports concerns.

3. AS-2025-038-CPF Wendell H Ford Airport

**APPLICANTS NAME:** VB BTS III, LLC **NEAREST CITY:** Chavies, KY

**LATITUDE/LONGITUDE:** 37°20'43.65" N, 83°21'25.79" W

HEIGHT (In Feet): 265' AGL /1186' AMSL CONSTRUCTION PROPOSED: Telecommunications Tower

**NOTES:** The tower is approx 5.2 nm SW of CPF, exceeds 200 ft AGL, and penetrates no

protected air surfaces.

**FAA DETERMINATION:** 2025-ASO-10344-OE. Filed 5/13/2025. Studying. **ACTION:** Approve, **PENDING**, FAA ASN of No Hazard to Air Navigation

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox	X		Emily Herron		Х
Brandon Edmiston			Connor Tilford		
Comments:				•	

4. AS-2025-039-FFT Capital City Airport APPLICANTS NAME: Capital City Airport

**NEAREST CITY:** Frankfort, KY

**LATITUDE/LONGITUDE:** 38°10'50.68" N, 84°54'11.05" W

**HEIGHT (In Feet):** 0' AGL /773' AMSL

**CONSTRUCTION PROPOSED:** Site Work for Terminal – Road relocation, grading and drainage, and utility extension.

**NOTES:** The site work is approx 800 ft S of FFT and <u>penetrates no protected air surfaces</u>. FFT has no objection.

**FAA DETERMINATION:** 2025-ASO-4579 thru 4601-NRA. The FAA has no objection is complying FAA AC 150/5370-2, "Operational Safety on Airports During Construction."

**ACTION: APPROVE.** 

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		Χ
Gary Cox			Emily Herron		
Brandon Edmiston			Connor Tilford	Х	
Comments:	•				

5. AS-2025-040-M25 Mayfield-Graves County Airport

APPLICANTS NAME: Jinay Vascocu NEAREST CITY: Benton, KY

**LATITUDE/LONGITUDE:** 36°49'18.57" N, 88°24'39.72" W

**HEIGHT (In Feet):** 300' AGL /801' AMSL **CONSTRUCTION PROPOSED:** Telecommunications Tower

**NOTES:** The tower location is approx 8.9 nm NE of M25, exceeds 200 ft AGL, and <u>penetrates</u> no protected air surfaces.

**FAA DETERMINATION:** 2025-ASO-3798-OE. No Hazard to Air Navigation. Marked & lighted IAW FAA AC 70/7460-1 M C1; med-dual system-Chapters 4,8(M-Dual) &15. Emissions must comply with FAA 5G C band compatibility evaluation process.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox			Emily Herron		Χ
Brandon Edmiston	X		Connor Tilford		
Comments:					

6. AS-2025-041-RGA Central Kentucky Regional Airport

**APPLICANTS NAME:** The Towers, LLC

**NEAREST CITY:** Berea, KY

**LATITUDE/LONGITUDE:** 37°28'29.42" N, 84°22'38.46" W

HEIGHT (In Feet): 265' AGL /1,247' AMSL CONSTRUCTION PROPOSED: Telecommunications Tower

**NOTES:** The tower location is approx 9.6 nm S of RGA, exceeds 200 ft AGL, and <u>penetrates</u>

no protected air surfaces.

**FAA DETERMINATION:** 2024-ASO-23897-OE. No Hazard to Air Navigation. Marked & lighted IAW FAA AC 70/7460-1 M C1; med-dual system-Chapters 4,8(M-Dual) &15.

Emissions must comply with FAA 5G C band compatibility evaluation process.

**ACTION: APPROVE.** 

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		Χ
Gary Cox	X		Emily Herron		
Brandon Edmiston			Connor Tilford		
Comments:					

7. AS-2025-042-27K Georgetown-Scott County Regional Airport

**APPLICANTS NAME:** James Wright **NEAREST CITY:** Georgetown, KY

LATITUDE/LONGITUDE: 38°14'59" N, 84°25'32" W HEIGHT (In Feet): 16' AGL /989' AMSL CONSTRUCTION PROPOSED: Pole Barn Garage/Storage

**NOTES:** The pole barn is approx 2,400 ft N of 27K and penetrates the 100:1 Slope Surface by

14+ ft. 27K submitted Objection Letter.

**FAA DETERMINATION:** 2025-ASO-4861-OE. No Hazard to Air Navigation. Marking and

lighting not required. **ACTION: APPROVE.** 

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox			Emily Herron		Χ
Brandon Edmiston			Connor Tilford	Χ	

Comments: Scott Woodrum expressed the airports objection to what they perceive as construction creep near the airport. The airport believes this construction may negatively impact the future plans to extend the runway length an additional 1,000 ft or 1,500 ft. Steve and the Commissioners exchanged several Q&A about this subject and the airports concerns.

8. AS-2025-043-CVG Cincinnati/NKY International Airport

**APPLICANTS NAME:** The Silverman Group

NEAREST CITY: Hebron, KY

**LATITUDE/LONGITUDE:** 39°04'33.75" N, 84°40'16.39" W

**HEIGHT (In Feet):** 110' AGL /950' AMSL

CONSTRUCTION PROPOSED: Construction Crane for Hebron Industrial Airpark Site.

Long-Term Permit through Nov 30, 2025.

NOTES: The crane location is approx 0.7 nm N of CVG 18R/36L and is under the Approach

Surface of CVG 18C/36C by 17+ ft. CVG has no objection.

This is an extension of a Temporary Permit, May 5 – June 30, 2025.

FAA DETERMINATION: 2025-ASO-6469-OE. No Hazard to Air Navigation. Marking and

lighting not required.

**ACTION: APPROVE.** 

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox		X	Emily Herron	Х	
Brandon Edmiston			Connor Tilford		
Comments: Conner Tilford	recused from	voting.			

9. AS-2025-044-CVG Cincinnati/NKY International Airport

**APPLICANTS NAME:** The Harper Company

NEAREST CITY: Hebron, KY

**LATITUDE/LONGITUDE:** 39°01'29.9" N, 84°38'29.04" W

**HEIGHT (In Feet):** 110' AGL /1035' AMSL

CONSTRUCTION PROPOSED: Temporary Concrete Batch Plant to construct the south

apron of the DHL B777 Hangar.

**NOTES:** The Batch Plant is located on airport property approx 2,000 ft from 18L/36R and penetrates the 100:1 Slope Surface by 119+ ft. CVG has no objection.

**FAA DETERMINATION:** 2024-ASO-16030 thru 16033-NRA. The FAA has no objection to this proposal as long as it complies with FAA AC 150/5370-2, "Operational Safety on Airports During Construction."

	Motion	Second		Motion	Second	
Lindsey Case			Kimber Heddens, Jr	Х		
Gary Cox		X	Emily Herron			
Brandon Edmiston			Connor Tilford			
Comments: Conner Tilford recused from voting.						

10. AS-2025-045-DVK Stuart Powell Field

**APPLICANTS NAME:** Stuart Powell Field Airport Board

**NEAREST CITY:** Danville, KY

**LATITUDE/LONGITUDE:** 37°34'42.59" N, 84°46'7.5" W **HEIGHT (In Feet):** 35' AGL /1,042' AMSL **CONSTRUCTION PROPOSED:** Box Hangar, 97' x 109'

**NOTES:** The box hangar location is on DVK approx 500 ft from RWY 12/30, penetrates the

100:1 Slope Surface by 44+ ft, and the Transitional Surface by 16+ ft.

FAA DETERMINATION: 2025-ASO-911 thru 915-NRA. The FAA has no objection as long

as work complies with FAA AC 150/5370-2, "Operational Safety on Airports During

Construction." Marking and lighting not required.

**ACTION: APPROVE.** 

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		Х
Gary Cox			Emily Herron		
Brandon Edmiston			Connor Tilford	Х	
Comments:			<b>X</b> Y		

11. AS-2025-046-SDF Louisville Muhammad Ali Intl Airport

**APPLICANTS NAME:** KY Kingdom Theme Park, LLC

NEAREST CITY: Louisville, KY

**LATITUDE/LONGITUDE:** 38°11'48.07" N, 85°44'39.35" W

HEIGHT (In Feet): 67' AGL /543' AMSL CONSTRUCTION PROPOSED: Amusement Park Ride

**NOTES:** The ride location is approx 3,700 ft N of SDF and penetrates the 100:1 Slope Surface

of 17R/35L by 5+ ft.

FAA DETERMINATION: 2025-ASO-6297-OE. No Hazard to Air Navigation. Marking and

lighting not required.

ACTION: APPROVE.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox			Emily Herron		
Brandon Edmiston	X		Connor Tilford		Χ
Comments:					

12. AS-2025-047-SME Lake Cumberland Regional Airport

**APPLICANTS NAME:** Blue Sky Towers IV, LLC

**NEAREST CITY:** Somerset, KY

**LATITUDE/LONGITUDE:** 37°05'29.93" N, 84°36'32.12" W

**HEIGHT (In Feet):** 105' AGL /1,063' AMSL

**CONSTRUCTION PROPOSED:** Monopole

**NOTES:** The tower location is approx 1.9 nm N of SME and penetrates the 100:1 Slope Surface

of SME 05/23 by 18+ ft.

**FAA DETERMINATION:** 2025-ASO-6497-OE. Filed 3/27/2025. Studying. **ACTION:** Approve, **PENDING**, FAA ASN of No Hazard to Air Navigation.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		Χ
Gary Cox	X		Emily Herron		
Brandon Edmiston			Connor Tilford		
Comments:			A ) )		

13. AS-2025-048-KY8 Hancock County-Ron Lewis Field

**APPLICANTS NAME:** VB BTS III, LLC **NEAREST CITY:** Hawesville, KY

**LATITUDE/LONGITUDE:** 37°53'36.47" N, 86°44'52.25" W

HEIGHT (In Feet): 265' AGL /823' AMSL CONSTRUCTION PROPOSED: Telecommunications Tower

**NOTES:** The tower location is approx 6.3 nm SE of KY8, exceeds 200 ft AGL, and <u>penetrates</u> no protected air surfaces.

**FAA DETERMINATION:** 2025-ASO-5264-OE. No Hazard to Air Navigation. Marked & lighted IAW FAA AC 70/7460-1 M C1; med-dual system-Chapters 4,8(M-Dual) &15. Emissions must comply with FAA 5G C band compatibility evaluation process.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		Χ
Gary Cox			Emily Herron	Х	
Brandon Edmiston			Connor Tilford		
Comments:					

14. AS-2025-049-1A6 Middlesboro-Bell County Airport

**APPLICANTS NAME:** Jeff Bowling **NEAREST CITY:** Middlesboro, KY

**LATITUDE/LONGITUDE:** 36°36'43.5" N, 83°44'20.4" W

**HEIGHT (In Feet):** 20' AGL /1,170' AMSL **CONSTRUCTION PROPOSED:** Single Story Bldg

**NOTES:** The building location is approx 600 ft N of 1A6 and penetrates the 100:1 Slope

Surface by 6+ ft.

FAA DETERMINATION: 2025-ASO-9810-OE. Filed 5/6/2025. Studying.

**RECOMMENDATION:** Approve, **PENDING**, FAA ASN of No Hazard to Air Navigation.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox			Emily Herron	Х	
Brandon Edmiston		X	Connor Tilford		
Comments:					

15. AS-2025-050-7KY4 Spring Creek Airpark

**APPLICANTS NAME:** Ric Burnette **NEAREST CITY:** Albany, KY

**LATITUDE/LONGITUDE:** 36°38'7.88" N, 85°09'44.87" W

HEIGHT (In Feet): 25' AGL /1,174' AMSL CONSTRUCTION PROPOSED: 1,000 sq ft building expansion

**NOTES:** The building expansion is approx 600 ft E of 7KY4 and penetrates the 100:1 Slope

Surface by 6+ ft. Spring Creek has no objection.

**FAA DETERMINATION:** FAA aeronautical study not required for private airports.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		Χ
Gary Cox	X		Emily Herron		
Brandon Edmiston			Connor Tilford		
Comments:	•				

16. AS-2025-051-LEX Bluegrass Airport

APPLICANTS NAME: Bluegrass Airport NEAREST CITY: Lexington, KY

**LATITUDE/LONGITUDE:** 38°02'14.05" N, 84°35'44.93" W

**HEIGHT (In Feet):** 60' AGL /1,038' AMSL

**CONSTRUCTION PROPOSED:** Terminal Drive Relocation and Parking Expansion **NOTES:** The road relocation and parking expansion is approx 1,900 ft S of LEX 4/22 and penetrates the 100:1 Slope Surface by 39+ ft. 60 ft is the largest AGL of any part of the project.

**FAA DETERMINATION:** 2025-ASO-7949-NRA. Filed 5/15/2025.

**RECOMMENDATION:** Approve, **PENDING**, FAA ASN of No Hazard to Air Navigation.

	Motion	Second		Motion	Second
Lindsey Case			Kimber Heddens, Jr		
Gary Cox			Emily Herron		Х
Brandon Edmiston			Connor Tilford	Х	
Comments:					

### VI. FINES:

Bob Ray  $Co - 2^{nd}$  Offense. No fine was assessed.

The 1st Offense was reviewed at the December 2024 KAZC meeting. No fine was assessed.

Shawn McMullen explained to the Commissioners the changes made to their internal scheduling process to keep this from occurring again.

### VII. ADJOURN:

The Commissioners discussed the benefit of City/County zoning committees understanding airports have special needs and these needs should be considered in their zoning planning.

**Next Meeting – August 14, 2025 - 9:30 AM ET**