



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Rebecca Goodman
SECRETARY

May 18, 2026

CALL NO. 300
CONTRACT ID NO. 261513
ADDENDUM # 2

Subject: Johnson County, FD04 058 NEW ROUTE
Letting May 21, 2026

- (1) Revised - Proposal Bid Items - Pages 196-199 of 199
- (2) Revised Plan Sheet T001

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

PROPOSAL BID ITEMS

261513

Page 1 of 4

Report Date 5/18/26

261513

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	58.00	TON		\$	
0020	00003		CRUSHED STONE BASE	2,742.00	TON		\$	
0030	00020		TRAFFIC BOUND BASE	81.00	TON		\$	
0040	00078		CRUSHED AGGREGATE SIZE NO 2	3,746.00	TON		\$	
0050	00100		ASPHALT SEAL AGGREGATE	20.00	TON		\$	
0060	00103		ASPHALT SEAL COAT	2.00	TON		\$	
0070	00212		CL2 ASPH BASE 1.00D PG64-22	1,145.00	TON		\$	
0080	00214		CL3 ASPH BASE 1.00D PG64-22	1,921.00	TON		\$	
0090	00301		CL2 ASPH SURF 0.38D PG64-22	261.00	TON		\$	
0100	00388		CL3 ASPH SURF 0.38B PG64-22	1,567.00	TON		\$	
0110	02602		FABRIC-GEOTEXTILE CLASS 1	6,316.00	SQYD		\$	
0120	02608		FABRIC-GEOTEXTILE CLASS 4A	6,316.00	SQYD		\$	
0130	02677		ASPHALT PAVE MILLING & TEXTURING	1,158.00	TON		\$	
0140	20071EC		JOINT ADHESIVE	8,691.00	LF		\$	
0150	20550ND		SAWCUT PAVEMENT	3,713.00	LF		\$	
0160	21289ED		LONGITUDINAL EDGE KEY	3,713.00	LF		\$	
0170	24970EC		ASPHALT MATERIAL FOR TACK NON-TRACKING	9.00	TON		\$	
0180	26248EC		ELECTRONIC DELIVERY MGMT SYSTEM - AGG	1.00	LS		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0190	01691		FLUME INLET TYPE 2	2.00	EACH		\$	
0200	01820		LIP CURB AND GUTTER	100.00	LF		\$	
0210	01875		STANDARD HEADER CURB	346.00	LF		\$	
0220	01949		MOUNTABLE MEDIAN TYPE 6A	258.00	SQYD		\$	
0230	01987		DELINEATOR FOR G/R BI DIRECTIONAL WHITE	14.00	EACH		\$	
0240	02014		BARRICADE-TYPE III	11.00	EACH		\$	
0250	02091		REMOVE PAVEMENT	781.00	SQYD		\$	
0260	02159		TEMP DITCH	1,570.00	LF		\$	
0270	02160		CLEAN TEMP DITCH	785.00	LF		\$	
0280	02230		EMBANKMENT IN PLACE	13,948.00	CUYD		\$	
0290	02242		WATER	100.00	MGAL		\$	
0300	02351		G/R-W BEAM-S FACE TL-3	1,052.00	LF		\$	
0310	02367		G/R END TREATMENT TYPE 1	2.00	EACH		\$	
0320	02370		G/R END TREATMENT TYPE 2M	1.00	EACH		\$	
0330	02381		REMOVE G/R	787.50	LF		\$	
0340	02429		RIGHT-OF-WAY MONUMENT TYPE 1	5.00	EACH		\$	
0350	02432		WITNESS POST	3.00	EACH		\$	
0360	02484		CHANNEL LINING CLASS III	755.00	TON		\$	

PROPOSAL BID ITEMS

261513

Page 2 of 4

Report Date 5/18/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0370	02545		CLEARING AND GRUBBING APPROXIMATELY 2 ACRES	1.00	LS		\$	
0380	02562		TEMPORARY SIGNS	328.00	SQFT		\$	
0390	02602		FABRIC-GEOTEXTILE CLASS 1	833.00	SQYD		\$	
0400	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	270.00	SQYD	\$2.00	\$	\$540.00
0410	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0420	02653		LANE CLOSURE	8.00	EACH		\$	
0430	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0440	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0450	02696		SHOULDER RUMBLE STRIPS	3,032.00	LF		\$	
0460	02701		TEMP SILT FENCE	1,570.00	LF		\$	
0470	02703		SILT TRAP TYPE A	14.00	EACH		\$	
0480	02704		SILT TRAP TYPE B	14.00	EACH		\$	
0490	02705		SILT TRAP TYPE C	14.00	EACH		\$	
0500	02706		CLEAN SILT TRAP TYPE A	14.00	EACH		\$	
0510	02707		CLEAN SILT TRAP TYPE B	14.00	EACH		\$	
0520	02708		CLEAN SILT TRAP TYPE C	14.00	EACH		\$	
0530	02726		STAKING	1.00	LS		\$	
0540	02775		ARROW PANEL	2.00	EACH		\$	
0550	04933		TEMP SIGNAL 2 PHASE	2.00	EACH		\$	
0560	05950		EROSION CONTROL BLANKET	4,591.00	SQYD		\$	
0570	05952		TEMP MULCH	45,173.00	SQYD		\$	
0580	05953		TEMP SEEDING AND PROTECTION	33,880.00	SQYD		\$	
0590	05963		INITIAL FERTILIZER	4.00	TON		\$	
0600	05964		MAINTENANCE FERTILIZER	2.00	TON		\$	
0610	05985		SEEDING AND PROTECTION	36,300.00	SQYD		\$	
0620	05992		AGRICULTURAL LIMESTONE	26.00	TON		\$	
0630	06406		SBM ALUM SHEET SIGNS .080 IN	5.00	SQFT		\$	
0640	06407		SBM ALUM SHEET SIGNS .125 IN	14.00	SQFT		\$	
0650	06410		STEEL POST TYPE 1	39.00	LF		\$	
0660	06511		PAVE STRIPING-TEMP PAINT-6 IN	7,658.00	LF		\$	
0670	06514		PAVE STRIPING-PERM PAINT-4 IN	2,731.00	LF		\$	
0680	06515		PAVE STRIPING-PERM PAINT-6 IN	9,678.00	LF		\$	
0690	06516		PAVE STRIPING-PERM PAINT-8 IN	171.00	LF		\$	
0700	06517		PAVE STRIPING-PERM PAINT-12 IN	1,771.00	LF		\$	
0710	06540		PAVE STRIPING-THERMO-4 IN W	183.00	LF		\$	
0720	06546		PAVE STRIPING-THERMO-12 IN W	134.00	LF		\$	
0730	06568		PAVE MARKING-THERMO STOP BAR-24IN	54.00	LF		\$	
0740	06569		PAVE MARKING-THERMO CROSS-HATCH	559.00	SQFT		\$	
0750	06574		PAVE MARKING-THERMO CURV ARROW	18.00	EACH		\$	
0760	06610		INLAID PAVEMENT MARKER-MW	82.00	EACH		\$	
0770	06611		INLAID PAVEMENT MARKER-MY	15.00	EACH		\$	
0780	06612		INLAID PAVEMENT MARKER-BY	42.00	EACH		\$	
0790	06613		INLAID PAVEMENT MARKER-B W/R	11.00	EACH		\$	
0800	10020NS		FUEL ADJUSTMENT	5,010.00	DOLL	\$1.00	\$	\$5,010.00
0810	10030NS		ASPHALT ADJUSTMENT	19,821.00	DOLL	\$1.00	\$	\$19,821.00
0820	20191ED		OBJECT MARKER TY 3	2.00	EACH		\$	
0830	22520EN		PAVE MARKING-THERMO YIELD BAR-36 IN	20.00	LF		\$	
0840	23607EC		PAVE MARK THERMO-LANE REDUCTION ARROW	2.00	EACH		\$	

PROPOSAL BID ITEMS

261513

Page 3 of 4

Report Date 5/18/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0850	24631EC		BARCODE SIGN INVENTORY	3.00	EACH		\$	
0860	24814EC		PIPELINE INSPECTION	81.00	LF		\$	
0870	25079ED		THRIE BEAM G/R TRANSITION TL-2	2.00	EACH		\$	
0880	26303EC		CORPS OF ENGINEERS COORDINATION	1.00	LS		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0890	00078		CRUSHED AGGREGATE SIZE NO 2	1.00	TON		\$	
0900	00462		CULVERT PIPE-18 IN	81.00	LF		\$	
0910	01000		PERFORATED PIPE-4 IN	52.00	LF		\$	
0920	01010		NON-PERFORATED PIPE-4 IN	10.00	LF		\$	
0930	01028		PERF PIPE HEADWALL TY 3-4 IN	1.00	EACH		\$	
0940	01204		PIPE CULVERT HEADWALL-18 IN	1.00	EACH		\$	
0950	02483		CHANNEL LINING CLASS II	15.00	TON		\$	
0960	08100		CONCRETE-CLASS A	1.07	CUYD		\$	

Section: 0004 - BRIDGE - PAINT CREEK - DWG. 28992

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0970	01643		JUNCTION BOX-24 IN	3.00	EACH		\$	
0980	02231		STRUCTURE GRANULAR BACKFILL	604.00	CUYD		\$	
0990	03299		ARMORED EDGE FOR CONCRETE	81.60	LF		\$	
1000	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1010	08019		CYCLOPEAN STONE RIP RAP	3,473.00	TON		\$	
1020	08033		TEST PILES	126.00	LF		\$	
1030	08051		PILES-STEEL HP14X89	1,066.00	LF		\$	
1040	08095		PILE POINTS-14 IN	20.00	EACH		\$	
1050	08100		CONCRETE-CLASS A	289.80	CUYD		\$	
1060	08104		CONCRETE-CLASS AA	477.00	CUYD		\$	
1070	08150		STEEL REINFORCEMENT	41,936.00	LB		\$	
1080	08151		STEEL REINFORCEMENT-EPOXY COATED	132,568.00	LB		\$	
1090	08638		PRECAST PC I BEAM TYPE 8	1,057.30	LF		\$	
1100	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	2.00	EACH		\$	
1110	20745ED		ROCK SOUNDINGS	197.60	LF		\$	
1120	20746ED		ROCK CORINGS	120.00	LF		\$	
1130	21322NC		CSL TESTING (6 TUBES)	4.00	EACH		\$	
1140	22885EN		DRILLED SHAFT-72 IN-ROCK	48.00	LF		\$	
1150	23378EC		CONCRETE SEALING	25,924.00	SQFT		\$	
1160	23813EC		DECK DRAIN	10.00	EACH		\$	
1170	24001EC		DRILLED SHAFT-78 IN COMMON	192.00	LF		\$	
1180	24902EC		PVC CONDUIT-3 IN-SCHEDULE 80	298.30	LF		\$	
1190	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	537.00	LF		\$	
1200	26233EC		MOBILIZATION FOR CONCRETE SURF TREATMENT	1.00	LS		\$	

PROPOSAL BID ITEMS

261513

Page 4 of 4

Report Date 5/18/26

Section: 0005 - UTILITY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1210	14003		W CAP EXISTING MAIN	2.00	EACH		\$	
1220	14060		W PIPE PVC 08 INCH	310.00	LF		\$	
1230	14095		W TIE-IN 08 INCH	2.00	EACH		\$	
1240	14106		W VALVE 08 INCH	2.00	EACH		\$	
1250	14507		W ENCASEMENT STEEL OPEN CUT RANGE 4 INST	240.00	LF		\$	
1260	15051		S FORCE MAIN PE/PLASTIC 04 INCH	307.00	LF		\$	
1270	15092		S MANHOLE	2.00	EACH		\$	
1280	15099		S MANHOLE TAP EXISTING	3.00	EACH		\$	
1290	15112		S PIPE PVC 08 INCH	110.00	LF		\$	
1300	15119		S PUMP STATION	1.00	EACH		\$	
1310	15155		S CAP EXISTING MAIN	5.00	EACH		\$	
1320	16008		G ENCASEMENT STEEL OPEN CUT RANGE 1	150.00	LF		\$	
1330	16015		G PIPE POLYETHYLENE/PLASTIC 02 INCH	256.00	LF		\$	
1340	16057		G VALVE STEEL 02 INCH	2.00	EACH		\$	
1350	16607		G CAP EXISTING MAIN	2.00	EACH		\$	

Section: 0006 - LIGHTING


LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1360	04740		POLE BASE (REVISED 5-18-26)	2.00	EACH		\$	
1365	04741		POLE BASE IN MEDIAN WALL (ADDED 5-18-26)	2.00	EACH		\$	
1370	04761		LIGHTING CONTROL EQUIPMENT	1.00	EACH		\$	
1380	04820		TRENCHING AND BACKFILLING	605.00	LF		\$	
1390	04832		WIRE-NO. 12	400.00	LF		\$	
1400	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	4.00	EACH		\$	
1410	21543EN		BORE AND JACK CONDUIT	63.00	LF		\$	
1420	22939ND		INSTALL LUMINAIRE POLE	4.00	EACH		\$	
1430	23778EC		WIRE-NO. 10	2,100.00	LF		\$	
1440	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	668.00	LF		\$	

Section: 0007 - MOBILIZATION &/OR DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1450	02568		MOBILIZATION	1.00	LS		\$	
1460	02569		DEMOBILIZATION	1.00	LS		\$	

ROADWAY LIGHTING ESTIMATE OF QUANTITIES

TOTAL	UNITS	CODE	ITEM DESCRIPTION
2	EACH	4740	POLE BASE
2	EACH	4741	POLE BASE IN MEDIAN WALL
1	EACH	4761	LIGHTING CONTROL EQUIPMENT
605	LIN FT	4820	TRENCHING AND BACKFILLING
400	LIN FT	4832	WIRE - NO. 12
4	EACH	20391NS835	ELECTRICAL JUNCTION BOX TYPE A
63	LIN FT	21543EN	BORE AND JACK CONDUIT
4	EACH	22939ND	INSTALL LUMINAIRE POLE
2100	LIN FT	23778EC	WIRE - NO. 10
668	LIN FT	24901EC	PVC CONDUIT-2 IN SCHEDULE 80



NOTE: ALL LUMINAIRES PROPOSED BEHIND GUARDRAIL SHALL BE LOCATED A MINIMUM OF 5' BEHIND THE FACE OF THE GUARDRAIL TO THE CENTER OF THE POLE BASE.

11-18-2024

THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, CURRENT EDITION, AND OTHER SPECIAL NOTES AND SPECIFICATIONS WILL APPLY ON THIS PROJECT. SEE SECTION 716 FOR MEASUREMENT AND OTHER DETAILS. SEE SECTION 602 FOR SPIRAL REINFORCEMENT SPlicing

THE CONTRACTOR SHALL MAKE AN INSPECTION OF THE PROJECT SITE PRIOR TO SUBMITTING A BID AND SHALL BE THOROUGHLY FAMILIARIZED WITH EXISTING CONDITIONS. SUBMISSIONS OF A BID WILL BE CONSIDERED AN AFFIRMATION OF THIS INSPECTION HAVING BEEN COMPLETED.

ADD SENTENCE TO SECTION 834.06: ALL WIRE SHALL HAVE WORDING ADDED TO THE OUTER JACKET THAT STATES : " PROPERTY OF KENTUCKY TRANSPORTATION CABINET 502 564 0501".

ADD SENTENCE TO SECTION 834.09: ALL WIRE SHALL HAVE WORDING ADDED TO THE OUTER JACKET THAT STATES: " PROPERTY OF KENTUCKY TRANSPORTATION CABINET 502 564 0501".

CONSTRUCTION AND MEASUREMENT NOTES THAT ARE CONTRARY TO SECTION 716 AND 834

SUBSECTION: 716.03.03 TRENCHING
REMOVE SENTENCE UNDER B): NO PAYMENT FOR ADDITIONAL JUNCTION BOXES FOR GREATER DEPTHS WILL BE ALLOWED.

SUBSECTION: 716.03.04 CONDUIT INSTALLATION
REVISION: ADD TO SECOND SENTENCE WITH THE FOLLOWING: BASES WITH BREAKWAY DEVICES INSTALLED.

SUBSECTION: 716.03.04 (K) BORE AND JACK.
REVISION: REPLACE TITLE WITH THE FOLLOWING: BORE AND JACK/OPEN CUT ROADWAY
ADD SENTENCES AFTER LAST SENTENCE: WITH PERMISSION OF THE ENGINEER, ROADWAY MAY BE OPEN CUT IF CONDUIT IS UNDER PAVEMENT. THE CONDUIT IN OPEN CUT CAN BE EITHER 2" RIDID STEEL OR SCHEDULE 80 PVC UNDER ALL PAVEMENTS AREAS. IF IT IS THE LOOP TRANSITION FROM THE SAW SLOT, IT SHALL BE RIGID STEEL.

SECTION: 834.33 WARNING TAPE.

REVISION: REPLACE FIRST SENTENCE WITH THE FOLLOWING:
PROVIDE DETECTABLE TYPE TAPE THAT IS 6 INCHES WIDE AND 7.0 MILS (NOMINAL) THICK.


MEASUREMENT NOTE THAT ARE IN ADDITION TO SECTION 716:

WIRE OR CABLE SHALL INCLUDE INSTALLING SPECIFIED WIRE OR CABLE WITHIN CONDUIT AS INDICATED ON THE PLAN SHEETS. INCIDENTAL TO THIS ITEM SHALL BE THE FURNISHING AND INSTALLING OF SPLICE BOOTS OR ANY OTHER HARDWARE REQUIRED FOR INSTALLING CABLE. THE CONTRACTOR SHALL INSTALL ALL CABLE OR WIRE RUNS SPLICE-FREE FROM THE CONTROLLER TO EACH POLE THE CABLE OR WIRE IS FEEDING. EXCEPTIONS TO THIS MUST BE APPROVED BY THE ENGINEER OR AS SPECIFIED ON THE PLANS. EACH RUN OF WIRE FROM POLE TO POLE (UP EACH POLE) SHALL BE THE FOLLOWING COLOR CODE: 2-BLACK (HOT) AND GREEN (GROUND).



ROADWAY LIGHTING ESTIMATE OF QUANTITIES

TOTAL	UNITS	CODE	ITEM DESCRIPTION
2	EACH	4740	POLE BASE
2	EACH	4741	POLE BASE IN MEDIAN WALL
1	EACH	4761	LIGHTING CONTROL EQUIPMENT
605	LIN FT	4820	TRENCHING AND BACKFILLING
400	LIN FT	4832	WIRE - NO. 12
4	EACH	20391NS835	ELECTRICAL JUNCTION BOX TYPE A
63	LIN FT	21543EN	BORE AND JACK CONDUIT
4	EACH	22939ND	INSTALL LUMINAIRE POLE
2100	LIN FT	23778EC	WIRE - NO. 10
668	LIN FT	24901EC	PVC CONDUIT-2 IN SCHEDULE 80



NOTE: ALL LUMINAIRES PROPOSED BEHIND GUARDRAIL SHALL BE LOCATED A MINIMUM OF 5' BEHIND THE FACE OF THE GUARDRAIL TO THE CENTER OF THE POLE BASE.

11-18-2024

THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, CURRENT EDITION, AND OTHER SPECIAL NOTES AND SPECIFICATIONS WILL APPLY ON THIS PROJECT. SEE SECTION 716 FOR MEASUREMENT AND OTHER DETAILS. SEE SECTION 602 FOR SPIRAL REINFORCEMENT SPlicing

THE CONTRACTOR SHALL MAKE AN INSPECTION OF THE PROJECT SITE PRIOR TO SUBMITTING A BID AND SHALL BE THOROUGHLY FAMILIARIZED WITH EXISTING CONDITIONS. SUBMISSIONS OF A BID WILL BE CONSIDERED AN AFFIRMATION OF THIS INSPECTION HAVING BEEN COMPLETED.

ADD SENTENCE TO SECTION 834.06: ALL WIRE SHALL HAVE WORDING ADDED TO THE OUTER JACKET THAT STATES : " PROPERTY OF KENTUCKY TRANSPORTATION CABINET 502 564 0501".

ADD SENTENCE TO SECTION 834.09: ALL WIRE SHALL HAVE WORDING ADDED TO THE OUTER JACKET THAT STATES: " PROPERTY OF KENTUCKY TRANSPORTATION CABINET 502 564 0501".

CONSTRUCTION AND MEASUREMENT NOTES THAT ARE CONTRARY TO SECTION 716 AND 834

SUBSECTION: 716.03.03 TRENCHING
REMOVE SENTENCE UNDER B): NO PAYMENT FOR ADDITIONAL JUNCTION BOXES FOR GREATER DEPTHS WILL BE ALLOWED.

SUBSECTION: 716.03.04 CONDUIT INSTALLATION
REVISION: ADD TO SECOND SENTENCE WITH THE FOLLOWING: BASES WITH BREAKWAY DEVICES INSTALLED.

SUBSECTION: 716.03.04 (K) BORE AND JACK.
REVISION: REPLACE TITLE WITH THE FOLLOWING: BORE AND JACK/OPEN CUT ROADWAY
ADD SENTENCES AFTER LAST SENTENCE: WITH PERMISSION OF THE ENGINEER, ROADWAY MAY BE OPEN CUT IF CONDUIT IS UNDER PAVEMENT. THE CONDUIT IN OPEN CUT CAN BE EITHER 2" RIGID STEEL OR SCHEDULE 80 PVC UNDER ALL PAVEMENTS AREAS. IF IT IS THE LOOP TRANSITION FROM THE SAW SLOT, IT SHALL BE RIGID STEEL.

SECTION: 834.33 WARNING TAPE.

REVISION: REPLACE FIRST SENTENCE WITH THE FOLLOWING:
PROVIDE DETECTABLE TYPE TAPE THAT IS 6 INCHES WIDE AND 7.0 MILS (NOMINAL) THICK.

MEASUREMENT NOTE THAT ARE IN ADDITION TO SECTION 716:

WIRE OR CABLE SHALL INCLUDE INSTALLING SPECIFIED WIRE OR CABLE WITHIN CONDUIT AS INDICATED ON THE PLAN SHEETS. INCIDENTAL TO THIS ITEM SHALL BE THE FURNISHING AND INSTALLING OF SPLICE BOOTS OR ANY OTHER HARDWARE REQUIRED FOR INSTALLING CABLE. THE CONTRACTOR SHALL INSTALL ALL CABLE OR WIRE RUNS SPLICE-FREE FROM THE CONTROLLER TO EACH POLE THE CABLE OR WIRE IS FEEDING. EXCEPTIONS TO THIS MUST BE APPROVED BY THE ENGINEER OR AS SPECIFIED ON THE PLANS. EACH RUN OF WIRE FROM POLE TO POLE (UP EACH POLE) SHALL BE THE FOLLOWING COLOR CODE: 2-BLACK (HOT) AND GREEN (GROUND).



COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS

DRAWING TITLE: ESTIMATE OF QUANTITIES AND NOTES

HORIZONTAL SCALE
SCALE: CUSTOM 1:1

JOHNSON COUNTY
JCPS ACCESS ROAD - NEW ROUTE
LIGHTING PLANS

ITEM NO. 12-80250.00 COUNTY OF JOHNSON
SHEET NO. T001