

SIGNING

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT/ PERRY	10-20018.00	T001

ESTIMATE OF QUANTITIES

ITEM	CODE NUMBER							TOTALS
		UNIT	QUANTITY					
GROUND MOUNTED SIGN SUPPORTS								
① TYPE A	6400	LBS.						
TYPE C	6441	LBS.						
FOOTINGS FOR SIGNS								
CONCRETE - CLASS "A" FOR SIGNS	6490	CU.YD.						
REINFORCEMENT STEEL	6491	LBS.						
SIGN BASE MATERIAL								
ALUMINUM								
② PANEL SIGNS	6405	SQ.FT.						
③ SHEETING SIGNS								
0.080 GAUGE	6406	SQ.FT.						1014
0.125 GAUGE	6407	SQ.FT.						1648
STEEL POST ④⑤								
TYPE 1	6410	LN.FT.						4500
TYPE 2	6411	LN.FT.						
⑥ TYPE D	21596ND	EACH						
⑦ MILE MARKERS	6412	EACH						21
REFERENCE MARKERS	4903	EACH						
DELINEATORS								
WHITE	6413	EACH						
AMBER	6414	EACH						
REMOVAL ITEMS ⑧⑨								
REMOVE OVERHEAD SIGN SUPPORT STRUCTURE	6449	EACH						
⑩ REMOVE OVERHEAD SIGN SUPPORT STRUCTURE CONCRETE BASE	6450	EACH						
⑪ REMOVE SIGN SUPPORT BEAMS	6451	EACH						
REMOVE SIGN	21373ND	EACH						
MOVE CANTILEVER SIGN SUPPORT	20995ND	EACH						
REMOVE AND RELOCATE SIGN	20418ED	EACH						
STEEL "W" BEAM GUARDRAIL								
SINGLE FACE	2351	LN.FT.						
DOUBLE FACE	2352	LN.FT.						
END TREATMENT TYPE 1	2367	EACH						
END TREATMENT TYPE 2A	2369	EACH						

[illegible]

NOTES ::

- (1) PAYMENT FOR GROUND MOUNTED SIGN SUPPORTS TYPE A AND TYPE C SHALL BE BASED ON THE NOMINAL WEIGHT OF THE BEAMS. THE NECESSARY GALVANIZING, HARDWARE, ETC. IS TO BE CONSIDERED INCIDENTAL. QUANTITIES FOR TYPE C SUPPORTS SHALL INCLUDE ALL NECESSARY HARDWARE TO FORM COMPLETE BREAK-AWAY BEAMS. SEE PANEL SIGN DETAIL SHEET.
 - (2) QUANTITY SHALL INCLUDE ALL COPY AND HARDWARE NECESSARY TO FORM COMPLETE SIGNS. NO DEDUCTION IN AREA IS TO BE MADE FOR ROUNDING OF CORNERS.
 - (3) WITH PERMISSION OF THE ENGINEER, SHEETING SIGNS ON THE RAMPS AND SIDE ROADS MAY BE MOVED TO BE COMPATIBLE WITH THE EXISTING SIGNS.
 - (4) QUANTITY IS ESTIMATED. THE EXACT LENGTH SHALL BE DETERMINED BY THE CONTRACTOR AND APPROVED BY THE ENGINEER.
 - (5) WHERE REQUIRED, BRACING FOR SHEETING SIGNS SHALL BE INCIDENTAL TO STEEL POST. SEE SHEETING SIGN DETAIL SHEET.
 - (6) QUANTITY SHALL INCLUDE ALL MATERIAL NECESSARY TO FORM A COMPLETE BREAK-AWAY ASSEMBLY. TYPE I POSTS AND CONCRETE SHALL BE PAID SEPARATELY. SEE SHEETING SIGN DETAIL SHEET.
 - (7) QUANTITY SHALL INCLUDE SIGN AND POST.
 - (8) ALL MATERIALS REMOVED AND NOT REUSED, SUCH AS SIGNS, SIGN LIGHTS, SIGN SUPPORTS, ETC. SHALL BECOME THE PROPERTY OF THE CONTRACTOR.
 - (9) THE REMOVAL OF ALL TYPE I OR II POSTS AND ALL SHEETING SIGNS SHALL BE INCIDENTAL TO THE PROJECT WITH NO ADDITIONAL PAYMENT BEING ALLOWED. ALL MATERIAL SHALL BE STORED IN ACCORDANCE WITH NOTE (8) ABOVE.
 - (10) WHERE THE REMOVAL OF OVERHEAD STRUCTURE CONCRETE BASE IS CALLED FOR, THE BASE IS TO BE REMOVED TO A MINIMUM OF ONE FOOT (1') BELOW THE GROUND LINE, BACKFILLED TO EXISTING GROUND LINE, AND THE DISTURBED AREAS RESEEDED.
 - (11) WHERE THE REMOVAL OF BEAM SIGN SUPPORTS IS CALLED FOR, THE BEAM AND ANY CONCRETE PROJECTING ABOVE THE GROUND LINE ARE TO BE CUT OFF A MINIMUM OF ONE FOOT (1') BELOW EXISTING GROUND LINE OR THE ENTIRE BEAM AND CONCRETE BASE ARE TO BE REMOVED COMPLETELY AND BACKFILLED TO EXISTING GROUND LINE.
 - (12) QUANTITY SHALL INCLUDE W-BARS AND ALL HARDWARE NECESSARY FOR ATTACHING SIGNS TO SUPPORTS.
 - (13) QUANTITY IS ESTIMATED. THE EXACT NUMBER SHALL BE DETERMINED BY THE CONTRACTOR AND APPROVED BY THE ENGINEER. SEE SIGNING POSITIONING DETAIL SHEET FOR DELINEATOR PLACEMENT.
- APPROX LOCATIONS:
BREATHITT MP 3.3-3.5
BREATHITT MP 5.1-5.35

SCALE: 1"=N/A

SIGNING QUANTITY SHEET


FILE NAME: C:\PWWORK\ETHAN.ADAMS\DI718912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T00100SM


MicroStation v8.11.9.832

		COUNTY OF	ITEM NO.	SHEET NO.
		BREATHITT/ PERRY	10-20018	T002
SIGNING SPECIFICATION NOTES				
THE FOLLOWING PUBLICATIONS ARE APPLICABLE TO THE WORK DESCRIBED HEREIN:				
KENTUCKY DEPARTMENT OF HIGHWAYS STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION (CURRENT EDITION) STANDARD HIGHWAY SIGNS AND MARKINGS (CURRENT EDITION) -- FEDERAL HIGHWAY ADMINISTRATION MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CURRENT EDITION) -- FEDERAL HIGHWAY ADMINISTRATION				
SCOPE OF WORK				
TO FURNISH, FABRICATE AND ERECT IN PLACE ALL MATERIALS NECESSARY TO FORM COMPLETED SIGNS AS INDICATED AT LOCATIONS DESCRIBED ELSEWHERE IN THESE PLANS. NEW SIGNS ARE TO BE INSTALLED AT EXISTING LOCATIONS UNLESS OTHERWISE NOTED ON THE PLANS.				
SIGN SUBSTRATES				
SIGN SUBSTRATES SHALL CONFORM TO SECTION 833 OF KENTUCKY'S STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION (CURRENT EDITION) AND THESE PLANS. PANEL SIGNS SHALL BE LABELED AS P-#. SHEETING SIGNS SHALL BE LABELED AS S-#.				
SIGN MATERIALS				
SIGN SHEETING:				
SIGN SHEETING SHALL CONFORM TO SECTION 830 OF KENTUCKY'S STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION (CURRENT EDITION) AND THESE PLANS. ONLY SHEETING ON THE DEPARTMENT'S LIST OF APPROVED MATERIALS SHALL BE USED.				
ALL RETROREFLECTIVE MATERIALS SHALL BE FABRICATED AND ASSEMBLED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS AND/OR RECOMMENDATIONS.				
THE FOLLOWING SIGNS AND SIGN COMPONENTS SHALL BE FABRICATED USING TYPE IX SHEETING:				
- WHITE SIGN LEGENDS (INCLUDING ROUTE MARKERS) ON PANEL SIGNS				
- STOP (R1-1) SIGNS				
- ALL WAY (R-13P) SIGNS				
- YIELD (R1-2) SIGNS				
- DO NOT ENTER (R5-1) SIGNS				
- WRONG WAY (R5-1A) SIGNS				
THE FOLLOWING SIGNS SHALL BE FABRICATED USING TYPE IX FLUORESCENT SHEETING:				
- HORIZONTAL ALIGNMENT SIGNS AND PLAQUES, INCLUDING THE SIGNS SHOWN IN FIGURE 2C-1 OF THE MUTCD				
- ALL ADVISORY SPEED (W13-1P) PLAQUES				
THE FOLLOWING SIGNS SHALL BE FABRICATED USING TYPE IX FLUORESCENT YELLOW-GREEN SHEETING:				
- SCHOOL AND SCHOOL BUS WARNING SIGNS, INCLUDING THE FLUORESCENT YELLOW-GREEN SIGNS SHOWN IN FIGURES 7B-1 AND 7B-6 OF THE MUTCD AND OTHER SCHOOL-RELATED WARNING SIGNS THAT ARE NOT INCLUDED IN THE MUTCD				
- BICYCLE WARNING (W11-1) SIGNS AND ANY SUPPLEMENTAL PLAQUES, SUCH AS "SHARE THE ROAD" (W16-1P) PLAQUES AND DIAGONAL DOWNWARD POINTING ARROW (W16-7P) PLAQUES				
- PEDESTRIAN WARNING (W11-2) SIGNS AND DIAGONAL DOWNWARD POINTING ARROW (W16-7P) PLAQUES THAT SUPPLEMENT PEDESTRIAN WARNING SIGNS				
- IN-STREET PEDESTRIAN CROSSING (R1-6) SIGNS AND OVERHEAD PEDESTRIAN CROSSING (R1-9) SIGNS				
- SUPPLEMENTAL PLAQUES TO ANY OF THE PREVIOUSLY LISTED FLUORESCENT YELLOW-GREEN SIGNS LISTED ABOVE				
ALL OTHER PERMANENT SIGNS (INCLUDING THE BACKGROUNDS OF PANEL SIGNS) SHALL BE FABRICATED USING TYPE III OR TYPE IV SHEETING.				
LETTERS, SYMBOLS, AND BORDERS:				
PANEL OVERLAY SECTIONS SHALL BE AFFIXED WITH A "POP" RIVET WITH A MINIMUM DIAMETER OF 3/16 INCH, AND THE LENGTH SHALL BE AS NECESSARY TO PROPERLY APPLY COPY IN A WORKMANLIKE MANNER.				
HARDWARE:				
ALL HARDWARE FOR THE ASSEMBLY OF PANEL SIGNS AND THE ATTACHMENT OF THESE SIGNS TO THEIR SUPPORTS SHALL BE AS RECOMMENDED BY THE PANEL MANUFACTURER. PLACEMENT OF POST CLIP SHALL BE AS SHOWN ON THE SIGNING MISCELLANEOUS DETAIL SHEET.				
ALL HARDWARE FOR THE ERECTION OF SHEETING SIGNS SHALL BE CADMIUM PLATED STEEL IN ACCORDANCE WITH ASTM B-776 AND ASTM A-307.				
FONTS:				
STANDARD ALPHABETS SHALL BE USED FOR ALL LEGENDS ON PANEL GUIDE SIGNS.				
GROUND-MOUNTED SIGN SUPPORTS				
GENERAL:				
ALL SIGNS SHALL BE POSITIONED AS SHOWN ON THE POSITIONING DETAIL SHEET. ALL BEAMS AND POSTS SHALL BE OF SUFFICIENT LENGTHS TO EXTEND FROM THE TOP OF THE SIGN TO THE REQUIRED BASE EMBEDMENT. EXISTING I-BEAMS ON WHICH SHEETING SIGNS ARE ATTACHED SHALL BE REMOVED AND REPLACED WITH TYPE I OR TYPE II POSTS, UNLESS THEY ARE LOCATED BEHIND GUARDRAIL.				
BEAMS:				
ALL BEAMS SHALL BE EITHER TYPE "A" (STANDARD BEAM INSTALLATION) OR TYPE "C" (BREAKAWAY SIGN POST SUPPORT SYSTEM INSTALLATION). TYPE "A" BEAMS ARE SHOWN ON THE PANEL SIGN DETAIL SHEET, AND THE TYPE "C" BEAMS ARE SHOWN ON THE BREAKAWAY SIGN SUPPORT SYSTEM FOR "C" BEAM SHEET. ONLY BREAKAWY (TYPE "C") BEAM SUPPORT SYSTEMS ON THE DEPARTMENT'S LIST OF APPROVED MATERIALS SHALL BE USED. THE TYPE AND SIZE OF BEAM TO BE USED SHALL BE INDICATED FOR EACH PANEL SIGN ON THE SIGN DETAIL SHEETS. BEAM LENGTHS INCLUDED IN THESE PLANS ARE FOR INFORMATIONAL PURPOSES ONLY. THE CONTRACTOR SHALL TAKE FIELD MEASUREMENTS AT EACH SIGN LOCATION AND CROSS SECTIONS SHALL BE DEVELOPED TO VERIFY BEAM LENGTHS, WITH ANY DISCREPANCIES BROUGHT TO THE ATTENTION OF THE ENGINEER FOR RESOLUTION.				
STEEL POSTS:				
TYPE I STEEL POSTS SHALL BE EITHER STANDARD INSTALLATION IN SOIL, WITH SOIL STABILIZER, OR TYPE "D" (BREAKAWAY SIGN POST SUPPORT SYSTEM INSTALLATION). ONLY BREAKAWAY TYPE "D" POST SYSTEMS ON THE DEPARTMENT'S LIST OF APPROVED MATERIALS SHALL BE USED. BRACING, IF REQUIRED, SHALL BE INCIDENTAL TO TYPE I POST.				
TYPE II POST SHALL BE STANDARD INSTALLATION IN SOIL WITH A SOIL STABILIZER. INSTALLATION PROCEDURES AND BRACING REQUIREMENTS ARE DETAILED ON THE SHEETING SIGN DETAIL SHEET.				
ALL STEEL POSTS SHALL MEET THE REQUIREMENTS OF SECTION 832 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.				
MILEPOST MARKERS AND ENHANCED REFERENCE MARKERS				
MILEPOST MARKERS AND ENHANCED REFERENCE LOCATION SIGNS SHALL CONFORM TO THE GENERAL REQUIREMENTS SET FORTH IN THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CURRENT EDITION). ADDITIONAL REQUIREMENTS ARE GIVEN ON THE SIGNING POSITIONING DETAIL SHEET AND ENHANCED REFERENCE LOCATION SIGNS DETAIL SHEET.				
FOR THE LOUISVILLE AREA, FINAL LOCATION OF ENHANCED REFERENCE LOCATION SIGNS SHALL BE VERIFIED BY TRIMARC. NOTIFY A REPRESENTATIVE OF TRIMARC AT LEAST TWO WEEKS IN ADVANCE OF BEGINNING WORK ON THIS ITEM:				
901 WEST MAIN STREET LOUISVILLE, KY 40202 502-587-6624 270-307-7456				
MEDIAN CROSSOVER SIGNS				
THE CONTRACTOR SHALL INSTALL 48" X 48", "NO U TURN" SIGNS (R3-4) AT EACH MEDIAN CROSSOVER. THIS IS TO BE DONE WHETHER ALL NEEDED INSTALLATIONS ARE MENTIONED IN THE FOLLOWING SHEETS OR NOT. AT CROSSOVERS ON MEDIANS SIXTY FEET (60') WIDE OR LESS, THE SIGNS SHALL BE MOUNTED PERPENDICULAR TO THE ROADWAY ON THE SAME POSTS IN THE CENTER OF THE MEDIAN, ONE FACING TRAFFIC IN EACH DIRECTION. AT CROSSOVERS ON MEDIANS OVER SIXTY FEET (60') WIDE, THE SIGNS SHALL BE MOUNTED PERPENDICULAR TO THE ROADWAY ON SEPARATE POSTS AT THE MEDIAN SHOULDER ON THE FAR SIDE OF THE CROSSOVER, ONE FACING TRAFFIC IN EACH DIRECTION. FOR ADDITIONAL GUIDANCE, SEE SEP1A DRAWING FOR FLEXIBLE DELINEATOR POST ARRANGEMENT FOR INTERCHANGE RAMPS AND CROSSOVERS.				
CONCRETE BASES				
ALL CONCRETE BASES SHALL BE OF CLASS "A" CONCRETE FOR SIGNS AND SHALL BE AS SHOWN ELSEWHERE IN THESE PLANS. EXCAVATION NECESSARY TO CONSTRUCT BASES AND FOOTINGS IS INCIDENTAL TO THE COST OF CLASS "A" CONCRETE FOR SIGNS.				
CONCRETE BASES (CONTINUED)				
WHERE THE REMOVAL OF OVERHEAD STRUCTURE CONCRETE BASE IS CALLED FOR, THE BASE IS TO BE REMOVED TO A MINIMUM OF ONE FOOT (1') BELOW THE GROUND LINE, BACKFILLED TO EXISTING GROUND LINE, AND THE DISTURBED AREAS RESEEDED.				
WHERE THE REMOVAL OF BEAM SIGN SUPPORTS IS CALLED FOR, THE BEAM AND ANY CONCRETE PROJECTING ABOVE THE GROUND LINE ARE TO BE CUT OFF A MINIMUM OF ONE FOOT (1') BELOW EXISTING GROUND LINE OR THE ENTIRE BEAM AND CONCRETE BASE ARE TO BE REMOVED COMPLETELY AND BACKFILLED TO EXISTING GROUND LINE.				
SAMPLES, TESTING, ETC.				
BEFORE BEGINNING INSTALLATION, THE CONTRACTOR SHALL FURNISH TO THE PROJECT ENGINEER DRAWINGS, DESCRIPTIONS, MANUFACTURER'S CUTS ETC. FOR WRITTEN APPROVAL OF ALL MATERIALS TO BE USED. MILL TEST REPORTS FOR BEAMS, STEEL PANELS, AND EACH DIFFERENT GAUGE OF ALUMINUM OR STEEL SHEETING USED MUST BE SUBMITTED TO THE DIVISION OF CONSTRUCTION AND APPROVED PRIOR TO ERECTION.				
MISCELLANEOUS				
THE COST FOR REMOVING EXISTING PANEL SIGNS SHALL BE INCIDENTAL TO THE COST OF THE PROJECT.				
ON SHEETING SIGNS WHERE THERE ARE MORE THAN ONE SIGN ASSEMBLY MOUNTED BESIDE EACH OTHER, THE POSTS SHALL BE SPACED TO PROVIDE APPROXIMATELY SIX INCHES (6") OF SPACING BETWEEN SIGNS.				
CLEARING AND GRUBBING, AND TREE TRIMMING, WHEN REQUIRED FOR CONSTRUCTION OR VISIBILITY OF SIGNS, SHALL BE INCIDENTAL TO THE CONTRACT.				
SIGN COVERING IS NOT RECOMMENDED. HOWEVER, IF IT IS ABSOLUTELY NECESSARY TO COVER THE SIGN FACE TEMPORARILY FOLLOWING ERECTION, USE CAUTION SINCE SOME COVERINGS MAY CAUSE PERMANENT DAMAGE TO THE SIGN FACE FOLLOWING EXPOSURE TO MOISTURE, SUNLIGHT, ETC. POROUS CLOTH OR GEOTEXTILE FABRIC COVERS WHICH ARE FOLDED OVER THE SIGN EDGES AND SECURED AT THE BACK OF THE SIGN HAVE BEEN USED SUCCESSFULLY FOR LIMITED PERIODS. DO NOT USE TAPE, PAPER, PLASTIC, OR SHEET METAL COVERS. ANY SIGNS THAT ARE DAMAGED AS A RESULT OF COVERING SHALL BE REPLACED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT.				
TYPE I AND II STEEL POSTS IN SOIL SHALL BE DRIVEN 32" TO 34" BELOW THE GROUND LINE AS SHOWN. HOWEVER, IF SOLID ROCK IS ENCOUNTERED, THE CONTRACTOR SHALL DRILL HOLES OF THE REQUIRED DEPTH INTO THE ROCK AND BACKFILL WITH CONCRETE. THE COST SHALL BE INCIDENTAL TO STEEL POST, AND SOIL STABILIZERS WILL NOT BE REQUIRED.				
ANY AREA DISTURBED SHALL BE SIDE GRADED TO THE EXISTING SLOPES AND RESEEDED AS DIRECTED BY THE ENGINEER, AT NO ADDITIONAL COST TO THE DEPARTMENT.				
REMOVE AND DO NOT REPLACE THE WHITE ON BLUE GENERAL SERVICES SIGNS AT THE EXIT RAMP TERMINALS, "EMERGENCY STOPPING ONLY" SIGNS, AND THE ROUTE MARKER THAT IS LOCATED INSIDE THE INTERCHANGE PAST THE EXIT GORE AREA.				
INSTALLATION OF ADVISORY EXIT AND RAMP SPEED SIGNS (W13-2 AND W13-3) SHALL CONFORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).				
ALL EXISTING SHEETING SIGNS WITHIN THE LIMITS OF THIS PROJECT ARE TO BE REMOVED AND REPLACED WITH NEW SIGNS AND POSTS. SIGNS AND POSTS SHALL CONFORM TO CURRENT STANDARDS/SPECIFICATIONS. THE COST FOR REMOVING EXISTING SHEETING SIGNS AND POSTS, RELOCATING EXISTING SIGNS AND POSTS TO CONFORM TO THE SIGNING PLANS AND SPECIFICATIONS, AND ALL HARDWARE REQUIRED, SHALL BE INCIDENTAL TO THE PROJECT. IN ADDITION TO REPLACING ALL EXISTING SIGNS, ALL SIGNS SHOWN ON THE SIGNING PLANS MUST BE INSTALLED. FOR SIGN SIZES AND SPECIFICATIONS, SEE THE CURRENT PROJECT SIGNING PLAN DETAIL SHEETS.				
THE COST FOR SIGN BRACKETS AND ANY OTHER HARDWARE REQUIRED TO ATTACH NEW SIGNS ON EXISTING TRUSSES AND CANTILEVERS SHALL BE INCLUDED IN THE UNIT PRICE OF SIGN BASE MATERIAL FOR PANEL SIGNS.				
DUPLICATE SIGNS SHALL NOT BE DISPLAYED DURING THE CONSTRUCTION OF THIS PROJECT.				
SHEETING SIGNS (D1-1, D1-2, D1-3) EQUAL TO OR LESS THAN 72" X 42" REQUIRE TWO TYPE I OR TYPE II POSTS.				
THE HORIZONTAL CLEARANCE *X" ON ALL THE SHEETING SIGNS SHOULD BE A MINIMUM OF 6' FROM THE EDGE OF THE SHOULDER TO THE EDGE OF THE SIGN OR A MINIMUM OF 12' FROM THE EDGE OF THE SIGN TO THE EDGE OF THE TRAVELLED WAY AS SHOWN IN THE SIGNING POSITIONING DETAIL SHEET.				
IF ANY SIGN IS LOCATED NEAR A LUMINAIRE OR ANOTHER POLE, IT SHALL BE INSTALLED IN ADVANCE OF THE POLE SO THAT THE MOTORISTS VIEW OF THE SIGN WILL NOT BE OBSTRUCTED.				
SIGNS THAT DO NOT COMPLY WITH THE MUTCD SHALL BE REMOVED BY THE CONTRACTOR AS APPROVED AND DIRECTED BY THE ENGINEER.				
SIGNING SPECIFICATION SHEET				




NOTE: SEE SIGN DETAIL SHEETS FOR QUANTITY, LENGTH, SIZE AND GAUGE OF TYPE I POSTS



PLAN VIEW
NOT TO SCALE



PLAN VIEW
NOT TO SCALE




PLAN VIEW
NOT TO SCALE




TYPE I
SQUARE TUBING POST
WITH TYPE "D" SUPPORT

TYPE I
SQUARE TUBING POST
WITH SOIL STABILIZER


TYPE II
CHANNEL POST
WITH SOIL STABILIZER




SOIL STABILIZER DETAIL
FOR TYPE I POST



SOIL STABILIZER DETAIL






PLAN VIEW
NOT TO SCALE



NOT TO SCALE

FILE NAME: C:\PIWORK\ETHAN.ADAMS\0718912\SIGNING PLANS 9-20-2019.DGN
USER: ethan.adams
DATE PLOTTED: September 20, 2019
E-SHEET NAME: T005005N
MicroStation v8.11.9.832


COUNTY OF	ITEM NO.	SHEET NO.
POWELL	10-9009.00	T005



3 POST - BRACING DIAGRAM

NOTE:
1. MAXIMUM AREA PER CONNECTING JUNCTION = 16 SQ. FT.

2. BRACING SHOULD NOT BE SPLICED WITHIN 6" OF A BRACE TO POST JUNCTION.



2 POST - BRACING DIAGRAM

NOTE:
USE OF SIGN BRACING NOT SHOWN ON THIS SHEET MAY BE PERMITTED BY PROJECT ENGINEER AND/OR DISTRICT TRAFFIC ENGINEER.




NOT TO SCALE

CHANNEL POST DETAILS

TYPE "B" CONCRETE BAS

TYPE "C" DRIVEN BASE


TYPE "D" PIPE BASE



THE COST FOR 4.0" I.D. GALVANIZED STEEL
PIPE FOR TYPE "D" BASE AND THE WORK FOR
THE INSTALLATION SHALL BE INCLUDED IN
THE BID ITEM FOR STEEL POST TYPE 2


DETAIL FOR EXIT NUMBER SIGN ATTACHMENT
AND TYPICAL POST CLIP ARRANGEMENT

ALUMINUM: 3-5'6" LONG Z-BRACKETS
3" X 2 11/16" @ 2.33 LBS. PER FT.
OR
GALVANIZED STEEL: 3-5'6" LONG Z-BRACKETS
3" X 2 3/4" @ 6.7 LBS PER FT.




NOTE: THE COST FOR ATTACHING AN EXIT NUMBER SIGN SHALL BE INCLUDED IN THE BID ITEM FOR SIGN
BASE MATERIAL FOR PANEL SIGNS AND SHALL INCLUDE ALL Z-BRACKETS AND HARDWARE.
THE EXIT NUMBER SIGN SHALL BE INSTALLED OVER THE LEFT OR RIGHT SIDE OF THE SIGN AS
SHOWN ON THE PLANS

PANEL DETAILS




MINIMUM WEIGHT PER
LINEAR FOOT

6" PANEL - 1.115 LBS.
12" PANEL - 2.185 LBS.




TYPICAL SECTIONS
ALUMINUM SIGN PANEL EXTRUSIONS




TYPICAL SECTIONS
STEEL SIGN PANEL EXTRUSIONS

TYPICAL BEAM WITH TYPE
"A" CONCRETE BASE DETAIL







NOTE: SHOULD THE CONTRACTOR
OVERDRILL THE HOLE, EXTRA
CONCRETE WILL BE AT THE
CONTRACTOR'S EXPENSE.
PAYMENT WILL BE DETERMINED
BY THE "a" DIMENSION.



NOT
TO SCAL

SIGNING MISCELLANEOUS DETAIL SHEET



	A	B	C	FONT
CONVENTIONAL	24"	24"	11"	12D
EXPRESSWAY/ FREEWAY	36"	36"	17"	18D

	A	B	C	D	E	FONT	
						3 DIGIT	4 DIGIT
CONVENTIONAL	30"	24"	6"	11"	11"	12D	12B
EXPRESSWAY/ FREEWAY	45"	36"	9"	16.5"	16.5"	18D	18B




NOTE: FOR ROUTE MARKERS, IF NECESSARY, ADJUSTMENTS TO THE DIGIT LAYOUT AND/OR FONT TYPE MAY BE MADE TO ENSURE VISUAL ACUITY

NOTE: EXPRESSWAY/FREEWAY DEFINED AS A DIVIDED HIGHWAY WITH PARTIAL OR FULL CONTROL OF ACCESS

NOT TO SCALE

TYPICAL SIGNS



Sign #502

Sign #501

Sign #498

Sign #500

Sign #497

Sign #496

16.7

16.6

16.5

16.4

16.3

16.2

16.1

16.0

15.9

15.8

15.7

15.6

15.5

Sign #147

Sign #148

Sign #149

Sign #150

Sign #151

Sign #495

Sign #494

Sign #492

Sign #152

Sign #153

Sign #490

Sign #154

Sign #490

Sign #489

Sign #488

Sign #155

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20019.00	T000




SIGNING LOCATION MAP 1



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T009
SIGNING LOCATION MAP 2		



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T010



SIGNING LOCATION MAP 3



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T011



SIGNING LOCATION MAP 4




SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T012



SIGNING LOCATION MAP 5



10.6

10.5

10.4

10.3

10.2

10.1

10.0

9.9

9.8

9.7

9.6

9.5

9.4

9.3

9.2

Sign #190

Sign #456

Sign #455

Sign #454

Sign #192

Sign #453

Sign #193

Sign #452

Sign #195

Sign #197

Sign #198

Sign #200

Sign #201

Sign #202

Sign #451


Sign #450

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T013



SIGNING LOCATION MAP 8




SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T014



SIGNING LOCATION MAP 7



7.3

7.2

Sign #224

Sign #429

7.1

Sign #428

7.0

6.9

Sign #427

Sign #227

6.8

Sign #228

6.7

6.6

Sign #426

Sign #223

6.5

Sign #425

Sign #424


6.4

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20019.00	T015



SIGNING LOCATION MAP 8



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-30018.00	T016



SIGNING LOCATION MAP 9



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T017



SIGNING LOCATION MAP 10



Sign #251

Sign #412

3.9

3.8

3.7

3.6

Sign #410

3.5

3.4

3.3

Sign #253

3.2

3.1

Sign #704

Sign #409

3.0

Sign #703

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T018



SIGNING LOCATION MAP 11



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T010



SIGNING LOCATION MAP 12



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT	10-20018.00	T020



SIGNING LOCATION MAP 13




SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
BREATHITT/ PERRY	10-20018-00	T021



SIGNING LOCATION MAP 14



Sign #389

24.9

24.8

24.7

24.6

Sign #387

24.5

Sign #276

24.4

24.3

24.2

24.1

Sign #383

24.0

Sign #381

23.9

Sign #278

Sign #281

Sign #282

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T022



SIGNING LOCATION MAP 15



23.8

23.7

23.6

23.5

23.4

23.3

23.2

23.1

23.0

Sign #283

Sign #284

Sign #380

Sign #378


Sign #285

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T023



SIGNING LOCATION MAP 16



22.9

Sign #286

Sign #377

22.8

Sign #376

22.7

Sign #287

Sign #375

22.6

Sign #374

22.5

22.4

Sign #285

Sign #373

22.3

Sign #290

22.2

Sign #372

Sign #291

22.1

Sign #371

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T024



SIGNING LOCATION MAP 17



22.0

21.9

21.8

21.7

21.6

21.5

21.4

21.3

21.2

21.1

Sign #293

Sign #304

Sign #370

Sign #295

Sign #296

Sign #369

Sign #297

Sign #367

Sign #298

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T025



SIGNING LOCATION MAP 18



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T026

0'200'400'600'

SIGNING LOCATION MAP 19



19.4

19.3

19.2

19.1

19.0

18.9

18.8

18.7

18.6

Sign #303

Sign #315

Sign #352

Sign #351

Sign #350

SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T027



SIGNING LOCATION MAP 20



SCALE: 1"=200'

COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T028



SIGNING LOCATION MAP 21



Sign #332

17.6

Sign #331

Sign #330

17.5

Sign #326

Sign #329

Sign #328

17.4

17.3

17.2

17.1

17.0

16.9

16.8

16.7

SCALE: 1"=200'


COUNTY OF	ITEM NO.	SHEET NO.
PERRY	10-20018.00	T029





SIGNING LOCATION MAP 22

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T030

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
147	24	12		M4_5	RIGHT	SOUTH	KY 15	MP 16.732
	30	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 16.732
	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 16.732
	24	24		M1_5_2 (15)	RIGHT	SOUTH	KY 15	MP 16.732
	24	12		M3_2	RIGHT	SOUTH	KY 15	MP 16.732
	24	24		M1_5_2 (30)	RIGHT	SOUTH	KY 15	MP 16.732
148	24	30		R2_1 (55)	RIGHT	SOUTH	KY 15	MP 16.676
	24	30		R2_1 (45)	LEFT	NORTH	KY 15	MP 16.676
149	24	30		R4_3	RIGHT	SOUTH	KY 15	MP 16.547
150	36	36		S3_1	RIGHT	SOUTH	KY 15	MP 16.544
151	48	48		CUSTOM	RIGHT	SOUTH	KY 15	MP 16.534
152	48	48		W3_3	RIGHT	SOUTH	KY 15	MP 16.048

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
153	36	36		W9_2L	RIGHT	SOUTH	KY 15	MP 16.035
154	36	36		W4_2	RIGHT	SOUTH	KY 15	MP 15.984
155	24	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 15.561
156	48	36		W14_3	LEFT	NORTH	KY 15	MP 15.350
157	24	24		M1_5_2 (30)	RIGHT	SOUTH	KY 15	MP 15.115
	21	15		W1_8L	RIGHT	SOUTH	KY 15	MP 15.115
158	48	48		W2_7	RIGHT	SOUTH	KY 15	MP 15.036
	30	24		Side Roads Plaque	RIGHT	SOUTH	KY 15	MP 15.036

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T031

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
159	72	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 15.014
160	72	30		DI_2	RIGHT	SOUTH	KY 15	MP 14.975
	72	18		DI_1	RIGHT	SOUTH	KY 15	MP 14.975
161	24	30		MI_5_2 (30)	RIGHT	SOUTH	KY 15	MP 14.930
	21	15		M6_IL	RIGHT	SOUTH	KY 15	MP 14.930
162	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.909
	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.909
163								
164	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 14.872
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 14.872


SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
165	21	15		M2_1	RIGHT	SOUTH	KY 15	MP 14.872
	30	24		MI_5_3 (1098)	RIGHT	SOUTH	KY 15	MP 14.872
	21	15		M2_1	RIGHT	SOUTH	KY 15	MP 14.872
	30	24		MI_5_3 (1812)	RIGHT	SOUTH	KY 15	MP 14.872
166	30	30		R3_7R	RIGHT	SOUTH	KY 15	MP 14.778
167	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.733
	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.733
168	30	24		MI_5_3 (1098)	RIGHT	SOUTH	KY 15	MP 14.674
	24	15		M6_IL	RIGHT	SOUTH	KY 15	MP 14.674
	30	24		MI_5_3 (1812)	RIGHT	SOUTH	KY 15	MP 14.674
	24	15		M6_IR	RIGHT	SOUTH	KY 15	MP 14.674
169	24	6		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.646
	36	36		RI_2	RIGHT	SOUTH	KY 15	MP 14.646
170	36	36		W8_14	RIGHT	SOUTH	KY 15	MP 14.624

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														BREATHITT	KY 15	10-20018	T032
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
171	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 14.617	177	48	36		W14_3	LEFT	NORTH	KY 15	MP 14.358
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 14.617									
172	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.588	178	24	30		R2_1 (55 mph)	RIGHT	SOUTH	KY 15	MP 14.262
173	76	30		D2_2	RIGHT	SOUTH	KY 15	MP 14.526	179	48	36		W14_3	LEFT	NORTH	KY 15	MP 13.744
174	24	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 14.475	180	24	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 13.669
										24	30		CUSTOM	LEFT	NORTH	KY 15	MP 13.669
175	48	48		M2_7	LEFT	NORTH	KY 15	MP 14.455	181	24	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 13.661
	30	24		CUSTOM	LEFT	NORTH	KY 15	MP 14.455		24	30		CUSTOM	LEFT	NORTH	KY 15	MP 13.661
176									182	30	30		W2_2L	RIGHT	SOUTH	KY 15	MP 12.961
										24	18		CUSTOM	RIGHT	SOUTH	KY 15	MP 12.961

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T033

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
183	48	36		W14_3	LEFT	NORTH	KY 15	MP 12.737
184	36	36		CUSTOM	RIGHT	SOUTH	KY 15	MP 12.602
185								
186	48	36		W14_3	LEFT	NORTH	KY 15	MP 11.714
187								
188	36	36		S3_1	RIGHT	SOUTH	KY 15	MP 11.027

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
189								
190	48	36		W14_3	LEFT	NORTH	KY 15	MP 10.357
191								
192	48	36		W14_3	LEFT	NORTH	KY 15	MP 9.555
193	48	48		W2_1	RIGHT	SOUTH	KY 15	MP 9.366
	24	24		W13_1P (45 MPH)	RIGHT	SOUTH	KY 15	MP 9.366
194								

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T034

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
195	21	15	JCT 1110	M2_1	RIGHT	SOUTH	KY 15	MP 9.345
	30	24		MI_5_3 (1110)	RIGHT	SOUTH	KY 15	MP 9.345
196								
197	30	30	TRUCKS ENTERING HIGHWAY 500 FEET	CUSTOM	RIGHT	SOUTH	KY 15	MP 9.318
	24	18		W16_2P	RIGHT	SOUTH	KY 15	MP 9.318
198	30	24	1110 →	MI_5_3 (1110)	RIGHT	SOUTH	KY 15	MP 9.248
	21	15		M6_1R	RIGHT	SOUTH	KY 15	MP 9.248
199								
200	24	30	NO PARKING ON SHOULDER	CUSTOM	RIGHT	SOUTH	KY 15	MP 9.148
	24	30		CUSTOM	LEFT	NORTH	KY 15	MP 9.148

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
201	24	12	SOUTH 15	M3_3	RIGHT	SOUTH	KY 15	MP 9.136
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 9.136
202	72	36	HAZARD WHITESBURG 22 54	D2_2	RIGHT	SOUTH	KY 15	MP 9.126
203	24	30	NO PASSING ZONE SPEED LIMIT 55	R2_1 (55)	RIGHT	SOUTH	KY 15	MP 9.077
	48	36		W14_3	LEFT	NORTH	KY 15	MP 9.077
204	36	36	SCHOOL BUS STOP AHEAD	S3_1	RIGHT	SOUTH	KY 15	MP 9.016
205	48	36	NO PASSING ZONE	W14_3	LEFT	NORTH	KY 15	MP 8.528
206								

SHEETING SIGNS DETAIL SHEET


COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T035


SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
207	40	20		CUSTOM	RIGHT	SOUTH	KY 15	8.312
208	48	48		W2_1	RIGHT	SOUTH	KY 15	MP 7.922
	24	24		W13_IP (45 MPH)	RIGHT	SOUTH	KY 15	MP 7.922
209	24	48		S5_1 (45)	RIGHT	SOUTH	KY 15	MP 7.902
210	36	36		SI_1	RIGHT	SOUTH	KY 15	MP 7.982
211	21	15		M2_1	RIGHT	SOUTH	KY 15	MP 7.783
	30	24		MI_5_3 (476)	RIGHT	SOUTH	KY 15	MP 7.783
212	48	36		W14_3	LEFT	NORTH	KY 15	MP 7.783

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
213	72	42		DI_3	RIGHT	SOUTH	KY 15	MP 7.810
	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.810
214	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.793
	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.793
215	72	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.780
	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.780
	24	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.780
	24	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.780
216	30	24		MI_5_3 (476)	RIGHT	SOUTH	KY 15	MP 7.756
	21	15		M6_1L	RIGHT	SOUTH	KY 15	MP 7.756
217	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.736
218	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 7.723
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 7.723
	24	12		M4_5	RIGHT	SOUTH	KY 15	MP 7.723
	30	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.723

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T036



SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
219								
220	24	30		S5_2	RIGHT	SOUTH	KY 15	MP 7.603
221	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 7.550
222	24	30		R2_1 (55 mph)	RIGHT	SOUTH	KY 15	MP 7.394
	48	36		R2_1 (55 mph)	LEFT	NORTH	KY 15	MP 7.394
223								
224	36	36		S3_1	RIGHT	SOUTH	KY 15	MP 7.388

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
225								
226								
227	36	36		CUSTOM	RIGHT	SOUTH	KY 15	MP 6.859
228	48	48		W2_2	RIGHT	SOUTH	KY 15	MP 6.793
229	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 6.560
230	36	36		W11_8	RIGHT	SOUTH	KY 15	MP 6.328
	48	36		W14_3				

SHEETING SIGNS DETAIL SHEET





COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T037

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
231								
232								
233	36	30		S3_1	RIGHT	SOUTH	KY 15	MP 5.645
234								
235	24	30		R4_6	RIGHT	SOUTH	KY 15	MP 5.507
236								

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
237								
238	36	36		W4_2	LEFT	NORTH	KY 15	MP 5.516
239	36	36		W9_2L	RIGHT	SOUTH	KY 15	MP 5.089
240	36	36		W4_2	RIGHT	SOUTH	KY 15	MP 5.043
241	30	30	 	W1_2L	RIGHT	SOUTH	KY 15	MP 5.019
	18	18			RIGHT	SOUTH	KY 15	MP 5.019
242	72	42		D1_3a	RIGHT	SOUTH	KY 15	MP 4.973

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T038

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
243	24	30		W1_8L	RIGHT	SOUTH	KY 15	MP 4.911
244	24	30		W1_8L	RIGHT	SOUTH	KY 15	MP 4.865
245	24	30		W1_8L	RIGHT	SOUTH	KY 15	MP 4.821
246	24	30		W1_8L	RIGHT	SOUTH	KY 15	MP 4.768

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T039

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
247	48	36		W14_3	LEFT	NORTH	KY 15	MP 4.295
248								
249	21	15		M2_1	RIGHT	SOUTH	KY 15	MP 4.169
	30	24		MI_5_3 (1278)	RIGHT	SOUTH	KY 15	MP 4.169
250	30	24		MI_5_3 (1278)	RIGHT	SOUTH	KY 15	MP 4.076
	21	15		M6_1R	RIGHT	SOUTH	KY 15	MP 4.076
	72	18		DI_1	RIGHT	SOUTH	KY 15	MP 4.076
251	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 3.932
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 3.932
	48	36		W14_3	LEFT	NORTH	KY 15	MP 3.932
252								

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
253	36	36		S3_1	RIGHT	SOUTH	KY 15	MP 3.288
254	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 2.937
255	48	36		W14_3	LEFT	NORTH	KY 15	MP 2.272
256								
257	36	36		CUSTOM	RIGHT	SOUTH	KY 15	MP 2.211
258	48	36		W14_3	LEFT	NORTH	KY 15	MP 1.658

SHEETING SIGNS DETAIL SHEET																	COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
																	BREATHITT	KY 15	10-20018	T040
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION						
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		SIDE OF	FACING TRAFFIC			ON ROAD	AT STATION (APPROXIMATE)					
259									265											
260	48	36		W14_3	LEFT	NORTH	KY 15	MP 1.160	266	36	36		CUSTOM	RIGHT	SOUTH	KY 15	MP 0.150			
										24	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 0.150			
										24	24		CUSTOM	LEFT	NORTH	KY 15	MP 0.150			
261	48	36		W14_3	LEFT	NORTH	KY 15	MP 0.809	267											
262	21	15		M2_1	RIGHT	SOUTH	KY 15	MP 0.689	268	72	42		DI_3a	RIGHT	SOUTH	KY 15	MP 0.066			
	30	24		MI_5_3 (2446)	RIGHT	SOUTH	KY 15	MP 0.689												
263	30	24		MI_5_3 (2446)	RIGHT	SOUTH	KY 15	MP 0.560												
	21	15		M6_1L	RIGHT	SOUTH	KY 15	MP 0.560												
264	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 0.473												
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 0.473												
																	SHEETING SIGNS SHEET 11			

MicroStation v8.11.9.832

E-SHEET NAME: T04005N

DATE PLOTTED: September 20, 2019

USER: ethan.adams

FILE NAME: C:\PWORK\ETHAN.ADAMS\01718912\SIGNING PLANS 9-20-2019.DGN

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN


USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T04000SN

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET







COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T041


SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
390	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 0.000
	27	10		CUSTOM	RIGHT	NORTH	KY 15	MP 0.000
	10	18		DIO_1 (0)	RIGHT	NORTH	KY 15	MP 0.000
	10	18		DIO_1 (0)	LEFT	SOUTH	KY 15	MP 0.000
391	48	24		CUSTOM	RIGHT	NORTH	KY 15	MP 0.047
392								
393	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 0.066
394	48	30		CUSTOM	RIGHT	NORTH	KY 15	MP 0.112
395	72	42		CUSTOM	RIGHT	NORTH	KY 15	MP 0.141

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
396	21	15		M2_1	RIGHT	NORTH	KY 15	MP 0.409
	30	24		MI_5_3 (2446)	RIGHT	NORTH	KY 15	MP 0.409
397	30	24		MI_5_3 (2446)	RIGHT	NORTH	KY 15	MP 0.510
	21	15		M6_1R	RIGHT	NORTH	KY 15	MP 0.510
398	24	12		M3_1	RIGHT	NORTH	KY 15	MP 0.565
	24	24		MI_5_2 (15)	RIGHT	NORTH	KY 15	MP 0.565
399	48	36		W14_3	LEFT	SOUTH	KY 15	MP 0.712
400	10	18		D10_1 (1)	RIGHT	NORTH	KY 15	MP 1.000
	10	18		D10_1 (1)	LEFT	SOUTH	KY 15	MP 1.000
401	48	36		W14_3	LEFT	SOUTH	KY 15	MP 1.119

SHEETING SIGNS DETAIL SHEET


COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T042



SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
402	48	36		W14_3	LEFT	SOUTH	KY 15	MP 1.643
403	24	30		CUSTOM	RIGHT	NORTH	KY 15	MP 1.828
404	48	36		W14_3	LEFT	SOUTH	KY 15	MP 2.335
405	24	30	 	W1_8L	RIGHT	NORTH	KY 15	MP 2.406
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 2.406
406	24	30	 	W1_8L	RIGHT	NORTH	KY 15	MP 2.447
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 2.447
407	24	30	 	W1_8L	RIGHT	NORTH	KY 15	MP 2.488
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 2.488

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
408	48	36		W14_3	LEFT	SOUTH	KY 15	MP 2.705
409	12	24		OM3_R	RIGHT	NORTH	KY 15	MP 3.051
410	48	36		W14_3	LEFT	SOUTH	KY 15	MP 3.601
411								
412	21	15		M2_1	RIGHT	NORTH	KY 15	MP 3.914
	30	24		M1_5_3 (1278)	RIGHT	NORTH	KY 15	MP 3.914
413	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 4.011
	10	18		D10_1 (4)	RIGHT	NORTH	KY 15	MP 4.011
	10	18		D10_1 (4)	LEFT	SOUTH	KY 15	MP 4.011

SHEETING SIGNS DETAIL SHEET


COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T043


SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
414	30	24		MI_5_3 (1278)	RIGHT	NORTH	KY 15	MP 4.026
	21	15		M6_1L	RIGHT	NORTH	KY 15	MP 4.026
415	48	36		W14_3	LEFT	SOUTH	KY 15	MP 4.256
416	24	30		R4_6	RIGHT	NORTH	KY 15	MP 4.705
417	24	30		R4_16	RIGHT	NORTH	KY 15	MP 4.763
418	36	36	 	W4_2	LEFT	SOUTH	KY 15	MP 5.038
	10	18		D10_1 (5)	LEFT	SOUTH	KY 15	MP 5.038
	10	18		D10_1 (5)	RIGHT	NORTH	KY 15	MP 5.038
419	36	36	 	S3_1	RIGHT	NORTH	KY 15	MP 5.073
	36	36		W9_2L	LEFT	SOUTH	KY 15	MP 5.073



SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
420	36	36		W4_2	RIGHT	NORTH	KY 15	MP 5.153
421	36	36		W11_8	RIGHT	NORTH	KY 15	MP 5.872
422	36	36		CUSTOM	RIGHT	NORTH	KY 15	MP 6.056
	10	18		D10_1 (6)	RIGHT	NORTH	KY 15	MP 6.056
423	48	36	 	W14_3	LEFT	SOUTH	KY 15	MP 6.064
	10	18		D10_1 (6)	LEFT	SOUTH	KY 15	MP 6.064
424	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 6.484
425	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 6.491

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T044

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
426	48	36		W14_3	LEFT	SOUTH	KY 15	MP 6.579
427	36	36		S3_1	RIGHT	NORTH	KY 15	MP 6.858
428	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 7.077
	10	18		D10_1 (7)	RIGHT	NORTH	KY 15	MP 7.077
	10	18		D10_1 (7)	LEFT	SOUTH	KY 15	MP 7.077
429	48	36		W14_3	LEFT	SOUTH	KY 15	MP 7.138
430	48	48		W2_1	RIGHT	NORTH	KY 15	MP 7.518
	24	24		W13_IP (45 mph)	RIGHT	NORTH	KY 15	MP 7.518
431	21	15		M2_1	RIGHT	NORTH	KY 15	MP 7.605
	30	24		M1_5_3 (476)	RIGHT	NORTH	KY 15	MP 7.605

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
432	36	36		SI_1	RIGHT	NORTH	KY 15	MP 7.607
433	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 7.610
434	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 7.618
	24	24		CUSTOM	RIGHT	NORTH	KY 15	MP 7.618
435	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 7.627
	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 7.627
436	72	42		DI_3	RIGHT	NORTH	KY 15	MP 7.629
437	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 7.646
	24	24		CUSTOM	RIGHT	NORTH	KY 15	MP 7.646
	12	24		OM3_R	RIGHT	NORTH	KY 15	MP 7.646

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														BREATHITT	KY 15	10-20018	T045
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		SIDE OF	FACING TRAFFIC			ON ROAD	AT STATION (APPROXIMATE)		
438	30	24		MI_5_3 (476)	RIGHT	NORTH	KY 15	MP 7.716	444								
	21	15		M6_1R	RIGHT	NORTH	KY 15	MP 7.716									
439	48	36		W14_3	LEFT	SOUTH	KY 15	MP 7.861	445	21	15		M2_1	RIGHT	NORTH	KY 15	MP 8.990
										30	24		MI_5_3 (1110)	RIGHT	NORTH	KY 15	MP 8.990
440									446	48	36		W14_3	LEFT	SOUTH	KY 15	MP 8.990
441	24	30		S5_2	RIGHT	NORTH	KY 15	MP 7.882	447	10	18		D10_1 (9)	RIGHT	NORTH	KY 15	MP 9.000
										10	18		D10_1 (9)	LEFT	SOUTH	KY 15	MP 9.000
442	10	18		D10_1 (8)	RIGHT	NORTH	KY 15	MP 8.000	448								
	10	18		D10_1 (8)	LEFT	SOUTH	KY 15	MP 8.000									
443	36	36		S3_1	RIGHT	NORTH	KY 15	MP 8.569	449	30	30		CUSTOM	RIGHT	NORTH	KY 15	MP 9.045
	48	36		W14_3	LEFT	SOUTH	KY 15	MP 8.569		24	18		W16_2P	RIGHT	NORTH	KY 15	MP 9.045
														SHEETING SIGNS SHEET 16			

MicroStation v8.11.9.832

E-SHEET NAME: T04005N

DATE PLOTTED: September 20, 2019

USER: ethan.adams


FILE NAME: C:\PWORK\ETHAN.ADAMS\01718912\SIGNING PLANS 9-20-2019.DGN

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														BREATHITT	KY 15	10-20018	T046
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
450	30	24		MI_5_3 (1110)	RIGHT	NORTH	KY 15	MP 9.138	456	48	36		WI4_3	LEFT	SOUTH	KY 15	MP 10.247
	21	15		M6_IL	RIGHT	NORTH	KY 15	MP 9.138									
451	72	30		DI_2a	RIGHT	NORTH	KY 15	MP 9.258	457	36	36		S3_1	RIGHT	NORTH	KY 15	MP 10.663
452	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 9.356	458	10	27		D10_2 (11)	RIGHT	NORTH	KY 15	MP 11.025
										10	27		D10_2 (11)	LEFT	SOUTH	KY 15	MP 11.025
453	48	36		WI4_3	LEFT	SOUTH	KY 15	MP 9.606	459	48	36		WI4_3	LEFT	SOUTH	KY 15	MP 11.115
454	10	27		D10_2 (10)	RIGHT	NORTH	KY 15	MP 10.000	460								
	10	27		D10_2 (10)	LEFT	SOUTH	KY 15	MP 10.000									
455	24	30		R8_3	RIGHT	NORTH	KY 15	MP 10.231	461	36	36		CUSTOM	RIGHT	NORTH	KY 15	MP 11.779
	24	30		R8_3	LEFT	SOUTH	KY 15	MP 10.231									
														SHEETING SIGNS SHEET 17			

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN





USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T0104005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T047


SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
462	10	27		D10_2 (12)	RIGHT	NORTH	KY 15	MP 12.000
	10	27		D10_2 (12)	LEFT	SOUTH	KY 15	MP 12.000
463	24	30		W1_8L	RIGHT	NORTH	KY 15	MP 12.071
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 12.071
464	24	30		W1_8L	RIGHT	NORTH	KY 15	MP 12.114
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 12.114
465	24	30		W1_8L	RIGHT	NORTH	KY 15	MP 12.155
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 12.155
466	24	30		W1_8L	RIGHT	NORTH	KY 15	MP 12.246
	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 12.246
467	48	36		W14_3	LEFT	SOUTH	KY 15	MP 12.661

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
468	30	30		W2_2R	RIGHT	NORTH	KY 15	MP 12.730
	24	18		CUSTOM	RIGHT	NORTH	KY 15	MP 12.730
469	24	30		R2_1 (55 mph)	RIGHT	NORTH	KY 15	MP 13.503
470	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.686
	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.686
471	36	36		W8_14	RIGHT	NORTH	KY 15	MP 14.734
472	48	36		W14_3	RIGHT	NORTH	KY 15	MP 14.325
473	48	48		M2_7	RIGHT	NORTH	KY 15	MP 14.450
	30	24		CUSTOM	RIGHT	NORTH	KY 15	MP 14.450

SHEETING SIGNS DETAIL SHEET




COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T048



SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
474	72	42		DI_3	RIGHT	NORTH	KY 15	MP 14.469
475	21	15		M2_1	RIGHT	NORTH	KY 15	MP 14.525
	30	24		MI_5_3 (1812)	RIGHT	NORTH	KY 15	MP 14.525
	21	15		M2_1	RIGHT	NORTH	KY 15	MP 14.525
	30	24		MI_5_3 (1098)	RIGHT	NORTH	KY 15	MP 14.525
476	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.589
477	30	24		MI_5_3 (1812)	RIGHT	NORTH	KY 15	MP 14.626
	21	15		M6_IL	RIGHT	NORTH	KY 15	MP 14.626
	30	24		MI_5_3 (1098)	RIGHT	NORTH	KY 15	MP 14.626
	21	15		M6_IR	RIGHT	NORTH	KY 15	MP 14.626
	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.626
	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.626
478	21	15		M2_1	RIGHT	NORTH	KY 15	MP 14.703
	24	24		MI_5_2 (30)	RIGHT	NORTH	KY 15	MP 14.703
479	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.708
	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 14.708

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
480	72	30		CUSTOM	RIGHT	NORTH	KY 15	MP 14.740
481	72	30		DI_2	RIGHT	NORTH	KY 15	MP 14.770
	72	18		DI_1	RIGHT	NORTH	KY 15	MP 14.770
	12	24		OM3_R	RIGHT	NORTH	KY 15	MP 14.770
482	24	24		MI_5_2 (30)	RIGHT	NORTH	KY 15	MP 14.839
	21	15		M6_6R	RIGHT	NORTH	KY 15	MP 14.839
483	24	12		M3_1	RIGHT	NORTH	KY 15	MP 14.921
	24	24		MI_5_2 (15)	RIGHT	NORTH	KY 15	MP 14.921
	24	12		M3_4	RIGHT	NORTH	KY 15	MP 14.921
	24	24		MI_5_2 (30)	RIGHT	NORTH	KY 15	MP 14.921
484	48	36		WI4_3	LEFT	SOUTH	KY 15	MP 15.047
	10	27		DIO_2 (15)	RIGHT	NORTH	KY 15	MP 15.047
	10	27		DIO_2 (15)	LEFT	SOUTH	KY 15	MP 15.047
485								

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T049

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
486	24	30		R4_6	RIGHT	NORTH	KY 15	MP 15.354
487	24	30		R4_3	RIGHT	NORTH	KY 15	MP 15.443
488	48	48		W3_3	RIGHT	NORTH	KY 15	MP 15.747
489	36	36		W9_2L	RIGHT	NORTH	KY 15	MP 15.762
490	36	36		W4_2	RIGHT	NORTH	KY 15	MP 15.912
491	36	36		W4_2	LEFT	SOUTH	KY 15	MP 15.976

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
492	36	36		W9_2L	LEFT	SOUTH	KY 15	MP 16.000
	10	27		D10_2 (16)	RIGHT	NORTH	KY 15	MP 16.000
	10	27		D10_2 (16)	LEFT	SOUTH		MP 16.000
493								
494	36	36		S3_1	RIGHT	NORTH	KY 15	MP 14.686
495	30	30		W2_2	RIGHT	NORTH	KY 15	MP 16.227
496	21	15		M2_1	RIGHT	NORTH	KY 15	MP 16.470
	30	24		MI_5_3 (1812)	RIGHT	NORTH	KY 15	MP 16.470
497	24	30		UNSURE	RIGHT	NORTH	KY 15	MP 16.534

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T050

[illegible]

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														PERRY	KY 15	10-20018	T051
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
270	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 25.167	276	48	36		W14_3	LEFT	NORTH	KY 15	MP 24.504
	30	12		CUSTOM	RIGHT	SOUTH	KY 15	MP 25.167									
271									277								
272	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 25.147	278	24	30		R2.1 (55)	RIGHT	SOUTH	KY 15	MP 24.017
										48	36		W14_3	LEFT	NORTH	KY 15	MP 24.017
273									279								
274	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 25.136	280								
275									281	36	36		CUSTOM	RIGHT	SOUTH	KY 15	MP 23.888

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														PERRY	KY 15	10-20018	T052
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
282	6	18		CUSTOM	RIGHT	SOUTH	KY 15	MP 23.817	288								
	24	30		R4_6	RIGHT	SOUTH	KY 15	MP 23.817									
283	24	30		R4_16	RIGHT	SOUTH	KY 15	MP 23.703	289	48	36		W14_3	LEFT	NORTH	KY 15	MP 22.356
284	48	36		W14_3	LEFT	NORTH	KY 15	MP 23.703	290	48	48		CUSTOM	RIGHT	SOUTH	KY 15	MP 22.240
285	40	20		CUSTOM	RIGHT	SOUTH	KY 15	MP 22.975	291	72	44		CUSTOM	RIGHT	SOUTH	KY 15	MP 22.059
286	48	36		W14_3	LEFT	NORTH	KY 15	MP 22.860	292								
287	12	36		OM3_R	RIGHT	SOUTH	KY 15	MP 22.645	293	36	36		W9_2L	RIGHT	SOUTH	KY 15	MP 22.985
														SHEETING SIGNS SHEET 23			

MicroStation v8.11.9.832
E-SHEET NAME: T014005N
DATE PLOTTED: September 20, 2019
USER: ethan.adams
FILE NAME: C:\PWORK\ETHAN.ADAMS\01718912\SIGNING PLANS 9-20-2019.DGN

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN


USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N






MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
PERRY	KY 15	10-20018	T053

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
294								
295	36	36		W4_2	RIGHT	SOUTH	KY 15	MP 21.860
296	36	36		W9_2L	LEFT	NORTH	KY 15	MP 21.833
297	24	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 21.674
298	24	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 21.145
299								

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
300	24	24		MI_5_3 (28)	RIGHT	SOUTH	KY 15	MP 20.798
	21	15		M6_1R	RIGHT	SOUTH	KY 15	MP 20.798
	24	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 20.798
301	24	12		M3_3	RIGHT	SOUTH	KY 15	MP 20.727
	24	24		MI_5_2 (15)	RIGHT	SOUTH	KY 15	MP 20.727
	24	12		M4_5	RIGHT	SOUTH	KY 15	MP 20.727
	30	24		CUSTOM	RIGHT	SOUTH	KY 15	MP 20.727
302	48	36		W14_3	LEFT	NORTH	KY 15	MP 20.331
303								
304	24	30		R2_1 (55)	RIGHT	SOUTH	KY 15	MP 15.115
305								

SHEETING SIGNS DETAIL SHEET																	COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
																	PERRY	KY 15	10-20018	T054
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION						
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)			
306	21	15		M2_1	RIGHT	SOUTH	KY 15	MP 19.999	312											
	30	24		MI_5_3 (1067)	RIGHT	SOUTH	KY 15	MP 19.999												
307	30	8		CUSTOM	RIGHT	SOUTH	KY 15	MP 19.918	313	12	6		CUSTOM	RIGHT	SOUTH	KY 15	MP 19.652			
	24	30		R4_6	RIGHT	SOUTH	KY 15	MP 19.918		36	36		S3_1	RIGHT	SOUTH	KY 15	MP 19.652			
308									314											
309	30	24		MI_5_3 (1067)	RIGHT	SOUTH	KY 15	MP 19.870	315	30	30		W2_2R	RIGHT	SOUTH	KY 15	MP 18.993			
	21	15		M6_1L	RIGHT	SOUTH	KY 15	MP 19.870												
310									316	36	36		W9_2L	RIGHT	SOUTH	KY 15	MP 18.504			
311	24	30		R4_16	RIGHT	SOUTH	KY 15	MP 19.814	317	36	36		W4_2	RIGHT	SOUTH	KY 15	MP 18.453			
													SHEETING SIGNS SHEET 25							

MicroStation v8.11.9.832
E-SHEET NAME: T014005N
DATE PLOTTED: September 20, 2019
USER: ethan.adams
FILE NAME: G:\PWORK\ETHAN.ADAMS\01718912\SIGNING PLANS 9-20-2019.DGN

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN



USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N









MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
PERRY	KY 15	10-20018	T055

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
318	30	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 18.363
319	36	36		W4.2	LEFT	NORTH	KY 15	MP 18.282
320	36	36		W9.2L	LEFT	NORTH	KY 15	MP 18.235
321	24	36		R3.9b	RIGHT	SOUTH	KY 15	MP 18.160
322	30	30		CUSTOM	RIGHT	SOUTH	KY 15	MP 17.962
323	30	30		W3.3	RIGHT	SOUTH	KY 15	MP 17.854

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
324	30	30		W1.2a (45)	RIGHT	SOUTH	KY 15	MP 17.788
325								
326	24	30		R2.1 (45)	RIGHT	SOUTH	KY 15	MP 17.524

SHEETING SIGNS DETAIL SHEET																	COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
																	PERRY	KY 15	10-20018	T056
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION						
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		SIDE OF	FACING TRAFFIC			ON ROAD	AT STATION (APPROXIMATE)					
328	36	36		CUSTOM	RIGHT	NORTH	KY 15	MP 17.422	334	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.664			
329	48	36		W14.3	LEFT	SOUTH	KY 15	MP 17.422	335	24	36		R3.9b	RIGHT	NORTH	KY 15	MP 17.676			
330	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.582	336	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.688			
331	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.601	337	24	30		W4.3	RIGHT	NORTH	KY 15	MP 17.698			
332	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.622	338	48	24		W1.6R	LEFT	SOUTH	KY 15	MP 17.703			
333	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.644	339	24	30		W1.8R	LEFT	SOUTH	KY 15	MP 17.725			

MicroStation v8.11.9.832

E-SHEET NAME: T014005N

DATE PLOTTED: September 20, 2019

USER: ethan.adams

FILE NAME: C:\PWORK\ETHAN.ADAMS\01718912\SIGNING PLANS 9-20-2019.DGN






SHEETING SIGNS SHEET 27

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET																	COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
																	PERRY	KY 15	10-20018	T057
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION						
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		SIDE OF	FACING TRAFFIC			ON ROAD	AT STATION (APPROXIMATE)					
340	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 17.742	346	36	36		W4_2	RIGHT	NORTH	KY 15	MP 18.282			
341	24	30		W1_8R	LEFT	SOUTH	KY 15	MP 17.761	347	36	36		W4_2	LEFT	SOUTH	KY 15	MP 18.444			
342	36	36	 	W1_2R	LEFT	SOUTH	KY 15	MP 17.852	348											
	24	24		W13_IP (45 MPH)	LEFT	SOUTH	KY 15	MP 17.852												
343	24	36		R3_9b	RIGHT	NORTH	KY 15	MP 17.997	349	36	36		W9_2L	LEFT	SOUTH	KY 15	MP 18.490			
344	30	30		CUSTOM	RIGHT	NORTH	KY 15	MP 18.060	350	30	30		W2_2L	RIGHT	NORTH	KY 15	MP 18.715			
345	36	36		W9_2L	RIGHT	NORTH	KY 15	MP 18.228	351	30	30		CUSTOM	RIGHT	NORTH	KY 15	MP 18.745			
																	SHEETING SIGNS SHEET 28			


MicroStation v8.11.9.832
E-SHEET NAME: T014005N
DATE PLOTTED: September 20, 2019
USER: ethan.adams
FILE NAME: C:\PWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														PERRY	KY 15	10-20018	T058
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
352	36	36		S3_1	RIGHT	NORTH	KY 15	MP 18.892	358	21	15		M2_1	RIGHT	NORTH	KY 15	MP 20.527
								(8S) S_2_1M		24	24		MI_5_2 (28)	RIGHT	NORTH	KY 15	MP 20.527
										72	42		DI_3	RIGHT	NORTH	KY 15	MP 20.527
353	36	36		W8_6	RIGHT	NORTH	KY 15	MP 19.541	359	24	24		MI_5_2 (28)	RIGHT	NORTH	KY 15	MP 20.662
										21	15		M6_1L	RIGHT	NORTH	KY 15	MP 20.662
354	30	24		MI_5_3 (1067)	RIGHT	SOUTH	KY 15	MP 19.810	360	72	18		CUSTOM	RIGHT	NORTH	KY 15	MP 20.698
	21	15		M6_1R	RIGHT	SOUTH	KY 15	MP 19.810		72	18		CUSTOM	RIGHT	NORTH	KY 15	MP 20.698
										24	24		CUSTOM	RIGHT	NORTH	KY 15	MP 20.698
355	24	30		CUSTOM	RIGHT	NORTH	KY 15	MP 19.853	361	24	30		R4_6	RIGHT	NORTH	KY 15	MP 20.700
	24	30		CUSTOM	LEFT	SOUTH	KY 15	MP 19.853									
356	48	36		W14_3	LEFT	SOUTH	KY 15	MP 20.057	362								
	10	27		D10_2 (20)	LEFT	SOUTH	KY 15	MP 20.057									
	10	27		D10_2 (20)	RIGHT	NORTH	KY 15	MP 20.057									
357									363								
														SHEETING SIGNS SHEET 29			

MicroStation v8.11.9.832
E-SHEET NAME: T014005N
DATE PLOTTED: September 20, 2019
USER: ethan.adams
FILE NAME: C:\PWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T0104005N


MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
PERRY	KY 15	10-20018	T059

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
364	24	12		M3_1	RIGHT	NORTH	KY 15	MP 20.775
	24	24		M1_5_2 (15)	RIGHT	NORTH	KY 15	MP 20.775
365	24	30		R2_1 (55)	RIGHT	NORTH	KY 15	MP 21.000
	10	27		D10_2 (21)	RIGHT	NORTH	KY 15	MP 21.000
	10	27		D10_2 (21)	LEFT	SOUTH	KY 15	MP 21.000
366	48	30		W14_3	LEFT	SOUTH	KY 15	MP 21.000
367	48	36		W14_3	LEFT	SOUTH	KY 15	MP 21.304
368								
369	36	36		W9_2L	RIGHT	NORTH	KY 15	MP 21.804

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
370	36	36		W9_2L	LEFT	SOUTH	KY 15	MP 21.576
371	72	42		CUSTOM	RIGHT	NORTH	KY 15	MP 22.022
372	24	30		CUSTOM	RIGHT	NORTH	KY 15	MP 22.168
373	24	24		CUSTOM	RIGHT	NORTH	KY 15	MP 22.356
374	24	30		R8_3	RIGHT	NORTH	KY 15	MP 22.512
	24	30		R8_3	LEFT	SOUTH	KY 15	MP 22.512
375	24	30		CUSTOM	RIGHT	NORTH	KY 15	MP 22.606

SHEETING SIGNS DETAIL SHEET														COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
														PERRY	KY 15	10-20018	T060
SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION				SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)		HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
376	40	20		CUSTOM	RIGHT	NORTH	KY 15	MP 22.776	382								
377	36	8		UNKNOWN	RIGHT	NORTH	KY 15	MP 22.871	383	24	30		R2_1 (55)	RIGHT	NORTH	KY 15	MP 24.059
	24	24		CUSTOM	RIGHT	NORTH	KY 15	MP 22.871		48	36		W14_3	LEFT	SOUTH	KY 15	MP 24.059
378	10	27		D10_2 (23)	RIGHT	NORTH	KY 15	23.000	384								
	10	27		D10_2 (23)	LEFT	SOUTH	KY 15	23.000									
379									385								
380	24	30		CUSTOM	RIGHT	NORTH	KY 15	MP 23.264	386								
381	10	27		D10_2 (24)	RIGHT	NORTH	KY 15	MP 24.000	387	48	36		W14_3	LEFT	SOUTH	KY 15	MP 24.504
	10	27		D10_2 (24)	LEFT	SOUTH	KY 15	MP 24.000									

MicroStation v8.11.9.832

E-SHEET NAME: T014005N

DATE PLOTTED: September 20, 2019

USER: ethan.adams

FILE NAME: G:\PWORK\LETHAN.ADAMS\01718912\SIGNING PLANS 9-20-2019.DGN

SHEETING SIGNS SHEET 31

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T014005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
PERRY	KY 15	10-20018	T061

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
388								
389	36	36		W8_14	RIGHT	NORTH	KY 15	MP 24.901

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN


USER: ethan.adams
DATE PLOTTED: September 20, 2019

E-SHEET NAME: T0104005N

MicroStation v8,11,9,832

SHEETING SIGNS DETAIL SHEET

COUNTY OF	ROUTE	ITEM NO.	SHEET NO.
BREATHITT	KY 15	10-20018	T062

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
701	12	24		OM3_R	RIGHT	SOUTH	KY 15	MP 0.513
702	10	18		D10_1 (2)	RIGHT	NORTH	KY 15	MP 2.000
	10	18		D10_1 (2)	LEFT	SOUTH	KY 15	MP 2.000
703	10	18		D10_1 (3)	RIGHT	NORTH	KY 15	MP 3.000
	10	18		D10_1 (3)	LEFT	SOUTH	KY 15	MP 3.000
704	12	24		OM3_R	RIGHT	NORTH	KY 15	MP 3.068
705	30	30		W1_2L	LEFT	SOUTH	KY 15	MP 5.019
706	24	48		S5_1 (45)	RIGHT	SOUTH	KY 15	MP 7.608

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)
707	10	27		D10_2 (13)	RIGHT	NORTH	KY 15	MP 13.000
	10	27		D10_2 (13)	LEFT	SOUTH	KY 15	MP 13.000
708	10	27		D10_2 (14)	RIGHT	NORTH	KY 15	MP 15.984
	10	27		D10_2 (14)	LEFT	SOUTH	KY 15	MP 15.984
709	48	48		W2_1	RIGHT	NORTH	KY 15	MP 8.972
	24	24		W13_1P (45 MPH)	RIGHT	NORTH	KY 15	MP 8.972

MicroStation v8,11,9,832

E-SHEET NAME: T0104005N

USER: ethan.adams
DATE PLOTTED: September 20, 2019

FILE NAME: C:\PIWORK\ETHAN.ADAMS\DT18912\SIGNING PLANS 9-20-2019.DGN

SHEETING SIGNS DETAIL SHEET

COUNTY OF		ROUTE	ITEM NO.	SHEET NO.
PERRY		KY 15	10-20018	T063

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF ROAD	FACING TRAFFIC TRAVELING	ON ROAD	AT STATION (APPROXIMATE)
801								
802	10	27	MILE 18	D10.2 (18)	RIGHT	NORTH	KY 15	MP 18.000
	10	27		D10.2 (18)	LEFT	SOUTH	KY 15	MP 18.000
803	10	27	MILE 19	D10.2 (19)	RIGHT	NORTH	KY 15	MP 19.000
	10	27		D10.2 (19)	LEFT	SOUTH	KY 15	MP 19.000
804	10	27	MILE 22	D10.2 (22)	RIGHT	NORTH	KY 15	MP 22.000
	10	27		D10.2 (22)	LEFT	SOUTH	KY 15	MP 22.000

SIGN/SIGN ASSEMBLY NUMBER	SIZES IN INCHES		MESSAGES ①	SPECIFICATION	SIGN LOCATION			
	HORIZ.	VERT.			SIDE OF	FACING TRAFFIC	ON ROAD	AT STATION (APPROXIMATE)

SHEETING SIGNS SHEET 34