

The contractor shall:
 Adjust signal heights to between 17 and 19 ft. above finish grade.
 If attachment bands are necessary the contractor shall supply these
 All signals will be adjusted to align with the center of the corresponding lane



THIS SHEET PERTAINS TO SIGNAL HEAD SHIFT AND RADAR INSTALLATION. IT SHOULD NOT BE USED TO ESTIMATE QUANTITIES OR FOR ANY PURPOSE OTHER THAN THE INTENDED.

RADAR SCHEDULE					DIST. FROM STOP BAR
ZONE	PHASE	SLOT	CHANNELL SIZE		
1	1	I1	UPPER 6x30		0'
2A	2	I2	UPPER 6x30		0'
2B	2	I2	LOWER 6x30		0'
2C	2	I3	UPPER 6X6		210'
2D	2	I3	LOWER 6X6		210'
2E	2	I4	UPPER 6X6		369'
2F	2	I4	LOWER 6X6		369'
3	3	I5	UPPER 6x30		0'
4A	4	I6	UPPER 6x30		0'
4B	4	I6	LOWER 6x30		0'
5	5	J1	UPPER 6x30		0'
6A	6	J2	UPPER 6x30		0'
6B	6	J2	LOWER 6x30		0'
6C	6	J3	UPPER 6X6		210'
6D	6	J3	LOWER 6X6		210'
6E	6	J4	UPPER 6X6		369'
6F	6	J4	LOWER 6X6		369'
7	7	J5	UPPER 6x30		0'
8A	8	J6	UPPER 6x30		0'
8B	8	J6	LOWER 6x30		0'

PREPARED BY _____ DATE _____
 CHECKED BY _____ DATE _____
 APPROVED BY _____ DATE _____

USER: \$\$\$USER\$\$\$
 DATE: \$\$\$DATE\$\$\$
 FILE NAME: \$\$\$design\$\$\$files\$\$\$specifications\$\$\$
 E-SHEET NAME: T01200SG

COUNTY OF **PULASKI**
 ITEM NO. **8-955.00**
 SHEET NO. _____



SCALE: NTS

LEGEND

- ☒ CONTROLLER
- STEEL STRAIN POLE
- JUNCTION BOX
- SIGNAL HEAD
- FUTURE SIGNAL HEAD
- OVERHEAD SIGN (R10-12)
- ▭ RADAR DETECTION ZONE
- RADAR
- 1/4" RIGID STEEL CONDUIT OR OTHERWISE SPECIFIED

SIGNAL RELOCATION / RADAR INSTALLATION
 KY 914 @ KY 1577