



Andy Beshear  
GOVERNOR

## TRANSPORTATION CABINET

200 Mero Street  
Frankfort, Kentucky 40601

Jim Gray  
SECRETARY

July 15, 2025

CALL NO. 102  
CONTRACT ID NO. 251017  
ADDENDUM # 1

Subject: Campbell County, STP 8177(004)  
Letting July 24, 2025

- (1) Revised - DBE Goal - Cover Page
- (2) Revised - General Summary - Page 28 of 210
- (3) Revised - Proposal Bid Items - Pages 208-210 of 210

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.  
Director  
Division of Construction Procurement

RM:mr  
Enclosures



**CALL NO. 102**

**CONTRACT ID. 251017**

**CAMPBELL COUNTY**

**FED/STATE PROJECT NUMBER STP 8177(004)**

**DESCRIPTION KY-1892**

**WORK TYPE ASPHALT PAVEMENT & ROADWAY REHAB**

**PRIMARY COMPLETION DATE 8/1/2026**

**LETTING DATE: July 24,2025**

Sealed Bids will be received electronically through the Bid Express bidding service until 10:00 AM EASTERN DAYLIGHT TIME July 24,2025. Bids will be publicly announced at 10:00 AM EASTERN DAYLIGHT TIME.

**NO PLANS ASSOCIATED WITH THIS PROJECT.**

**DBE CERTIFICATION REQUIRED - 0%**

**REQUIRED BID PROPOSAL GUARANTY:** Not less than 5% of the total bid.

**GENERAL SUMMARY**

| ITEM       | DESCRIPTION                                                            | UNIT   | TOTAL<br>PROJECT |
|------------|------------------------------------------------------------------------|--------|------------------|
| 24631EC    | BARCODE SIGN INVENTORY                                                 | EACH   | 1                |
| 26237EC    | CONNECTED ARROW PANEL                                                  | EACH   | 3                |
|            |                                                                        |        |                  |
|            | <b>I-471 PIER WEB WALLS</b>                                            |        |                  |
| 8100       | CONCRETE CLASS A                                                       | CUYD   | 179.4            |
| 8150       | STEEL REINFORCEMENT                                                    | LB     | 7,896            |
| 23378EC    | CONCRETE SEALING                                                       | SQFT   | 3,088            |
|            |                                                                        |        |                  |
|            | <b>TRAFFIC SIGNAL ESTIMATE</b> ①                                       |        |                  |
| 4700       | POLE 30' MTG HT                                                        | EACH   | 2                |
| 4740       | POLE BASE                                                              | EACH   | 2                |
| 4750       | TRANSFORMER BASE                                                       | EACH   | 2                |
| 4780       | FUSED CONNECTOR KIT                                                    | EACH   | 6                |
| 4811       | ELECTRICAL JUNCTION BOX TYPE B                                         | EACH   | 4                |
| 4820       | TRENCHING AND BACKFILLING                                              | LIN FT | 100              |
| 4821       | OPEN CUT ROADWAY                                                       | LIN FT | 100              |
| 4845       | CABLE-NO. 14/7C                                                        | LIN FT | 700              |
| 20188NS835 | INSTALL SIGNAL-3 SECTION LED                                           | EACH   | 2                |
| 21543EN    | BORE AND JACK CONDUIT                                                  | LIN FT | 100              |
| 24901EC    | PVC CONDUIT - 2 INCH - SCHEDULE 80                                     | LIN FT | 175              |
| 26119EC    | INSTALL RADAR PRESENCE DETECTOR TYPE A                                 | EACH   | 11               |
|            |                                                                        |        |                  |
|            | <b>BROUGHT FORWARD FROM PAVING SUMMARY</b>                             |        |                  |
| 0003       | CRUSHED STONE BASE                                                     | TON    | 10,257           |
| 0005       | GEOGRID REINFORCEMENT FOR SUBGRADE                                     | SQYD   | 25,484           |
| 190        | LEVELING & WEDGING PG64-22                                             | TON    | 10               |
| 214        | CL3 ASPH BASE 1.00D PG64-22                                            | TON    | 5,692            |
| 216        | CL3 ASPH BASE 1.00D PG76-22                                            | TON    | 5,612            |
| 387        | CL3 ASPH SURF 0.38B PG76-22                                            | TON    | 2,127            |
| 2091       | REMOVE PAVEMENT                                                        | SQYD   | 26,843           |
| 2602       | FABRIC-GEOTEXTILE CLASS 1                                              | SQYD   | 25,484           |
| 20071EC    | JOINT ADHESIVE                                                         | LF     | 9,476            |
| 24891EC    | PAVE MOUNT INFRARED TEMP EQUIPMENT                                     | SQFT   | 651,339          |
| 24970EC    | ASPHALT MATERIAL FOR TACK NON-TRACKING                                 | TON    | 17               |
|            |                                                                        |        |                  |
|            | <b>BROUGHT FORWARD FROM DRAINAGE SUMMARY</b>                           |        |                  |
| 1456       | CURB BOX INLET TYPE A                                                  | EACH   | 4                |
|            |                                                                        |        |                  |
|            | <b>BROUGHT FORWARD FROM PERFORATED PIPE SUMMARY</b>                    |        |                  |
| 1000       | PERFORATED PIPE-4 IN                                                   | LF     | 5,550            |
| 1001       | PERFORATED PIPE-6 IN                                                   | LF     | 2,159            |
| 1010       | NON-PERFORATED PIPE-4 IN                                               | LF     | 160              |
| 1011       | NON-PERFORATED PIPE-6 IN                                               | LF     | 30               |
| 1740       | CORED HOLE DRAINAGE BOX CON-4 IN                                       | EACH   | 16               |
| 1741       | CORED HOLE DRAINAGE BOX CON-6 IN                                       | EACH   | 3                |
|            |                                                                        |        |                  |
|            | <b>BROUGHT FORWARD FROM SHEET SIGN SUMMARY</b>                         |        |                  |
| 6407       | SBM ALUM SHEET SIGNS .125 IN                                           | SQFT   | 20               |
| 6411       | STEEL POST TYPE 2                                                      | LF     | 17               |
|            |                                                                        |        |                  |
|            | <b>BROUGHT FORWARD FROM PERMANENT TRAFFIC DATA ACQUISITION STATION</b> |        |                  |
| 4793       | CONDUIT-1 1/4 IN                                                       | LF     | 40               |
| 4820       | TRENCHING AND BACKFILLING                                              | LF     | 32               |
| 4830       | LOOP WIRE                                                              | LF     | 1490             |
| 4895       | LOOP SAW SLOT AND FILL                                                 | LF     | 320              |
| 20360ES818 | WOOD POST                                                              | EACH   | 2                |
| 20468EC    | ELECTRICAL JUNCTION BOX-10 X 8 X 4                                     | EACH   | 2                |

① SEE TRAFFIC SIGNAL DETAIL SHEET, PG. 34, FOR TRAFFIC SIGNAL CONSTRUCTION LOCATION.

SEE GENERAL NOTES 3.H FOR INFORMATION REGARDING BID ITEM INSTALL RADAR PRESENCE DETECTOR TYPE A.



251017

Section: 0001 - PAVING

| LINE | BID CODE | ALT | DESCRIPTION                            | QUANTITY   | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|----------------------------------------|------------|------|-----------|----|--------|
| 0010 | 00003    |     | CRUSHED STONE BASE                     | 10,257.00  | TON  |           | \$ |        |
| 0020 | 00005    |     | GEOGRID REINFORCEMENT FOR SUBGRADE     | 25,484.00  | SQYD |           | \$ |        |
| 0030 | 00190    |     | LEVELING & WEDGING PG64-22             | 10.00      | TON  |           | \$ |        |
| 0040 | 00214    |     | CL3 ASPH BASE 1.00D PG64-22            | 5,692.00   | TON  |           | \$ |        |
| 0050 | 00216    |     | CL3 ASPH BASE 1.00D PG76-22            | 5,612.00   | TON  |           | \$ |        |
| 0060 | 00387    |     | CL3 ASPH SURF 0.38B PG76-22            | 2,127.00   | TON  |           | \$ |        |
| 0070 | 02091    |     | REMOVE PAVEMENT                        | 26,843.00  | SQYD |           | \$ |        |
| 0080 | 02602    |     | FABRIC-GEOTEXTILE CLASS 1              | 25,484.00  | SQYD |           | \$ |        |
| 0090 | 20071EC  |     | JOINT ADHESIVE                         | 9,476.00   | LF   |           | \$ |        |
| 0100 | 24891EC  |     | PAVE MOUNT INFRARED TEMP EQUIPMENT     | 651,339.00 | SF   |           | \$ |        |
| 0110 | 24970EC  |     | ASPHALT MATERIAL FOR TACK NON-TRACKING | 17.00      | TON  |           | \$ |        |

Section: 0002 - ROADWAY

| LINE | BID CODE | ALT | DESCRIPTION                      | QUANTITY  | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|----------------------------------|-----------|------|-----------|----|--------|
| 0120 | 00078    |     | CRUSHED AGGREGATE SIZE NO 2      | 1,000.00  | TON  |           | \$ |        |
| 0130 | 01791    |     | ADJUST MANHOLE FRAME TO GRADE    | 5.00      | EACH |           | \$ |        |
| 0140 | 01792    |     | ADJUST MANHOLE                   | 1.00      | EACH |           | \$ |        |
| 0150 | 01811    |     | STANDARD CURB AND GUTTER MOD     | 10,198.00 | LF   |           | \$ |        |
| 0160 | 01923    |     | STANDARD BARRIER MEDIAN TYPE 5   | 323.00    | SQYD |           | \$ |        |
| 0170 | 02014    |     | BARRICADE-TYPE III               | 9.00      | EACH |           | \$ |        |
| 0180 | 02159    |     | TEMP DITCH                       | 300.00    | LF   |           | \$ |        |
| 0190 | 02160    |     | CLEAN TEMP DITCH                 | 150.00    | LF   |           | \$ |        |
| 0200 | 02200    |     | ROADWAY EXCAVATION               | 6,315.00  | CUYD |           | \$ |        |
| 0210 | 02237    |     | DITCHING                         | 272.00    | LF   |           | \$ |        |
| 0220 | 02242    |     | WATER                            | 139.00    | MGAL |           | \$ |        |
| 0230 | 02562    |     | TEMPORARY SIGNS                  | 750.00    | SQFT |           | \$ |        |
| 0240 | 02585    |     | EDGE KEY                         | 226.00    | LF   |           | \$ |        |
| 0250 | 02604    |     | FABRIC-GEOTEXTILE CLASS 1A       | 1,449.00  | SQYD |           | \$ |        |
| 0260 | 02650    |     | MAINTAIN & CONTROL TRAFFIC       | 1.00      | LS   |           | \$ |        |
| 0270 | 02671    |     | PORTABLE CHANGEABLE MESSAGE SIGN | 3.00      | EACH |           | \$ |        |
| 0280 | 02701    |     | TEMP SILT FENCE                  | 300.00    | LF   |           | \$ |        |
| 0290 | 02704    |     | SILT TRAP TYPE B                 | 1.00      | EACH |           | \$ |        |
| 0300 | 02705    |     | SILT TRAP TYPE C                 | 17.00     | EACH |           | \$ |        |
| 0310 | 02707    |     | CLEAN SILT TRAP TYPE B           | 1.00      | EACH |           | \$ |        |
| 0320 | 02708    |     | CLEAN SILT TRAP TYPE C           | 17.00     | EACH |           | \$ |        |
| 0330 | 02720    |     | SIDEWALK-4 IN CONCRETE           | 512.00    | SQYD |           | \$ |        |
| 0340 | 02721    |     | REMOVE CONCRETE SIDEWALK         | 235.00    | SQYD |           | \$ |        |
| 0350 | 02726    |     | STAKING                          | 1.00      | LS   |           | \$ |        |
| 0360 | 03225    |     | TUBULAR MARKERS                  | 99.00     | EACH |           | \$ |        |
| 0370 | 05950    |     | EROSION CONTROL BLANKET          | 242.00    | SQYD |           | \$ |        |
| 0380 | 05952    |     | TEMP MULCH                       | 1,557.00  | SQYD |           | \$ |        |

| LINE | BID CODE   | ALT | DESCRIPTION                           | QUANTITY  | UNIT | UNIT PRIC | FP | AMOUNT      |
|------|------------|-----|---------------------------------------|-----------|------|-----------|----|-------------|
| 0390 | 05953      |     | TEMP SEEDING AND PROTECTION           | 1,162.00  | SQYD |           | \$ |             |
| 0400 | 05963      |     | INITIAL FERTILIZER                    | 0.10      | TON  |           | \$ |             |
| 0410 | 05964      |     | MAINTENANCE FERTILIZER                | 1.40      | TON  |           | \$ |             |
| 0420 | 05985      |     | SEEDING AND PROTECTION                | 2,323.00  | SQYD |           | \$ |             |
| 0430 | 05992      |     | AGRICULTURAL LIMESTONE                | 1.40      | TON  |           | \$ |             |
| 0440 | 05997      |     | TOPSOIL FURNISHED AND PLACED          | 378.00    | CUYD |           | \$ |             |
| 0450 | 06510      |     | PAVE STRIPING-TEMP PAINT-4 IN         | 16,106.00 | LF   |           | \$ |             |
| 0460 | 06511      |     | PAVE STRIPING-TEMP PAINT-6 IN         | 224.00    | LF   |           | \$ |             |
| 0470 | 06542      |     | PAVE STRIPING-THERMO-6 IN W           | 9,061.00  | LF   |           | \$ |             |
| 0480 | 06543      |     | PAVE STRIPING-THERMO-6 IN Y           | 7,045.00  | LF   |           | \$ |             |
| 0490 | 06546      |     | PAVE STRIPING-THERMO-12 IN W          | 224.00    | LF   |           | \$ |             |
| 0500 | 06550      |     | PAVE STRIPING-TEMP REM TAPE-W         | 6,753.00  | LF   |           | \$ |             |
| 0510 | 06551      |     | PAVE STRIPING-TEMP REM TAPE-Y         | 11,471.00 | LF   |           | \$ |             |
| 0520 | 06568      |     | PAVE MARKING-THERMO STOP BAR-24IN     | 242.00    | LF   |           | \$ |             |
| 0530 | 06574      |     | PAVE MARKING-THERMO CURV ARROW        | 9.00      | EACH |           | \$ |             |
| 0540 | 06613      |     | INLAID PAVEMENT MARKER-B W/R          | 92.00     | EACH |           | \$ |             |
| 0550 | 06614      |     | INLAID PAVEMENT MARKER-B Y/R          | 85.00     | EACH |           | \$ |             |
| 0560 | 10020NS    |     | FUEL ADJUSTMENT                       | 24,956.00 | DOLL | \$1.00    | \$ | \$24,956.00 |
| 0570 | 10030NS    |     | ASPHALT ADJUSTMENT                    | 52,510.00 | DOLL | \$1.00    | \$ | \$52,510.00 |
| 0580 | 20099ES842 |     | PAVE MARK TEMP PAINT STOP BAR         | 242.00    | LF   |           | \$ |             |
| 0590 | 20100ES842 |     | PAVE MARK TEMP PAINT LINE ARROW       | 9.00      | EACH |           | \$ |             |
| 0600 | 20512NS724 |     | RED MAPLE                             | 3.00      | EACH |           | \$ |             |
| 0610 | 20550ND    |     | SAWCUT PAVEMENT                       | 180.00    | LF   |           | \$ |             |
| 0620 | 21289ED    |     | LONGITUDINAL EDGE KEY                 | 1,554.00  | LF   |           | \$ |             |
| 0630 | 21659NN    |     | RELOCATE SIGNAL HEAD                  | 20.00     | EACH |           | \$ |             |
| 0640 | 23158ES505 |     | DETECTABLE WARNINGS                   | 90.00     | SQFT |           | \$ |             |
| 0650 | 23319EC    |     | HARDWOOD MULCH                        | 720.00    | SQYD |           | \$ |             |
| 0660 | 23835EC    |     | STANDARD BARRIER MEDIAN TY 5-MOD      | 402.00    | SQYD |           | \$ |             |
| 0670 | 23839EC    |     | REMOVE CONCRETE MEDIAN                | 423.00    | SQYD |           | \$ |             |
| 0680 | 24631EC    |     | BARCODE SIGN INVENTORY                | 1.00      | EACH |           | \$ |             |
| 0700 | 26237EC    |     | CONNECTED ARROW PANEL                 | 3.00      | MONT |           | \$ |             |
| 0710 | 26248EC    |     | ELECTRONIC DELIVERY MGMT SYSTEM - AGG | 1.00      | LS   |           | \$ |             |

Section: 0003 - DRAINAGE

| LINE | BID CODE | ALT | DESCRIPTION                      | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|----------------------------------|----------|------|-----------|----|--------|
| 0720 | 01000    |     | PERFORATED PIPE-4 IN             | 5,550.00 | LF   |           | \$ |        |
| 0730 | 01001    |     | PERFORATED PIPE-6 IN             | 2,159.00 | LF   |           | \$ |        |
| 0740 | 01010    |     | NON-PERFORATED PIPE-4 IN         | 160.00   | LF   |           | \$ |        |
| 0750 | 01011    |     | NON-PERFORATED PIPE-6 IN         | 30.00    | LF   |           | \$ |        |
| 0760 | 01456    |     | CURB BOX INLET TYPE A            | 4.00     | EACH |           | \$ |        |
| 0770 | 01740    |     | CORED HOLE DRAINAGE BOX CON-4 IN | 16.00    | EACH |           | \$ |        |
| 0780 | 01741    |     | CORED HOLE DRAINAGE BOX CON-6 IN | 3.00     | EACH |           | \$ |        |

Section: 0004 - BRIDGE- WEB WALLS

| LINE | BID CODE | ALT | DESCRIPTION         | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|---------------------|----------|------|-----------|----|--------|
| 0790 | 08100    |     | CONCRETE-CLASS A    | 179.40   | CUYD |           | \$ |        |
| 0800 | 08150    |     | STEEL REINFORCEMENT | 7,896.00 | LB   |           | \$ |        |
| 0810 | 23378EC  |     | CONCRETE SEALING    | 3,088.00 | SQFT |           | \$ |        |

Section: 0005 - SIGNING

| LINE | BID CODE | ALT | DESCRIPTION                  | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|------------------------------|----------|------|-----------|----|--------|
| 0820 | 06407    |     | SBM ALUM SHEET SIGNS .125 IN | 20.00    | SQFT |           | \$ |        |
| 0830 | 06410    |     | STEEL POST TYPE 1            | 17.00    | LF   |           | \$ |        |

Section: 0006 - TRAFFIC LOOPS

| LINE | BID CODE   | ALT | DESCRIPTION                        | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|------------|-----|------------------------------------|----------|------|-----------|----|--------|
| 0840 | 04793      |     | CONDUIT-1 1/4 IN                   | 40.00    | LF   |           | \$ |        |
| 0850 | 04820      |     | TRENCHING AND BACKFILLING          | 32.00    | LF   |           | \$ |        |
| 0860 | 04830      |     | LOOP WIRE                          | 1,490.00 | LF   |           | \$ |        |
| 0870 | 04895      |     | LOOP SAW SLOT AND FILL             | 320.00   | LF   |           | \$ |        |
| 0880 | 20360ES818 |     | WOOD POST                          | 2.00     | EACH |           | \$ |        |
| 0890 | 20468EC    |     | ELECTRICAL JUNCTION BOX-10 X 8 X 4 | 2.00     | EACH |           | \$ |        |

Section: 0007 - TRAFFIC SIGNAL (ADDED 7-15-25)

| LINE | BID CODE   | ALT | DESCRIPTION                            | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|------------|-----|----------------------------------------|----------|------|-----------|----|--------|
| 0891 | 04700      |     | POLE 30 FT MTG HT                      | 2.00     | EACH |           | \$ |        |
| 0892 | 04740      |     | POLE BASE                              | 2.00     | EACH |           | \$ |        |
| 0893 | 04750      |     | TRANSFORMER BASE                       | 2.00     | EACH |           | \$ |        |
| 0894 | 04780      |     | FUSED CONNECTOR KIT                    | 6.00     | EACH |           | \$ |        |
| 0895 | 04811      |     | ELECTRICAL JUNCTION BOX TYPE B         | 4.00     | EACH |           | \$ |        |
| 0896 | 04820      |     | TRENCHING AND BACKFILLING              | 100.00   | LF   |           | \$ |        |
| 0897 | 04821      |     | OPEN CUT ROADWAY                       | 100.00   | LF   |           | \$ |        |
| 0898 | 04845      |     | CABLE-NO. 14/7C                        | 700.00   | LF   |           | \$ |        |
| 0899 | 20188NS835 |     | INSTALL LED SIGNAL-3 SECTION           | 2.00     | EACH |           | \$ |        |
| 0901 | 21543EN    |     | BORE AND JACK CONDUIT                  | 100.00   | LF   |           | \$ |        |
| 0902 | 24901EC    |     | PVC CONDUIT-2 IN-SCHEDULE 80           | 175.00   | LF   |           | \$ |        |
| 0903 | 26119EC    |     | INSTALL RADAR PRESENCE DETECTOR TYPE A | 11.00    | EACH |           | \$ |        |

Section: 0008 - MOBILIZATION AND/OR DEMOBILIZATION

| LINE | BID CODE | ALT | DESCRIPTION    | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|----------------|----------|------|-----------|----|--------|
| 0900 | 02568    |     | MOBILIZATION   | 1.00     | LS   |           | \$ |        |
| 0910 | 02569    |     | DEMOBILIZATION | 1.00     | LS   |           | \$ |        |