



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

February 10, 2026

CALL NO. 105
CONTRACT ID NO. 264202
ADDENDUM # 2

Subject: Fayette County, HSIP 9010 (724)
Letting February 19, 2026

- (1) Revised - Note - Pages 18 & 39 of 112
- (2) Revised - Summary Sheet - Page 40 of 112
- (3) Revised Plan Sheets - Pages 42-44 of 112
- (4) Proposal Bid Items - Pages 111-112 of 112

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

General Notes & Description of Work
Page 2 of 2

DESCRIPTION OF WORK SUMMARY

The following is a summarized description of the primary work operations pertaining to the proposed work. Many of the descriptions below reference where additional information can be found for each work operation

Pavement Marking – Thermo. A quantity of Pave Striping Thermo and various Pavement Marking - Thermo have been included in the contract to restripe the proposed intersection and project limits. These quantities can be found on the General Summary Sheet.

Standard Barrier Median Type 4. A quantity of 198 SY of Standard Barrier Median Ty 4 has been included in the contract for the construction of new medians at the locations identified on the plans. Construct the Standard Barrier Medians per the Typical Section sheet. No. 4 dowels are shown within the figure on the Typical Section sheet, these are incidental to the Standard Barrier Median Ty 4 bid item. Median openings will be constructed in the Standard Barrier Median as shown on the Typical Section and at the locations shown on the plans.

Asphalt Milling with Asphalt Overlay. A quantity of 19 tons of Asphalt Pavement Milling and Texturing has been included in the contract for the use under the proposed Standard Barrier Median Type 4 as well as 2 FT into the driving lane along the perimeter of these medians. A quantity of 6.3 tons of Asphalt Surface course has been included for overlaying the 2 FT perimeter areas outside of the standard barrier median. See typical sections and plans for locations and areas of milling and surface placement.

Standard Header Curb. A quantity of Standard Header Curb has been included in the contract for the construction of replacing curb at the locations identified on the plans. The existing pavement will be sawcut and the removal of the existing curb is incidental to the construction of the new header curb.

Sidewalk 4 IN Concrete. A quantity of Sidewalk 4 IN Concrete has been included in the contract for the construction of new sidewalk at the locations identified on the plans. Construct the Sidewalk per the Typical Section and Plan Sheet locations. Removal of the existing sidewalk is incidental to construction of the new sidewalk. Detectable warnings will be installed on the ramp locations show on the plans.


Waterblasting Existing Striping and Pavement Marking Removal. A quantity of 1200 LF Waterblasting has been included in the contract for the removal of existing striping throughout the project limits. A quantity of 139.5 SF of Pavement Marking Removal has been included in the contract for the removal of Pavement Markings. A Striping Removal Plan is provided in the proposal.

New Signal Install. A new traffic signal is proposed for the intersection of US 60 (Winchester Road) and Strader Drive. Plan Sheets, Estimate of Quantities and Detail Sheets can be found in the proposal.

Temporary Striping. A quantity of 400 linear feet of Pave Striping – Temp Paint – 4 in has been included in the contract for potential use in the area of the proposed crosswalks and new signal. The Contractor and Engineer should work together to determine any locations throughout the project requiring temporary pavement striping. The Engineer will make the final determination as to the quantities and placement of temporary pavement striping.


COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	07-9039.00	R2

TYPICAL SECTION




STANDARD BARRIER MEDIAN TYPE 4 DETAIL

RT. STA. 55+22 TO STA. 56+68
RT. STA. 57+03 TO STA. 57+73



STANDARD BARRIER MEDIAN TYPE 4 DETAIL

LT. STA. 56+05 TO STA. 56+79




STANDARD HEADER CURB DETAIL


LT. STA. 57+08 TO STA. 57+28

GENERAL NOTES

- ① SEE PLANS FOR MEDIAN LOCATIONS AND WIDTH.
- ② REMOVAL OF EXISTING SIDEWALK WILL BE INCIDENTAL TO SIDEWALK BID ITEM.



STANDARD BARRIER MEDIAN W/MEDIAN OPENINGS - PLAN VIEW



SECTION B-B

TYPICAL SECTIONS

SCALE: 1" = N/A

Highway Safety Improvement Program




Item No: 7-9039.00
 County: Fayette
 Route: Winchester Road (US 60) & Strader Drive



General Summary

Item No.	Description	Unit	Quantity
ROADWAY			
342	CL4 ASPH SURF 0.38A PG76-22	TON	6.3
1875	STANDARD HEADER CURB	LF	54
1921	STANDARD BARRIER MEDIAN TYPE 4	SQYD	198
2562	TEMPORARY SIGNS	SQFT	200
2569	DEMOBILIZATION	LS	1
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2
2676	MOBILIZATION FOR MILL & TEXT	LS	1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	19
2720	SIDEWALK-4 IN CONCRETE	SQYD	259
2726	STAKING	LS	1
2775	ARROW PANEL	EACH	2
6511	PAVE STRIPING-TEMP PAINT-6 IN	LF	400
6542	PAVE STRIPING-THERMO-6 IN W	LF	710
6543	PAVE STRIPING-THERMO-6 IN Y	LF	722
6568	PAVE MARKING-THERMO STOP BAR-24IN	LF	114
6566	PAVE MARKING-THERMO X-WALK-12 IN	LF	700
6574	PAVE MARKING-THERMO CURV ARROW	EACH	4
6598	PAVEMENT MARKING REMOVAL	SQFT	149.5
20782NS714	PAVE MARKING THERMO-BIKE	EACH	3
24386EC	PAVE MARKING THERMO-BIKE LANE ARROW	EACH	3
24679ED	PAVE MARK THERMO CHEVRON	SQFT	20
22664EN	WATER BLASTING EXISTING STRIPE	LF	1200
23158ES505	DETECTABLE WARNINGS	SQFT	155
20430ED	SAW CUT	LF	54
TRAFFIC SIGNAL			
4780	FUSED CONNECTOR KIT	EACH	15
4820	TRENCHING AND BACKFILLING	LF	84
4841	CABLE-NO. 14/2C	LF	1338
4845	CABLE-NO. 14/7C	LF	2212
4886	MESSENGER-15400 LB	LF	340
4932	INSTALL STEEL STRAIN POLE	EACH	4
6472	INSTALL SPAN MOUNTED SIGN	EACH	2
20093NS835	INSTALL PEDESTRIAN HEAD-LED	EACH	8
20188NS835	INSTALL LED SIGNAL-3 SECTION	EACH	8
20266ES835	INSTALL LED SIGNAL- 4 SECTION	EACH	2
24901EC	PVC CONDUIT-2 IN-SCHEDULE 80	LF	110
26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	EACH	4
24528ED	TETHER WIRE	LF	340
23222EC	INSTALL SIGNAL PEDESTAL	EACH	5
23157EN	TRAFFIC SIGNAL POLE BASE	CUYD	16
22403NN	WEB CAMERA ASSEMBLY	EACH	1
21373ND	REMOVE SIGN	EACH	1



LEGEND

	STANDARD BARRIER MEDIAN TY 4
	DETECTABLE WARNINGS
	SIDEWALK
	ASPHALT OVERLAY

COUNTY OF	FAYETTE	ITEM NO.	7-9039	SHEET NO.	R3
-----------	---------	----------	--------	-----------	----

58+00
57+00
56+00
55+00

LI. STA. 56+06 TO 56+53
CONST. 35 SF. STANDARD BARRIER MEDIAN TY. 4
LI. STA. 56+64 TO 56+74
CONST. 6 SF. STANDARD BARRIER MEDIAN TY. 4
LI. STA. 56+05 TO 56+79
CONST. 49 SF. STANDARD BARRIER MEDIAN TY. 4
LI. STA. 56+05 TO 56+76
CONST. 64 SF. SIDEWALK-4 IN CONC. W/ 35 SF. DETECTABLE WARNINGS RAMP TYPE 1
LI. STA. 56+53
CONST. 1.5 FT. WIDE MEDIAN OPENING ALONG STANDARD MEDIAN TY. 4
LI. STA. 56+05 TO STA. 56+76
ASPHALT MILL 65 SOYD
ASPHALT OVERLAY 1.5 TONS

LI. STA. 57+08 TO STA. 57+71
CONST. 10 LF. STANDARD HEADER CURB
LI. STA. 57+08 TO 57+27
CONST. 15 SF. SIDEWALK-4 IN CONC. W/ 30 SF. DETECTABLE WARNINGS RAMP TYPE 1
TRAFFIC SIGNAL OR PEDESTAL POLES. SEE TRAFFIC SHEETS FOR MORE INFORMATION.

RT. STA. 57+03 TO STA. 57+07
CONST. 15 LF. STANDARD HEADER CURB
RT. STA. 57+44 TO STA. 57+73
CONST. 29 LF. STANDARD HEADER CURB
RT. STA. 57+03 TO STA. 57+75
ASPHALT MILL 23 SOYD
ASPHALT OVERLAY 1.5 TONS

RT. STA. 56+20 TO 56+73
CONST. 139 SOYD
ASPHALT OVERLAY 3.3 TONS
RT. STA. 55+25 TO 56+60
CONST. 130 SF. SIDEWALK-4 IN CONC. W/ 47 SF. DETECTABLE WARNINGS RAMP TYPE 3
RT. STA. 57+03 TO 56+73
CONST. 50 SF. SIDEWALK-4 IN CONC. W/ 45 SF. DETECTABLE WARNINGS RAMP TYPE 3
RT. STA. 55+22 TO 56+37
CONST. 75 SF. STANDARD BARRIER MEDIAN TY. 4
RT. STA. 56+47 TO 56+51
CONST. 3 SF. STANDARD BARRIER MEDIAN TY. 4
RT. STA. 56+60 TO 56+68
CONST. 6 SF. STANDARD BARRIER MEDIAN TY. 4

WINCHESTER ROAD & STRADER DR
PLAN SHEET

SCALE: 1" = 40'

FILE NAME: C:\PWORKING\EASTON\4384633\PLAN SHEET 1.DGN
DATE PLOTTED: February 9, 2026
USER: ACADULL
MicroStation v8.11.9.19

COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	7-9039	R4



58+00


57+00

56+00

55+00

LEGEND

- STANDARD BARRIER MEDIAN TY 4
- DETECTABLE WARNINGS
- SIDEWALK
- ASPHALT OVERLAY



STRIPING LEGEND

- 1 PAVE STRIPING-THERMO 6 IN W
- 2 PAVE STRIPING-THERMO 6 IN DOUBLE Y
- 3 PAVE MARKING-THERMO STOP BAR-24 IN
- 4 PAVE MARKING-THERMO X-WALK- 6' X 12' ON 3' CENTERS
- 5 PAVE MARKING-THERMO X-WALK- 10' X 12' ON 3' CENTERS
- 6 PAVE MARKING-THERMO CURV ARROW
- 7 PAVE MARKING THERMO - BIKE
- 8 PAVE MARKING THERMO - BIKE LANE ARROW
- 9 PAVE MARKING THERMO - CHEVRON 1FT WIDE/20FT SPACING

NOTE: WHERE NEW PAVE STRIPING - THERMO WILL BE INSTALLED, THE EXISTING STRIPING SHALL BE WATER BLASTED FOR REMOVAL. SEE SHEET R5.

WINCHESTER ROAD & STRADER DR STRIPING PLAN

SCALE: 1" = 40'

WINCHESTER ROAD & STRADER DR
STRIPING REMOVAL PLAN

SCALE: 1" = 40'

COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	7-9039	R5



58+00

57+00

56+00


55+00

LEGEND

- Waterblast Existing Stripe
- Pavement Marking Removal

END WATERBLASTING AT
STA. 54+50
WINCHESTER ROAD

END WATERBLASTING AT
STA. 59+15



PROPOSAL BID ITEMS

264202

Page 1 of 2

Report Date 2/10/26

264202

Section: 0001 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	01875		STANDARD HEADER CURB	54.00	LF		\$	
0020	01921		STANDARD BARRIER MEDIAN TYPE 4	198.00	SQYD		\$	
0025	00342		CL4 ASPH SURF 0.38A PG76-22 (ADDED 2-10-26)	6.30	TON		\$	
0030	02562		TEMPORARY SIGNS	200.00	SQFT		\$	
0040	02650		MAINTAIN & CONTROL TRAFFIC (FAYETTE US 60 HSIP)	1.00	LS		\$	
0050	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0060	02676		MOBILIZATION FOR MILL & TEXT (FAYETTE US 60 HSIP)	1.00	LS		\$	
0070	02677		ASPHALT PAVE MILLING & TEXTURING (REVISED 2-10-26)	19.00	TON		\$	
0080	02720		SIDEWALK-4 IN CONCRETE	259.00	SQYD		\$	
0090	02726		STAKING (FAYETTE US 60 HSIP)	1.00	LS		\$	
0100	02775		ARROW PANEL	2.00	EACH		\$	
0110	06511		PAVE STRIPING-TEMP PAINT-6 IN	400.00	LF		\$	
0120	06542		PAVE STRIPING-THERMO-6 IN W (REVISED 2-10-26)	710.00	LF		\$	
0130	06543		PAVE STRIPING-THERMO-6 IN Y	722.00	LF		\$	
0140	06566		PAVE MARKING-THERMO X-WALK-12 IN	700.00	LF		\$	
0150	06568		PAVE MARKING-THERMO STOP BAR-24IN	114.00	LF		\$	
0160	06574		PAVE MARKING-THERMO CURV ARROW	4.00	EACH		\$	
0170	06598		PAVEMENT MARKING REMOVAL (REVISED 2-10-26)	149.50	SQFT		\$	
0180	20430ED		SAW CUT	54.00	LF		\$	
0190	20782NS714		PAVE MARKING THERMO-BIKE (REVISED 2-10-26)	3.00	EACH		\$	
0200	22664EN		WATER BLASTING EXISTING STRIPE	1,200.00	LF		\$	
0210	23158ES505		DETECTABLE WARNINGS	155.00	SQFT		\$	
0220	24386EC		PAVE MARKING THERMO-BIKE LANE ARROW (REVISED 2-10-26)	3.00	EACH		\$	
0230	24679ED		PAVE MARK THERMO CHEVRON	20.00	SQFT		\$	

Section: 0002 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0240	04780		FUSED CONNECTOR KIT	15.00	EACH		\$	
0250	04820		TRENCHING AND BACKFILLING	84.00	LF		\$	
0260	04841		CABLE-NO. 14/2C	1,338.00	LF		\$	
0270	04845		CABLE-NO. 14/7C	2,212.00	LF		\$	
0280	04886		MESSENGER-15400 LB	360.00	LF		\$	
0290	04932		INSTALL STEEL STRAIN POLE	4.00	EACH		\$	
0300	06472		INSTALL SPAN MOUNTED SIGN	2.00	EACH		\$	
0310	20093NS835		INSTALL PEDESTRIAN HEAD-LED	8.00	EACH		\$	

PROPOSAL BID ITEMS

264202

Page 2 of 2

Report Date 2/10/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0320	20188NS835		INSTALL LED SIGNAL-3 SECTION	8.00	EACH		\$	
0330	20266ES835		INSTALL LED SIGNAL- 4 SECTION	2.00	EACH		\$	
0340	20457NS835		INSTALL PED DETECTOR-AUDIBLE	8.00	EACH		\$	
0350	21373ND		REMOVE SIGN	1.00	EACH		\$	
0360	22403NN		WEB CAMERA ASSEMBLY	1.00	EACH		\$	
0370	23157EN		TRAFFIC SIGNAL POLE BASE	16.00	CUYD		\$	
0380	23222EC		INSTALL SIGNAL PEDESTAL	5.00	EACH		\$	
0390	24528ED		TETHER WIRE	340.00	LF		\$	
0400	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	110.00	LF		\$	
0410	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC	1.00	EACH		\$	
0420	26119EC		INSTALL RADAR PRESENCE DETECTOR TYPE A	4.00	EACH		\$	

Section: 0003 - INTELLIGENT TRANSPORTATION SYSTEMS

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0430	04886		MESSENGER-15400 LB	360.00	LF		\$	
0440	04927		COORDINATING UNIT	1.00	EACH		\$	
0450	20392NS835		ELECTRICAL JUNCTION BOX TYPE C	1.00	EACH		\$	
0460	21077ED		FIBER OPTIC CABLE	1,000.00	LF		\$	
0470	24121EC		HDPE CONDUIT-2 IN-SCHEDULE 80	13.00	LF		\$	
0480	24923EC		CABINET FIBER TERMINATION PANEL	1.00	EACH		\$	

Section: 0004 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0490	02569		DEMOBILIZATION	1.00	LS		\$	