



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

January 23, 2026

CALL NO. 106
CONTRACT ID NO. 261107
ADDENDUM # 1

Subject: Muhlenberg County, STP 6000 (178)
Letting January 29, 2026

- (1) Revised - Proposal Bid Items - Pages 184-187 of 187
 - Removed 0140 24780EC INTELLIGENT COMPACTION FOR AGGREGATE
 - 0150 24781EC INTELLIGENT COMPACTION FOR ASPHALT
 - 0170 24990EC INTELLIGENT COMP SUBGRADE STABILIZATION
 - 0690 24779EC INTELLIGENT COMPACTION FOR SOIL
- (2) Revised - Plan Sheet - R2e

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

261107

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	14,226.00	TON		\$	
0020	00008		CEMENT STABILIZED ROADBED	5,609.00	SQYD		\$	
0030	00020		TRAFFIC BOUND BASE	100.00	TON		\$	
0040	00100		ASPHALT SEAL AGGREGATE	30.00	TON		\$	
0050	00103		ASPHALT SEAL COAT	4.00	TON		\$	
0060	00190		LEVELING & WEDGING PG64-22	708.00	TON		\$	
0070	00212		CL2 ASPH BASE 1.00D PG64-22	8,259.00	TON		\$	
0080	00301		CL2 ASPH SURF 0.38D PG64-22	3,783.00	TON		\$	
0090	00358		ASPHALT CURING SEAL	8.00	TON		\$	
0100	02101		CEM CONC ENT PAVEMENT-8 IN	1,537.00	SQYD		\$	
0110	02542		CEMENT	161.00	TON		\$	
0120	02702		SAND FOR BLOTTER	20.00	TON		\$	
0130	20071EC		JOINT ADHESIVE	14,744.00	LF		\$	
0160	24970EC		ASPHALT MATERIAL FOR TACK NON-TRACKING	18.00	TON		\$	
0180	26248EC		ELECTRONIC DELIVERY MGMT SYSTEM - AGG	1.00	LS		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0190	00078		CRUSHED AGGREGATE SIZE NO 2	1,862.00	TON		\$	
0200	01000		PERFORATED PIPE-4 IN	266.00	LF		\$	
0210	01010		NON-PERFORATED PIPE-4 IN	178.00	LF		\$	
0220	01015		INSPECT & CERTIFY EDGE DRAIN SYSTEM	1.00	LS		\$	
0230	01020		PERF PIPE HEADWALL TY 1-4 IN	3.00	EACH		\$	
0240	01028		PERF PIPE HEADWALL TY 3-4 IN	3.00	EACH		\$	
0250	01310		REMOVE PIPE	2,426.00	LF		\$	
0260	02014		BARRICADE-TYPE III	4.00	EACH		\$	
0270	02159		TEMP DITCH	6,499.00	LF		\$	
0280	02160		CLEAN TEMP DITCH	3,251.00	LF		\$	
0290	02200		ROADWAY EXCAVATION	56,829.00	CUYD		\$	
0300	02242		WATER	1,118.00	MGAL		\$	
0310	02429		RIGHT-OF-WAY MONUMENT TYPE 1	98.00	EACH		\$	
0320	02432		WITNESS POST	49.00	EACH		\$	
0330	02483		CHANNEL LINING CLASS II	150.00	TON		\$	
0340	02484		CHANNEL LINING CLASS III	218.00	TON		\$	
0350	02545		CLEARING AND GRUBBING APPROX 24.97 ACRES	1.00	LS		\$	
0360	02562		TEMPORARY SIGNS	600.00	SQFT		\$	
0370	02585		EDGE KEY	377.00	LF		\$	
0380	02602		FABRIC-GEOTEXTILE CLASS 1	13,693.00	SQYD		\$	
0390	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	1,620.00	SQYD	\$2.00	\$	\$3,240.00
0400	02608		FABRIC-GEOTEXTILE CLASS 4A	19,560.00	SQYD		\$	

Report Date 1/23/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0410	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0420	02671		PORTABLE CHANGEABLE MESSAGE SIGN	4.00	EACH		\$	
0430	02697		EDGE LINE RUMBLE STRIPS	34,864.00	LF		\$	
0440	02701		TEMP SILT FENCE	6,499.00	LF		\$	
0450	02703		SILT TRAP TYPE A	30.00	EACH		\$	
0460	02704		SILT TRAP TYPE B	30.00	EACH		\$	
0470	02705		SILT TRAP TYPE C	30.00	EACH		\$	
0480	02706		CLEAN SILT TRAP TYPE A	30.00	EACH		\$	
0490	02707		CLEAN SILT TRAP TYPE B	30.00	EACH		\$	
0500	02708		CLEAN SILT TRAP TYPE C	30.00	EACH		\$	
0510	02726		STAKING	1.00	LS		\$	
0520	05950		EROSION CONTROL BLANKET	131,806.00	SQYD		\$	
0530	05952		TEMP MULCH	86,685.00	SQYD		\$	
0540	05953		TEMP SEEDING AND PROTECTION	65,015.00	SQYD		\$	
0550	05963		INITIAL FERTILIZER	13.70	TON		\$	
0560	05964		MAINTENANCE FERTILIZER	7.00	TON		\$	
0570	05985		SEEDING AND PROTECTION	68,122.00	SQYD		\$	
0580	05992		AGRICULTURAL LIMESTONE	80.90	TON		\$	
0590	06510		PAVE STRIPING-TEMP PAINT-4 IN	46,822.00	LF		\$	
0600	06514		PAVE STRIPING-PERM PAINT-4 IN	46,822.00	LF		\$	
0610	06568		PAVE MARKING-THERMO STOP BAR-24IN	94.00	LF		\$	
0620	06574		PAVE MARKING-THERMO CURV ARROW	6.00	EACH		\$	
0630	10020NS		FUEL ADJUSTMENT	34,655.00	DOLL	\$1.00	\$	\$34,655.00
0640	10030NS		ASPHALT ADJUSTMENT	46,974.00	DOLL	\$1.00	\$	\$46,974.00
0650	20458ES403		CENTERLINE RUMBLE STRIPS	11,736.00	LF		\$	
0660	21289ED		LONGITUDINAL EDGE KEY	18,205.00	LF		\$	
0670	22400NN		REMOVE AND RELOCATE SIGN ASSEMBLY	41.00	EACH		\$	
0680	23274EN11F		TURF REINFORCEMENT MAT 1	12,297.00	SQYD		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0700	00441		ENTRANCE PIPE-18 IN	642.00	LF		\$	
0710	00443		ENTRANCE PIPE-24 IN	176.00	LF		\$	
0720	00445		ENTRANCE PIPE-30 IN	392.00	LF		\$	
0730	00451		ENTRANCE PIPE-18 IN EQUIV	1,096.00	LF		\$	
0740	00462		CULVERT PIPE-18 IN	421.00	LF		\$	
0750	00464		CULVERT PIPE-24 IN	381.00	LF		\$	
0760	00466		CULVERT PIPE-30 IN	74.00	LF		\$	
0770	00468		CULVERT PIPE-36 IN	142.00	LF		\$	
0780	00469		CULVERT PIPE-42 IN	89.00	LF		\$	
0790	00491		CULVERT PIPE-18 IN EQUIV	69.00	LF		\$	
0800	01208		PIPE CULVERT HEADWALL-24 IN	1.00	EACH		\$	
0810	01212		PIPE CULVERT HEADWALL-36 IN	2.00	EACH		\$	
0820	01214		PIPE CULVERT HEADWALL-42 IN	4.00	EACH		\$	
0830	01433		SLOPED BOX OUTLET TYPE 1-18 IN	54.00	EACH		\$	
0840	01490		DROP BOX INLET TYPE 1	1.00	EACH		\$	
0850	01493		DROP BOX INLET TYPE 2	1.00	EACH		\$	

Report Date 1/23/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0860	01544		DROP BOX INLET TYPE 11	1.00	EACH		\$	
0870	01547		DROP BOX INLET TYPE 12	10.00	LF		\$	
0880	08100		CONCRETE-CLASS A	50.30	CUYD		\$	
0890	08150		STEEL REINFORCEMENT	379.00	LB		\$	
0900	23484EC		PIPE LINER ACCEPTANCE TESTING	1.00	LS		\$	
0910	24561EN		ENTRANCE PIPE-42 IN	36.00	FT		\$	
0920	24814EC		PIPELINE INSPECTION	698.00	LF		\$	
0930	24862EC		PVC FOLD AND FORM PIPE LINER-18 IN	43.00	LF		\$	
0940	24863EC		PVC FOLD AND FORM PIPE LINER-24 IN	253.00	LF		\$	
0950	24864EC		PVC FOLD AND FORM PIPE LINER-30 IN	55.00	LF		\$	
0960	24865EC		PVC FOLD AND FORM PIPE LINER-36 IN	86.00	LF		\$	
0970	26131ED		SLOPED AND MITERED HEADWALL-18 IN	46.00	EACH		\$	
0980	26132ED		SLOPED AND MITERED HEADWALL-24 IN	21.00	EACH		\$	
0990	26133ED		SLOPED AND MITERED HEADWALL-30 IN	14.00	EACH		\$	
1000	26134ED		SLOPED AND MITERED HEADWALL-36 IN	2.00	EACH		\$	

Section: 0004 - SINGLE 6.0' X 4.0' RCBC, STA. 94+31.00, DRAWING NO. 28999

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1010	08002		STRUCTURE EXCAV-SOLID ROCK	13.00	CUYD		\$	
1020	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1030	08100		CONCRETE-CLASS A	88.80	CUYD		\$	
1040	08150		STEEL REINFORCEMENT	8,124.00	LB		\$	

Section: 0005 - SINGLE 7.0' X 4.0' RCBC, STA. 99+34.00, DRAWING NO. 29000

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1050	08002		STRUCTURE EXCAV-SOLID ROCK	13.00	CUYD		\$	
1060	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1070	08100		CONCRETE-CLASS A	91.20	CUYD		\$	
1080	08150		STEEL REINFORCEMENT	9,514.00	LB		\$	

Section: 0006 - SEWER LINE FORCE MAIN

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1090	03269		TRIM & REMOVE TREES & BRUSH	300.00	LF		\$	
1100	15030		S FORCE MAIN DIRECTIONAL BORE	3,036.00	LF		\$	
1110	15155		S CAP EXISTING MAIN	2.00	EACH		\$	
1120	15507		S FORCE MAIN AIR RLS/VAC VLV 02 IN INST	4.00	EACH		\$	
1130	15553		S FORCE MAIN TIE-IN 06 INCH INST	2.00	EACH		\$	
1140	15596		S LINE MARKER INST	30.00	EACH		\$	
1150	40095		SEEDING AND MULCHING	1.00	ACRE		\$	

Section: 0007 - WATERLINE

Report Date 1/23/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1160	14001		W AIR RELEASE VALVE 3/4 INCH	2.00	EACH		\$	
1170	14003		W CAP EXISTING MAIN	8.00	EACH		\$	
1180	14004		W DIRECTIONAL BORE	303.00	LF		\$	
1190	14008		W ENCASEMENT STEEL BORED RANGE 3	212.00	LF		\$	
1200	14014		W ENCASEMENT STEEL OPEN CUT RANGE 3	40.00	LF		\$	
1210	14022		W FLUSH HYDRANT ASSEMBLY	3.00	EACH		\$	
1220	14030		W METER RELOCATE	69.00	EACH		\$	
1230	14057		W PIPE PVC 03 INCH	24.00	LF		\$	
1240	14058		W PIPE PVC 04 INCH	11,086.00	LF		\$	
1250	14059		W PIPE PVC 06 INCH	189.00	LF		\$	
1260	14080		W SERV PE/PLST LONG SIDE 3/4 IN	32.00	EACH		\$	
1270	14085		W SERV PE/PLST SHORT SIDE 3/4 IN	37.00	EACH		\$	
1280	14089		W TAPPING SLEEVE AND VALVE SIZE 1	8.00	EACH		\$	
1290	14092		W TIE-IN 03 INCH	2.00	EACH		\$	
1300	14093		W TIE-IN 04 INCH	3.00	EACH		\$	
1310	14094		W TIE-IN 06 INCH	3.00	EACH		\$	
1320	14104		W VALVE 04 INCH	3.00	EACH		\$	
1330	14105		W VALVE 06 INCH	1.00	EACH		\$	
1340	14144		W LINE MARKER	10.00	EACH		\$	

Section: 0008 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1350	02568		MOBILIZATION	1.00	LS		\$	
1360	02569		DEMOBILIZATION	1.00	LS		\$	

COUNTY OF	ITEM NO.	SHEET NO.
Muhlenberg	2-8802.00	R2e

GENERAL SUMMARY

ITEM	DESCRIPTION	UNIT	KY 181	MUSTANG WAY	HENDERSON LANE	JARVIS LN	NEBO CEMETERY RD	NEBO LN	KY 2533	STOBAUGH RD	ENTRANCES					PROJECT TOTALS
00020	TRAFFIC BOUND BASE	TON	100													100
00078	CRUSHED AGGREGATE SIZE NO 2	TON	1,810													1,862
01000	PERFORATED PIPE-4 IN	LF	266		9			15	8							266
01010	NON-PERFORATED PIPE-4 IN	LF	178													178
01015	INSPECT & CERTIFY EDGE DRAIN SYSTEM	LS	1													1
01020	PERF PIPE HEADWALL TY 1-4 IN	EACH	3													3
01028	PERF PIPE HEADWALL TY 3-4 IN	EACH	3													3
01310	REMOVE PIPE	LF	530	89	54	48		39								2,426
02014	BARRICADE-TYPE III	EACH	4								1,666					4
02159	TEMP DITCH	LF	5,903		86			200	77							6,499
02160	CLEAN TEMP DITCH	LF	2,952		43			100	39							3,251
02200	ROADWAY EXCAVATION	CUYD	38,017	151	1,397	38	5,849	2,829	489	1	6,822					56,829
02242	WATER	MGAL	1,118													1,118
02429	RIGHT-OF-WAY MONUMENT TYPE 1	EACH	98													98
02432	WITNESS POST	EACH	49													49
02483	CHANNEL LINING CLASS II	TON	150													150
02484	CHANNEL LINING CLASS III	TON	218													218
02545	CLEARING AND GRUBBING	LS	1													1
02562	TEMPORARY SIGNS	SQFT	600													600
02568	MOBILIZATION	LS	1													1
02569	DEMOBILIZATION	LS	1													1
02585	EDGE KEY	LF	253	32	19	14		15	16	10						377
02602	FABRIC-GEOTEXTILE CLASS 1	SQYD	13,693													13,693
02608	FABRIC-GEOTEXTILE CLASS 4A	SQYD	19,560													19,560
02650	MAINTAIN & CONTROL TRAFFIC	LS	1													1
02671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	4													4
02697	EDGE LINE RUMBLE STRIPS	LF	34,864													34,864
02701	TEMP SILT FENCE	LF	5,903		86			200	77							6,499
02703	SILT TRAP TYPE A	EACH	26		1			1	1							30
02704	SILT TRAP TYPE B	EACH	26		1			1	1							30
02705	SILT TRAP TYPE C	EACH	26		1			1	1							30
02706	CLEAN SILT TRAP TYPE A	EACH	26		1			1	1							30
02707	CLEAN SILT TRAP TYPE B	EACH	26		1			1	1							30
02708	CLEAN SILT TRAP TYPE C	EACH	26		1			1	1							30
02726	STAKING	LS	1													1
05950	EROSION CONTROL BLANKET	SQYD	126,438		990		2,521	1,468	389							131,806
05952	TEMP MULCH	SQYD	83,106		660		1,681	979	259							86,685
05953	TEMP SEEDING AND PROTECTION	SQYD	62,330		495		1,261	734	195							65,015
05963	INITIAL FERTILIZER	TON	12.9		0.2		0.3	0.2	0.1							13.7
05964	MAINTENANCE FERTILIZER	TON	6.5		0.1		0.2	0.1	0.1							7.00
05985	SEEDING AND PROTECTION	SQYD	59,342		685		1,476	6,452	167							68,122
05992	AGRICULTURAL LIMESTONE	TON	77.3		0.7		1.6	1	0.3							80.90
06510	PAVE STRIPING-TEMP PAINT-4 IN	LF	41,785	128	620	242	1,750	1,562	590	145						46,822
06514	PAVE STRIPING-PERM PAINT-4 IN	LF	41,785	128	620	242	1,750	1,562	590	145						46,822
06568	PAVE MARKING-THERMO STOP BAR-24IN	LF	24	16	10	10	10	8	10	6						94
06574	PAVE MARKING-THERMO CURV ARROW	EACH	6													6
10020NS	FUEL ADJUSTMENT	DOLL	34,655													34,655
10030NS	ASPHALT ADJUSTMENT	DOLL	46,974													46,974
20071EC	JOINT ADHESIVE	LF	13,311	70	170	103	467	399	154	70						14,744
21289ED	LONGITUDINAL EDGE KEY	LF	18,205													18,205
22400NN	REMOVE AND RELOCATE SIGN ASSEMBLY	EACH	41													41
23484EC	PIPE LINER ACCEPTANCE TESTING	LS	1													1
24986EC	HMA ELECTRONIC DELIVERY MGMT SYSTEM	LS	1													1
20458ES403	CENTERLINE RUMBLE STRIPS	LF	11,736													11,736
23131ER701	PIPELINE VIDEO INSPECTION	LF	698													698
23274EN11F	TURF REINFORCEMENT MAT 1	SQYD	12,297													12,297

GENERAL SUMMARY

- NOTES :
- ① FOR DUST CONTROL WHILE MAINTAINING TRAFFIC.
 - ② EROSION CONTROL QUANTITIES ARE BASED ON THE PROBABLE AMOUNT OF EROSION CONTROL FEATURES AS ESTIMATED BY THE DESIGNER
 - ③ APPROX. 24.97 ACRES
 - ④ CARRIED OVER FROM DRAINAGE SUMMARY
 - ⑤ 1,019 C.Y. FROM PIPE CROSS SECTION 51,038 C.Y. FROM CROSS SECTIONS
 - ⑥ 1,779 S.Y. FOR DITCH LININGS 130,027 S.Y. FOR SLOPE PROTECTION
 - ⑦ ESTIMATED AT 100 LBS. PER CU. FT.
 - ⑧ TO BE USED STA. 82+38.00 TO STA. 84+37 AND STA. 63+00, 96+50 AND 113+50
 - ⑨ TO BE USED AS DIRECTED BY THE ENGINEER FOR MAINTAINING ACCESS TO ENTRANCES DURING MAINTENANCE OF TRAFFIC OPERATIONS
 - ⑩ ESTIMATED AT MAX AMOUNT NEEDED AT ANY ONE TIME DURING CONSTRUCTION

EARTHWORK QUANTITIES

EXCAVATION	CY
COMMON	50,267
UNSUITABLE MATERIAL	5,326
EXC. (FROM PIPE SUMMARY)	1,236
TOTAL EXC.	56,829
EMBANKMENT	CY
EMBANKMENT	28,579
TOTAL EMB.	28,579
EXCESS MATERIAL	28,250

GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
Muhlenberg	2-8802.00	R2e

REVISED: 1-23-26

ITEM	DESCRIPTION	UNIT	KY 181	MUSTANG WAY	HENDERSON LANE	JARVIS LN	NEBO CEMETERY RD	NEBO LN	KY 2533	STOBAUGH RD	ENTRANCES					PROJECT TOTALS
00020	TRAFFIC BOUND BASE	TON	100													100
00078	CRUSHED AGGREGATE SIZE NO 2	TON	1,810													1,862
01000	PERFORATED PIPE-4 IN	LF	266		9		20	15	8							266
01010	NON-PERFORATED PIPE-4 IN	LF	178													178
01015	INSPECT & CERTIFY EDGE DRAIN SYSTEM	LS	1													1
01020	PERF PIPE HEADWALL TY 1-4 IN	EACH	3													3
01028	PERF PIPE HEADWALL TY 3-4 IN	EACH	3													3
01310	REMOVE PIPE	LF	530	89	54	48		39								2,426
02014	BARRICADE-TYPE III	EACH	4								1,666					4
02159	TEMP DITCH	LF	5,903		86		233	200	77							6,499
02160	CLEAN TEMP DITCH	LF	2,952		43		117	100	39							3,251
02200	ROADWAY EXCAVATION	CUYD	38,017	151	1,397	38	5,849	2,829	489	1	6,822					56,829
02242	WATER	MGAL	1,118													1,118
02429	RIGHT-OF-WAY MONUMENT TYPE 1	EACH	98													98
02432	WITNESS POST	EACH	49													49
02483	CHANNEL LINING CLASS II	TON	150													150
02484	CHANNEL LINING CLASS III	TON	218													218
02545	CLEARING AND GRUBBING	LS	1													1
02562	TEMPORARY SIGNS	SQFT	600													600
02568	MOBILIZATION	LS	1													1
02569	DEMOBILIZATION	LS	1													1
02585	EDGE KEY	LF	253	32	19	14	18	15	16	10						377
02602	FABRIC-GEOTEXTILE CLASS 1	SQYD	13,693													13,693
02608	FABRIC-GEOTEXTILE CLASS 4A	SQYD	19,560													19,560
02650	MAINTAIN & CONTROL TRAFFIC	LS	1													1
02671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	4													4
02697	EDGE LINE RUMBLE STRIPS	LF	34,864													34,864
02701	TEMP SILT FENCE	LF	5,903		86		233	200	77							6,499
02703	SILT TRAP TYPE A	EACH	26		1		1	1	1							30
02704	SILT TRAP TYPE B	EACH	26		1		1	1	1							30
02705	SILT TRAP TYPE C	EACH	26		1		1	1	1							30
02706	CLEAN SILT TRAP TYPE A	EACH	26		1		1	1	1							30
02707	CLEAN SILT TRAP TYPE B	EACH	26		1		1	1	1							30
02708	CLEAN SILT TRAP TYPE C	EACH	26		1		1	1	1							30
02726	STAKING	LS	1													1
05950	EROSION CONTROL BLANKET	SQYD	126,438		990		2,521	1,468	389							131,806
05952	TEMP MULCH	SQYD	83,106		660		1,681	979	259							86,685
05953	TEMP SEEDING AND PROTECTION	SQYD	62,330		495		1,261	734	195							65,015
05963	INITIAL FERTILIZER	TON	12.9		0.2		0.3	0.2	0.1							13.7
05964	MAINTENANCE FERTILIZER	TON	6.5		0.1		0.2	0.1	0.1							7.00
05985	SEEDING AND PROTECTION	SQYD	59,342		685		1,476	6,452	167							68,122
05992	AGRICULTURAL LIMESTONE	TON	77.3		0.7		1.6	1	0.3							80.90
06510	PAVE STRIPING-TEMP PAINT-4 IN	LF	41,785	128	620	242	1,750	1,562	590	145						46,822
06514	PAVE STRIPING-PERM PAINT-4 IN	LF	41,785	128	620	242	1,750	1,562	590	145						46,822
06568	PAVE MARKING-THERMO STOP BAR-24IN	LF	24	16	10	10	10	8	10	6						94
06574	PAVE MARKING-THERMO CURV ARROW	EACH	6													6
10020NS	FUEL ADJUSTMENT	DOLL	34,655													34,655
10030NS	ASPHALT ADJUSTMENT	DOLL	46,974													46,974
20071EC	JOINT ADHESIVE	LF	13,311	70	170	103	467	399	154	70						14,744
21289ED	LONGITUDINAL EDGE KEY	LF	18,205													18,205
22400NN	REMOVE AND RELOCATE SIGN ASSEMBLY	EACH	41													41
23484EC	PIPE LINER-ACCEPTANCE TESTING	LS	1													1
24986EC	HMA ELECTRONIC DELIVERY MGMT SYSTEM	LS	1													1
20458ES403	CENTERLINE RUMBLE STRIPS	LF	11,736													11,736
23131ER701	PIPELINE VIDEO INSPECTION	LF	698													698
23274EN11F	TURF REINFORCEMENT MAT 1	SQYD	12,297													12,297

GENERAL SUMMARY

- NOTES :
- FOR DUST CONTROL WHILE MAINTAINING TRAFFIC.
 - EROSION CONTROL QUANTITIES ARE BASED ON THE PROBABLE AMOUNT OF EROSION CONTROL FEATURES AS ESTIMATED BY THE DESIGNER
 - APPROX. 24.97 ACRES
 - CARRIED OVER FROM DRAINAGE SUMMARY
 - 1,019 C.Y. FROM PIPE CROSS SECTION 51,038 C.Y. FROM CROSS SECTIONS
 - 1,779 S.Y. FOR DITCH LININGS 130,027 S.Y. FOR SLOPE PROTECTION
 - ESTIMATED AT 100 LBS. PER CU. FT.
 - TO BE USED STA. 82+38.00 TO STA. 84+37 AND STA. 63+00, 96+50 AND 113+50
 - TO BE USED AS DIRECTED BY THE ENGINEER FOR MAINTAINING ACCESS TO ENTRANCES DURING MAINTENANCE OF TRAFFIC OPERATIONS
 - ESTIMATED AT MAX AMOUNT NEEDED AT ANY ONE TIME DURING CONSTRUCTION

EARTHWORK QUANTITIES

EXCAVATION	CY
COMMON	50,267
UNSUITABLE MATERIAL	5,326
EXC. (FROM PIPE SUMMARY)	1,236
TOTAL EXC.	56,829
EMBANKMENT	CY
EMBANKMENT	28,579
TOTAL EMB.	28,579
EXCESS MATERIAL	28,250