



TRANSPORTATION CABINET

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Steven L. Beshear
Governor

Michael W. Hancock, P.E.
Secretary

April 19, 2011

CALL NO. 108
CONTRACT ID NO. 112903
ADDENDUM # 1

Subject: Hart County, BRO 5082 (023)
Letting April 29, 2011

(1) Revised - Special Note - Page 36 of 111

Proposal revisions are available at <http://transportation.ky.gov/contract/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in blue ink that reads "Ryan Griffith".

Ryan Griffith
Director
Division of Construction Procurement

RG:ks
Enclosures



An Equal Opportunity Employer M/F/D

SPECIAL NOTE FOR STEEL REPAIRS

The Contractor shall perform steel repairs as detailed to this structure. Cost of all labor, tools, equipment and materials to complete the steel repairs shall be included in the unit price bid for each specific type of repair. See attached details for **STEEL REPAIR DETAILS** sheets S1-S7. All existing faying surfaces where new steel is to be installed shall be cleaned and receive the prime coat as specified in the Special note for Surface Preparation and Paint Application before any new steel is installed. The Contractor will be permitted use power tools for this portion of surface preparation. Level of cleaning shall be to an **SSPC-SP 15** (Commercial Grade Power Tool Cleaning). All Power tools shall be equipped with vacuum shrouds and fitted with HEPA filters at their air exhausts. Maintain and operate all vacuum shrouded power tools to collect generated debris. Contrary to the Standard Specification the new structural steel shall receive the same coating system as specified in the Special note for Surface Preparation and Paint Application with the exception all surface preparation and the prime coat of shall be executed in the shop. Necessary touch up/repair of the shop applied prime coat on the new steel may be preformed in the field.