



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

April 18, 2025

CALL NO. 109
CONTRACT ID NO. 254403
ADDENDUM # 2

Subject: Jefferson County, HSIP 1501 (133)
Letting April 24, 2025

- (1) Revised - Summary Sheet - Pages 88& 90 of 340
- (2) Revised - Proposal Bid Items - Pages 337-340 of 340
- (3) Revised - Plan Sheets R2H & R2K of Plans Posted in Project Related Information

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

ITEM NO.	DESCRIPTION	UNIT	QUANTITY	ITEM NO.	DESCRIPTION	UNIT	QUANTITY	ITEM NO.	DESCRIPTION	UNIT	QUANTITY
1	DGA BASE	TON	161	4832	WIRE-NO.12	LF	6,524	21417ES717	PAVE MARK THERMO CONE CAP-SOLID YELLOW	SQFT	9
190	LEVELING & WEDGINS PG64-22	TON	144	4844	CABLE-NO. 14/5C	LF	7,135	21596ND	GNSS TYPE D (SURFACE MOUNT)	EACH	98
214	CL3 ASPH BASE 1.00D PG64-22	TON	15	4845	CABLE-NO. 14/7C	LF	15,339	22664EN	WATER-BLASTING EXISTING STRIPE	LF	837
388	CL3 ASPH SURF 0.98D PG64-22	TON	3,610	4885	MESSENGER-10800 LB	LF	3,015	22766ED	TRENCH DRAIN	LF	201
1719	ADJUST INLET	EACH	30	4886	MESSENGER-15400 LB	LF	129	22939ND	INSTALL LUMINAIRE POLE	EACH	2
1720	RECONSTRUCT INLET ①	EACH	9	4892	MESSENGER-26900 LB	LF	101	23157EN	TRAFFIC SIGNAL POLE BASE	CUYD	177
1791	ADJUST MANHOLE FRAME TO GRADE	EACH	4	4932	INSTALL STEEL STRAIN POLE	EACH	46	23158ES505	DETECTABLE WARNINGS	SQFT	200
1876	STANDARD HEADER CURB MOD	LF	991	5952	TEMP MLLCH	SQYD	174	23216EC	REMOVE AND REINSTALL JUNCTION BOX	EACH	1
1877	SPECIAL HEADER CURB (NO. 1)	LF	201	5997	TOPSOIL FURNISHED AND PLACED	CUYD	13	23222EC	INSTALL SIGNAL PEDESTAL	EACH	3
1877	SPECIAL HEADER CURB (NO. 2)	LF	24	6406	SBM ALUM SHEET SIGNS .080 IN	SQFT	1,179.94	22353ES717	PAVE MARK TY 1 TAPE CROSS HATCH	SQFT	444
1904	REMOVE CURB	LF	1,000	6407	SBM ALUM SHEET SIGNS .125 IN	SQFT	8.00	22356ES717	PAVE MARKING-THERMO X-WALK-24IN	EACH	6
1921	STANDARD BARRIER MEDIAN TYPE 4	SQYD	12	6410	STEEL POST TYPE 1	LF	882	23261EC	PAVE MARKING-THERMO X-WALK-24IN	LF	5,496
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BARRIER ISLAND)	SQYD	499	6472	INSTALL 3PAN MOUNTED SIGN	EACH	38	23267ES717	PAVE MARK TY 1 TAPE-BIKE	EACH	12
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (CYCLE TRACK)	SQYD	2,950	6511	PAVE STRIPING-TEMP PAINT-6 IN	LF	4,667	23267ES717	PAVE MARK TY 1 TAPE-BIKE (BIKE LANE ARROW)	EACH	12
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BUS ISLAND)	SQYD	392	6513	PAVE STRIPING-TEMP PAINT-12 IN	LF	249	23270ES717	PAVE MARK TY 1 TAPE-CURV ARROW (CONTRAST BORDER)	EACH	3
2016	REMOVE CONCRETE ISLAND	SQYD	30	6542	PAVE STRIPING-THERMO-6 IN W	LF	23,441	23761EC	REMOVE LIGHT POLE	EACH	1
2058	REMOVE PCC PAVEMENT (ENTRANCE)	SQYD	93	6543	PAVE STRIPING-THERMO-6 IN Y	LF	13,658	23871EC	PAVE STRIPE-WET REF TAPE-6 IN Y	LF	797
2091	REMOVE PAVEMENT	SQYD	3,993	6546	PAVE STRIPING-THERMO-12 IN W	LF	3,440	23928EC	PAVE MARK-THERMO "BUS" 8 FT	EACH	1
2101	CEM CONC ENT PAVEMENT-8 IN	SQYD	38	6550	PAVE STRIPING-TEMP REIN TAPE-W	LF	178	23974EC	BIKE P/TH	SQYD	595
2200	ROADWAY EXCAVATION	CUYD	15	6556	PAVE STRIPING-DUR TY 1-6 IN W	LF	3,568	24396EC	PAVE MARKING THERMO BIKE LANE ARROW	EACH	26
2460	REMOVE TREES OR STUMPS	EACH	4	6557	PAVE STRIPING-DUR TY 1-6 IN Y	LF	191	24528ED	TETHER WIRE	LF	3,245
2562	TEMPORARY SIGNS	SQFT	500	6565	PAVE MARKING-THERMO X-WALK-6IN	LF	5,129	24589ED	LED LUMINAIRE	EACH	47
2568	MOBILIZATION	LS	1	6568	PAVE MARKING-THERMO STOP BAR-24IN	LF	1,043	24601EC	INSTALL SOLAR POWERED BEACON CONTROLLER	EACH	1
2659	DEMOLITION	LS	1	6569	PAVE MARKING-THERMO CROSS-HATCH	SQFT	4,084	24631EC	BARCODE SIGN INVENTORY	EACH	199
2650	MAINTAIN & CONTROL TRAFFIC	LS	1	6573	PAVE MARKING-THERMO STR ARROW	EACH	23	24688EC	REMOVE AND REINSTALL TRIMARC EQUIPMENT ②	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2	6574	PAVE MARKING-THERMO CURV ARROW	EACH	54	24817EC	PAVE MARK THERMO CONE CAP-SOLID WHITE	SQFT	86
2676	MOBILIZATION FOR MILL & TEXT	LS	1	6575	PAVE MARKING-THERMO COMB ARROW	EACH	37	24845EC	UTILITY COORDINATION ③	LS	1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	3,610	6576	PAVE MARKING-THERMO ONLY	EACH	13	24901EC	PVC CONDUIT-2 IN-SCHEDULE 80	LF	1,297
2706	SILT TRAP TYPE C	EACH	71	6598	PAVEMENT MARKING REMOVAL	SQFT	270	24908EC	INSTALL SIGNAL CONTROLLER TY ATC	EACH	12
2708	CLEAN SILT TRAP TYPE C	EACH	71	10020NS	FUEL ADJUSTMENT	DOLL	7,024	24955ED	REMOVE SIGNAL EQUIPMENT	EACH	12
2720	SIDEWALK-4 IN CONCRETE	SQYD	514	10030NS	ASPHALT ADJUSTMENT	DOLL	14,829	24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	TON	20.2
2721	REMOVE CONCRETE SIDEWALK	SQYD	495	14113	W VALVEBOX ADJUST	EACH	27	26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	EACH	46
2726	STAKING	LS	1	16064	G VALVEBOX ADJUST	EACH	8	26121EC	PAVE STRIPE-CONTRAST TAPE-6 IN B	LF	399
2775	ARROW PANEL	EACH	2	2009NS835	INSTALL PEDESTRIAN HEAD-LED	EACH	96	26192EC	PAVE MARKING-THERMO SHARED LANE MARKING	EACH	5
3225	TUBULAR MARKERS (PEXCO CITY POST GLUE DOWN)	EACH	22	2018NS835	INSTALL LED SIGNAL-3 SECTION (BIKE SIGNAL)	EACH	105	26228EC	ELECTRONIC DELIVERY MGMT SYSTEM	LS	1
3271	TREE TRIMMING	LF	20	2018NS835	INSTALL LED SIGNAL-3 SECTION (BIKE SIGNAL)	EACH	9	26240EC	PAVE STRIPE-WET REF CONT TAPE-6 IN W	LF	906
3383	PVC PIPE-4 IN	LF	9	20390NS835	INSTALL COORDINATING UNIT	EACH	12				
4722	BRACKET 8 FT	EACH	45	20411ED	LAW ENFORCEMENT OFFICER	HOOR	200				
4725	BRACKET 15 FT	EACH	2	20430ED	SAW CUT	LF	5,796				
4740	POLE BASE	EACH	2	20457NS835	INSTALL PED DETECTOR-AUDIBLE	EACH	96				
4780	FUSED CONNECTOR KIT	EACH	9	20631ND	INSTALL POLE MOUNTED SIGN	EACH	1				
4820	TRENCHING AND BACKFILLING	LF	322	20782NS714	PAVE MARKING-THERMO BIKE	EACH	26				
4821	OPEN CUT ROADWAY	LF	80	21373ND	REMOVE SIGN	EACH	80				

① ESTIMATED AT 30% OF THE ADJUST INLET QUANTITY.

② FOR THE RELOCATION OF TRIMARC'S EQUIPMENT FROM EXISTING STRAIN POLES AND MAST ARMS AT THE TWO INTERSECTIONS WITH 2ND ST. TO THE PROPOSED SIGNAL POLES REFER TO SHEET T35 FOR ADDITIONAL SPECIFICS.

③ FOR COORDINATION OF WORK BY OTHERS.

SHEET NOTE: ALL QUANTITIES ARE CARRIED OVER TO THE GENERAL SUMMARY SHEET.

5-9032.10 - DEMOLITION AND CONSTRUCTION QUANTITIES																										
ITEM NO.	DESCRIPTION	UNIT	PRIMARY ROAD																							
			MAIN ST.										MARKET ST.					1ST ST. TO MAIN ST.	2ND ST. TO MAIN ST.							
			BEGIN TO 2ND ST.	2ND ST. TO 1ST ST.	1ST ST. TO BROOK ST.	BROOK ST. TO FLOYD ST.	FLOYD ST. TO PRESTON ST.	PRESTON ST. TO JACKSON ST.	JACKSON ST. TO HANCOCK ST.	HANCOCK ST. TO CLAY ST.	CLAY ST. TO S-ELBY ST.	S-ELBY ST. TO CAMPBELL ST.	CAMPBELL ST. TO WENZEL ST.	WENZEL ST. TO BAXTER AVE.	3RD ST. TO 2ND ST.	2ND ST. TO 1ST ST.	1ST ST. TO BROOK ST.									
1	DGA BASE ①	TON	56	23	8	1	25	12	7	8	11	10	1													
190	LEVELING & WEDGING PG64-22 ②	TON	3	10	8	11	10	10	10	10	10	10	11	11												
214	CL3 ASPH BASE 1.00D PG64-22 ②	TON	5				2	2			2		4													
388	CL3 ASPH SURF 0.38B PG64-22 ②	TON	79	240	202	264	254	255	259	247	238	258	265	263	9	220	266	255	95	180						
1876	STANDARD HEADER CURB MOD	LF	122	183	34	39	198	99	19	98	40	159														
1877	SPECIAL HEADER CURB (NO. 1)	LF				6	11	11	12	149	6	6	6													
1877	SPECIAL HEADER CURB (NO. 2)	LF								6	6	6	6													
1904	REMOVE CURB	LF	65	120	33	37	202	107	27	245	38	126														
1921	STANDARD BARRIER MEDIAN TYPE 4	SY		12																						
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BARRIER ISLAND)	SY			84	36	19	32	39	41	70	46	132													
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (C/CLE TRACK)	SY		483	271	264	288	266	276	276	276	231	319													
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BUS ISLAND)	SY				48	21	26	33	187	39	38														
2016	REMOVE CONCRETE ISLAND	SY	30																							
2058	REMOVE PCC PAVEMENT (ENTRANCE)	SY		27									66													
2091	REMOVE PAVEMENT	SY	113	539	355	348	359	329	353	505	335	256	451													
2101	CEM CONC ENT PAVEMENT-8 IN	SY							5			33														
2200	ROADWAY EXCAVATION	CY										14	1													
2460	REMOVE TREES OR STUMPS	EACH					1	2				1														
2677	ASPHALT PAVE MILLING & TEXTURING ②	TON	79	240	202	264	254	255	259	247	238	258	265	263	9	220	266	255	95	180						
2720	SIDEWALK-4 IN CONCRETE	SY	139	99	35	2	79	44	19	33	46	12	6													
2721	REMOVE CONCRETE SIDEWALK	SY	41	64	32	15	61	54	24	66	60	78														
3271	TREE TRIMMING	LF	20																							
5952	TEMP MULCH	SY	32	27		13	8	14	12	34	15	19														
5997	TOPSOIL FURNISHED AND PLACED	CY	13																							
20430ED	SAW CUT	LF	149	485	510	535	611	516	542	716	627	486	619													
22766ED	TRENCH DRAIN ③	LF				6	11	11	12	149	6	6														
23158ES50S	DETECTABLE WARNINGS	SF	40	52	22		40	26		20																
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING ④	TON	0.4	1.3	1.1	1.5	1.4	1.4	1.5	1.4	1.4	1.5	1.5	1.5	1.2	1.5	1.4	0.5	1.0							
PROJECT TOTAL																										

- ① ESTIMATED AT 115 POUNDS PER SQUARE YARD PER INCH OF DEPTH.
② ESTIMATED AT 110 POUNDS PER SQUARE YARD PER INCH OF DEPTH.
③ REFER TO SHEET R638 FOR INFORMATION ABOUT THIS ITEM OF WORK.
④ ESTIMATED AT 0.70 POUNDS PER SQUARE YARD.



DRAWING TITLE: DEMOLITION AND CONSTRUCTION SUMMARY
(SHEET 2 OF 2)

ITEM NO. 5-9032.10
COUNTY OF JEFFERSON
SHEET NO. R2K

FILE NAME: C:\P\PROJECTS\DEMOS\40115-9032.10_R2K\CONSTRUCTIONS\SUMMARY.DGN

USER: rha

OpenRoads Designer v10.12.0.2

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	161.00	TON		\$	
0020	00190		LEVELING & WEDGING PG64-22	144.00	TON		\$	
0030	00214		CL3 ASPH BASE 1.00D PG64-22	15.00	TON		\$	
0040	00388		CL3 ASPH SURF 0.38B PG64-22	3,610.00	TON		\$	
0050	02101		CEM CONC ENT PAVEMENT-8 IN	38.00	SQYD		\$	
0060	02676		MOBILIZATION FOR MILL & TEXT (JEFFERSON US31W/US31E HSIP)	1.00	LS		\$	
0070	02677		ASPHALT PAVE MILLING & TEXTURING	3,610.00	TON		\$	
0080	10020NS		FUEL ADJUSTMENT	7,024.00	DOLL	\$1.00	\$	\$7,024.00
0090	10030NS		ASPHALT ADJUSTMENT	14,829.00	DOLL	\$1.00	\$	\$14,829.00
0100	24970EC		ASPHALT MATERIAL FOR TACK NON- TRACKING	20.20	TON		\$	
0110	26228EC		ELECTRONIC DELIVERY MGMT SYSTEM	1.00	LS		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0120	01876		STANDARD HEADER CURB MOD	991.00	LF		\$	
0130	01877		SPECIAL HEADER CURB (NO. 1)	201.00	LF		\$	
0140	01877		SPECIAL HEADER CURB (NO. 2)	24.00	LF		\$	
0150	01904		REMOVE CURB (REVISED 4-18-2025)	1,000.00	LF		\$	
0160	01921		STANDARD BARRIER MEDIAN TYPE 4	12.00	SQYD		\$	
0170	01922		STANDARD BARRIER MEDIAN TYPE 4 MOD (BARRIER ISLAND)	499.00	SQYD		\$	
0180	01922		STANDARD BARRIER MEDIAN TYPE 4 MOD (BUS ISLAND)	392.00	SQYD		\$	
0190	01922		STANDARD BARRIER MEDIAN TYPE 4 MOD (CYCLE TRACK)	2,950.00	SQYD		\$	
0200	02016		REMOVE CONCRETE ISLAND	30.00	SQYD		\$	
0210	02058		REMOVE PCC PAVEMENT (ENTRANCE)	93.00	SQYD		\$	
0220	02091		REMOVE PAVEMENT	3,993.00	SQYD		\$	
0230	02200		ROADWAY EXCAVATION	15.00	CUYD		\$	
0240	02650		MAINTAIN & CONTROL TRAFFIC (JEFFERSON US31W/US31E HSIP)	1.00	LS		\$	
0250	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0260	02705		SILT TRAP TYPE C	71.00	EACH		\$	
0270	02708		CLEAN SILT TRAP TYPE C	71.00	EACH		\$	
0280	02720		SIDEWALK-4 IN CONCRETE	514.00	SQYD		\$	
0290	02721		REMOVE CONCRETE SIDEWALK	495.00	SQYD		\$	
0300	02726		STAKING (JEFFERSON US31W/US31E HSIP)	1.00	LS		\$	
0310	02775		ARROW PANEL	2.00	EACH		\$	
0320	03225		TUBULAR MARKERS (PEXCO CITY POST GLUE DOWN)	22.00	EACH		\$	
0330	06511		PAVE STRIPING-TEMP PAINT-6 IN	4,667.00	LF		\$	

Report Date 4/18/25

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0340	06513		PAVE STRIPING-TEMP PAINT-12 IN	249.00	LF		\$	
0350	06542		PAVE STRIPING-THERMO-6 IN W	23,441.00	LF		\$	
0360	06543		PAVE STRIPING-THERMO-6 IN Y	13,658.00	LF		\$	
0370	06546		PAVE STRIPING-THERMO-12 IN W	3,440.00	LF		\$	
0380	06550		PAVE STRIPING-TEMP REM TAPE-W	178.00	LF		\$	
0390	06556		PAVE STRIPING-DUR TY 1-6 IN W	3,568.00	LF		\$	
0400	06557		PAVE STRIPING-DUR TY 1-6 IN Y	191.00	LF		\$	
0410	06565		PAVE MARKING-THERMO X-WALK-6 IN	5,129.00	LF		\$	
0420	06568		PAVE MARKING-THERMO STOP BAR-24IN	1,043.00	LF		\$	
0430	06569		PAVE MARKING-THERMO CROSS-HATCH	4,084.00	SQFT		\$	
0440	06573		PAVE MARKING-THERMO STR ARROW	23.00	EACH		\$	
0450	06574		PAVE MARKING-THERMO CURV ARROW	54.00	EACH		\$	
0460	06575		PAVE MARKING-THERMO COMB ARROW	37.00	EACH		\$	
0470	06576		PAVE MARKING-THERMO ONLY	13.00	EACH		\$	
0480	06598		PAVEMENT MARKING REMOVAL	279.00	SQFT		\$	
0490	20411ED		LAW ENFORCEMENT OFFICER	200.00	HOURL		\$	
0500	20430ED		SAW CUT	5,796.00	LF		\$	
0510	20782NS714		PAVE MARKING THERMO-BIKE	26.00	EACH		\$	
0520	21417ES717		PAVE MARK THERMO CONE CAP-SOLID YELLOW	9.00	SQFT		\$	
0530	22664EN		WATER BLASTING EXISTING STRIPE	837.00	LF		\$	
0540	23158ES505		DETECTABLE WARNINGS	200.00	SQFT		\$	
0550	23253ES717		PAVE MARK TY 1 TAPE CROSS-HATCH	444.00	SQFT		\$	
0560	23255ES717		PAVE MARK TY 1 TAPE-STRAIGHT ARROW (CONTRAST BORDER)	6.00	EACH		\$	
0570	23261EC		PAVE MARK-THERMO-X-WALK-24 IN	5,496.00	LF		\$	
0580	23267ES717		PAVE MARK TY 1 TAPE-BIKE	12.00	EACH		\$	
0590	23267ES717		PAVE MARK TY 1 TAPE-BIKE (BIKE LANE ARROW)	12.00	EACH		\$	
0600	23270ES717		PAVE MARK TY 1 TAPE-CURV ARROW (CONTRAST BORDER)	3.00	EACH		\$	
0610	23871EC		PAVE STRIPE-WET REF TAPE-6 IN Y	797.00	LF		\$	
0620	23928EC		PAVE MARK-THERMO "BUS" 8 FT	1.00	EACH		\$	
0630	23974EC		BIKE PATH	595.00	SQYD		\$	
0640	24386EC		PAVE MARKING THERMO-BIKE LANE ARROW	26.00	EACH		\$	
0650	24817EC		PAVE MARK THERMO CONE CAP-SOLID WHITE	86.00	SQFT		\$	
0660	26121EC		PAVE STRIPE-CONTRAST TAPE-6 IN B	399.00	LF		\$	
0670	26192EC		PAVE MARKING-THERMO SHARED LANE MARKING	5.00	EACH		\$	
0680	26240EC		PAVE STRIPE-WET REF CONT TAPE-6 IN W	906.00	LF		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0690	01719		ADJUST INLET	30.00	EACH		\$	
0700	01720		RECONSTRUCT INLET	9.00	EACH		\$	
0710	01791		ADJUST MANHOLE FRAME TO GRADE	4.00	EACH		\$	
0720	03383		PVC PIPE-4 IN	9.00	LF		\$	

254403

PROPOSAL BID ITEMS

Report Date 4/18/25

Page 3 of 4

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0730	22766ED		TRENCH DRAIN	201.00	LF		\$	

Section: 0004 - UTILITY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0740	14113		W VALVE BOX ADJUST	27.00	EACH		\$	
0750	16064		G VALVE BOX ADJUST	8.00	EACH		\$	
0760	23216EC		REMOVE AND REINSTALL JUNCTION BOX	1.00	EACH		\$	
0770	23761EC		REMOVE LIGHT POLE	1.00	EACH		\$	
0780	24845EC		UTILITY COORDINATION (JEFFERSON US31W/US31E HSIP)	1.00	LS		\$	

Section: 0005 - SIGNING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0790	02562		TEMPORARY SIGNS	500.00	SQFT		\$	
0800	06406		SBM ALUM SHEET SIGNS .080 IN	1,179.94	SQFT		\$	
0810	06407		SBM ALUM SHEET SIGNS .125 IN	8.00	SQFT		\$	
0820	06410		STEEL POST TYPE 1	882.00	LF		\$	
0830	06472		INSTALL SPAN MOUNTED SIGN	38.00	EACH		\$	
0840	20631ND		INSTALL POLE MOUNTED SIGN	1.00	EACH		\$	
0850	21373ND		REMOVE SIGN	80.00	EACH		\$	
0860	21596ND		GMSS TYPE D (SURFACE MOUNT)	98.00	EACH		\$	
0870	24631EC		BARCODE SIGN INVENTORY	199.00	EACH		\$	

Section: 0006 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0880	04722		BRACKET 8 FT	45.00	EACH		\$	
0890	04725		BRACKET 15 FT	2.00	EACH		\$	
0900	04740		POLE BASE	2.00	EACH		\$	
0910	04780		FUSED CONNECTOR KIT	9.00	EACH		\$	
0920	04820		TRENCHING AND BACKFILLING	322.00	LF		\$	
0930	04821		OPEN CUT ROADWAY	80.00	LF		\$	
0940	04832		WIRE-NO. 12	6,524.00	LF		\$	
0950	04845		CABLE-NO. 14/7C	22,474.00	LF		\$	
0960	04885		MESSENGER-10800 LB	3,015.00	LF		\$	
0970	04886		MESSENGER-15400 LB	129.00	LF		\$	
0980	04892		MESSENGER-26900 LB	101.00	LF		\$	
0990	04932		INSTALL STEEL STRAIN POLE	46.00	EACH		\$	
1000	20093NS835		INSTALL PEDESTRIAN HEAD-LED	96.00	EACH		\$	
1010	20188NS835		INSTALL LED SIGNAL-3 SECTION	105.00	EACH		\$	
1020	20188NS835		INSTALL LED SIGNAL-3 SECTION (BICYCLE SIGNAL)	9.00	EACH		\$	
1030	20390NS835		INSTALL COORDINATING UNIT	12.00	EACH		\$	
1040	20457NS835		INSTALL PED DETECTOR-AUDIBLE	96.00	EACH		\$	

Report Date 4/18/25

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1050	22939ND		INSTALL LUMINAIRE POLE	2.00	EACH		\$	
1060	23157EN		TRAFFIC SIGNAL POLE BASE	177.00	CUYD		\$	
1070	23222EC		INSTALL SIGNAL PEDESTAL	3.00	EACH		\$	
1080	24082EC		REMOVE & REPLACE TRAFFIC SIGNAL BOX TRIMARC EQUIPMENT (JEFFERSON US31W/US31E HSIP)	1.00	LS		\$	
1090	24526ED		INSTALL-BEACON CONTROLLER-2 CIRCUIT	1.00	EACH		\$	
1100	24528ED		TETHER WIRE	3,245.00	LF		\$	
1110	24589ED		LED LUMINAIRE	47.00	EACH		\$	
1120	24601EC		INSTALL SOLAR POWERED BEACON CONTROLLER	1.00	EACH		\$	
1130	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	1,297.00	LF		\$	
1140	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC	12.00	EACH		\$	
1150	24955ED		REMOVE SIGNAL EQUIPMENT	12.00	EACH		\$	
1160	26119EC		INSTALL RADAR PRESENCE DETECTOR TYPE A	46.00	EACH		\$	

Section: 0007 - LANDSCAPING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1170	02460		REMOVE TREES OR STUMPS	4.00	EACH		\$	
1180	03271		TREE TRIMMING	20.00	LF		\$	
1190	05952		TEMP MULCH	174.00	SQYD		\$	
1200	05997		TOPSOIL FURNISHED AND PLACED	13.00	CUYD		\$	

Section: 0008 - MOBILIZATION AND DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1210	02568		MOBILIZATION	1.00	LS		\$	
1220	02569		DEMOBILIZATION	1.00	LS		\$	

ITEM NO.	DESCRIPTION	UNIT	QUANTITY
1	DGA BASE	TON	161
190	LEVELING & WEDGING PG64-22	TON	144
214	CL3 ASPH BASE 1.00D PG64-22	TON	15
388	CL3 ASPH SURF 0.38B PG64-22	TON	3,610
1719	ADJUST INLET	EACH	30
1720	RECONSTRUCT INLET ①	EACH	9
1791	ADJUST MANHOLE FRAME TO GRADE	EACH	4
1876	STANDARD HEADER CURB MOD	LF	991
1877	SPECIAL HEADER CURB (NO. 1)	LF	201
1877	SPECIAL HEADER CURB (NO. 2)	LF	24
1904	REMOVE CURB	LF	1,000
1921	STANDARD BARRIER MEDIAN TYPE 4	SQYD	12
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BARRIER ISLAND)	SQYD	499
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (CYCLE TRACK)	SQYD	2,950
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BUS ISLAND)	SQYD	392
2016	REMOVE CONCRETE ISLAND	SQYD	30
2058	REMOVE PCC PAVEMENT (ENTRANCE)	SQYD	93
2091	REMOVE PAVEMENT	SQYD	3,993
2101	CEM CONC ENT PAVEMENT-8 IN	SQYD	38
2200	ROADWAY EXCAVATION	CUYD	15
2460	REMOVE TREES OR STUMPS	EACH	4
2562	TEMPORARY SIGNS	SQFT	500
2568	MOBILIZATION	LS	1
2569	DEMOBILIZATION	LS	1
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2
2676	MOBILIZATION FOR MILL & TEXT	LS	1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	3,610
2705	SILT TRAP TYPE C	EACH	71
2708	CLEAN SILT TRAP TYPE C	EACH	71
2720	SIDEWALK-4 IN CONCRETE	SQYD	514
2721	REMOVE CONCRETE SIDEWALK	SQYD	495
2726	STAKING	LS	1
2775	ARROW PANEL	EACH	2
3225	TUBULAR MARKERS (PEXCO CITY POST GLUE DOWN)	EACH	22
3271	TREE TRIMMING	LF	20
3383	PVC PIPE-4 IN	LF	9
4722	BRACKET 8 FT	EACH	45
4725	BRACKET 15 FT	EACH	2
4740	POLE BASE	EACH	2
4780	FUSED CONNECTOR KIT	EACH	9
4820	TRENCHING AND BACKFILLING	LF	322
4821	OPEN CUT ROADWAY	LF	80

ITEM NO.	DESCRIPTION	UNIT	QUANTITY
4832	WIRE-NO.12	LF	6,524
4844	CABLE-NO. 14/5C	LF	7,135
4845	CABLE-NO. 14/7C	LF	15,339
4885	MESSENGER-10800 LB	LF	3,015
4886	MESSENGER-15400 LB	LF	129
4892	MESSENGER-26900 LB	LF	101
4932	INSTALL STEEL STRAIN POLE	EACH	46
5952	TEMP MULCH	SQYD	174
5997	TOPSOIL FURNISHED AND PLACED	CUYD	13
6406	SBM ALUM SHEET SIGNS .080 IN	SQFT	1,179.94
6407	SBM ALUM SHEET SIGNS .125 IN	SQFT	8.00
6410	STEEL POST TYPE 1	LF	882
6472	INSTALL SPAN MOUNTED SIGN	EACH	38
6511	PAVE STRIPING-TEMP PAINT-6 IN	LF	4,667
6513	PAVE STRIPING-TEMP PAINT-12 IN	LF	249
6542	PAVE STRIPING-THERMO-6 IN W	LF	23,441
6543	PAVE STRIPING-THERMO-6 IN Y	LF	13,658
6546	PAVE STRIPING-THERMO-12 IN W	LF	3,440
6550	PAVE STRIPING-TEMP REM TAPE-W	LF	178
6556	PAVE STRIPING-DUR TY 1-6 IN W	LF	3,568
6557	PAVE STRIPING-DUR TY 1-6 IN Y	LF	191
6565	PAVE MARKING-THERMO X-WALK-6IN	LF	5,129
6568	PAVE MARKING-THERMO STOP BAR-24IN	LF	1,043
6569	PAVE MARKING-THERMO CROSS-HATCH	SQFT	4,084
6573	PAVE MARKING-THERMO STR ARROW	EACH	23
6574	PAVE MARKING-THERMO CURV ARROW	EACH	54
6575	PAVE MARKING-THERMO COMB ARROW	EACH	37
6576	PAVE MARKING-THERMO ONLY	EACH	13
6598	PAVEMENT MARKING REMOVAL	SQFT	279
10020NS	FUEL ADJUSTMENT	DOLL	7,024
10030NS	ASPHALT ADJUSTMENT	DOLL	14,829
14113	W VALVE BOX ADJUST	EACH	27
16064	G VALVE BOX ADJUST	EACH	8
20093NS835	INSTALL PEDESTRIAN HEAD-LED	EACH	96
20188NS835	INSTALL LED SIGNAL-3 SECTION	EACH	105
20188NS835	INSTALL LED SIGNAL-3 SECTION (BIKE SIGNAL)	EACH	9
20390NS835	INSTALL COORDINATING UNIT	EACH	12
20411ED	LAW ENFORCEMENT OFFICER	HOURL	200
20430ED	SAW CUT	LF	5,796
20457NS835	INSTALL PED DETECTOR-AUDIBLE	EACH	96
20631ND	INSTALL POLE MOUNTED SIGN	EACH	1
20782NS714	PAVE MARKING-THERMO BIKE	EACH	26
21373ND	REMOVE SIGN	EACH	80

ITEM NO.	DESCRIPTION	UNIT	QUANTITY
21417ES717	PAVE MARK THERMO CONE CAP-SOLID YELLOW	SQFT	9
21596ND	GMSS TYPE D (SURFACE MOUNT)	EACH	98
22664EN	WATER BLASTING EXISTING STRIPE	LF	837
22766ED	TRENCH DRAIN	LF	201
22939ND	INSTALL LUMINAIRE POLE	EACH	2
23157EN	TRAFFIC SIGNAL POLE BASE	CUYD	177
23158ES505	DETECTABLE WARNINGS	SQFT	200
23216EC	REMOVE AND REINSTALL JUNCTION BOX	EACH	1
23222EC	INSTALL SIGNAL PEDESTAL	EACH	3
23253ES717	PAVE MARK TY 1 TAPE CROSS HATCH	SQFT	444
23255ES717	PAVE MARK TY 1 TAPE-STRAIGHT ARROW (CONTRAST BORDER)	EACH	6
23261EC	PAVE MARKING-THERMO X-WALK-24IN	LF	5,496
23267ES717	PAVE MARK TY 1 TAPE-BIKE	EACH	12
23267ES717	PAVE MARK TY 1 TAPE-BIKE (BIKE LANE ARROW)	EACH	12
23270ES717	PAVE MARK TY 1 TAPE-CURV ARROW (CONTRAST BORDER)	EACH	3
23761EC	REMOVE LIGHT POLE	EACH	1
23871EC	PAVE STRIPE-WET REF TAPE-6 IN Y	LF	797
23928EC	PAVE MARK-THERMO "BUS" 8 FT	EACH	1
23974EC	BIKE PATH	SQYD	595
24386EC	PAVE MARKING THERMO BIKE LANE ARROW	EACH	26
24528ED	TETHER WIRE	LF	3,245
24589ED	LED LUMINAIRE	EACH	47
24601EC	INSTALL SOLAR POWERED BEACON CONTROLLER	EACH	1
24631EC	BARCODE SIGN INVENTORY	EACH	199
24688EC	REMOVE AND REINSTALL TRIMARC EQUIPMENT ②	LS	1
24817EC	PAVE MARK THERMO CONE CAP-SOLID WHITE	SQFT	86
24845EC	UTILITY COORDINATION ③	LS	1
24901EC	PVC CONDUIT-2 IN-SCHEDULE 80	LF	1,297
24908EC	INSTALL SIGNAL CONTROLLER TY-ATC	EACH	12
24955ED	REMOVE SIGNAL EQUIPMENT	EACH	12
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	TON	20.2
26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	EACH	46
26121EC	PAVE STRIPE-CONTRAST TAPE-6 IN B	LF	399
26192EC	PAVE MARKING-THERMO SHARED LANE MARKING	EACH	5
26228EC	ELECTRONIC DELIVERY MGMT SYSTEM	LS	1
26240EC	PAVE STRIPE-WET REF CONT TAPE-6 IN W	LF	906

- ①ESTIMATED AT 30% OF THE ADJUST INLET QUANTITY.
- ②FOR THE RELOCATION OF TRIMARC'S EQUIPMENT FROM EXISTING STRAIN POLES AND MAST ARMS AT THE TWO INTERSECTIONS WITH 2ND ST. TO THE PROPOSED SIGNAL POLES. REFER TO SHEET T35 FOR ADDITIONAL SPECIFICS.
- ③FOR COORDINATION OF WORK BY OTHERS.



SHEET NOTE: ALL QUANTITIES ARE CARRIED OVER TO THE GENERAL SUMMARY SHEET.

5-9032.10 - DEMOLITION AND CONSTRUCTION QUANTITIES																				
ITEM NO.	DESCRIPTION	UNIT	PRIMARY ROAD																	PROJECT TOTAL
			MAIN ST.												MARKET ST.			1ST ST.	2ND ST.	
			BEGIN TO 2ND ST.	2ND ST. TO 1ST ST.	1ST ST. TO BROOK ST.	BROOK ST. TO FLOYD ST.	FLOYD ST. TO PRESTON ST.	PRESTON ST. TO JACKSON ST.	JACKSON ST. TO HANCOCK ST.	HANCOCK ST. TO CLAY ST.	CLAY ST. TO SHELBY ST.	SHELBY ST. TO CAMPBELL ST.	CAMPBELL ST. TO WENZEL ST.	WENZEL ST. TO BAXTER AVE.	3RD ST. TO 2ND ST.	2ND ST. TO 1ST ST.	1ST ST. TO BROOK ST.	MARKET ST. TO MAIN ST.	MARKET ST. TO MAIN ST.	
1	DGA BASE ①	TON	56	23	8	1	25	12	7	8	11	10	1							161
190	LEVELING & WEDGING PG64-22 ②	TON	3	10	8	11	10	10	10	10	10	11	11		9	11	10	4	7	144
214	CL3 ASPH BASE 1.00D PG64-22 ②	TON	5				2	2		2		4								15
388	CL3 ASPH SURF 0.38B PG64-22 ②	TON	79	240	202	264	254	255	259	247	258	265	263	9	220	266	255	95	180	3,610
1876	STANDARD HEADER CURB MOD	LF	122	183	34	39	198	99	19	98	40	159								991
1877	SPECIAL HEADER CURB (NO. 1)	LF				6	11	11	12	149	6	6								201
1877	SPECIAL HEADER CURB (NO. 2)	LF				6				6	6	6								24
1904	REMOVE CURB	LF	65	120	33	37	202	107	27	245	38	126								1,000
1921	STANDARD BARRIER MEDIAN TYPE 4	SY		12																12
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BARRIER ISLAND)	SY			84	36	19	32	39	41	70	46	132							499
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (CYCLE TRACK)	SY		483	271	264	288	266	276	276	276	231	319							2,950
1922	STANDARD BARRIER MEDIAN TYPE 4 MOD (BUS ISLAND)	SY				48	21	26	33	187	39	38								392
2016	REMOVE CONCRETE ISLAND	SY	30																	30
2058	REMOVE PCC PAVEMENT (ENTRANCE)	SY		27								66								93
2091	REMOVE PAVEMENT	SY	113	539	355	348	359	329	353	505	385	256	451							3,993
2101	CEM CONC ENT PAVEMENT-8 IN	SY							5			33								38
2200	ROADWAY EXCAVATION	CY										14	1							15
2460	REMOVE TREES OR STUMPS	EACH					1	2				1								4
2677	ASPHALT PAVE MILLING & TEXTURING ②	TON	79	240	202	264	254	255	259	247	258	265	263	9	220	266	255	95	180	3,610
2720	SIDEWALK-4 IN CONCRETE	SY	139	99	35	2	79	44	19	33	46	12	6							514
2721	REMOVE CONCRETE SIDEWALK	SY	41	64	32	15	61	54	24	66	60	78								495
3271	TREE TRIMMING	LF	20																	20
5952	TEMP MULCH	SY	32	27		13	8	14	12	34	15	19								174
5997	TOPSOIL FURNISHED AND PLACED	CY	13																	13
20430ED	SAW CUT	LF	149	485	510	535	611	516	542	716	627	486	619							5,796
22766ED	TRENCH DRAIN ③	LF				6	11	11	12	149	6	6								201
23158ES505	DETECTABLE WARNINGS	SF	40	52	22		40	26		20										200
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING ④	TON	0.4	1.3	1.1	1.5	1.4	1.4	1.5	1.4	1.4	1.5	1.5		1.2	1.5	1.4	0.5	1.0	20.2

- ①ESTIMATED AT 115 POUNDS PER SQUARE YARD PER INCH OF DEPTH.
- ②ESTIMATED AT 110 POUNDS PER SQUARE YARD PER INCH OF DEPTH.
- ③REFER TO SHEET R63B FOR INFORMATION ABOUT THIS ITEM OF WORK.
- ④ESTIMATED AT 0.70 POUNDS PER SQUARE YARD.

