



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Rebecca Goodman
SECRETARY

April 21, 2026

CALL NO. 109
CONTRACT ID NO. 264401
ADDENDUM # 1

Subject: Jefferson County, HSIP 8801(011)
Letting April 23, 2026

- (1) Revised - Summary Sheets - Pages 105 & 153 of 231
- (2) Revised - Proposal Bid Items - Page 229-231 of 231

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".


Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

TRAFFIC SIGNAL SIGNAL ESTIMATE OF QUANTITIES

TOTAL	UNITS	CODE	ITEM DESCRIPTION
400	SO FT	2562	SIGNS
1	LP S/M	2569	DEMOBILIZATION (1.5%)
1	LP S/M	2650	MAINTAIN AND CONTROL TRAFFIC (5%)
4	EACH	2775	FLASHING ARROW
8	EACH	4780	FUSED CONNECTOR KIT
55*	EACH	4820	TRENCHING AND BACKFILLING
3300	LF	4845	OPEN CUT ROADWAY
320	LF	4886	MESSENGER - 15400 LB
3	EACH	4932	INSTALL STEEL STRAIN POLE
1	EACH	24955ED	REMOVE SIGNAL EQUIPMENT
11	EACH	4953	TEMP RELOCATION OF SIGNAL HEAD
35	SO FT	6406	SBM ALUM SHEET SIGNS 0.080 IN
7	EACH	6472	INSTALL SPAN MOUNTED SIGN
8	EACH	20193NS835	INSTALL PEDESTRIAN HEAD - LED
14	EACH	2018NS835	INSTALL LED SIGNAL - 3 SECTION
1	EACH	20390NS835	ELECTRICAL COORDINATING UNIT
2	EACH	20391NS835	ELECTRICAL JUNCTION BOX TYPE A
1	EACH	20631ND	INSTALL POLE MOUNTED SIGN
55*	LF	21543EN	BORE AND JACK CONDUIT
8	EACH	20457NS835	INSTALL PED DETECTOR - AUDIBLE
16.3	CU YD	23157EN	TRAFFIC SIGNAL POLE BASE
4	EACH	23225EC	INSTALL SIGNAL PEDESTAL
3	EACH	23258EC	INSTALL PEDESTAL POST
310	LF	24528BD	TETHER WIRE
104	LF	24908EC	PVC CONDUIT - 1 1/4 IN - SCHEDULE 80
55	LF	24901EC	PVC CONDUIT - 2 IN - SCHEDULE 80
52	LF	24902EC	PVC CONDUIT - 3 IN - SCHEDULE 80
1	EACH	24908EC	INSTALL SIGNAL CONTROLLER TY4TC

* - ALL CONDUIT INSTALLATION REQUIRING AN OPEN CUT SHALL BE COMPLETED PRIOR TO INSTALLATION OF FINAL SURFACE. OTHERWISE QUANTITIES SHALL BE BORED. QUANTITIES INCLUDE BID ITEMS FOR BOTH OPEN CUT ROADWAY (APPROX) AND BORE AND JACK CONDUIT (21543EN) TO PROVIDE AN OPTION FOR THE CONTRACTOR.



SAG (SPAN WIRE) = 5% X SPAN LENGTH
SAG (TETHER WIRE) = 2% X SPAN LENGTH

6-11-2024

THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, CURRENT EDITION, AND OTHER SPECIAL NOTES AND SPECIFICATIONS WILL APPLY ON THIS PROJECT. SEE SECTION 706.72I AND 712 FOR MEASUREMENT AND OTHER DETAILS. SEE SECTION 602 FOR SPIRAL REINFORCEMENT SPLICING.

THE CONTRACTOR SHALL MAKE AN INSPECTION OF THE PROJECT SITE PRIOR TO SUBMITTING A BID AND SHALL BE THOROUGHLY FAMILIARIZED WITH EXISTING CONDITIONS. SUBMISSIONS OF A BID WILL BE CONSIDERED AN AFFIRMATION OF THIS INSPECTION HAVING BEEN COMPLETED.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PICKING UP MATERIALS FOR INSTALL ITEMS AT KYTC'S DIVISION OF EQUIPMENT WAREHOUSE (1288 WILKINSON BOULEVARD, FRANKFORT, KY 40601). MATERIALS WILL BE AVAILABLE FOR PICKUP AFTER THE FOLLOWING DATE. FAILURE TO FOLLOW THESE PROCEDURES MAY RESULT IN LONG DELAYS OR REFUSAL TO DISTRIBUTE MATERIALS UPON ARRIVAL.

1. CONTRACTOR SHALL SECURE THE SIGNATURES OF KYTC'S PROJECT ENGINEER AND THE ELECTRICAL CONTRACTOR'S FOREMAN ON THE PROJECT MATERIALS RELEASE FORM. IF THE RELEASE FORM IS NOT IN THE PROPOSAL, CONTACT KERRY DECKER WITH THE DIVISION OF TRAFFIC OPERATIONS BY PHONE: 502-782-5838 OR EMAIL: KERRY.DECKER@KY.GOV.
2. CONTRACTOR SHALL CONTACT THE WAREHOUSE TO PREARRANGE PICK UP OF MATERIALS. SIGNATURES: THE REGIONAL SIGNALS MANAGER, KYLE STAMPER, KYLE.STAMPER@KY.GOV AT WAREHOUSE BY PHONE (502)782-5894/6243384153 OR EMAIL: KYLE.STAMPER@KY.GOV AT LEAST TWO (2) WORKING DAYS PRIOR TO ARRIVAL.
3. CONTRACTOR SHALL ALSO CONTACT THE SIGNAL SYSTEM BRANCH OF THE DIVISION OF TRAFFIC OPERATIONS BY PHONE (502-782-5543/602-782-5547) OR EMAIL: LUCY.THOMPSON@KY.GOV/LARRY.IRISH@KY.GOV AT LEAST TWO (2) WORKING DAYS PRIOR TO ARRIVAL TO FACILITATE PROGRAMMING OF ROUTERS.
4. CONTRACTOR SHALL ARRIVE AT THE KYTC'S DIVISION OF EQUIPMENT WAREHOUSE (1288 WILKINSON BOULEVARD, FRANKFORT, KY 40601) AT THE PREARRANGED DATE/TIME FOR PICKUP OF MATERIALS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING A DRIVER HAS A COPY OF THE PROJECT MATERIALS RELEASE FORM WITH THE REQUIRED SIGNATURES.

ADD SENTENCE TO SECTION 835.15: ALL WIRE SHALL HAVE WORDING ADDED TO THE OUTER JACKET THAT STATES: " PROPERTY OF KENTUCKY TRANSPORTATION CABINET 502 564 0501".

MEASUREMENT NOTES THAT ARE IN ADDITION TO SECTION 723.

INSTALL SIGNAL CONTROLLER TYPE ATC. THE DEPARTMENT WILL MEASURE THE SIGNAL AS SHOWN ON THE DRAWINGS INCLUDING THE WIRING. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING THE NECESSARY MATERIALS FOR THE SIGNAL AND DETECTORS. EXCAVATION, BACKFILLING, RESTORATION, ANY NECESSARY POLE MOUNTING HARDWARE, ELECTRIC SERVICE, ELECTRICAL INSPECTION FEES, AND REQUIRED BUILDING FEES INVOLVING UTILITY SECONDARY/PRIMARY SERVICE FOR PAYMENT AND WILL CONSIDER THEM INCIDENTAL TO THIS ITEM OF WORK. THE DEPARTMENT WILL ALSO NOT MEASURE CONNECTING THE INDUCTION LOOP AMPLIFIERS, PEDESTRIAN ISOLATORS, LOAD SWITCHES, MODEL 400 MODEM CARD FOR PAYMENT AND WILL CONSIDER THEM INCIDENTAL TO THIS ITEM OF WORK. THE DEPARTMENT WILL ALSO NOT MEASURE FURNISHING AND INSTALLING ELECTRICAL WIRING, INCLUDING THE WIRING OF THE SIGNAL CONTROLLER, CUTOUT, FUSES, GROUND RODS, GROUND LUGS, AND GROUND WIRES FOR PAYMENT AND WILL CONSIDER THEM INCIDENTAL TO THIS ITEM OF WORK.

CONSTRUCTION AND MEASUREMENT NOTES THAT ARE CONTRARY TO SECTION 723. SUBSECTION 03.02 POLES AND BASES, INSTALLATION, B) REVISIONS: REPLACE ENTIRE TABLE WITH THE FOLLOWING:

MAXIMUM SERVICE FORCES	DIAMETER (IN.)	DRILLED SHAFT DATA				VERTICAL BARS		TIERS OR SPIRAL	
		SOIL	ROCK	SOIL	ROCK	SIZE	TOTAL	BAR SIZE	SPACING OR PITCH (IN.)
0-3.9	36	6	6.5	6	6	#8	#4	12	
10-19.9	36	6	6.5	6	6	#8	#4	12	
20-29.9	36	6	6.5	6	6	#8	#4	12	
30-39.9	36	6	6.5	6	6	#8	#4	12	
40-49.9	36	6	6.5	6	6	#8	#4	12	
50-59.9	36	6	6.5	6	6	#8	#4	12	
60-69.9	36	6	6.5	6	6	#8	#4	12	
70-79.9	36	6	6.5	6	6	#8	#4	12	
80-89.9	36	6	6.5	6	6	#8	#4	12	
90-99.9	36	6	6.5	6	6	#8	#4	12	
100-149.9	36	6	6.5	6	6	#8	#4	12	
150-199.9	36	6	6.5	6	6	#8	#4	12	
200-249.9	36	6	6.5	6	6	#8	#4	12	
250-299.9	36	6	6.5	6	6	#8	#4	12	
300-399.9	36	6	6.5	6	6	#8	#4	12	
400-499.9	36	6	6.5	6	6	#8	#4	12	
500-600.0	48	7.5	7.5	7.5	7.5	#9	#4	12	

SUBSECTION: 03.12 WIRING INSTALLATION
SEE TRAFFIC OPERATIONS WEBSITE FOR WORD DOCUMENT TO REPLACE ALL CHARTS FOR WIRING TO SHOW CHANGES FOR EQUIPMENT GROUNDING.

SUBSECTION: 04.22 REMOVE SIGNAL EQUIPMENT. (CONSTRUCTION ONLY)
REPLACE THE PARAGRAPH WITH THE FOLLOWING: THE DEPARTMENT WILL MEASURE THE QUANTITY BY EACH. THE DEPARTMENT WILL NOT MEASURE BACKFILLING AND OR OTHER MATERIALS ASSOCIATED WITH ANY STRUCTURAL COMPONENT OF THE SIGNAL SYSTEM INCLUDING BUT NOT LIMITED TO POLE BASES, JOINTION BOXES, CABINETS, AND WOOD POLES FOR PAYMENT AND WILL CONSIDER THEM INCIDENTAL TO THIS ITEM OF WORK. THE DEPARTMENT WILL MEASURE THE QUANTITY BY EACH. THE DEPARTMENT WILL NOT MEASURE BACKFILLING AND THE DISPOSAL TRANSPORTATION OF EQUIPMENT AND MATERIALS ASSOCIATED WITH ANY STRUCTURAL OR ELECTRICAL COMPONENT OF THE SIGNAL SYSTEM INCLUDING, BUT NOT LIMITED TO POLE BASES, POLES, JOINTION BOXES, CABINETS, AND WOOD POLES FOR PAYMENT AND WILL CONSIDER THEM INCIDENTAL TO THIS ITEM OF WORK.

MATERIAL NOTES IN ADDITION TO SECTION 835.

SUBSECTION: 21 WARNING TAPE
REPLACE FIRST SENTENCE WITH THE FOLLOWING IN 834.33:
PROVIDE DETECTABLE TYPE TAPE THAT IS 6 INCHES WIDE AND 7.0 MIL (NOMINAL) THICK.

MATERIAL NOTES IN ADDITION TO SECTION 885.

SUBSECTION: 16.07 SIGNAL TETHER CABLE
PROVIDE TETHER CABLE THAT CONSISTS OF "CLASS A" ZINC-COATED COMMON GRADE STEEL AND EXTRA GALVANIZED STEEL MESSSENGER. THE TETHER SHALL BE MADE UP OF 7 STRANDS AND MINIMUM BREAKING STRENGTH OF 1,900 POUNDS.

SUBSECTION: 16.08 SIGNAL TETHER STRAND/USE
PROVIDE A STRAND/USE THAT HAS AN AUTOMATIC JAW TYPE DEAD-END FOR 1/4 INCH GALVANIZED STEEL MESSSENGER. USE HUBBELL GDS6200L OR APPROVED EQUAL.

SUBSECTION: 16.09 SIGNAL TETHER STRANDLINK
GALVANIZED STEEL MESSSENGER. USE HUBBELL GLS5000 OR APPROVED EQUAL.

PROPOSAL BID ITEMS

264401

Page 1 of 3

Report Date 4/21/26

264401

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	21.00	TON		\$	
0020	02676		MOBILIZATION FOR MILL & TEXT (JEFFERSON US 150 HSIP)	1.00	LS		\$	
0030	02677		ASPHALT PAVE MILLING & TEXTURING	6,295.00	TON		\$	
0040	20071EC		JOINT ADHESIVE	66,119.00	LF		\$	
0050	22906ES403		CL3 ASPH SURF 0.38A PG64-22	6,293.00	TON		\$	
0060	24970EC		ASPHALT MATERIAL FOR TACK NON- TRACKING	38.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0070	01792		ADJUST MANHOLE	15.00	EACH		\$	
0080	01892		ISLAND HEADER CURB TYPE 1 - MODIFIED	79.00	LF		\$	
0090	01904		REMOVE CURB	90.00	LF		\$	
0100	01922		STANDARD BARRIER MEDIAN TYPE 4 MOD	242.00	SQYD		\$	
0110	02091		REMOVE PAVEMENT	187.00	SQYD		\$	
0120	02562		TEMPORARY SIGNS	500.00	SQFT		\$	
0130	02650		MAINTAIN & CONTROL TRAFFIC (JEFFERSON US 150 HSIP)	1.00	LS		\$	
0140	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0150	02720		SIDEWALK-4 IN CONCRETE	89.00	SQYD		\$	
0160	02721		REMOVE CONCRETE SIDEWALK	77.00	SQYD		\$	
0170	03425		ADJUST WATER VALVE	20.00	EACH		\$	
0180	05990		SODDING	177.00	SQYD		\$	
0190	03225		TUBULAR MARKERS "PEXCO CITY POST EMBEDDED CUP ANCHOR" (REVISED 4-21-26)	65.00	EACH		\$	
0200	06511		PAVE STRIPING-TEMP PAINT-6 IN	56,450.00	LF		\$	
0210	06542		PAVE STRIPING-THERMO-6 IN W	31,013.00	LF		\$	
0220	06543		PAVE STRIPING-THERMO-6 IN Y	23,629.00	LF		\$	
0230	06546		PAVE STRIPING-THERMO-12 IN W	561.00	LF		\$	
0240	06547		PAVE STRIPING-THERMO-12 IN Y	118.00	LF		\$	
0250	06565		PAVE MARKING-THERMO X-WALK-6 IN	8,969.00	LF		\$	
0260	06568		PAVE MARKING-THERMO STOP BAR-24IN	2,254.00	LF		\$	
0270	06569		PAVE MARKING-THERMO CROSS-HATCH	3,644.00	SQFT		\$	
0280	06573		PAVE MARKING-THERMO STR ARROW	35.00	EACH		\$	
0290	06574		PAVE MARKING-THERMO CURV ARROW	141.00	EACH		\$	
0300	06575		PAVE MARKING-THERMO COMB ARROW	32.00	EACH		\$	
0310	06576		PAVE MARKING-THERMO ONLY	36.00	EACH		\$	
0320	06610		INLAID PAVEMENT MARKER-MW	270.00	EACH		\$	
0330	06612		INLAID PAVEMENT MARKER-BY	305.00	EACH		\$	
0340	10020NS		FUEL ADJUSTMENT	11,508.00	DOLL	\$1.00	\$	\$11,508.00
0350	10030NS		ASPHALT ADJUSTMENT	28,904.00	DOLL	\$1.00	\$	\$28,904.00
0360	20411ED		LAW ENFORCEMENT OFFICER	150.00	HOUR		\$	

PROPOSAL BID ITEMS

264401

Page 2 of 3

Report Date 4/21/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0370	20782NS714		PAVE MARKING THERMO-BIKE	3.00	EACH		\$	
0380	21373ND		REMOVE SIGN	11.00	EACH		\$	
0390	21417ES717		PAVE MARK THERMO CONE CAP-SOLID YELLOW	527.00	SQFT		\$	
0400	21596ND		GMSS TYPE D	96.00	EACH		\$	
0410	22520EN		PAVE MARKING-THERMO YIELD BAR-36 IN	27.00	LF		\$	
0420	22664EN		WATER BLASTING EXISTING STRIPE	3,306.00	LF		\$	
0430	23158ES505		DETECTABLE WARNINGS	36.00	SQFT		\$	
0440	23261EC		PAVE MARK-THERMO-X-WALK-24 IN	11,053.00	LF		\$	
0450	23875NC		REMOVE THERMOPLASTIC ARROWS	2.00	EACH		\$	
0460	23928EC		PAVE MARK-THERMO "BUS" 8 FT	33.00	EACH		\$	
0470	24386EC		PAVE MARKING THERMO-BIKE LANE ARROW	3.00	EACH		\$	
0480	24683ED		PAVE MARKING-THERMO DOTTED LANE EXTEN	616.00	LF		\$	
0490	26278EC		PAVE MARK-GREEN MMA FOR BIKE LANE	366.00	SQFT		\$	

Section: 0003 - SIGNING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0500	06406		SBM ALUM SHEET SIGNS .080 IN	1,425.00	SQFT		\$	
0510	06410		STEEL POST TYPE 1	1,601.00	LF		\$	
0520	24631EC		BARCODE SIGN INVENTORY	371.00	EACH		\$	

Section: 0004 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0530	02562		TEMPORARY SIGNS	400.00	SQFT		\$	
0540	02775		ARROW PANEL	4.00	EACH		\$	
0550	04780		FUSED CONNECTOR KIT	8.00	EACH		\$	
0560	04820		TRENCHING AND BACKFILLING	156.00	LF		\$	
0570	04821		OPEN CUT ROADWAY	55.00	LF		\$	
0580	04845		CABLE-NO. 14/7C	3,300.00	LF		\$	
0590	04886		MESSENGER-15400 LB	320.00	LF		\$	
0600	04932		INSTALL STEEL STRAIN POLE	3.00	EACH		\$	
0610	04953		TEMP RELOCATION OF SIGNAL HEAD	11.00	EACH		\$	
0620	06406		SBM ALUM SHEET SIGNS .080 IN	35.00	SQFT		\$	
0630	06472		INSTALL SPAN MOUNTED SIGN	7.00	EACH		\$	
0640	20093NS835		INSTALL PEDESTRIAN HEAD-LED	8.00	EACH		\$	
0650	20188NS835		INSTALL LED SIGNAL-3 SECTION	14.00	EACH		\$	
0660	20390NS835		INSTALL COORDINATING UNIT	1.00	EACH		\$	
0670	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	2.00	EACH		\$	
0680	20457NS835		INSTALL PED DETECTOR-AUDIBLE	8.00	EACH		\$	
0690	20631ND		INSTALL POLE MOUNTED SIGN	1.00	EACH		\$	
0700	23157EN		TRAFFIC SIGNAL POLE BASE	16.30	CUYD		\$	
0710	23222EC		INSTALL SIGNAL PEDESTAL	4.00	EACH		\$	
0720	23235EC		INSTALL PEDESTAL POST	3.00	EACH		\$	
0730	24528ED		TETHER WIRE	310.00	LF		\$	

PROPOSAL BID ITEMS

264401

Page 3 of 3

Report Date 4/21/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0740	24900EC		PVC CONDUIT-1 1/4 IN-SCHEDULE 80	104.00	LF		\$	
0750	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	55.00	LF		\$	
0760	24902EC		PVC CONDUIT-3 IN-SCHEDULE 80	52.00	LF		\$	
0765	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC (ADDED 4-21-26)	1.00	EACH		\$	
0770	24955ED		REMOVE SIGNAL EQUIPMENT	1.00	EACH		\$	

Section: 0005 - TRAFFIC LOOPS

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0780	04793		CONDUIT-1 1/4 IN	50.00	LF		\$	
0790	04795		CONDUIT-2 IN	15.00	LF		\$	
0800	04820		TRENCHING AND BACKFILLING	55.00	LF		\$	
0810	04829		PIEZOELECTRIC SENSOR	4.00	EACH		\$	
0820	04830		LOOP WIRE	2,750.00	LF		\$	
0830	04895		LOOP SAW SLOT AND FILL	560.00	LF		\$	
0840	20359NN		GALVANIZED STEEL CABINET	1.00	EACH		\$	
0850	20360ES818		WOOD POST	3.00	EACH		\$	
0860	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	1.00	EACH		\$	
0870	20468EC		ELECTRICAL JUNCTION BOX-10 X 8 X 4	1.00	EACH		\$	

Section: 0006 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0880	02569		DEMOBILIZATION	1.00	LS		\$	