



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

October 20, 2025

CALL NO. 114
CONTRACT ID NO. 251025
ADDENDUM # 3

Subject: Elliott County, STP 0071(029)
Letting October 23, 2025

- (1) Revised - Utility Note - Pages 46-50 of 294
- (2) Revised - Proposal Bid Items - Pages 290-294 of 294
- (3) Revised - Plan Sheet R2G

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

GENERAL UTILITY NOTES AND
INSTRUCTIONS APPLICABLE TO ALL
UTILITY WORK MADE A PART OF THE
ROAD CONSTRUCTION CONTRACT

The contractor should be aware the following utility notes and KYTC Utility Bid Item Descriptions shall supersede, replace and take precedence over any and all conflicting information that may be contained in utility owner supplied specifications contained in the contract, on plans supplied by the utility owner, or any utility owner specifications or information externally referenced in this contract.

Where information may have been omitted from these notes, bid item descriptions, utility owner supplied specifications or plans; the KYTC Standard Specifications for Road and Bridge Construction shall be referenced.

PROTECTION OF EXISTING UTILITIES

The existing utilities shown on the plans are shown as best known at the time the plans were developed and are to be used as a guide only by the Contractor. The Contractor shall use all means at his disposal to accurately locate all existing utilities, whether shown on the plans or not, prior to excavation. The contractor shall protect these utilities during construction. Any damage to existing utilities during construction that are shown or not shown on the plans shall be repaired at the Contractor’s expense.

PREQUALIFIED UTILITY CONTRACTORS

Some utility owners may require contractors that perform relocation work on their respective facilities as a part of the road contract be prequalified or preapproved by the utility owner. **Utility contractors may be added via addendum if KYTC is instructed to do so by the utility owner. Potential contractors must seek prequalification from the utility owner. Any revisions must be sent from the utility owner to KYTC a minimum of one week prior to bid opening.** Those utility owners with a prequalification or preapproval requirement are as follows:

City of Sandy Hook Sewer Prequalified Contractors			
ConnHurst LLC Freddie Conn 879 Wilson Run Road Wallingford, KY 41093 Connhurst@hotmail.com 606-286-0387	Southern Ohio Trenching and Excavating, Inc Mark Bamer 3228 County Road 103 Ironton, OH 45638 sotei@gmail.com 740-533-0030	CJ Hughes Construction Co., Inc P.O. Box 7305 Huntington, WV 25776 304-522-3868	Frederick & May Construction Co. Jamie Shields 1016 HWY 172 kyboy316@gmail.com 606-743-4327

Sandy Hook Water District Prequalified Contractors			
G&W Construction Contact: Joan Owens 6730 Flemingsburg Road Morehead, KY 40351 Phone – 606-776-9818	Thompson Brothers Const. Contact: Barry Thompson 3477 Ringos Mill Road Hillsboro, KY 41049 Phone – 606-776-0516	Tilton Excavating Contact: Junior Tilton Route 1, Box 21 Mt. Olivet, KY 41064 Phone – 606-724-5688	Frederick & May Construction Co. Jamie Shields 1016 HWY 172 kyboy316@gmail.com 606-743-4327

The bidding contractor needs to review the above list and choose from the list of approved subcontractors at the end of these general notes as identified above before bidding. When the list of approved subcontractors is provided, only subcontractors shown on the following list(s) will be allowed to work on that utility as a part of this contract. In such instances, the utility subcontractor is not required to be prequalified with the KYTC Division of Construction Procurement.

IF A UTILITY SUPPLIED CONTRACTOR LIST IS NOT PROVIDED

When the above list of approved subcontractors for the utility work is not provided, the utility work can be completed by the prime contractor, or a prime contractor-chosen subcontractor. In such instances, the subcontractor shall be prequalified with the KYTC Division of Construction Procurement in the work type of “Utilities” (I33). Those who would like to become prequalified may contact the Division of Construction Procurement at (502) 564-3500. Please note: it could take up to 30 calendar days for prequalification to be approved. The prequalification does not have to be approved prior to the bid, but must be approved before the subcontract will be approved by KYTC and the work can be performed.

CONTRACT ADMINISTRATION RELATIVE TO UTILITY WORK

All utility work is being performed as a part of a contract administered by KYTC; there is not a direct contract between the utility contractor and utility owner. The KYTC Section Engineer is ultimately responsible for the administration of the road contract and any utility work included in the contract.

SUBMITTALS AND CORRESPONDENCE

All submittals and correspondence of any kind relative to utility work included in the road contract shall be directed to the KYTC Section Engineer, a copy of which may also be supplied to the utility owner by the contractor to expedite handling of items like material approvals and shop drawings. All approvals and correspondence generated by the utility owner shall be directed to the KYTC Section Engineer. The KYTC Section Engineer will relay any approvals or correspondence to the utility contractor as appropriate. At no time shall any direct communication between the utility owner and utility contractor without the communication flowing through the KYTC Section Engineer be considered official and binding under the contract.

ENGINEER

Where the word “Engineer” appears in any utility owner specifications included in this proposal, utility owner specifications included as a part of this contract by reference or on the utility relocation plans, it shall be understood the “Engineer” is the Kentucky Transportation Cabinet (KYTC) Section Engineer or designated representative and the utility owner engineer or designated representative jointly. Both engineers must mutually agree upon all decisions made with regard to the utility construction. The Transportation Cabinet, Section Engineer shall make all final decisions in all disputes.

INSPECTOR OR RESIDENT PROJECT REPRESENTATIVE

Where the word “Inspector” or “Resident Project Representative” appears in the utility specifications included in this proposal, utility owner specifications included as a part of this contract by reference or on the utility relocation plans, it shall be understood the “Inspector” or “Resident Project Representative” is the utility owner inspector and KYTC inspector jointly. The Transportation Cabinet, Section Engineer shall make all final decisions in all disputes.

NOTICE TO UTILITY OWNERS OF THE START OF WORK

One month before construction is to start on a utility, the utility contractor shall make notice to the KYTC Section Engineer and the utility owner of when work on a utility is anticipated to start. The utility contractor shall again make confirmation notice to the KYTC Section Engineer and the utility owner one week before utility work is to actually start.

UTILITY SHUTDOWNS

The Contractor shall not shut down any active and in-service mains, utility lines or services for any reason unless specifically given permission to do so by the utility owner. The opening and closing of valves and operating of other active utility facilities for main, utility line or utility service shut downs are to be performed by the utility owner unless specific permission is given to the contractor by the owner to make shutdowns . If and when the utility owner gives the contractor permission to shutdown mains, utility lines or utility services, the contractor shall do so following the rules, procedures and regulations of the utility owner. Any permission given by the utility owner to the contractor to shutdown active and in-service mains, utility lines or services shall be communicated to the KYTC Section Engineer by the utility owner that such permission has been given.

Notice to customers of utility shut downs is sometimes required to be performed by the utility contractor. The contractor may be required; but, is not limited to, making notice to utility customers in a certain minimum amount of time in advance of the shut down and by whatever means of communication specified by the utility owner. The means of communication to the customer may be; but is not limited to, a door hanger, notice by newspaper ad, telephone contact, or any combination of communication methods deemed necessary, customary and appropriate by the utility owner. The contractor should refer to the utility owner specifications for requirements on customer notice.

Any procedure the utility owner may require the contractor to perform by specification or plan note and any expense the contractor may incur to comply with the utility owner’s shut down procedure and notice to customers shall be considered an incidental expense to the utility construction.

CUSTOMER SERVICE AND LATERAL ABANDONMENTS When temporary or permanent abandonment of customer water, gas, or sewer services or laterals are necessary during relocation of utilities included in the contract, the utility contractor shall perform these abandonments as part of the contract as incidental work. No separate payment will be made for service line and lateral abandonments. The contractor shall provide all labor, equipment and materials to accomplish the temporary or permanent abandonment in accordance with the plans, specifications and/or as directed by the engineer. Abandonment may include, but is not limited to, digging down on a water or gas main at the tap to turn off the tap valve or corporation stop and/or capping or plugging the tap, digging down on a sewer tap at the main and plugging or capping the tap, digging down on a service line or lateral at a location shown on the plans or agreeable to the engineer and capping or plugging, or performing any other work necessary to abandon the service or lateral to satisfactorily accomplish the final utility relocation.

STATIONS AND DISTANCES

All stations and distances, when indicated for utility placement in utility relocation plans or specifications, are approximate; therefore, some minor adjustment may have to be made during construction to fit actual field conditions. Any changes in excess of 6 inches of plan location shall be reviewed and approved jointly by the KYTC Section Engineer or designated representative and utility owner engineer or designated representative. Changes in location without prior approval shall be remedied by the contractor at his own expense if the unauthorized change creates an unacceptable conflict or condition.

RESTORATION

Temporary and permanent restoration of paved or stone areas due to utility construction shall be considered incidental to the utility work. No separate payment will be made for this work. Temporary restoration shall be as directed by the KYTC Section Engineer. Permanent restoration shall be “in-kind” as existing.

Restoration of seed and sod areas will be measured and paid under the appropriate seeding and sodding bid items established in the contract for roadway work.

BELOW ARE NOTES FOR WHEN “INST” ITEMS ARE IN THE CONTRACT MEANING THE UTILITY COMPANY IS PROVIDING CERTAIN MATERIALS FOR UTILITY RELOCATION

MATERIAL

Contrary to Utility Bid Item Descriptions, those bid items that have the text “**Inst**” at the end of the bid item will have the major components of the bid item provided by the utility owner. No direct payment will be made for the major material component(s) supplied by the utility company. All remaining materials required to construct the bid item as detailed in utility bid item descriptions, in utility specifications and utility plans that are made a part of this contract will be supplied by the contractor. The contractor’s bid price should reflect the difference in cost due to the provided materials.

The following utility owners have elected to provide the following materials for work under this contract:

No materials are being supplied by the utility owner(s). All materials are to be supplied by the contractor per bid item descriptions, utility specifications and utility plans.

SECURITY OF SUPPLIED MATERIALS

If any utility materials are to be supplied by the utility owner, it will be the responsibility of the utility contractor to secure all utility owner supplied materials after delivery to the project site. The utility contractor shall coordinate directly with the utility owner and their suppliers for delivery and security of the supplied materials. Any materials supplied by the utility owner and delivered to the construction site that are subsequently stolen, damaged or vandalized and deemed unusable shall be replaced with like materials at the contractor's expense.

251025

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	3,592.00	TON		\$	
0020	00020		TRAFFIC BOUND BASE	201.00	TON		\$	
0030	00078		CRUSHED AGGREGATE SIZE NO 2	6,981.00	TON		\$	
0040	00100		ASPHALT SEAL AGGREGATE	9.00	TON		\$	
0050	00103		ASPHALT SEAL COAT	2.00	TON		\$	
0060	00190		LEVELING & WEDGING PG64-22	1,684.00	TON		\$	
0070	00212		CL2 ASPH BASE 1.00D PG64-22	3,521.00	TON		\$	
0080	00301		CL2 ASPH SURF 0.38D PG64-22	1,088.00	TON		\$	
0090	02101		CEM CONC ENT PAVEMENT-8 IN	943.00	SQYD		\$	
0100	02677		ASPHALT PAVE MILLING & TEXTURING	767.00	TON		\$	
0110	20071EC		JOINT ADHESIVE	5,576.00	LF		\$	
0120	24970EC		ASPHALT MATERIAL FOR TACK NON-TRACKING	12.00	TON		\$	
0125	21289ED		LONGITUDINAL EDGE KEY (ADDED 10-20-2025)	4,850.00	LF		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0130	01000		PERFORATED PIPE-4 IN	200.00	LF		\$	
0140	01740		CORED HOLE DRAINAGE BOX CON-4 IN	20.00	EACH		\$	
0150	01810		STANDARD CURB AND GUTTER	2,591.00	LF		\$	
0160	01811		STANDARD CURB AND GUTTER MOD	63.00	LF		\$	
0170	01875		STANDARD HEADER CURB	692.00	LF		\$	
0180	01982		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	6.00	EACH		\$	
0190	02014		BARRICADE-TYPE III	4.00	EACH		\$	
0200	02159		TEMP DITCH	1,200.00	LF		\$	
0210	02200		ROADWAY EXCAVATION	8,073.00	CUYD		\$	
0220	02242		WATER	100.00	MGAL		\$	
0230	02351		GUARDRAIL-STEEL W BEAM-S FACE	587.50	LF		\$	
0240	02360		GUARDRAIL TERMINAL SECTION NO 1	4.00	EACH		\$	
0250	02369		GUARDRAIL END TREATMENT TYPE 2A	2.00	EACH		\$	
0260	02429		RIGHT-OF-WAY MONUMENT TYPE 1	20.00	EACH		\$	
0270	02430		RIGHT-OF-WAY MONUMENT TYPE 1A	12.00	EACH		\$	
0280	02484		CHANNEL LINING CLASS III	556.00	TON		\$	
0290	02545		CLEARING AND GRUBBING APPROX 7.11 ACRES	1.00	LS		\$	
0300	02555		CONCRETE-CLASS B	35.00	CUYD		\$	
0310	02562		TEMPORARY SIGNS	400.00	SQFT		\$	
0320	02585		EDGE KEY	166.00	LF		\$	
0330	02602		FABRIC-GEOTEXTILE CLASS 1	9,606.00	SQYD		\$	
0340	02603		FABRIC-GEOTEXTILE CLASS 2	25.00	SQYD		\$	
0350	02604		FABRIC-GEOTEXTILE CLASS 1A	14,156.00	SQYD		\$	

Report Date 10/20/25

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0360	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	7,351.00	SQYD	\$2.00	\$	\$14,702.00
0370	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0380	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0390	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0400	02690		SAFELOADING	34.40	CUYD		\$	
0410	02697		EDGE LINE RUMBLE STRIPS	950.00	LF		\$	
0420	02701		TEMP SILT FENCE	1,200.00	LF		\$	
0430	02703		SILT TRAP TYPE A	7.00	EACH		\$	
0440	02704		SILT TRAP TYPE B	7.00	EACH		\$	
0450	02705		SILT TRAP TYPE C	7.00	EACH		\$	
0460	02706		CLEAN SILT TRAP TYPE A	7.00	EACH		\$	
0470	02707		CLEAN SILT TRAP TYPE B	7.00	EACH		\$	
0480	02708		CLEAN SILT TRAP TYPE C	7.00	EACH		\$	
0490	02709		CLEAN TEMP SILT FENCE	600.00	LF		\$	
0500	02720		SIDEWALK-4 IN CONCRETE	1,375.00	SQYD		\$	
0510	02726		STAKING	1.00	LS		\$	
0520	02775		ARROW PANEL	2.00	EACH		\$	
0530	02898		RELOCATE CRASH CUSHION	2.00	EACH		\$	
0540	03171		CONC BARRIER WALL TYPE 9T	250.00	LF		\$	
0550	05950		EROSION CONTROL BLANKET	847.00	SQYD		\$	
0560	05952		TEMP MULCH	21,703.00	SQYD		\$	
0570	05953		TEMP SEEDING AND PROTECTION	16,278.00	SQYD		\$	
0580	05963		INITIAL FERTILIZER	1.70	TON		\$	
0590	05964		MAINTENANCE FERTILIZER	1.10	TON		\$	
0600	05985		SEEDING AND PROTECTION	32,555.00	SQYD		\$	
0610	05990		SODDING	1,649.00	SQYD		\$	
0620	05992		AGRICULTURAL LIMESTONE	20.20	TON		\$	
0630	06510		PAVE STRIPING-TEMP PAINT-4 IN	21,600.00	LF		\$	
0640	06542		PAVE STRIPING-THERMO-6 IN W	5,070.00	LF		\$	
0650	06543		PAVE STRIPING-THERMO-6 IN Y	6,330.00	LF		\$	
0660	06547		PAVE STRIPING-THERMO-12 IN Y	120.00	LF		\$	
0670	06574		PAVE MARKING-THERMO CURV ARROW	8.00	EACH		\$	
0680	08911		CRASH CUSHION TY 6 CLASS T TL2	2.00	EACH		\$	
0690	10020NS		FUEL ADJUSTMENT	12,494.00	DOLL	\$1.00	\$	\$12,494.00
0700	10030NS		ASPHALT ADJUSTMENT	26,855.00	DOLL	\$1.00	\$	\$26,855.00
0710	20430ED		SAW CUT	692.00	LF		\$	
0720	20911ED		HIGH SLUMP 3000 PSI GROUT	106.00	CUYD		\$	
0730	23158ES505		DETECTABLE WARNINGS	340.00	SQFT		\$	
0740	23315EC		DECORATIVE FENCE	455.00	LF		\$	
0750	23961EC		REINSTALL HANDRAIL	1.00	LS		\$	
0760	24489EC		INLAID PAVEMENT MARKER	112.00	EACH		\$	
0770	24814EC		PIPELINE INSPECTION	1,536.00	LF		\$	
0780	24891EC		PAVE MOUNT INFRARED TEMP EQUIPMENT	252,315.00	SF		\$	
0800	26248EC		ELECTRONIC DELIVERY MGMT SYSTEM - AGG	1.00	LS		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
------	----------	-----	-------------	----------	------	-----------	----	--------

251025

PROPOSAL BID ITEMS

Report Date 10/20/25

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0810	00521		STORM SEWER PIPE-15 IN	945.00	LF		\$	
0820	00522		STORM SEWER PIPE-18 IN	160.00	LF		\$	
0830	00524		STORM SEWER PIPE-24 IN	34.00	LF		\$	
0840	00526		STORM SEWER PIPE-30 IN	517.00	LF		\$	
0850	00528		STORM SEWER PIPE-36 IN	65.00	LF		\$	
0860	01202		PIPE CULVERT HEADWALL-15 IN	1.00	EACH		\$	
0870	01204		PIPE CULVERT HEADWALL-18 IN	1.00	EACH		\$	
0880	01210		PIPE CULVERT HEADWALL-30 IN	1.00	EACH		\$	
0890	01456		CURB BOX INLET TYPE A	15.00	EACH		\$	
0900	01496		DROP BOX INLET TYPE 3	2.00	EACH		\$	
0910	01538		DROP BOX INLET TYPE 7	1.00	EACH		\$	
0920	01544		DROP BOX INLET TYPE 11	6.00	EACH		\$	
0930	01559		DROP BOX INLET TYPE 13G	3.00	EACH		\$	
0940	01568		DROP BOX INLET TYPE 13S	1.00	EACH		\$	
0950	01584		CAP DROP BOX INLET	1.00	EACH		\$	
0960	01650		JUNCTION BOX	1.00	EACH		\$	
0970	01719		ADJUST INLET	1.00	EACH		\$	
0980	01761		MANHOLE TYPE B	1.00	EACH		\$	
0990	01792		ADJUST MANHOLE	1.00	EACH		\$	
1000	08100		CONCRETE-CLASS A	1.59	CUYD		\$	
1010	20597EC		DITCH EXCAVATION	404.00	CUYD		\$	
1020	21541NN		CORED HOLE DRAINAGE BOX CON- 18 IN	1.00	EACH		\$	
1030	23822EC		CORED HOLE DRAINAGE BOX CON-15 IN	1.00	EACH		\$	
1040	24186EC		BORE AND JACK PIPE-36 IN	141.00	LF		\$	

Section: 0004 - SEWER

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1050	01875		STANDARD HEADER CURB	40.00	LF		\$	
1060	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
1070	15016		S ENCASEMENT STEEL BORED RANGE 3	65.00	LF		\$	
1080	15017		S ENCASEMENT STEEL BORED RANGE 4	60.00	LF		\$	
1090	15086		S LATERAL CLEANOUT	1.00	EACH		\$	
1100	15088		S LATERAL LONG SIDE 06 INCH	1.00	EACH		\$	
1110	15089		S LATERAL SHORT SIDE 04 INCH	1.00	EACH		\$	
1120	15092		S MANHOLE	2.00	EACH		\$	
1130	15093		S MANHOLE ABANDON/REMOVE	1.00	EACH		\$	
1140	15095		S MANHOLE CASTING STANDARD	1.00	EACH		\$	
1150	15096		S MANHOLE CASTING WATERTIGHT	1.00	EACH		\$	
1160	15099		S MANHOLE TAP EXISTING	1.00	EACH		\$	
1170	15112		S PIPE PVC 08 INCH	383.00	LF		\$	
1180	15121		S STRUCTURE ABANDON	1.00	EACH		\$	
1190	15136		S LATERAL LOCATE	2.00	EACH		\$	
1200	15138		S PIPE PVC 6 INCH	88.00	LF		\$	

Section: 0005 - SIGNALIZATION

251025

PROPOSAL BID ITEMS

Page 4 of 5

Report Date 10/20/25

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1210	04740		POLE BASE	2.00	EACH		\$	
1220	04844		CABLE-NO. 14/5C	70.00	LF		\$	
1230	22939ND		INSTALL LUMINAIRE POLE	2.00	EACH		\$	
1240	24601EC		INSTALL SOLAR POWERED BEACON CONTROL	2.00	EACH		\$	
1250	24955ED		REMOVE SIGNAL EQUIPMENT	2.00	EACH		\$	

Section: 0006 - LIGHTING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1260	04740		POLE BASE	11.00	EACH		\$	
1270	04780		FUSED CONNECTOR KIT	22.00	EACH		\$	
1280	04793		CONDUIT-1 1/4 IN	750.00	LF		\$	
1290	04795		CONDUIT-2 IN	125.00	LF		\$	
1300	04811		ELECTRICAL JUNCTION BOX TYPE B	2.00	EACH		\$	
1310	04820		TRENCHING AND BACKFILLING	825.00	LF		\$	
1320	04832		WIRE-NO. 12	500.00	LF		\$	
1330	04833		WIRE-NO. 8	1,800.00	LF		\$	
1340	04940		REMOVE LIGHTING	1.00	LS		\$	
1350	20337ED		DECORATIVE LUMINAIRE	11.00	EACH		\$	
1360	24831EC		DECORATIVE LIGHT POLE	11.00	EACH		\$	

Section: 0007 - WATERLINE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1370	14003		W CAP EXISTING MAIN	2.00	EACH		\$	
1380	14004		W DIRECTIONAL BORE	560.00	LF		\$	
1390	14008		W ENCASEMENT STEEL BORED RANGE 3	142.00	LF		\$	
1400	14021		W FIRE HYDRANT REMOVE	2.00	EACH		\$	
1410	14022		W FLUSH HYDRANT ASSEMBLY	2.00	EACH		\$	
1420	14023		W FLUSHING ASSEMBLY	1.00	EACH		\$	
1430	14028		W METER 3/4 INCH	12.00	EACH		\$	
1440	14059		W PIPE PVC 06 INCH	1,900.00	LF		\$	
1450	14077		W SERV PE/PLST LONG SIDE 1 IN	2.00	EACH		\$	
1460	14082		W SERV PE/PLST SHORT SIDE 1 IN	3.00	EACH		\$	
1470	14085		W SERV PE/PLST SHORT SIDE 3/4 IN	11.00	EACH		\$	
1480	14089		W TAPPING SLEEVE AND VALVE SIZE 1	2.00	EACH		\$	
1490	14105		W VALVE 06 INCH	1.00	EACH		\$	
1500	14126		W ENCASEMENT SPECIAL	10.00	LF		\$	
1510	14168		W METER VAULT SIZE RANGE 1	1.00	EACH		\$	

Section: 0008 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1520	02568		MOBILIZATION	1.00	LS		\$	
1530	02569		DEMOBILIZATION	1.00	LS		\$	

251025

PROPOSAL BID ITEMS

Report Date 10/20/25

GENERAL SUMMARY

[illegible]

COMMONWEALTH OF KENTUCKY DEPARTMENT OF HIGHWAYS	DRAWING TITLE: GENERAL SUMMARY	ITEM NO.	9-0228-30	COUNTY OF	ELLIOTT
		SHEET NO.			
		R2G			

GENERAL SUMMARY

[illegible]

COMMONWEALTH OF KENTUCKY DEPARTMENT OF HIGHWAYS	DRAWING TITLE: GENERAL SUMMARY	ITEM NO.	9-0228-30	COUNTY OF	ELLIOTT
		SHEET NO.			
		R2G			