

CALL NO. 115
CONTRACT ID. 174119
VARIOUS COUNTIES
FED/STATE PROJECT NUMBER HSIP 9010 (279)
DESCRIPTION SIGNING ON VARIOUS ROUTES IN DISTRICT 6
WORK TYPE SIGNS
PRIMARY COMPLETION DATE 3/15/2018

LETTING DATE: May 26,2017

Sealed Bids will be received electronically through the Bid Express bidding service until 10:00 AM EASTERN DAYLIGHT TIME May 26,2017. Bids will be publicly announced at 10:00 AM EASTERN DAYLIGHT TIME.

NO PLANS ASSOCIATED WITH THIS PROJECT.

DBE CERTIFICATION REQUIRED - 0%

REQUIRED BID PROPOSAL GUARANTY: Not less than 5% of the total bid.

TABLE OF CONTENTS

PART I SCOPE OF WORK

- PROJECT(S), COMPLETION DATE(S), & LIQUIDATED DAMAGES
- CONTRACT NOTES
- FEDERAL CONTRACT NOTES
- SPECIAL NOTE(S) APPLICABLE TO PROJECT
- COORDINATION OF WORK WITH OTHER CONTRACTS
- TRAFFIC CONTROL PLAN
- RIGHT OF WAY NOTES
- UTILITY IMPACT & RAIL CERTIFICATION NOTES
- SKETCH MAP(S)
- SUMMARY SHEET(S)

PART II SPECIFICATIONS AND STANDARD DRAWINGS

- SPECIFICATIONS REFERENCE
- SUPPLEMENTAL SPECIFICATION
- [SN-11M] SPECIAL NOTE FOR BARCODES ON PERMANENT SIGNS
- 2016 STANDARD DRAWINGS THAT APPLY

PART III EMPLOYMENT, WAGE AND RECORD REQUIREMENTS

- FEDERAL-AID CONSTRUCTION CONTRACTS FHWA 1273
- NONDISCRIMINATION OF EMPLOYEES
- EXECUTIVE BRANCH CODE OF ETHICS
- PROJECT WAGE RATES LOCALITY 3 / FEDERAL
- PROJECT WAGE RATES LOCALITY 4 / FEDERAL
- NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EEO CAMPBELL
- NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EEO HARRISON
- NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EEO KENTON

PART IV INSURANCE

PART V BID ITEMS

PART I SCOPE OF WORK

ADMINISTRATIVE DISTRICT - 06

CONTRACT ID - 174119 HSIP 9010 (279) COUNTY - VARIOUS

PCN - 0612199991701 HSIP 9010 (273)

SIGNING ON VARIOUS ROUTES IN DISTRICT 6 DISTRICT 6SIGNS SYP NO. 06-00936.00. GEOGRAPHIC COORDINATES LATITUDE 38:42:57.00 LONGITUDE 84:27:41.00

COMPLETION DATE(S):

COMPLETED BY 03/15/2018

APPLIES TO ENTIRE CONTRACT

CONTRACT NOTES

PROPOSAL ADDENDA

All addenda to this proposal must be applied when calculating bid and certified in the bid packet submitted to the Kentucky Department of Highways. Failure to use the correct and most recent addenda may result in the bid being rejected.

BID SUBMITTAL

Bidder must use the Department's Expedite Bidding Program available on the Internet web site of the Department of Highways, Division of Construction Procurement. (www.transportation.ky.gov/construction-procurement)

The Bidder must download the bid file located on the Bid Express website (www.bidx.com) to prepare a bid packet for submission to the Department. The bidder must submit electronically using Bid Express.

JOINT VENTURE BIDDING

Joint venture bidding is permissible. All companies in the joint venture must be prequalified in one of the work types in the Qualifications for Bidders for the project. The bidders must get a vendor ID for the joint venture from the Division of Construction Procurement and register the joint venture as a bidder on the project. Also, the joint venture must obtain a digital ID from Bid Express to submit a bid. A joint bid bond of 5% may be submitted for both companies or each company may submit a separate bond of 5%.

UNDERGROUND FACILITY DAMAGE PROTECTION

The contractor shall make every effort to protect underground facilities from damage as prescribed in the Underground Facility Damage Protection Act of 1994, Kentucky Revised Statute KRS 367.4901 to 367.4917. It is the contractor's responsibility to determine and take steps necessary to be in compliance with federal and state damage prevention directives. When prescribed in said directives, the contractor shall submit Excavation Locate Requests to the Kentucky Contact Center (KY811) via web ticket entry. The submission of this request does not relieve the contractor from the responsibility of contacting non-member facility owners, whom shall be contacted through their individual Protection Notification Center. Non-compliance with these directives can result in the enforcement of penalties.

SPECIAL NOTE FOR COMPOSITE OFFSET BLOCKS

Contrary to the Standard Drawings (2016 edition) the Cabinet will allow 6" composite offset blocks in lieu of wooden offset blocks, except as specified on proprietary end treatments and crash cushions. The composite blocks shall be selected from the Cabinet's List of Approved Materials.

REGISTRATION WITH THE SECRETARY OF STATE BY A FOREIGN ENTITY

Pursuant to KRS 176.085(1)(b), an agency, department, office, or political subdivision of the Commonwealth of Kentucky shall not award a state contract to a person that is a foreign entity required by KRS 14A.9-010 to obtain a certificate of authority to transact business in the Commonwealth ("certificate") from the Secretary of State under KRS 14A.9-030 unless the person produces the certificate within fourteen (14) days of the bid or proposal opening. If the foreign entity is not required to obtain a certificate as provided in KRS 14A.9-010, the foreign entity should identify the applicable exception. Foreign entity is defined within KRS 14A.1-070.

For all foreign entities required to obtain a certificate of authority to transact business in the Commonwealth, if a copy of the certificate is not received by the contracting agency within the time frame identified above, the foreign entity's solicitation response shall be deemed non-responsive or the awarded contract shall be cancelled.

Businesses can register with the Secretary of State at https://secure.kentucky.gov/sos/ftbr/welcome.aspx .

SPECIAL NOTE FOR PROJECT QUESTIONS DURING ADVERTISEMENT

Questions about projects during the advertisement should be submitted in writing to the Division of Construction Procurement. This may be done by fax (502) 564-7299 or email to kytc.projectquestions@ky.gov. The Department will attempt to answer all submitted questions. The Department reserves the right not to answer if the question is not pertinent or does not aid in clarifying the project intent.

The deadline for posting answers will be 3:00 pm Eastern Daylight Time, the day preceding the Letting. Questions may be submitted until this deadline with the understanding that the later a question is submitted, the less likely an answer will be able to be provided.

The questions and answers will be posted for each Letting under the heading "Questions & Answers" on the Construction Procurement website (www.transportation.ky.gov/contract). The answers provided shall be considered part of this Special Note and, in case of a discrepancy, will govern over all other bidding documents.

HARDWOOD REMOVAL RESTRICTIONS

The US Department of Agriculture has imposed a quarantine in Kentucky and several surrounding states, to prevent the spread of an invasive insect, the emerald ash borer. Hardwood cut in conjunction with the project may not be removed from the state. Chipping or burning on site is the preferred method of disposal.

INSTRUCTIONS FOR EXCESS MATERIAL SITES AND BORROW SITES

Identification of excess material sites and borrow sites shall be the responsibility of the Contractor. The Contractor shall be responsible for compliance with all applicable state and federal laws and may wish to consult with the US Fish and Wildlife Service to seek protection under Section 10 of the Endangered Species Act for these activities.

ACCESS TO RECORDS

The contractor, as defined in KRS 45A.030 (9) agrees that the contracting agency, the Finance and Administration Cabinet, the Auditor of Public Accounts, and the Legislative Research Commission, or their duly authorized representatives, shall have access to any books, documents, papers, records, or other evidence, which are directly pertinent to this contract for the purpose of financial audit or program review. Records and other prequalification information confidentially disclosed as part of the bid process shall not be deemed as directly pertinent to the contract and shall be exempt from disclosure as provided in KRS 61.878(1)(c). The contractor also recognizes that any books, documents, papers, records, or other evidence, received during a financial audit or program review shall be subject to the Kentucky Open Records Act, KRS 61.870 to 61.884.

In the event of a dispute between the contractor and the contracting agency, Attorney General, or the Auditor of Public Accounts over documents that are eligible for production and review, the Finance and Administration Cabinet shall review the dispute and issue a determination, in accordance with Secretary's Order 11-004.

06/01/16

FEDERAL CONTRACT NOTES

The Kentucky Department of Highways, in accordance with the Regulations of the United States Department of Transportation 23 CFR 635.112 (h), hereby notifies all bidders that failure by a bidder to comply with all applicable sections of the current Kentucky Standard Specifications, including, but not limited to the following, may result in a bid not being considered responsive and thus not eligible to be considered for award:

102.02 Current Capacity Rating 102.10 Delivery of Proposals

102.8 Irregular Proposals 102.14 Disqualification of Bidders

102.9 Proposal Guaranty

CIVIL RIGHTS ACT OF 1964

The Kentucky Department of Highways, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252) and the Regulations of the Federal Department of Transportation (49 C.F.R., Part 21), issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that the contract entered into pursuant to this advertisement will be awarded to the lowest responsible bidder without discrimination on the ground of race, color, or national origin.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071.

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

SECOND TIER SUBCONTRACTS

Second Tier subcontracts on federally assisted projects shall be permitted. However, in the case of DBE's, second tier subcontracts will only be permitted where the other subcontractor is also a DBE. All second tier subcontracts shall have the consent of both the Contractor and the Engineer.

DISADVANTAGED BUSINESS ENTERPRISE PROGRAM

It is the policy of the Kentucky Transportation Cabinet ("the Cabinet") that Disadvantaged Business Enterprises ("DBE") shall have the opportunity to participate in the performance of highway construction projects financed in whole or in part by Federal Funds in order to create a level playing field for all businesses who wish to contract with the Cabinet. To that end, the Cabinet will comply with the regulations found in 49 CFR Part 26, and the definitions and requirements contained therein shall be adopted as if set out verbatim herein.

The Cabinet, contractors, subcontractors, and sub-recipients shall not discriminate on the basis of race, color, national origin, or sex in the performance of work performed pursuant to Cabinet contracts. The contractor shall carry out applicable requirements of 49 CFR 26 in the award and administration of federally assisted highway construction projects. The contractor will include this provision in all its subcontracts and supply agreements pertaining to contracts with the Cabinet.

Failure by the contractor to carry out these requirements is a material breach of its contract with the Cabinet, which may result in the termination of the contract or such other remedy as the Cabinet deems necessary.

DBE GOAL

The Disadvantaged Business Enterprise (DBE) goal established for this contract, as listed on the front page of the proposal, is the percentage of the total value of the contract.

The contractor shall exercise all necessary and reasonable steps to ensure that Disadvantaged Business Enterprises participate in a least the percent of the contract as set forth above as goals for this contract.

OBLIGATION OF CONTRACTORS

Each contractor prequalified to perform work on Cabinet projects shall designate and make known to the Cabinet a liaison officer who is assigned the responsibility of effectively administering and promoting an active program for utilization of DBEs.

If a formal goal has not been designated for the contract, all contractors are encouraged to consider DBEs for subcontract work as well as for the supply of material and services needed to perform this work.

Contractors are encouraged to use the services of banks owned and controlled by minorities and women.

CERTIFICATION OF CONTRACT GOAL

Contractors shall include the following certification in bids for projects for which a DBE goal has been established. BIDS SUBMITTED WHICH DO NOT INCLUDE CERTIFICATION OF DBE PARTICIPATION WILL NOT BE ACCEPTED. These bids will not be considered for award by the Cabinet and they will be returned to the bidder.

"The bidder certifies that it has secured participation by Disadvantaged Business Enterprises ("DBE") in the amount of _____ percent of the total value of this contract and that the DBE participation is in compliance with the requirements of 49 CFR 26 and the policies of the Kentucky Transportation Cabinet pertaining to the DBE Program."

The certification statement is located in the electronic bid file. All contractors must certify their DBE participation on that page. DBEs utilized in achieving the DBE goal must be certified and prequalified for the work items at the time the bid is submitted.

DBE PARTICIPATION PLAN

Lowest responsive bidders must submit the *DBE Plan/ Subcontractor Request*, form TC 14-35 DBE, within 5 days of the letting. This is necessary before the Awards Committee will review and make a recommendation. The project will not be considered for award prior to submission and approval of the apparent low bidder's DBE Plan/Subcontractor Request.

The DBE Participation Plan shall include the following:

- Name and address of DBE Subcontractor(s) and/or supplier(s) intended to be used in the proposed project;
- Description of the work each is to perform including the work item, unit, quantity, unit price and total amount of the work to be performed by the individual DBE. The Project Code Number (PCN), Category Number, and the Project Line Number can be found in the "material listing" on the Construction Procurement website under the specific letting;
- 3 The dollar value of each proposed DBE subcontract and the percentage of total project contract value this represents. DBE participation may be counted as follows; a) If DBE suppliers and manufactures assume actual and contractual responsibility, the dollar value of materials to be furnished will be counted toward the goal as follows:
 - The entire expenditure paid to a DBE manufacturer;
 - 60 percent of expenditures to DBE suppliers that are not manufacturers provided the supplier is a regular dealer in the product involved. A regular dealer must be engaged in, as its principal business and in its own name, the sale of products to the public, maintain an inventory and own and operate distribution equipment; and
 - The amount of fees or commissions charged by the DBE firms for a bona fide service, such as professional, technical, consultant, or managerial services and assistance in the procurement of essential personnel, facilities, equipment, materials, supplies, delivery of materials and supplies or for furnishing bonds, or insurance, providing such fees or commissions are determined to be reasonable and customary.

- b) The dollar value of services provided by DBEs such as quality control testing, equipment repair and maintenance, engineering, staking, etc.;
- c) The dollar value of joint ventures. DBE credit for joint ventures will be limited to the dollar amount of the work actually performed by the DBE in the joint venture;
- Written and signed documentation of the bidder's commitment to use a DBE contractor whose participation is being utilized to meet the DBE goal; and
- Written and signed confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment.

UPON AWARD AND BEFORE A WORK ORDER WILL BE ISSUED

Contractors must submit the signed subcontract between the contractor and the DBE contractor, the DBE's certificate of insurance, and an affidavit for bidders, offerors, and contractors from the DBE to the Division of Construction Procurement. The affidavit can be found on the Construction Procurement website. If the DBE is a supplier of materials for the project, a signed purchase order and an affidavit for bidders, offerors, and contractors must be submitted to the Division of Construction Procurement.

Changes to DBE Participation Plans must be approved by the Cabinet. The Cabinet may consider extenuating circumstances including, but not limited to, changes in the nature or scope of the project, the inability or unwillingness of a DBE to perform the work in accordance with the bid, and/or other circumstances beyond the control of the prime contractor.

CONSIDERATION OF GOOD FAITH EFFORTS REQUESTS

If the DBE participation submitted in the bid by the apparent lowest responsive bidder does not meet or exceed the DBE contract goal, the apparent lowest responsive bidder must submit a Good Faith Effort Package to satisfy the Cabinet that sufficient good faith efforts were made to meet the contract goals prior to submission of the bid. Efforts to increase the goal after bid submission will not be considered in justifying the good faith effort, unless the contractor can show that the proposed DBE was solicited prior to the letting date. DBEs utilized in achieving the DBE goal must be certified and prequalified for the work items at the time the bid is submitted. One complete set and nine (9) copies of this information must be received in the office of the Division of Contract Procurement no later than 12:00 noon of the tenth calendar day after receipt of notification that they are the apparent low bidder.

Where the information submitted includes repetitious solicitation letters it will be acceptable to submit a sample representative letter along with a distribution list of the firms solicited. Documentation of DBE quotations shall be a part of the good faith effort submittal as necessary to demonstrate compliance with the factors listed below which the Cabinet considers in judging good faith efforts. This documentation may include written subcontractors' quotations, telephone log notations of verbal quotations, or other types of quotation documentation.

The Good Faith Effort Package shall include, but may not be limited to information showing evidence of the following:

- Whether the bidder attended any pre-bid meetings that were scheduled by the Cabinet to inform DBEs of subcontracting opportunities;
- Whether the bidder provided solicitations through all reasonable and available means;
- Whether the bidder provided written notice to all DBEs listed in the DBE directory at the time of the letting who are prequalified in the areas of work that the bidder will be subcontracting;
- Whether the bidder followed up initial solicitations of interest by contacting DBEs to determine with certainly whether they were interested. If a reasonable amount of DBEs within the targeted districts do not provide an intent to quote or no DBEs are prequalified in the subcontracted areas, the bidder must notify the DBE Liaison in the Office of Minority Affairs to give notification of the bidder's inability to get DBE quotes;
- Whether the bidder selected portions of the work to be performed by DBEs in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime contractor might otherwise perform these work items with its own forces;
- Whether the bidder provided interested DBEs with adequate and timely information about the plans, specifications, and requirements of the contract;
- Whether the bidder negotiated in good faith with interested DBEs not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached;
- Whether quotations were received from interested DBE firms but were rejected as unacceptable without sound reasons why the quotations were considered unacceptable. The fact that the DBE firm's quotation for the work is not the lowest quotation received will not in itself be considered as a sound reason for rejecting the quotation as unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own forces will not be considered a sound reason for rejecting a DBE quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy DBE goals;
- 9 Whether the bidder specifically negotiated with subcontractors to assume part of the responsibility to meet the contract DBE goal when the work to be subcontracted includes potential DBE participation;
- Whether the bidder made any efforts and/or offered assistance to interested DBEs in obtaining the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal; and
- Any other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include DBE participation.

FAILURE TO MEET GOOD FAITH REQUIREMENT

Where the apparent lowest responsive bidder fails to submit sufficient participation by DBE firms to meet the contract goal and upon a determination by the Good Faith Committee based upon the information submitted that the apparent lowest responsive bidder failed to make sufficient reasonable efforts to meet the contract goal, the bidder will be offered the opportunity to meet in person for administrative reconsideration. The bidder will be notified of the Committee's decision within 24 hours of its decision. The bidder will have 24 hours to request reconsideration of the Committee's decision. The reconsideration meeting will be held within two days of the receipt of a request by the bidder for reconsideration.

The request for reconsideration will be heard by the Office of the Secretary. The bidder will have the opportunity to present written documentation or argument concerning the issue of whether it met the goal or made an adequate good faith effort. The bidder will receive a written decision on the reconsideration explaining the basis for the finding that the bidder did or did not meet the goal or made adequate Good Faith efforts to do so.

The result of the reconsideration process is not administratively appealable to the Cabinet or to the United States Department of Transportation.

The Cabinet reserves the right to award the contract to the next lowest responsive bidder or to rebid the contract in the event that the contract is not awarded to the low bidder as the result of a failure to meet the good faith requirement.

SANCTIONS FOR FAILURE TO MEET DBE REQUIREMENTS OF THE PROJECT

Failure by the prime contractor to fulfill the DBE requirements of a project under contract or to demonstrate good faith efforts to meet the goal constitutes a breach of contract. When this occurs, the Cabinet will hold the prime contractor accountable, as would be the case with all other contract provisions. Therefore, the contractor's failure to carry our the DBE contract requirements shall constitute a breach of contract and as such the Cabinet reserves the right to exercise all administrative remedies at its disposal including, but not limited to the following:

- Disallow credit toward the DBE goal;
- Withholding progress payments;
- Withholding payment to the prime in an amount equal to the unmet portion of the contract goal; and/or
- Termination of the contract.

PROMPT PAYMENT

The prime contractor will be required to pay the DBE within seven (7) working days after he or she has received payment from the Kentucky Transportation Cabinet for work performed or materials furnished.

CONTRACTOR REPORTING

All contractors must keep detailed records and provide reports to the Cabinet on their progress in meeting the DBE requirement on any highway contract. These records may include, but shall not be limited to payroll, lease agreements, cancelled payroll checks, executed subcontracting agreements, etc. Prime contractors will be required to complete and submit a signed and notarized affidavit (TC 18-7) and copies of checks for any monies paid to each DBE subcontractor or supplier utilized to meet a DBE goal. These documents must be submitted within 10 days of being paid by the Cabinet.

Payment information that needs to be reported includes date the payment is sent to the DBE, check number, Contract ID, amount of payment and the check date. Before Final Payment is made on this contract, the Prime Contractor will certify that all payments were made to the DBE subcontractor and/or DBE suppliers.

The Prime Contractor should supply the payment information at the time the DBE is compensated for their work. Form to use is located at: http://transportation.ky.gov/Construction/Pages/Subcontracts.aspx

The prime contractor should notify the KYTC Office of Civil Rights and Small Business Development seven (7) days prior to DBE contractors commencing work on the project. The contact is Melvin Bynes and the telephone number is (502) 564-3601.

Photocopied payments and completed, signed and notarized affidavit must be submitted by the Prime Contractor to: Office of Civil Rights and Small Business Development 6th Floor West 200 Mero Street

Frankfort, KY 40622

DEFAULT OR DECERTIFICATION OF THE DBE

If the DBE subcontractor or supplier is decertified or defaults in the performance of its work, and the overall goal cannot be credited for the uncompleted work, the prime contractor may utilize a substitute DBE or elect to fulfill the DBE goal with another DBE on a different work item. If after exerting good faith effort in accordance with the Cabinet's Good Faith Effort policies and procedures, the prime contractor is unable to replace the DBE, then the unmet portion of the goal may be waived at the discretion of the Cabinet.

1/27/2017

<u>LEGAL REQUIREMENTS AND RESPONSIBILITY TO THE PUBLIC – CARGO PREFERENCE ACT (CPA).</u>

(REV 12-17-15) (1-16)

SECTION 7 is expanded by the following new Article:

102.10 <u>Cargo Preference Act – Use of United States-flag vessels.</u>

Pursuant to Title 46CFR Part 381, the Contractor agrees

- To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.
- To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph 1 of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.
- To insert the substance of the provisions of this clause in all subcontracts issued pursuant to this contract.

SPECIAL NOTE FOR STAKING

Contrary to Section 201, payment at the lump sum unit price for STAKING shall include:

<u>Identifying the locations</u> - The Contractor shall use project maps, proposal information and other resources to identify the county, routes, and termini of installations.

<u>Preliminary proposal discussion</u> – The Contractor should review the proposal and compare the proposed sign layout(s) with existing field conditions for potential conflicts; including but not limited to utilities, driveways, or obstructions. Any questions or situations encountered during the review should be discussed with Engineer or District Traffic Engineer at this time.

Marking Sign Locations – All signs are listed by approximate location for reference. The Contractor should refer to Tables 2C-4 and 2C-6 and Figures 2C-2 and 2C-3 from the Manual on Uniform on Traffic Control Devices (MUTCD), current edition, to establish the appropriate location, distances, and spacing needed for the installation of the signs. The Contractor should also review the sign layout for visibility, obstructions, proper offset from driving lanes, constructability, and proximity to other signage. Using paint marks on the pavement, mag nails, stakes or any other means approved by the Engineer, the Contractor shall mark the proposed sign locations in the field.

<u>Receiving final location approval</u> – Notify and coordinate sign layout with District Traffic Engineer of proposed sign plans (including removal and relocation of any existing signage) prior to ordering material. Before installation begins, obtain final sign location approval from the Engineer and/or District Traffic Engineer.

SPECIAL NOTES FOR SIGNAGE

I. DESCRIPTION

Except as provided herein, this work shall be performed in accordance with the Manual on Uniform Traffic Control Devices (MUTCD), the Department's current Standard Specifications and Interim Supplemental Specifications, applicable Standard and Sepia Drawings, and applicable Special Provisions except as hereafter specified. Article references are to the Standard Specifications. This project shall consist of furnishing all labor, equipment, materials, and incidentals for the following:

(1) Maintaining and Controlling Traffic; (2) Furnish, Fabricate, and Erect Signs; (3) all other work specified in the Contract.

The Contractor will notify the Engineer and District Traffic Engineer as the proposed initial layout and/or staking are completed on each ramp or route. In succession, Engineer and/or District Traffic Engineer will provide the contactor the final approval for sign layout, and quantities, within 2 weeks from this notification.

II. MATERIALS

All materials shall be sampled and tested in accordance with the Department's Sampling Manual and the materials shall be available for sampling a sufficient time in advance of the use of the materials to allow for the necessary time for testing unless otherwise specified in these Notes.

All sign sheeting shall be from the Cabinet's List of Approved Materials.

The following signs and sign components shall be fabricated using Type IX or Type XI sheeting:

- o White sign legends on panel signs
- o STOP (R1-1) signs
- o ALL WAY (R1-3P) signs
- o YIELD (R1-2) signs
- o DO NOT ENTER (R5-1) signs
- o WRONG WAY (R5-1a) signs

The following signs and sign components shall be fabricated using Type IX or Type XI fluorescent yellow sheeting:

- Horizontal Alignment Signs and Plaques, including signs shown in Figure 2C-1 of the MUTCD
- o All advisory Speed (W13-1P) plagues

The following signs shall be fabricated using Type VIII or Type IX fluorescent yellow-green sheeting:

- o School and school bus warning signs, including the fluorescent yellow-green signs shown in Figures 7B-1 and 7B-6 of the MUTCD and other school-related warning signs that are not included in the MUTCD.
- Bicycle Warning (W11-1) signs and SHARE THE ROAD (W16-1P) plaques or diagonal downward point arrow (W16-7P) plaques that supplement Bicycle Warning signs.
- A. Maintain and Control Traffic. See Traffic Control Plan.

III. CONSTRUCTION METHODS

- A. Maintain and Control Traffic. See Traffic Control Plan.
- **B. Site Preparation.** All site preparation shall be as approved or directed by the Engineer. Be responsible for all site preparation including, but not limited to; clearing and grubbing, staking, excavation, backfill, and removal of obstructions or any other material not covered by other items. Perform all site preparation only as approved or directed by the Engineer.
- **C. Staking.** See Special Note for Staking.
- **D. Signs and Posts.** Before beginning installation, the contractor shall furnish to the Engineer drawings, descriptions, manufacturer's cuts, etc. covering all material to be used. Mill test reports for beams, steel panels, and each different gauge of aluminum or steel sheeting used must be submitted to the Division of Construction and approved prior to erection.

Fabricate sheet signs from .080 or .125 gauge aluminum alloy 5052-H38 or 6061-T6 sheets in accordance with ASTM B-209 and be the size and shape specified. Prepare the side to receive the retroreflective background material according to the sheeting and retroreflective material manufacturers' recommendations. Sheeting used as background material for sign faces is to be the color specified and visually in accordance with standard requirements of ASTM D-4956 and meet the requirements of Section 830 of the Standard Specifications. Contrary to Section 830.02.06, use the appropriate type and color of sheeting as specified in the contract. All retroreflective material shall be fabricated and assembled in accordance with manufacturer's specifications and/or recommendations.

All hardware for the erection of sheeting signs shall be cadmium plated steel in accordance with ASTM B-776 and ASTM A-307. All beams and posts shall be of sufficient lengths to extend from the top of the sign to the required base embedment. Type I steel posts shall be either standard installation in soil, with soil stabilizer, or Type 'D' (breakaway sign post support system) installation. Anchors and soil stabilizers shall be incidental to Type I steel post. If solid rock is encountered, the contractor shall drill

holes of the required depth into the rock and backfill with concrete. The cost shall be incidental to Type I steel post and soil stabilizers will not be required. Bracing, if required, shall be incidental to Type I steel post. All steel post shall meet the requirements of Section 832 of the standard specifications.

New concrete bases, support beams, anchors, etc. are to be installed prior to dismantling any existing sign. The removal of existing signs and supports is to be done concurrently with the installation of new signs and supports under the same lane closure during the same work shift. Completely remove existing sign support anchors or remove them to a minimum depth of six (6) inches below existing ground line and backfill the disturbed area to the existing ground line. \

When listed in the summaries, Reflective Sign Post Panel shall be 2" wide x 60" or 72" tall and shall have three 3/8" holes (one hole in the top 3", one hole near the center, and one hole in the bottom 3") that align with holes on the Type I steel post. Sheeting shall be the same Type and color as the sign installed on the post. Examples include:

- Red, fluorescent yellow, and fluorescent yellow-green (Type IX and/or XI Sheeting)
- White and yellow (Type III and/or IV Sheeting).

All manufactured sheeting signs shall be free of visual defects including, but not limited to, cracks, tears, ridges, humps, discoloration, etc., and defective signs shall be replaced at no additional cost to the Department.

All sign blanks shall be hole punched by the manufacturer for either horizontal or vertical installation. Attach all aluminum sheeting signs to square post with 3/8" all steel rivets and nylon washers

Post will be attached to the anchor with 5/16" corner bolts and 5/16" flanged nuts, and all post and anchor cuts shall be treated with a Cold Galvanizing Compound spray.

Sign posts shall be erected vertically by using a level bubble. The tolerance shall be a 2 degree angle in any direction. On signs where there are more than one sign assembly mounted beside each other, the posts shall be spaced to provide approximately six inches (6") of spacing between signs.

No payment will be made for material purchased without prior approval of proposed sign plans from the Engineer.

E. Property Damage. The Contractor will be responsible for all damage to public and/or private property resulting from his work. Repair or replace damaged roadway features in like kind materials and design as directed by the Engineer at no additional cost to the Department. Repair or replace damaged private property in like kind materials and design to the satisfaction of the owner and the Engineer at no additional cost to the Department.

- F. Coordination with Utility Companies. Locate all underground, above ground and overhead utilities prior to beginning construction. The Contractor shall have the responsibility for contacting and maintaining liaison with all utility companies that have utilities located within the project limits. Do not disturb existing overhead or underground utilities. It is not anticipated that any utility facilities will need to be relocated and/or adjusted; however, in the event that it is discovered that the work does require that utilities be relocated and/or adjusted, the utility companies will work concurrently with the Contractor while relocating their facilities. NOTIFY THE ENGINEER AND THE UTILITY OWNER(S) IMMEDIATELY WHEN IT IS DISCOVERED OR ANTICIPATED THAT ANY UTILITY CONFLICT COULD DELAY THE CONTRACTOR'S OPERATIONS. Working days will not be charged for those days on which work on the controlling item is delayed, as provided in the Specifications. If the total delay exceeds ten working days, an extension of the specified completion date will be negotiated with the Contractor for delay to the Contractor's work; however, no extension will be granted for any delay caused by the Contractor's failure to notify the Engineer and/or the utility company as specified above when a conflict is discovered or anticipated as specified. The Contractor shall be responsible for repairing all utility damage that occurs as a result of his operations.
- **G. Right of Way Limits.** The Department has not established exact limits of the Right-of-Way. The Contractor shall limit his activities to obvious Right-of-Way, permanent or temporary easements, and work areas secured by the Department through consent and release of the adjacent property owners. The Contractor shall be responsible for all encroachments onto private lands.
- **H. Clean Up, Disposal of Waste.** Clean up the project area as work progresses. Dispose of all removed concrete, debris, and other waste as per Section 204.03.08. The Department will incur no cost to obtain the disposal sites. The Department will NOT make direct payment for disposal of waste and debris from the project. Existing anchors, signs, posts, and any other hardware or material removed from the site are to become the property of the Contractor.
- I. Final Dressing, Seeding and Protection, and Restoration. Any area disturbed shall be graded to the existing slopes. Apply final dressing, class A to all disturbed areas, both on and off the Right-of-Way. Sow all disturbed earthen areas with Seed Mixture No. 1. The Department will NOT make direct payment for final dressing, seeding and protection, and clean up. Any necessary removal of existing anchors, signs, posts, and any other hardware shall become property of the contractor.
- J. Caution. The information in this proposal and shown on the plans and the type of work listed herein are approximate only and are not to be taken as an accurate evaluation of the materials and conditions to be encountered during construction; the bidder must draw his own conclusions. The Department does not give any guarantee as to the accuracy of the data and no claim for money or time extension will be considered if the conditions encountered are not in accordance with the information shown.

K. Control. Perform all work under the absolute control of the Department. Obtain the Engineer's approval of all designs required to be furnished by the contractor prior to incorporation into the work. The Department reserves the right to have other work performed by other contractors and its own forces and to permit public utility companies and others to do work during the construction within the limits of, or adjacent to, the project. Conduct operations and cooperate with such other parties so that interference with such other work will be reduced to a minimum. The Department will not honor any claims for money or time extension created by the operations of such other parties.

Should a difference of opinion arise as to the rights of the contractor and others working within the limits of, or adjacent to, the project, the Engineer will decide as to the respective rights of the various parties involved in order to assure the completion of the Department's work in general harmony and in a satisfactory manner, and his decision shall be final and binding upon the contractor.


IV. METHOD OF MEASUREMENT


- **A. Maintain and Control Traffic.** See Traffic Control Plan.
- **B. Site Preparation.** Other than the bid items listed, the Department will NOT measure Site Preparation for payment but shall be incidental to other items of work.
- C. Seeding and Protection, Temporary Erosion Control, Temporary Pollution Control, Waste Disposal. The Department will NOT MEASURE for payment the operations shown here. These include Seeding and Protection, Temporary Erosion Control, Temporary Pollution Control, and Waste Disposal. These activities shall be incidental to the bid item "SBM ALUM SHEET SIGNS .125 IN OR .080 IN".
- **D.** Signs. The Department will measure the finished in-place area of signs in Square Feet.
- **E. Sign Posts.** The Department will measure the finished in-place length of sign posts in Linear Feet. Laps, cutoffs, excess, and waste will NOT be measured for payment.
- **F. Remove Sign.** The Department will consider all signs attached to one or more connected posts as a single sign. The Department will measure as each assembly and NOT each individual sign. Removal of posts, anchors, and associated material will be incidental to the bid item.
- **G. Items Provided by KYTC.** The Department will NOT measure for payment the installation of signs and/or surface mounts provided by KYTC. These activities shall be incidental to the bid item "STEEL POST TYPE I".


H. Remove & Reset Traffic Sign. The Department will consider all signs attached to one or more connected posts as a single sign. The Department will measure as each assembly and NOT each individual sign. All items required, including posts, anchors, and associated material, will be incidental to the bid item.


V. BASIS OF PAYMENT

- A. Maintain and Control Traffic. See Traffic Control Plan.
- **B. Site Preparation.** Other than the bid items listed, the Department will NOT measure Site Preparation for payment but shall be incidental to other items of work.
- **C. Seeding and Protection, Temporary Erosion Control, Temporary Pollution Control, Waste Disposal.** The Department will NOT pay as per applicable sections for the following operations: Seeding and Protection, Temporary Erosion Control, Temporary Pollution Control, and Waste Disposal. These activities shall be incidental to the bid item "SBM ALUM SHEET SIGNS .125 IN OR .080 IN".
- **D. Sign Posts.** The Department will NOT measure sign post anchors, soil stabilizers, brackets, nuts and bolts, nylon washers or any other hardware used to erect signs for payment, but will consider them incidental to Post bid item.
- **E. Remove Sign.** The Department will NOT measure each individual sign for payment, but will measure removal of sign assemblies (including posts, anchors, and associated material) as EACH.
- **F. Remove & Reset Traffic Sign.** The Department will NOT measure each individual sign for payment, but will measure sign assemblies (including posts, anchors, and associated material) as EACH.









COORDINATION OF WORK WITH OTHER CONTRACTS

Be advised, there may be an active project(s) adjacent to or within this project. The Engineer will coordinate the work of the Contractors. See Section 105.06.

 $\begin{array}{c} \text{1-3193 Coordination Contracts} \\ \text{01/02/2012} \end{array}$

TRAFFIC CONTROL PLAN

TRAFFIC CONTROL GENERAL

Except as provided herein, maintain and control traffic in accordance with the Standard and Supplemental Specifications and the Standard and Sepia Drawings, current editions. Except for the roadway and traffic control bid items listed, all items of work necessary to maintain and control traffic will be paid at the lump sum bid price to "Maintain and Control Traffic".

Contrary to Section 106.01, furnish new, or used in like new condition, traffic control devices at the beginning of the work and maintain in like new condition until completion of the work.

PROJECT PHASING & CONSTRUCTION PROCEDURES

The Engineer may specify days and hours when ramp and mainline obstructions will not be allowed.

Provide a minimum clear lane width of <u>12</u> feet (Interchange Mainline & Ramps), <u>10</u> feet (Non-Interstate); however, provide for passage of vehicles of up to 16 feet in width. If traffic should be stopped due to construction operations, and a school bus or emergency response vehicle on an official run arrives on the scene, make provisions for the passage of the bus/vehicle as quickly as possible.

SIGNS

Contrary to section 112.04.02, only long term signs (signs intended to be continuously in place for more than 3 days) will be measured for payment; short term signs (signs intended to be left in place for 3 days or less) will not be measured for payment but will be incidental to Maintain and Control Traffic.

TEMPORARY ENTRANCES

The Engineer will not require the Contractor to provide continuous access to farms, single family, duplex, or triplex residential properties during working hours; however, provide reasonable egress and ingress to each such property when actual operations are not in progress at that location. Limit the time during which a farm or residential entrance is blocked to the minimum length of time required for actual operations, not extended for the Contractor's convenience, and in no case exceeding six (6) hours. Notify all residents twenty-four hours in advance of any driveway or entrance closings and make any accommodations necessary to meet the access needs of disabled residents.

Traffic Control Plan Page 2 of 2

Except as allowed by the Phasing as specified above, maintain direct access to all side streets and roads, schools, churches, commercial properties and apartments or apartment complexes of four or more units at all times.

The Department will measure asphalt materials required to construct and maintain any temporary entrances which may be necessary to provide temporary access; however, the Department will not measure aggregates, excavation, and/or embankment, but shall be incidental to Maintain and Control Traffic. The Engineer will determine the type of surfacing material, asphalt or aggregate, to be used at each entrance.

BARRICADES

The Department will not measure barricades used in lieu of barrels and cones for channelization or delineation, but shall be incidental to Maintain and Control Traffic according to Section 112.04.01.

PAVEMENT EDGE DROP-OFFS

Do not allow a pavement edge between opposing directions of traffic or lanes that traffic is expected to cross in a lane change situation with an elevation difference greater than 1½". Place Warning signs (MUTCD W8-11 or W8-9A) in advance of and at 1500' intervals throughout the drop-off area. Dual post the signs on both sides of the traveled way. Wedge all transverse transitions between resurfaced and unresurfaced areas which traffic may cross with asphalt mixture for leveling and wedging. Remove the wedges prior to placement of the final surface course. Protect pavement edges that traffic is not expected to cross, except accidentally, as follows:

Less than 2" - No protection required.

2" to 4" - Place plastic drums, vertical panels, or barricades every 50 feet. During daylight working hours only, the Engineer will allow the Contractor to use cones in lieu of plastic drums, panels, and barricades. Wedge the drop-off with DGA or asphalt mixture for leveling and wedging with a 1:1 or flatter slope in daylight hours, or 3:1 or flatter slope during nighttime hours, when work is not active in the drop-off area.

Greater than 4' - Protect drop-offs greater than 4 inches within 10 feet of traffic by placing drums, vertical panels, or barricades every 25 feet. The Engineer will not allow the use of cones in lieu of drums, vertical panels, or barricades for drop-offs greater than 4". Place Type III Barricades directly in front of the drop-off facing on coming traffic in both directions of travel. Provide warning signs as shown on the Standard Drawings or as directed by the Engineer

Pedestrians & Bicycles - Protect pedestrian and bicycle traffic as directed by the Engineer.



KENTUCKY TRANSPORTATION CABINET Department of Highways DIVISION OF RIGHT OF WAY & UTILITIES

TC 62-226 Rev. 01/2016 Page 1 of 1

RIGHT OF WAY CERTIFICATION

Origi	nal	Re-C	Certification RIGHT OF WAY CERTIFICATION										
IT	EM#		elle illate	COUNTY		ECT # (STATE)	PROJECT # (FEDERAL)						
6-936			Kenton,	Campbell, and Harriso	on FD52 121 99	999 000 000	HSIP 9010 (273)						
PROJECT DESCRIPTION													
Horizontal Alignment Signing on Various Routes in District 6													
	No Additional Right of Way Required												
Construction	Construction will be within the limits of the existing right of way. The right of way was acquired in accordance to FHWA regulations												
under the Ur	litorm Re	ocation	Assistance	and Real Property Acqu	isitions Policy Act	of 1970, as amende	d. No additional right of way or						
relocation as	sistance v	vere req	uired for ti	his project.									
Condi	tion # 1 (Additio	nal Right	of Way Required and	Cleared)								
All necessary	right of v	vay, incli	uding cont	rol of access rights when	applicable, have t	een acquired inclu	ding legal and physical						
remaining or	rial or ap the right	peal or c	ases may t	e pending in court but i	egal possession ha	s been obtained. Th	here may be some improvements						
rights to rem	ove. salva	ige, or d	emolish all	improvements and ent-	e ianos ano improv er on all land, luct i	ements, and KYICI	has physical possession and the						
rights to remove, salvage, or demolish all improvements and enter on all land. Just Compensation has been paid or deposited with the court. All relocations have been relocated to decent, safe, and sanitary housing or that KYTC has made available to displaced persons													
adequate replacement housing in accordance with the provisions of the current FHWA directive.													
Condi	Condition # 2 (Additional Right of Way Required with Exception)												
The right of v	vay has n	ot been i	fully acquir	red, the right to occupy	and to use all right:	s-of-way required for	or the proper execution of the						
project has b	een acqu	ired. Son	ne parcels	may be pending in court	t and on other parc	els full legal posses	ssion has not been obtained, but						
right of entry	has beer	obtaine	d, the occi	upants of all lands and in	nprovements have	vacated, and KYTC	has physical possession and right						
to remove, salvage, or demolish all improvements. Just Compensation has been paid or deposited with the court for most parcels. Just Compensation for all pending parcels will be paid or deposited with the court prior to AWARD of construction contract													
Condi	tion # 3	Additio	nal Right	of Way Required wit	h Exception	TO AWARD OF COURT	ruction contract						
The acquisition	on or righ	t of occu	pancy and	use of a few remaining	parcels are not cor	polete and/or some	a narcels still have occupants. All						
The acquisition or right of occupancy and use of a few remaining parcels are not complete and/or some parcels still have occupants. All remaining occupants have had replacement housing made available to them in accordance with 49 CFR 24.204. KYTC is hereby													
requesting at	ıthorizati	on to ad	vertise this	project for bids and to:	proceed with bid le	etting even though	the necessary right of way will not						
be fully acqui	red, and/	or some	occupants	s will not be relocated, a	nd/or the just com	pensation will not I	be paid or deposited with the						
court for som	ie parcels	until aft	er bid letti	ing. KYTC will fully meet	all the requiremen	ts outlined in 23 CF	R 635.309(c)(3) and 49 CFR						
AWARD of th	wiii expe	ction con	ipletion or otract or fo	all acquisitions, relocati	ons, and full paym	ents after bid lettin	g and prior to						
Total Number of Parcels on Project			THE COLOR	EXCEPTION (5) Parcel #	ANTICIPATED DATE OF POSSESSION WITH EXPLANATION								
Number of Parcels That Have Been Ac			quired		ANTIGIPATED DATE OF POSSESSIGN WITH EXPONATION								
Signed Deed													
Condemnation													
Signed ROE Notes/ Commi	ents (Use /	Additiona	I Sheet if no	eressand		99 1 1954							
	,			.ccssary;									
	LPA	RW Pro	ject Mana	iger	Right of Way Supervisor								
Printed Name					Printed Name Lobert Veager								
Signature					Signature	20,0	Aer						
Date			-		Date	Date 4/16/18							
Maria Pal	Rig	ht of W	ay Direct	or	FHWA								
Printed Nam	e	ml	u		Colonidate.								
Signature					Signature	No Signature Required as per FHWA-KYTC							
Date		5%	0	171A 17	Date	Current Slew	ardship Agreement						
				100	Date								

UTILITIES AND RAIL CERTIFICATION NOTE

District 6 Horizontal Alignment Signing HSIP 9010 (273) 6-936

Utility coordination efforts conducted by the project sponsor have determined that no significant utility relocation work is required to complete the project. Any work pertaining to these utility facilities is defined in the bid package and is to be carried out as instructed by the Kentucky Transportation Cabinet. The contractor will be responsible for any coordination or adjustments that are discussed or quantified in the proposal.

THE FOLLOWING RAIL COMPANIES HAVE FACILITIES IN CONJUNCTION WITH THIS PROJECT AS NOTED

No Rail Involved
 Minimal Rail Involved (See Below)
 Rail Involved (See Below)

UNDERGROUND FACILITY DAMAGE PROTECTION – BEFORE YOU DIG

The contractor shall make every effort to protect underground facilities from damage as prescribed in the Underground Facility Damage Protection Act of 1994, Kentucky Revised Statute KRS 367.4901 to 367.4917. It is the contractor's responsibility to determine and take steps necessary to be in compliance with federal and state damage prevention directives. The contractor is instructed to contact KY 811 for the location of existing underground utilities. Contact shall be made a minimum of two (2) and no more than ten (10) business days prior to excavation.

The contractor shall submit Excavation Locate Requests to the Kentucky Contact Center (KY 811) via web ticket entry. The submission of this request does not relieve the contractor from the responsibility of contacting non-member facility owners, whom are to be contacted through their individual Protection Notification Center. It may be necessary for the contractor to contact the County Court Clerk to determine what utility companies have facilities in the area. Non-compliance with these directives can result in the enforcement of penalties.

SPECIAL CAUTION NOTE – PROTECTION OF UTILITIES

The contractor will be responsible for contacting all utility facility owners on the subject project to coordinate his activities. The contractor will coordinate his activities to minimize and, where possible, avoid conflicts with utility facilities. Due to the nature of the work proposed, it is unlikely to conflict with the existing utilities beyond minor facility adjustments. Where conflicts with utility facilities are unavoidable, the contractor will coordinate any necessary relocation work with the facility owner and Resident Engineer. The


Kentucky Transportation Cabinet maintains the right to remove or alter portions of this contract if a utility conflict occurs.

UTILITIES AND RAIL CERTIFICATION NOTE


District 6
Horizontal Alignment Signing
HSIP 9010 (273)
6-936


The utility facilities as noted in the previous section(s) have been determined using data garnered by varied means and with varying degrees of accuracy: from the facility owners, a result of S.U.E., field inspections, and/or reviews of record drawings. The facilities defined may not be inclusive of all utilities in the project scope and are not Level A quality, unless specified as such. It is the contractor's responsibility to verify all utilities and their respective locations before excavating.

Please Note: The information presented in this Utility Note is informational in nature and the information contained herein is not guaranteed.



HARRISON CO





Corridor Sign Summary

County: Harrison
Route: KY 36





Campula Biat	Description	Size (in)	Quantity	# Posts/ Sign	Post L/ Sign	MUTCD Ref. No.	Sheeting Type		Total (CT)	# D 4	
Sample Picture	Description						Background	Legend	Total (SF)	# Posts	Total L
4	Turn	30x30	1	1	12	W1-1L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	6.25	1	12
(*)	Turn	30x30	0	1	12	W1-1R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
3	Curve	30x30	19	1	12	W1-2L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	118.75	19	228
?	Curve	30x30	17	1	12	W1-2R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	106.25	17	204
4	Reverse Turn	30x30	0	1	12	W1-3L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
(2)	Reverse Turn	30x30	0	1	12	W1-3R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
\$	Reverse Curve	30x30	5	1	12	W1-4L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	31.25	5	60
②	Reverse Curve	30x30	6	1	12	W1-4R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	37.5	6	72
*	Winding Road	30x30	6	1	12	W1-5L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	37.5	6	72
3	Winding Road	30x30	3	1	12	W1-5R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	18.75	3	36
	Single Arrow	48x24	21	1	12	W1-6	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	168	21	252
	Chevron	18x24	266	1	12	W1-8	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	798	266	3192
35 MPH	Advisory (XX MPH)	18x18	60	0	12	W13-1P	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	135	0	0
•	Turn w/ Side Road	36x36	2	1	12	W1-1L(Mod) - 1 W1-1R(Mod) - 1	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	18	2	24
?	Curve w/ Side Road	36x36	2	1	12	W1-10L - 1 W1-10R - 1	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	18	2	24
•	Turn w/ Adv. Speed	36x36	11	1	12	W1-1aL - 7 W1-1aR -4	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	99	11	132
?	Curve w/ Adv. Speed	36x36	16	1	12	W1-2aL - 6 W1-2aR -10	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	144	16	192
	Total Signs	=	435				Alum Signs 0.080 In.	=	1568.25	375	4,500
	Flexible Delineators	=	76				Alum Signs 0.125 In.	=	168		

(1) Estimate of Chevron posts may be greater than required; some chevrons may be double-mounted.



		SIGN			S	IG	VT V	PE, SIZE, AND DESCRIPTION		
	Rout	te Log	GPS		MUTCD	Size	- in	S		
ID	Dir.	MP	Latitude Longitude	Loc.	Code	W	Н	SqFt	TEXT / DESCRIPTION	NOTES
	EB	0.000								County Line - Begin Route
	EB	0.027								PC - Curve #1
	EB	0.041								Driveway
	EB	0.053								PT - Curve #1
	EB	0.104								PC - Curve #2
3	EB	0.141		R	W1-5L					
3	EB	0.141		R	W13-1P				35 MPH	
	EB	0.152								PT - Curve #2
	EB	0.199								PC - Curve #3
	EB	0.248								PT - Curve #3
	EB	0.352								PC - Curve #4
ш	EB	0.366								Driveway
	EB	0.378		R	S3-1					Non-standard sign
Ш	EB	0.384								PT - Curve #4
ш	EB	0.417								PC - Curve #5
Щ	EB	0.471								PT - Curve #5
ш	EB	0.505								PC - Curve #6
Ш	EB	0.542								PT - Curve #6
Ш	EB	0.572								PC - Curve #7
Ш	EB	0.600								PT - Curve #7
Ш	EB	0.637								PC - Curve #8
Ш	EB	0.659								PT -Curve #8
Ш	EB	0.688								PC - Curve #9
Ш	EB	0.732								PT - Curve #9
10	EB	0.760		R	W1-1R					
10	EB	0.760		R	W13-1P				20 MPH	
Н	EB	0.794			3.54.5				TOTAL LOCAL	PC - Curve #10
H	EB	0.795		R	M1-5				JCT KY 1032	Sign assembly
H	EB	0.859		R	M1-5				Lt. arrow, KY 1032	Sign assembly
H	EB	0.859		R	M1-5				Through arrow, KY 36	Sign assembly
Н	EB	0.896								PT - Curve #10
12	EB	0.915		D	37/1 AD					PC - Curve #11
12	EB EB	0.950		R	W1-4R					DT. Current #11
Н	EB	0.952 1.000								PT - Curve #11 PC - Curve #12
Н	EB	1.100								PT - Curve #12
Н	EB	1.177								PC - Curve #12
Н	EB	1.177								Driveway
Н		1.378								PT - Curve #13
Н	EB	2.172		R	W1-2R					11 - Cuiνc π13
14	EB	2.355		R	W1-2R W1-4R					
14	EB	2.355		R	W13-1P	\vdash			35 MPH	
14	EB	2.376		1/	44 1 3-1F				55 WH 11	PC - Curve #14
Н	EB	2.438								Driveway
Н	EB	2.457								PT - Curve #14
Н	EB	2.483								PC - Curve #15
Н	EB	2.580								PT - Curve #15
16	EB	2.696	 	R	W1-2L					11 Curve #15
10	EB	2.784		11	11 1-4L					PC - Curve #16
H	EB	2.860								PT - Curve #16
17	EB	3.000		R	W1-2L					TI Curve #10
- /	EB	3.084		-11	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					PC - Curve #17
Н	EB	3.100		R	W5-2					TC Curve #17
لئا	டம	5.100		1/	** J-2				I	



		SIGN						YPE, SIZE, AND DESCRIPTION			
	Rout	te Log		SPS		MUTCD	Size	e - in	S		
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	Н	ąFt	TEXT / DESCRIPTION	NOTES
	EB	3.150									PT - Curve #17
-	EB	3.199			R	W1-2R					
-	EB	3.411			R	W1-2R					
18	EB	3.591			R	W1-2R					
	EB	3.603									PC - Curve #18
	EB	3.624									Driveway
	EB	3.653									Driveway
	EB	3.681									PT - Curve #18
19	EB	3.704			R	W1-2L					
	EB	3.822									PC - Curve #19
	EB	3.836									Driveway
	EB	3.897									Driveway
	EB	3.980									Driveway
	EB	3.985									PT - Curve #19
	EB	4.021									PC - Curve #20
	EB	4.063							Ĺ		PT - Curve #20
	EB	4.130									PC - Curve #21
	EB	4.162									Driveway
	EB	4.182									PT - Curve #21
	EB	4.204									PC - Curve #22
	EB	4.272									Driveway
П	EB	4.276									PT - Curve #22
	EB	4.286									PC - Curve #23
	EB	4.409									Driveway
П	EB	4.450									PT - Curve #23
-	EB	4.456			R	W1-2R					
-	EB	4.803			R	W1-2L					
-	EB	5.081			R	W1-2R					
24	EB	5.270			R	W1-4R					
24	EB	5.270			R	W13-1P				35 MPH	
	EB	5.302									PC - Curve #24
	EB	5.314									Driveway
	EB	5.384									PT - Curve #24
25	EB	6.102			R	W1-4R					
	EB	6.132									PC - Curve #25
П	EB	6.228									PT - Curve #25
	EB	6.294									PC - Curve #26
	EB	6.338									PT - Curve #26
	EB	6.400									PC - Curve #27
	EB	6.427									Driveway
П	EB	6.500									PT - Curve #27
28	EB	6.599			R	W1-1R					
28	EB	6.599			R	W13-1P				20 MPH	
	EB	6.648				15 11					PC - Curve #28
Н	EB	6.718									PT - Curve #28
29	EB	6.724			R	W1-3L					- 1 - 501.0 20
29	EB	6.724			R	W13-1P		\vdash		20 MPH	
	EB	6.764				10 11					PC - Curve #29
29	EB	6.796			R	W1-6L					2 0 00 10 11 25
	EB	6.830			-11	,, I OL					PT - Curve #29
Н	EB	6.857									PC - Curve #30
30		6.894			L	W1-6R					TC Curve 1130
50	EB	6.923			L	** 1-0IX		\vdash	-		PT - Curve #30
ш	ED	0.743								1	1 1 - Cu1 ν C π 3 U



		SIGN	LOCATI	ION		MUTCD Size - in Code W H			TY	PE, SIZE, AND DESCRIPTION	
	Rout	e Log		PS		MUTCD	Size	- in	Sc		
ID	Dir.		Latitude	Longitude	Loc.		W	Η	ĮFt.	TEXT / DESCRIPTION	NOTES
-	EB	6.993			R	W1-4R					
-	EB	7.228			R	W1-2L					
	EB	7.285									PC - Curve #31
31	EB	7.295			R	W1-5L					
31	EB	7.295			R	W13-1P				35 MPH	
-	EB	7.319			R	S3-1					Non-standard sign
Ш	EB	7.340									Driveway
Ш	EB	7.368									Driveway
Ш	EB	7.413									PT - Curve #31
Ш	EB	7.460									PC - Curve #32
Ш	EB	7.510									PT - Curve #32
Ш	EB	7.729									PC - Curve #33
Ш	EB	7.737									Driveway
Ш	EB	7.769									PT - Curve #33
Ш	EB	7.794									PC - Curve #34
Ш	EB	7.848									PT - Curve #34
	EB	7.880									PC - Curve #35
Ш	EB	7.882									Edge Parking
	EB	7.900									Edge Parking
	EB	7.932									Driveway
	EB	7.954									PT - Curve #35
-	EB	8.016			R	W1-4R					
	EB	8.158									PC - Curve #36
	EB	8.196									Street Intersection - Right
	EB	8.210									PT - Curve #36
37	EB	8.230			R	W1-4R					
	EB	8.419									PC - Curve #37
	EB	8.472									PT - Curve #37
38	EB	8.711			R	W1-4R					
	EB	8.843									PC - Curve #38
	EB	8.922									PT - Curve #38
-	EB	8.980			R	W1-2R					
-	EB	9.837			R	W1-2L					
39	EB	10.052			R	W1-4R					
39		10.052			R	W13-1P				35 MPH	
		10.112									PC - Curve #39
Ш		10.190									Driveway
	EB	10.250			R	S3-1					Non-standard sign
Ш		10.294									PT - Curve #39
Ш	EB	10.322									PC - Curve #40
Ш		10.348									Driveway
Ш		10.416									PT - Curve #40
41		10.543			R	W1-4L					
41		10.543			R	W13-1P				35 MPH	
Ш	EB	10.609									PC - Curve #41
Ш		10.624									Driveway
-		10.634			R	M1-5				JCT KY 1054	Sign assembly
Ш		10.669									PT - Curve #41
Ш		10.734									PC - Curve #42
ᄓ		10.739			R	M1-5				EAST KY 36	Sign assembly
]		10.756			R	S3-1					Non-standard sign
\Box		10.896									Road Intersection
	EB	10.907									PT - Curve #42



		SIGN	LOCAT	ION			S			PE, SIZE, AND DESCRIPTION	
	Rout	te Log		SPS		MUTCD	Size	- in	S		
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	Н	qFt	TEXT / DESCRIPTION	NOTES
43	EB	12.249			R	W1-3L					
43	EB	12.249			R	W13-1P				25 MPH	
	EB	12.330									PC - Curve #43
	EB	12.347									Driveway
-	EB	12.422			R	W5-2					
	EB	12.460									PT - Curve #43
	EB	12.509									PC - Curve #44
44	EB	12.564			L	W1-6R					
	EB	12.600									Driveway
	EB	12.655									PT - Curve #44
45	EB	12.875			R	W1-4L					
45	EB	12.875			R	W13-1P				35 MPH	
	EB	12.988									PC - Curve #45
	EB	13.080									Driveway
-	EB	13.084			R	S3-1					Non-standard sign
	EB	13.100									PT - Curve #45
	EB	13.119									PC - Curve #46
	EB	13.173									Driveway
	EB	13.199									Driveway
-	EB	13.216			R	M1-5				JCT KY 1743	Sign assembly
	EB	13.216									PT - Curve #46
47	EB	13.741			R	W1-2L					
47	EB	13.741			R	W13-1P				35 MPH	
	EB	13.816									PC - Curve #47
	EB	13.878									PT - Curve #47
48	EB	13.954			R	W1-2R					
	EB	14.024									PC - Curve #48
	EB	14.074									PT - Curve #48
-	EB	14.121			R	W1-4R					
_	EB	14.121			R	W13-1P				35 MPH	
49	EB	15.031			R	W1-1R					
49	EB	15.031			R	W13-1P				20 MPH	
	EB	15.143									PC - Curve #49
_	EB	15.151			R	W3-3					
	EB	15.201									PT - Curve #49
	EB	15.673									End Route @ US 27



				S	IGN	YTY					
П	Rout	e Log	LOCAT	PS		MUTCD					\neg
ID	Dir.		Latitude	Longitude	Loc.	MUTCD Code	W	Н	qFt	TEXT / DESCRIPTION	NOTES
	WB	15.673			ĺ						Begin Route @ US 27
49	WB	15.265			R	W1-1L					
49	WB	15.265			R	W13-1P				20 MPH	
	WB	15.201									PC - Curve #49
	WB	15.182									Driveway
-	WB	15.162			R	R2-1				55 MPH	
	WB	15.143									PT - Curve #49
-	WB	14.461			R	W1-4R					
-	WB	14.461			R	W13-1P				35 MPH	
48	WB	14.149			R	W1-2L					
ш	WB	14.074									PC - Curve #48
ш	WB	14.024									PT - Curve #48
47		13.961			R	W1-2R					
47	WB	13.961			R	W13-1P				35 MPH	
Ш		13.878									PC - Curve #47
ш	WB	13.816									PT - Curve #47
46		13.399			R	W1-4L					
46		13.399			R	W13-1P			_	35 MPH	
ш		13.216									PC - Curve #46
Ш		13.207									Driveway
Ш		13.179									Driveway
ш		13.131									Driveway
ш	WB	13.119									PT - Curve #46
Ш		13.100									PC - Curve #45
Ш	WB	13.002									Driveway
Ш		12.988									PT - Curve #45
44		12.749			R	W1-4L					
44		12.749			R	W13-1P				25 MPH	
		12.655									PC - Curve #44
44	WB	12.585			R	W1-6L					
Н		12.516									Driveway
Н		12.509									PT - Curve #44
Н		12.460									PC - Curve #43
40	WB	12.330			D	3371 AT					PT - Curve #43
42 42		11.031 11.031			R	W1-4L				25 MDH	
42					R	W13-1P			\vdash	35 MPH	PC - Curve #42
Н		10.907 10.868							\vdash		Driveway
Н		10.868			R	M1-5			\vdash	JCT KY 1054	Sign assembly
H		10.823			1/	1V11-J				JCT KT 1004	Driveway
Н		10.817							\vdash		Driveway Driveway
\vdash		10.793									Driveway
Н		10.760									PT - Curve #42
Н		10.734							\vdash		PC - Curve #42
Н		10.609							\vdash		PT - Curve #41
40		10.554			R	W1-4R			\vdash		1 1 - Curve #41
40		10.554			R	W13-1P			\vdash	35 MPH	
70	WB	10.334			11	,,15-11	Н				PC - Curve #40
H		10.410			R	W5-2					1 C Curve n40
Н		10.322			- ^	1,52					PT - Curve #40
H		10.322									PC - Curve #39
Н		10.291									Street Intersection - Right
\vdash		10.144			R	W1-2R					Succe meascention right
Н		10.112			-``	210					PT - Curve #39
	WB	9.232			R	W1-2L					- 1 - 541 (5 115)
ш		,			-`					ı	<u> </u>





	SIGN LOCATION Route Log GPS					S	SIG	YT V	PE, SIZE, AND DESCRIPTION	
	Rout	te Log	GPS		MUTCD	Size	- in	S		
ID	Dir.		Latitude Longitude	Loc.		Size	Н	Ψ	TEXT / DESCRIPTION	NOTES
38	WB	9.025		R	W1-4R					
	WB	8.922								PC - Curve #38
	WB	8.843								PT - Curve #38
-	WB	8.796		R	W1-4R					
Ш	WB	8.472								PC - Curve #37
Ш	WB	8.463								Driveway
2.5	WB	8.419		_	**** 45					PT - Curve #37
36	WB	8.281		R	W1-4R		_			DC C #26
Н	WB	8.210 8.195					-			PC - Curve #36
Н	WB WB	8.195								Driveway PT - Curve #36
35	WB	8.091		R	W1-2R		-			F1 - Curve #36
33	WB	7.954		К	W 1-2K					PC - Curve #35
35	WB	7.934		R	W1-5R					r C - Curve #33
35	WB	7.930		R	W13-1P				35 MPH	
رر	WB	7.880		-1/	11 13-11				55 MI II	PT - Curve #35
H	WB	7.848								PC - Curve #34
Н	WB	7.846						\vdash		Driveway
Н	WB	7.794								PT - Curve #34
Н	WB	7.769								PC - Curve #33
П	WB	7.729								PT - Curve #33
	WB	7.510								PC - Curve #32
П	WB	7.463								Driveway
П	WB	7.460								PT - Curve #32
П	WB	7.413								PC - Curve #31
-	WB	7.289		R	W1-4R					
	WB	7.285								PT - Curve #31
30	WB	6.963		R	W1-3L					
30	WB	6.963		R	W13-1P				20 MPH	
	WB	6.923								PC - Curve #30
30	WB	6.894		R	W1-6L					
ш	WB	6.870								Street Intersection - Right
Ш	WB	6.857								PT - Curve #30
Ш	WB	6.830								PC - Curve #29
28	WB	6.770		R	W1-1L					
28	WB	6.770		R	W13-1P				20 MPH	
Ш	WB	6.764								PT - Curve #29
Ш	WB	6.718						_		PC - Curve #28
27	WB	6.648			XX/1 45		_			PT - Curve #28
27	WB	6.533		R	W1-4R		_			DC C UCZ
Н	WB	6.500		D	02.1		_	\vdash		PC - Curve #27
H	WB	6.496		R	S3-1		-			Non-standard sign PT - Curve #27
Н	WB WB	6.400 6.338					_	\vdash		PT - Curve #27 PC - Curve #26
Н	WB	6.294					_	\vdash		PC - Curve #26 PT - Curve #26
Н	WB	6.228					-			PC - Curve #25
Н	WB	6.205								Driveway
Н	WB	6.190						\vdash		Driveway
Н	WB	6.171		R					Congested Area	Dirvoway
Н	WB	6.171		R	W13-1P				35 MPH	
Н	WB	6.170		- ^	,, 13 11					Driveway
Н	WB	6.156								Driveway
Н	WB	6.132								PT - Curve #25
24	WB	5.555		R	W1-4R					
24	WB	5.555		R	W13-1P				35 MPH	1
		2.555	1						I	L



							YPE, SIZE, AND DESCRIPTION				
П	Rout	e Log		PS		MUTCD	Size W	- in	Sc		
ID	Dir.	MP	Latitude	Longitude	Loc.	Code	W	H	_[Ft	TEXT / DESCRIPTION	NOTES
	WB	5.384									PC - Curve #24
	WB	5.373									Edge Parking
	WB	5.349									Edge Parking
	WB	5.302									PT - Curve #24
-	WB	5.280			R	W1-2L					
-	WB	5.066			R	W1-2R					
-	WB	4.758			R	W1-2L					
-	WB	4.464			R	W1-5R					
_	WB	4.464			R	W13-1P				45 MPH	
	WB	4.450									PC - Curve #23
	WB	4.286									PT - Curve #23
ш	WB	4.276									PC - Curve #22
ш	WB	4.237									Edge Parking
ш	WB	4.204									Edge Parking
ш	WB	4.204									PT - Curve #22
\Box	WB	4.182					Ш				PC - Curve #21
$\vdash \vdash$	WB	4.130							_		PT - Curve #21
\vdash	WB	4.063									PC - Curve #20
\vdash	WB	4.021									PT - Curve #20
\vdash	WB	3.985									PC - Curve #19
_	WB	3.822									PT - Curve #19
18	WB	3.776			R	W1-2L					
	WB	3.681							-		PC - Curve #18
\vdash	WB	3.644									Driveway #10
_	WB	3.603			D	XX/1 OT					PT - Curve #18
-	WB	3.409			R	W1-2L	Н				DC C #17
\vdash	WB	3.150					Н				PC - Curve #17 PT - Curve #17
\vdash	WB WB	3.084 2.860							_		PC - Curve #16
\vdash	WB	2.823				-	\vdash				Driveway
\vdash	WB	2.784					Н				PT - Curve #16
\vdash	WB	2.784					Н				PC - Curve #15
\vdash	WB	2.483					Н				PT - Curve #15
\vdash	WB	2.457					H				PC - Curve #14
	WB	2.409				-					Driveway
\vdash	WB	2.376					Н				PT - Curve #14
\vdash	WB	1.378					H				PC - Curve #13
13	WB	1.374			R	W1-4R	Н				2 Carve #15
		1.177					П				PT - Curve #13
\vdash	WB	1.100					П				PC - Curve #12
\vdash	WB	1.017					П				Driveway
\vdash	WB	1.000					П				PT - Curve #12
\vdash	WB	0.952					П				PC - Curve #11
\sqcap	WB	0.952					П				Driveway
-	WB	0.937			R	M1-5	П			JCT KY 1032	Sign assembly
10	WB	0.923			R	W1-1L	П				
_	WB	0.923			R	W13-1P	П			20 MPH	
	WB	0.915									PT - Curve #11
	WB	0.896									PC - Curve #10
-	WB	0.877			R	M1-5			Ĺ	Through arrow, KY 36	Sign assembly
-	WB	0.877			R	M1-5				Rt. Arrow, KY 1032	Sign assembly
	WB	0.870									Edge Parking
	WB	0.835									Edge Parking
	WB	0.807									Driveway
	WB	0.794									PT - Curve #10



			LOCATI	ION			S	SIG	YT V	PE, SIZE, AND DESCRIPTION	
	Rout	e Log		PS		MUTCD	Size	e - in	Sc		
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	H	_[Ft	TEXT / DESCRIPTION	NOTES
9	WB	0.759			R	W1-5L					
9	WB	0.759			R	W13-1P				35 MPH	
	WB	0.732									PC - Curve #9
	WB	0.688									PT - Curve #9
	WB	0.659									PC - Curve #8
	WB	0.637									PT - Curve #8
	WB	0.600									PC - Curve #7
	WB	0.592									Edge Parking
	WB	0.575									Edge Parking
	WB	0.572									PT - Curve #7
	WB	0.542									PC - Curve #6
	WB	0.505									PT - Curve #6
	WB	0.471									PC - Curve #5
Ш	WB	0.446									Driveway
Ш	WB	0.417									PT - Curve #5
Ш	WB	0.384									PC - Curve #4
Ш	WB	0.352									PT - Curve #4
Ш	WB	0.248									PC - Curve #3
	WB	0.199									PT - Curve #3
2	WB	0.157			R	W1-4L					
2	WB	0.157			R	W13-1P				35 MPH	
Ш	WB	0.152									PC - Curve #2
	WB	0.104									PT - Curve #2
Ш	WB	0.053									PC - Curve #1
	WB	0.027									PT - Curve #1
Ш	WB	0.000									County Line - End Route





		SIGN	LOCATI	ION		SIGN T	YPE	, SI	AND DESCRIPTION		
	Rout	te Log	G	PS		i e		- in	_		1
$_{ m ID}$	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code				TEXT / DESCRIPTION	NOTES
1	EB	0.006			R	W1-5L		30	6		Refl. Material on post
1	EB	0.006			R	W13-1P	18	18	2	45 MPH	Refl. Material on post
1	EB	0.027			R	W1-2aL	36	36	9	45 MPH	Refl. Material on post
1	EB	0.027			L					Flexible Delineator	Î
1	EB	0.040			L					Flexible Delineator	
1	EB	0.040			R	W1-8L	18	24	3		Refl. Material on post
1	EB	0.053			R	W1-8L	18	24	3		Refl. Material on post
2	EB	0.100			R	W1-2aR	36	36	9	30 mph	
2	EB	0.120			L	W1-6R	48	24	8		Drive nearby
2	EB	0.136			L	W1-8R	18	24	3		
2	EB	0.152			L	W1-8R	18	24	3		
3	EB	0.223			R	W1-8L	18		3		
3	EB	0.248			R	W1-8L	18	24	3		
4	EB	0.328			R	W1-5L	30	30	6		
4	EB	0.328			R	W13-1P	18	18	2	40 MPH	
4	EB	0.368			R	W1-8L	18	24	3		
4	EB	0.384			R	W1-8L	18	24	3		
5	EB	0.420			R	W1-2aR	36	36	9	30 MPH	
5	EB	0.435			L	W1-8R	18	24	3		
5	EB	0.453			L	W1-8R	18	24	3		
5	EB	0.471			L	W1-8R	18	24	3		
6	EB	0.518			R	W1-6L	48	24	8		Drive nearby
6	EB	0.530			R	W1-8L	18	24	3		·
6	EB	0.542			R	W1-8L	18	24	3		
8	EB	0.648			R	W1-8L	18	24	3		
8	EB	0.659			R	W1-8L	18		3		
10	EB	0.756			R	W1-1R(mod.)	36	36	9		Side road stalk on left
10	EB	0.756			R					30 MPH	
10	EB	0.810			L	W1-6R	48	24	8		
12	EB	0.969			R	W1-4R	30	30	6		
12	EB	0.969			R	W13-1P				35 MPH	
12	EB	1.017			L	W1-8R	18	24	3		
12	EB	1.033			L	W1-8R		24			
12	EB	1.050			L	W1-8R		24			
12	EB	1.067			L	W1-8R		24			
12	EB	1.083			L	W1-8R	18	24			
12	EB	1.100			L	W1-8R		24	3		
						-					





		SIGN	LOCAT	ION		SIGN T	YPE	, SI	AND DESCRIPTION		
	Rout	te Log	G	PS							1
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	Н	qFt	TEXT / DESCRIPTION	NOTES
14	EB	2.355			R	W1-4R		30	6		
14	EB	2.355			R	W13-1P		18		40 MPH	
14	EB	2.396			L	W1-8R	18	24	3		
14	EB	2.416			L	W1-8R	18		3		
14	EB	2.437			L	W1-8R	18	-	3		
14	EB	2.457			L	W1-8R	18		3		
15	EB	2.507			R	W1-8L	18	24	3		
15	EB	2.532			R	W1-8L	18	24	3		
15	EB	2.556			R	W1-8L	18	24	3		
15	EB	2.580			R	W1-8L	18	24	3		
16	EB	2.763			R	W1-2L	30	30	6		
16	EB	2.763			R	W13-1P	18	18	2	45 MPH	
16	EB	2.803			R	W1-8L	18	24	3		
16	EB	2.822			R	W1-6L	48	24	8		
16	EB	2.841			R	W1-8L	18	24	3		
16	EB	2.860			R	W1-8L	18	24	3		
17	EB	3.063			R	W1-2L	30	30	6		
17	EB	3.063			R	W13-1P	18	18	2	45 MPH	
17	EB	3.106			R	W1-6L	48	24	8		
17	EB	3.128			R	W1-8L	18	24	3		
17	EB	3.150			R	W1-8L	18	24	3		
Ш											
19	EB	3.801			R	W1-4L			6		
19	EB	3.801			R	W13-1P	18	-		45 MPH	
19	EB	3.845			R	W1-8L	18	-	3		
19	EB	3.869			R	W1-8L	18	-	3		
19	EB	3.892			R	W1-8L	18	-	3		
19	EB	3.915			R	W1-8L	18	-	3		
19	EB	3.938			R	W1-8L	18		3		
19	EB	3.962			R	W1-8L		24	3		
19	EB	3.985			R	W1-8L	18	24	3		ļ — — — — — — — — — — — — — — — — — — —
20	E.D.	4.0.42			-	W1 65	40	2.1			ļ
20	EB	4.042			L	W1-6R		24			
20	EB	4.063			L	W1-8R	18	24	3		
21	ED	1111			D	W/1 51	20	20	-		
21	EB	4.111			R	W1-5L		30	6	20 MDH	
21 21	EB	4.111 4.147			R R	W13-1P		18 24	3	30 MPH	
21	EB EB	4.147			R	W1-8L W1-8L		24	3		
21	ЕВ	4.182			R	W1-8L W1-8L		24	3		
∠1	ĽD	4.102			/1	W 1-OL	10	∠4	3		
22	EB	4.204			R	W1-1aR	26	36	9	30 MPH	Refl. Material on post
22	ЕВ	4.204			L	W1-1aR W1-1aR		36	9	30 MPH	Refl. Material on post
22	EB	4.204			R	** 1-1al	50	50	2	Flexible Delineator	ixeri. iviateriai oli post
22	EB	4.211			R		\vdash			Flexible Delineator	
44	ĽD	4.210	<u> </u>		/1					LIEVING Dellingaror	ı





		SIGN	N LOCAT	ION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
П	Rout	te Log		PS							
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	- in	qFt	TEXT / DESCRIPTION	NOTES
22	EB	4.218			L	W1-8R					Omit due to gravel area
22	EB	4.226			R					Flexible Delineator	
22	EB	4.233			R					Flexible Delineator	
22	EB	4.237			L	W1-6R	48	24	8		Refl. Material on post
22	EB	4.240			R					Flexible Delineator	
22	EB	4.247			R					Flexible Delineator	
22	EB	4.247			L	W1-8R	18	24	3		Refl. Material on post
22	EB	4.254			R					Flexible Delineator	
22	EB	4.262			R					Flexible Delineator	
22	EB	4.262			L	W1-8R	18	24	3		Refl. Material on post
22	EB	4.269			R					Flexible Delineator	
22	EB	4.276			R					Flexible Delineator	
22	EB	4.276			L	W1-8R	18	24	3		Refl. Material on post
23	EB	4.309			R	W1-8L	18	24	3		
23	EB	4.333			R	W1-8L	18	24	3		
23	EB	4.356			R	W1-8L	18	24	3		
23	EB	4.380			R	W1-8L	18	24	3		
23	EB	4.403			R	W1-8L	18	24	3		
23	EB	4.427			R	W1-8L	18	24	3		
23	EB	4.450			R	W1-8L	18	24	3		
24	EB	5.281			R	W1-2R	30	30	6		
24	EB	5.281			R	W13-1P	18	18	2	45 MPH	
24	EB	5.322			L	W1-8R	18	24	3		
24	EB	5.343			L	W1-8R	18	24	3		
24	EB	5.364			L	W1-8R					Omit due to gravel area
24	EB	5.384			L	W1-8R	18	24	3		
25	EB	6.108			R	W1-2R	30	30	6		
25	EB	6.108			R	W13-1P	18	18	2	40 MPH	
25	EB	6.157			L	W1-8R	18	24	3		
25	EB	6.180			L	W1-8R	18	24	3		
25	EB	6.204			L	W1-8R	18	24	3		
25	EB	6.228			L	W1-8R	18	24	3		
26	EB	6.275			R	W1-2L	30	30	6		
26	EB	6.275			R	W13-1P	18	18	2	50 MPH	
27	EB	6.379			R	W1-2L	30	30	6		
27	EB	6.379			R	W13-1P	18	18	2	45 MPH	
27	EB	6.420			R	W1-8L	18	24	3		
27	EB	6.440			R	W1-8L	18	24	3		
27	EB	6.460			R	W1-8L	18	24	3		
27	EB	6.480			R	W1-8L	18	24	3		
27	EB	6.500			R	W1-8L	18	24	3		
28	EB	6.624			R	W1-5R	30	30	6		





		SIGN	LOCATION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Rout	e Log	GPS			Size	- in	Sc		
ID	Dir.	MP	GPS Latitude Longitude	Loc.	MUTCD Code	W	H	_l Ft	TEXT / DESCRIPTION	NOTES
28	EB	6.624		R	W13-1P		18	2	30 MPH	
28	EB	6.671		L	W1-6R	48	24	8		
28	EB	6.695		L	W1-8R	18	24	3		
28	EB	6.718		L	W1-8R	18	24	3		
29	EB	6.764		R	W1-1aL	36	36	9	30 MPH	Refl. Material on post
29	EB	6.764		L	W1-1aL	36	36	9	30 MPH	Refl. Material on post
29	EB	6.764		L					Flexible Delineator	
29	EB	6.771		L					Flexible Delineator	
29	EB	6.779		L					Flexible Delineator	
29	EB	6.780		R	W1-8L	18	24	3		Refl. Material on post
29	EB	6.786		L					Flexible Delineator	
29	EB	6.793		L					Flexible Delineator	
29	EB	6.797		R	W1-6L	48	24	8		Refl. Material on post
29	EB	6.801		L					Flexible Delineator	
29	EB	6.808		L					Flexible Delineator	
29	EB	6.814		R	W1-8L	18	24	3		Refl. Material on post
29	EB	6.815		L					Flexible Delineator	Î
29	EB	6.823		L					Flexible Delineator	
29	EB	6.830		R	W1-8L	18	24	3		Refl. Material on post
										Î
30	EB	6.857		R	W1-1aR	36	36	9	30 MPH	Refl. Material on post
30	EB	6.857		L	W1-1aR	36	36	9	30 MPH	Refl. Material on post
30	EB	6.864		R					Flexible Delineator	
30	EB	6.872		R					Flexible Delineator	
30	EB	6.874		L	W1-8R	18	24	3		Refl. Material on post
30	EB	6.879		R					Flexible Delineator	
30	EB	6.886		R					Flexible Delineator	
30	EB	6.890		L	W1-6R	48	24	8		Refl. Material on post
30	EB	6.894		R					Flexible Delineator	
30	EB	6.901		R					Flexible Delineator	
30	EB	6.906		L	W1-8R	18	24	3		Refl. Material on post
30	EB	6.908		R					Flexible Delineator	
30	EB	6.916		R					Flexible Delineator	
30	EB	6.923		R					Flexible Delineator	
30	EB	6.923		L	W1-8R	18	24	3		Refl. Material on post
31	EB	7.261		R	W1-2L		30	6		Refl. Material on post
31	EB	7.261		R	W13-1P		18		40 MPH	Refl. Material on post
31	EB	7.261		L	W1-2L		30	6		Refl. Material on post
31	EB	7.261		L	W13-1P		18		40 MPH	Refl. Material on post
31	EB	7.285		R	W1-2aL	36	36	9	40 MPH	Refl. Material on post
31	EB	7.285		L					Flexible Delineator	
31	EB	7.296		L					Flexible Delineator	
31	EB	7.306		L					Flexible Delineator	
31	EB	7.306		R	W1-8L	18	24	3		Refl. Material on post
31	EB	7.317		L					Flexible Delineator	
31	EB	7.328		L					Flexible Delineator	





		SIGN	LOCAT	ION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
П	Rout	te Log	G	PS		ì	_	e - in			
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code		Н		TEXT / DESCRIPTION	NOTES
31	EB	7.328			R	W1-8L		24	3		Refl. Material on post
31	EB	7.338			L					Flexible Delineator	•
31	EB	7.349			L					Flexible Delineator	
31	EB	7.349			R	W1-8L	18	24	3		Refl. Material on post
31	EB	7.360			L					Flexible Delineator	•
31	EB	7.370			L					Flexible Delineator	
31	EB	7.370			R	W1-8L	18	24	3		Refl. Material on post
31	EB	7.381			L					Flexible Delineator	•
31	EB	7.392			L					Flexible Delineator	
31	EB	7.392			R	W1-8L	18	24	3		Refl. Material on post
31	EB	7.402			L					Flexible Delineator	•
31	EB	7.413			R	W1-8L	18	24	3		Refl. Material on post
											•
33	EB	7.708			R	W1-5L	30	30	6		
33	EB	7.708			R	W13-1P		18		40 MPH	
33	EB	7.749			R	W1-8L	18	24	3		
33	EB	7.769			R	W1-8L	18	24	3		
34	EB	7.812			L	W1-8R	18	24	3		
34	EB	7.830			L	W1-8R	18	24	3		
34	EB	7.848			L	W1-8R	18	24	3		
35	EB	7.905			R	W1-8L	18	24	3		
35	EB	7.929			R	W1-8L	18	24	3		
35	EB	7.954			R	W1-8L	18	24	3		
36	EB	8.127			R	W1-10L	36	36	9		
36	EB	8.127			R	W13-1P	18	18	2	35 MPH	
36	EB	8.175			R	W1-8L	18	24	3		
36	EB	8.193			R	W1-8L	18	24	3		
36	EB	8.210			R	W1-8L	18	24	3		
37	EB	8.400			R	W1-2R	30	30	6		
37	EB	8.400			R	W13-1P	18	18	2	50 MPH	
38	EB	8.819			R	W1-2L	30	30	6		
38	EB	8.819			R	W13-1P	18	18	2	40 MPH	
38	EB	8.863			R	W1-8L	18	24	3		
38	EB	8.882			R	W1-8L	18	24	3		
38	EB	8.902			R	W1-8L	18	24	3		
38	EB	8.922			R	W1-8L	18	24	3		
39	EB	10.088			R	W1-4R	30	30	6		
39	EB	10.088			R	W13-1P	18	18	2	40 MPH	
39	EB	10.135			L	W1-8R	18	24	3		
39	EB	10.158			L	W1-8R	18	24	3		
39	EB	10.180			L	W1-8R	18	24	3		
39	EB	10.203			L	W1-8R	18	24	3		





		SIGN	LOCAT	ION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Rout	te Log	G	PS			Size	e - in	Š		
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code		Н		TEXT / DESCRIPTION	NOTES
39	EB	10.226			L	W1-8R		24	3		
39	EB	10.248			L	W1-8R		24	3		
39	EB	10.271			L	W1-8R		24	3		
39	EB	10.294			L	W1-8R	18		3		
40	EB	10.346			R	W1-8L	18	24	3		
40	EB	10.369			R	W1-8L	18	24	3		
40	EB	10.392			R	W1-8L	18	24	3		
40	EB	10.416			R	W1-8L	18	24	3		
42	EB	10 713			R	W1-2R	30	30	6		
42	EB	10.713			R	W13-1P	18	18	2	45 MPH	
42	EB	10.756			L	W1-8R	18	24	3		
42	EB	10.777			L	W1-8R	18	24	3		
42	EB	10.799			L	W1-8R	18	24	3		
42	EB	10.820			L	W1-8R	18	24	3		
42	EB	10.842			L	W1-8R	18	24	3		
42	EB	10.864			L	W1-8R	18	24	3		
42	EB	10.885			L	W1-8R	18	24	3		
42	EB	10.907			L	W1-8R	18	24	3		
43	EB	12.306			R	W1-4L	30	30	6		Refl. Material on post
43	EB	12.306			R	W13-1P	18	18	2	40 MPH	Refl. Material on post
43	EB	12.306			L	W1-4L	30	30	6		Refl. Material on post
43	EB	12.306			L	W13-1P	18	18	2	40 MPH	Refl. Material on post
43	EB	12.330			R	W1-2aL	36	36	9	40 MPH	Refl. Material on post
43	EB	12.330			L					Flexible Delineator	
43	EB	12.343			L					Flexible Delineator	
43	EB	12.352			R	W1-8L	18	24	3		Refl. Material on post
43	EB	12.356			L					Flexible Delineator	
43	EB	12.369			L					Flexible Delineator	
43	EB	12.373			R	W1-8L	18	24	3		Refl. Material on post
43	EB	12.382			L					Flexible Delineator	
43	EB	12.395			L					Flexible Delineator	
43	EB	12.395			R	W1-8L	18	24			Refl. Material on post
43	EB	12.408			L					Flexible Delineator	
43	EB	12.417			R	W1-8L	18	24			Refl. Material on post
43	EB	12.421			L					Flexible Delineator	
43	EB	12.434			L					Flexible Delineator	
43	EB	12.438			R	W1-8L	18	24	3		Refl. Material on post
43	EB	12.447			L					Flexible Delineator	
43	EB	12.460			R	W1-8L	18	24	3		Refl. Material on post
Щ							_				
44	EB	12.509			R	W1-2aR	36	36	9	40 MPH	Refl. Material on post
44	EB	12.522			R					Flexible Delineator	
44	EB	12.530			L	W1-8R	18	24			Refl. Material on post
44	EB	12.536			R					Flexible Delineator	
44	EB	12.549			R					Flexible Delineator	

Contract ID: 174119 Page 51 of 122

Proposed Signs





		SIGN	LOCATI	ON		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Rout	e Log	G]	PS			Size	- in	Sc		
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	\mathbf{W}	Н	_l Ft	TEXT / DESCRIPTION	NOTES
44	EB	12.551			L	W1-8R	18	24	3		Refl. Material on post
44	EB	12.562			R					Flexible Delineator	
44	EB	12.572			L	W1-8R					Omit due to bridge
44	EB	12.575			R					Flexible Delineator	Omit due to bridge
44	EB	12.589			R					Flexible Delineator	
44	EB	12.592			L	W1-8R	18	24	3		Refl. Material on post
44	EB	12.602			R					Flexible Delineator	
44	EB	12.613			L	W1-8R	18	24	3		Refl. Material on post
44	EB	12.615			R					Flexible Delineator	
44	EB	12.628			R					Flexible Delineator	
44	EB	12.634			L	W1-8R	18	24	3		Refl. Material on post
44	EB	12.642			R					Flexible Delineator	
44	EB	12.655			R					Flexible Delineator	
44	EB	12.655			L	W1-8R	18	24	3		Refl. Material on post
45	EB	12.969			R	W1-2L		30	6		Refl. Material on post
45	EB	12.969			R	W13-1P		18	2	40 MPH	Refl. Material on post
45	EB	12.969			L	W1-2L		30	6		Refl. Material on post
45	EB	12.969			L	W13-1P	18	18		40 MPH	Refl. Material on post
45	EB	12.988			R	W1-2aL	36	36		40 MPH	Refl. Material on post
45	EB	12.988			L					Flexible Delineator	
45	EB	13.004			L					Flexible Delineator	Adjusted for driveway
45	EB	13.010			R	W1-8L	18	24	3		Refl. Material on post
45	EB	13.016			L					Flexible Delineator	
45	EB	13.030			L					Flexible Delineator	
45	EB	13.033			R	W1-8L	18	24	3		Refl. Material on post
45	EB	13.044			L					Flexible Delineator	
45	EB	13.055			R	W1-8L	18	24	3		Refl. Material on post
45	EB	13.058			L					Flexible Delineator	
45	EB	13.072			L					Flexible Delineator	
45	EB	13.078			R	W1-8L	18	24	3		Refl. Material on post
45	EB	13.086			L					Flexible Delineator	
45	EB	13.100			L					Flexible Delineator	
45	EB	13.100			R	W1-8L	18	24	3		Refl. Material on post
		10 == ::			_	****					2 0 24
47	EB	13.795			R	W1-2L		30		44.4077	Refl. Material on post
47	EB	13.795			R	W13-1P		18		45 MPH	Refl. Material on post
47	EB	13.795			L	W1-2L		30	6	4.5.4DV	Refl. Material on post
47	EB	13.795			L	W13-1P		18		45 MPH	Refl. Material on post
47	EB	13.816			R	W1-2aL	36	36		45 MPH	Refl. Material on post
47	EB	13.816			L					Flexible Delineator	
47	EB	13.828			L	11/1 CT	40	2.4		Flexible Delineator	D CLM (1
47	EB	13.837			R	W1-6L	48	24		El 11 D.1	Refl. Material on post
47	EB	13.841			L					Flexible Delineator	
47	EB	13.853			L	1111 01	1.0	2.1		Flexible Delineator	D CLM (1
47	EB	13.857			R	W1-8L	18	24	3	El 11 D.1	Refl. Material on post
47	EB	13.866			L	77.71 O7	1.0	2.1		Flexible Delineator	D. Cl. M. C. J.
47	EB	13.878			R	W1-8L	18	24	3		Refl. Material on post





County: Harrison
Route: KY 36

		SIGN	LOCATI	ION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Route Log GPS Dir. MP Latitude Longitue						Size	- in	Sc		
ID	Dir.	MP	Latitude	Latitude Longitude		MUTCD Code	W	H	_l Ft	TEXT / DESCRIPTION	NOTES
			Danieu Dongmude								
				TOTAL			863				

(1) Enhanced Curves noted in bold in ID column (1, 22, 29, 30, 31, 43, 44, 45, 47).



		SIGN LOCATION oute Log GPS			SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
П	Rout	te Log	GPS			Size	- in	S		
ID	Dir.	MP	Latitude Longi	itude Loc.	MUTCD Code	W	Н	ηFt	TEXT / DESCRIPTION	NOTES
49	WB	15.220		R	W1-2L	30		6		
49	WB	15.220		R	W13-1P	18		2	40 MPH	
48	WB	14.093		R	W1-2L	30	30	6		
48	WB	14.093		R	W13-1P	18	18	2	50 MPH	
47	WB	13.899		R	W1-2R	30	30	6		Refl. Material on post
47	WB	13.899		R	W13-1P	18	18	2	45 MPH	Refl. Material on post
47	WB	13.899		R	W1-2R	30	30	6		Refl. Material on post
47	WB	13.899		R	W13-1P	18	18	2	45 MPH	Refl. Material on post
47	WB	13.878		R	W1-2aR	36	36	9	45 MPH	Refl. Material on post
47	WB	13.857		L	W1-8R	18	24	3		Refl. Material on post
47	WB	13.837		L	W1-6R	48	24	8		Refl. Material on post
47	WB	13.816		L	W1-8R	18	24	3		Refl. Material on post
45	WB	13.119		R	W1-2R	30	30	6		Refl. Material on post
45	WB	13.119		R	W13-1P	18	18	2	40 MPH	Refl. Material on post
45	WB	13.119		L	W1-2R	30	30	6		Refl. Material on post
45	WB	13.119		L	W13-1P	18	18	2	40 MPH	Refl. Material on post
45	WB	13.100		R	W1-2aR	36	36	9	40 MPH	Refl. Material on post
45	WB	13.078		L	W1-8R	18	24	3		Refl. Material on post
45	WB	13.055		L	W1-8R	18	24	3		Refl. Material on post
45	WB	13.033		L	W1-8R	18	24	3		Refl. Material on post
45	WB	13.010		L	W1-8R	18	24	3		Refl. Material on post
45	WB	12.988		L	W1-8R	18	24	3		Refl. Material on post
Ш										
44	WB	12.679		R	W1-4L		30	6		Refl. Material on post
44	WB	12.679		R	W13-1P	18	18	2	40 MPH	Refl. Material on post
44	WB	12.679		L	W1-4L	30	30	6		Refl. Material on post
44	WB	12.679		L	W13-1P	18	18		40 MPH	Refl. Material on post
44	WB	12.655		R	W1-2aL	36	36	9	40 MPH	Refl. Material on post
44	WB	12.634		R	W1-8L	18	24	3		Refl. Material on post
44	WB	12.613		R	W1-8L	18	24	3		Refl. Material on post
44	WB	12.592		R	W1-8L	18	24	3		Refl. Material on post
44	WB	12.572		R	W1-8L					Omit due to bridge
44	WB	12.551		R	W1-8L			3		Refl. Material on post
44	WB	12.530		R	W1-8L		24	3		Refl. Material on post
44	WB	12.509		R	W1-8L	18	24	3		Refl. Material on post
	11.75	10.155			1111 A B	2.5	2.5		40.1 (D)	D (1.15
43	WB	12.460		R	W1-2aR		36		40 MPH	Refl. Material on post
43	WB	12.438	———	L	W1-8R			3		Refl. Material on post
43	WB	12.417		L	W1-8R			3		Refl. Material on post
43	WB	12.395		L	W1-8R			3		Refl. Material on post
43	WB	12.373	———	L	W1-8R	18		3		Refl. Material on post
43	WB	12.352		L	W1-8R	18		3		Refl. Material on post
43	WB	12.330		L	W1-8R	18	24	3		Refl. Material on post
12	III	10.021	 		XX/1 07	20	20			<u> </u>
42	WB	10.931		R	W1-2L	30	30	6		

RENTUCKY TRANSPORTATION CABINET

		SIGN	LOCATION		SIGN TYPE, SIZE Size - in OC. MUTCD Code W H		ZE,	AND DESCRIPTION		
	Rout	e Log	GPS			Size	- in	S		
ID	Dir.	MP	Latitude Longitu	de Loc.	MUTCD Code	W	Н	_l Ft	TEXT / DESCRIPTION	NOTES
42	WB	10.931		R	W13-1P		18		40 MPH	
42	WB	10.885		R	W1-8L	18	24	3		
42	WB	10.864		R	W1-8L	18	24	3		
42	WB	10.842		R	W1-8L	18	24	3		
42	WB	10.820		R	W1-8L	18	24	3		
42	WB	10.799		R	W1-8L	18	24	3		
42	WB	10.777		R	W1-8L	18	24	3		
42	WB	10.756		R	W1-8L	18	24	3		
42	WB	10.734		R	W1-8L	18	24	3		
				_						
41	WB	10.755		R	W1-2R			6		
41	WB	10.755		R	W13-1P	18	18	2	50 MPH	
40	MD	10.455		-	W1 45	20	20			
40	WB	10.475		R	W1-4R			6	40 MDH	
40	WB	10.475		R	W13-1P	18			40 MPH	
40	WB	10.454		L	W1-8R	18	24	3		
40	WB	10.443		L	W1-8R	18	24	3		
40	WB	10.427		L	W1-8R	18	24	3		
40	WB	10.390		L	W1-8R	18	24	3		
39	WB	10.271		R	W1-8L	18	24	3		
39	WB	10.271		R	W1-8L W1-8L	18	24	3		
39	WB	10.248		R	W1-8L	18	24	3		
39	WB	10.220		R	W1-8L	18	24	3		
39	WB	10.203		R	W1-8L	18	24	3		
39	WB	10.158		R	W1-8L	18	24	3		
39	WB	10.135		R	W1-8L	18	24	3		
39	WB	10.112		R	W1-8L	18	24	3		
37	112	10.112		·	W1 0E	10		5		
38	WB	8.941		R	W1-2R	30	30	6		
38	WB	8.941		R	W13-1P	18			50 MPH	
36	WB	8.234		R	W1-10R	36	36	9		
36	WB	8.234		R					40 MPH	
36	WB	8.193		L	W1-8R		24			
36	WB	8.175		L	W1-8R		24			
36	WB	8.158		L	W1-8R	18	24	3		
35	WB	7.975		R	W1-4R		30	6		
35	WB	7.975		R	W13-1P		18		45 MPH	
35	WB	7.929		L	W1-8R		24	3		
35	WB	7.905		L	W1-8R		24	3		
35	WB	7.880		L	W1-8R	18	24	3		
Ш										
34	WB	7.830		R	W1-8L		24	3		
34	WB	7.812		R	W1-8L		24	3		
34	WB	7.794		R	W1-8L	18	24	3		



		SIGN	LOCATI	ON		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
		te Log	G	PS			Size	- in	Sc		
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	H	[Ft	TEXT / DESCRIPTION	NOTES
32	WB	7.529			R	W1-2L	30	30	6		
32	WB	7.529			R	W13-1P	18	18	2	50 MPH	
31	WB	7.434			R	W1-2R		30	6		Refl. Material on post
31	WB	7.434			R	W13-1P	18			45 MPH	Refl. Material on post
31	WB	7.413			R	W1-2aR				45 MPH	Refl. Material on post
31	WB	7.392			L	W1-8R	18	24	3		Refl. Material on post
31	WB	7.370			L	W1-8R	18	24	3		Refl. Material on post
31	WB	7.349			L	W1-8R	18	24	3		Refl. Material on post
31	WB	7.328			L	W1-8R	18	24	3		Refl. Material on post
31	WB	7.306			L	W1-8R	18	24	3		Refl. Material on post
31	WB	7.285			L	W1-8R	18	24	3		Refl. Material on post
20	WD	6.061			D	W/1 5T	20	20	-		Defl Metarial
30 30	WB WB	6.961 6.961			R R	W1-5L W13-1P	30 18		6 2	30 MPH	Refl. Material on post Refl. Material on post
30	WB	6.923			R	W13-1P W1-1aL				30 MPH	Refl. Material on post
30	WB	6.923			L	W1-1aL W1-1aL	36	36		30 MPH	Refl. Material on post
30	WB	6.906			R	W1-1aL W1-6L	48	24	8	50 WH 11	Refl. Material on post
30	WB	6.890			R	W1-8L	18		3		Refl. Material on post
30	WB	6.874			R	W1-8L	18	24	3		Refl. Material on post
30	WB	6.857			R	W1-8L	18	24	3		Refl. Material on post
50	W.D.	0.037			IX	WI-OL	10	24	5		item: Matemar on post
29	WB	6.830			R	W1-2aR	36	36	9	35 MPH	Refl. Material on post
29	WB	6.830			L	W1-2aR				35 MPH	Refl. Material on post
29	WB	6.814			L	W1-6R	48	24	8		Refl. Material on post
29	WB	6.797			L	W1-8R	18		3		Refl. Material on post
29	WB	6.780			L	W1-8R	18	24	3		Refl. Material on post
29	WB	6.764			L	W1-8R	18	24	3		Refl. Material on post
28	WB	6.695			R	W1-6L	48	24	8		
28	WB	6.671			R	W1-8L			3		
28	WB	6.648			R	W1-8L	18	24	3		
Ш											
27	WB	6.521			R	W1-2R		30			
27	WB	6.521			R	W13-1P		18		45 MPH	
27	WB	6.480			L	W1-8R		24	3		
27	WB	6.460			L	W1-8R		24	3		
27	WB	6.440			L	W1-8R		24	3		
27	WB	6.420			L	W1-8R	-	24	3		<u> </u>
27	WB	6.400			L	W1-8R	18	24	3		
26	WD	(250			D	W1 2D	20	20	_		
26	WB	6.359			R	W1-2R W13-1P		30	6	45 MDH	<u> </u>
26 26	WB WB	6.359			R L	W13-1P W1-8R	-	18 24	3	45 MPH	<u> </u>
26	WB	6.316			L	W1-8R W1-8R		24	3		\vdash
20	WD	0.294			L	vv 1-8K	18	24	3		\vdash
25	WB	6.330			R	W1-2L	30	30	6		\vdash
25	WB	6.330			R	W1-2L W13-1P	-	18		45 MPH	\vdash
23	W D	0.330			V.	W 13-1P	19	19	2	HJ IVIT I	

KENTUCKY TRANSPORTATION CABINET

		SIGN	LOCATION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Rout	e Log	GPS			Size	- in	S		
ID	Dir.	MP	GPS Latitude Longitude	Loc.	MUTCD Code	W	Н	q F t	TEXT / DESCRIPTION	NOTES
25	WB	6.291		R	W1-8L	18		3		
25	WB	6.266		R	W1-8L	18	24	3		
25	WB	6.251		R	W1-8L	18	24	3		Adjusted for driveway
25	WB	6.227		R	W1-8L	18	24	3		•
24	WB	5.450		R	W1-2L	30	30	6		
24	WB	5.450		R	W13-1P	18	18	2	40 MPH	
24	WB	5.364		R	W1-8L					Omit due to driveway
24	WB	5.343		R	W1-8L	18	24	3		
24	WB	5.322		R	W1-8L	18	24	3		
24	WB	5.302		R	W1-8L	18	24	3		
23	WB	4.481		R	W1-5R	30	30	6		
23	WB	4.481		R	W13-1P	18	18		30 MPH	
23	WB	4.427		L	W1-8R	18	24	3		
23	WB	4.403		L	W1-8R	18	24	3		
23	WB	4.380		L	W1-8R	18	24	3		
23	WB	4.356		L	W1-8R	18	24	3		
23	WB	4.333		L	W1-8R	18	24	3		
23	WB	4.309		L	W1-8R	18	24	3		
23	WB	4.286		L	W1-8R	18	24	3		
22	WB	4.276		R	W1-1aL	36			30 MPH	Refl. Material on post
22	WB	4.276		L	W1-1aL	36	36		30 MPH	Refl. Material on post
22	WB	4.262		R	W1-6L	48	24	8		Refl. Material on post
22	WB	4.247		R	W1-8L	18	24	3		Refl. Material on post
22	WB	4.237		R	W1-8L	18	24	3		Refl. Material on post
22	WB	4.218		R	W1-8L					Omit due to pkg area
22	WB	4.204		R	W1-8L	18	24	3		Refl. Material on post
21	WB	4.165		L	W1-8R	18	24	3		
21	WB	4.147		L	W1-8R	18	24	3		
21	WB	4.130		L	W1-8R	18	24	3		
20	MD	4.007		<u> </u>	W/1 OF	20	20			
20	WB	4.087		R	W1-2L			6	40 MDH	
20	WB	4.087		R	W13-1P		18		40 MPH	
20	WB	4.042		R	W1-6L	48		8		
20	WB	4.021		R	W1-8L	18	24	3		
10	M/D	2 000		D	W1 OF	20	20	_		
18	WB	3.800		R	W1-2L		30	6	50 MDH	
18	WB	3.800		R	W13-1P	18	18	2	50 MPH	
17	WD	2 250		D	W1 2D	20	20	6		
17	WB	3.250		R	W1-2R		30	6	45 MDH	
17	WB	3.250		R L	W13-1P	18	18 24	3	45 MPH	
17 17	WB WB	3.200 3.180		L	W1-8R W1-6R	48	24	8		
17	WB	3.160		L	W1-6R W1-8R	18		3		
1 /	W D	3.100		H L	VV 1-8K	10	24	3		

		SIGN	LOCAT	ION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Rout	e Log	G	PS		ì		e - in			
ID	Dir.	MP			Loc.	MUTCD Code				TEXT / DESCRIPTION	NOTES
16	WB	2.881		Ü	R	W1-2R		30			
16	WB	2.881			R	W13-1P		18		45 MPH	
16	WB	2.841			L	W1-8R		24	3		
16	WB	2.822			L	W1-6R		24	8		
16	WB	2.803			L	W1-8R		24	3		
16	WB	2.784			L	W1-8R	18	_	3		
10	W B	2.701				WIOK	10	21			
15	WB	2.601			R	W1-4R	30	30	6		
15	WB	2.601			R	W13-1P		18		45 MPH	
15	WB	2.556			L	W1-8R		24	3	13 141 11	
15	WB	2.532			L	W1-8R		24	3		
15	WB	2.507			L	W1-8R		24	3		
15	WB	2.483			L	W1-8R	18	_	3		
13	WD	2.403			L	W1-0K	10	27	3		
14	WB	2.437			R	W1-8L	18	24	3		
14	WB	2.416			R	W1-8L		24	3		
14	WB	2.396			R	W1-8L		24	3		
14	WB	2.376			R	W1-8L	18	_	3		
14	WD	2.370			IX	W I-OL	10	24	5		
13	WB	1.397			R	W1-2R	30	30	6		
13	WB	1.397			R	W13-1P		18		50 MPH	
13	WD	1.371			IX	VV 13-11	10	10		30 WH 11	
12	WB	1.138			R	W1-1L	30	30	6		
12	WB	1.138			R	W13-1P		18		30 MPH	
12	WB	1.083			R	W13-11 W1-8L		24	3	30 WH 11	
12	WB	1.063			R	W1-8L		24	3		
12	WB	1.050			R	W1-8L		24	3		
12	WB	1.033			R	W1-8L		24	3		
12	WB	1.033			R	W1-8L	18	_	3		
12	WB	1.000			R	W1-8L	18		3		
12	WD	1.000			IX	W I-OL	10	24	5		
11	WB	0.971			R	W1-2R	30	30	6		
11	WB	0.971			R	W13-1P		18	_	50 MPH	
11	מייי	0.7/1			1/	VV 1.J-11	10	10		JO 1411 11	
10	WB	0.934			R	W1-1L(mod.)	36	36	Q		Side road stalk on right
10	WB	0.934			R	W13-1P		18		30 MPH	orde road stark on right
10	WB	0.934			R	W13-1F W1-1aL		36		30 MPH	Chevrons not possible
10	WB	0.858			R	W1-1aL W1-6L		24	8	JU 1VII 11	Chevrons not possible
10	ΔYD	0.030	<u> </u>		IX	** 1-UL	+0	۷4	O		
9	WB	0.763			R	W1-5L	30	30	6		
9	WB	0.763			R	W1-3L W13-1P		18		35 MPH	
9	WB	0.703			R	W13-1F W1-8L		24	3	JJ 1411 11	
9	WB	0.710			R	W1-8L		24	3		
2	MD	0.000			1/	W 1-OL	10	۷4	J		
8	WB	0.648			L	W1-8R	1Ω	24	3		
8	WB	0.637			L	W1-8R W1-8R		24	3		
0	VV D	0.037			L	VV 1-0IX	10	∠ 4	3		
7	WD						\vdash	\vdash			No chevrons due to gravel area
/	WB						<u> </u>	<u> </u>			ino chevrons due to gravei area

KENTUCKY TRANSPORTATION CABINET

		SIGN	LOCAT	ION		SIGN T	YPE	, SI	ZE,	AND DESCRIPTION	
	Rout	e Log	G	PS			Size	e - in	S		1
ID	Dir.	MP	Latitude	Longitude	Loc.	MUTCD Code	W	H	q F t	TEXT / DESCRIPTION	NOTES
6	WB	0.530			L	W1-6R	48	24	8		
6	WB	0.518			L	W1-8R	18	24	3		
6	WB	0.506			L	W1-8R	18	24	3		
5	WB	0.453			R	W1-8L	18		3		
5	WB	0.435			R	W1-8L	18	24	3		
5	WB	0.417			R	W1-8L	18	24	3		
4	WB	0.368			L	W1-8R		24			
4	WB	0.352			L	W1-8R	18	24	3		
3	WB	0.272			R	W1-5R		30			
3	WB	0.272			R	W13-1P	18			30 MPH	
3	WB	0.223			L	W1-8R	18	24	3		
3	WB	0.199			L	W1-8R	18	24	3		
2	WB	0.136			R	W1-6L	48		8		
2	WB	0.120			R	W1-8L	18	24	3		
2	WB	0.104			R	W1-8L	18	24	3		
1	WB	0.053			R	W1-2aR	_	36		40 MPH	Refl. Material on post
1	WB	0.040			L	W1-8R		24	3		Refl. Material on post
1	WB	0.027			L	W1-8R	18	24	3		Refl. Material on post
						<u> </u>		<u> </u>			
						TOTAL	L		869		

⁽¹⁾ Enhanced Curves noted in bold in ID column (1, 22, 29, 30, 31, 43, 44, 45, 47).

Corridor Sign Summary

County: Campbell
Route: I-471





Camaria St. :	D	61 (1.)		# Posts/	Post L/	MUTOD 5 6 5	Sheeting Type	•	T-1-1 (05)		T-4 **
Sample Picture	Description	Size (in)	Quantity	Sign	Sign	MUTCD Ref. No.	Background	Legend	Total (SF)	# Posts	Total L
4	Turn	36x36	0	1	12	W1-1L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
•	Turn	36x36	0	1	12	W1-1R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
5	Curve	36x36	4	2	12	W1-2L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	36	8	96
?	Curve	36x36	2	1	12	W1-2R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	18	2	24
\$	Reverse Curve	36x36	0	1	12	W1-4L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
♦	Reverse Curve	36x36	0	1	12	W1-4R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
	Single Arrow	48x24	0	2	12	W1-6	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
<	Chevron	36x48	60	1	12	W1-8	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	720	60	720
XX	Advisory (XX MPH)	30x30	10	0	12	W13-1P	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	62.5	0	0
EXIT XX MPH	Advisory Exit Speed (XX MPH)	36x48	1	1	12	W13-2	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	12	1	12
X X MPH	Advisory Ramp Speed (XX MPH)	36x48	5	1	12	W13-3	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	60	5	60
EXIT Q XX MPH	Loop Curve Adv. Exit (XX MPH)	36x60	0	1	12	W13-6	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
RAMP XX MPH	Loop Curve Adv. Ramp (XX MPH)	36x60	1	1	12	W13-7	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	15	1	12
®	270 Degree Loop	48x48	0	2	12	W1-15R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
(Hairpin Curve	48x48	2	2	12	W1-11R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	32	4	48
XX MPH	Exit Gore Advisory Speed	72x24	2	0	12	E13-1P	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	24	0	0
	Total Signs	=	87				Alum Signs 0.080 In.	=	117	81	972
	Flexible Delineators	=	343				Alum Signs 0.125 In.	=	863		

 $(1) \ Estimate of \ Chevron \ posts \ may \ be \ greater \ than \ required; some \ chevrons \ may \ be \ double-mounted.$

Corridor Sign Summary

County: Kenton
Route: I-75





				# Posts/	Post L/		Sheeting Type				
Sample Picture	Description	Size (in)	Quantity	# Posts/ Sign	Sign	MUTCD Ref. No.	Background	Legend	Total (SF)	# Posts	Total L
		1		6	6			1 8	I		
•	Turn	36x36	1	1	12	W1-1L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	9	1	12
t	Turn	36x36	1	1	12	W1-1R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	9	1	12
<u>\$</u>	Curve	36x36	1	2	12	W1-2L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	9	2	24
?	Curve	36x36	6	1	12	W1-2R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	54	6	72
\$	Reverse Curve	36x36	0	1	12	W1-4L	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
?	Reverse Curve	36x36	1	1	12	W1-4R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	9	1	12
	Single Arrow	48x24	4	2	12	W1-6	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	32	8	96
	Chevron	36x48	14	1	12	W1-8	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	168	14	168
XX	Advisory (XX MPH)	30x30	12	0	12	W13-1P	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	75	0	0
XX MPH	Advisory Exit Speed (XX MPH)	36x48	4	1	12	W13-2	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	48	4	48
X X MPH	Advisory Ramp Speed (XX MPH)	36x48	9	1	12	W13-3	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	108	9	108
EXIT Q XX MPH	Loop Curve Adv. Exit (XX MPH)	36x60	0	1	12	W13-6	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
RAMP XX MPH	Loop Curve Adv. Ramp (XX MPH)	36x60	1	1	12	W13-7	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	15	1	12
Q	270 Degree Loop	48x48	1	2	12	W1-15R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	16	2	24
(Hairpin Curve	48x48	0	2	12	W1-11R	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
XX MPH	Exit Gore Advisory Speed	72x24	0	0	12	E13-1P	Fluorescent Yellow (Type VIII, IX, X, XI)	Black	0	0	0
	Total Signs	=	55				Alum Signs 0.080 In.	=	165	49	588
	Flexible Delineators	=	362				Alum Signs 0.125 In.	=	387		

 $(1) \ Estimate of \ Chevron \ posts \ may \ be \ greater \ than \ required; some \ chevrons \ may \ be \ double-mounted.$

	241	842	841	832	831	821	721	511	421	321	313	311	221	121	111			
	EB I-275 to SB I-75	KY 8 (4th) to SB I-75	KY 8 (4th) to SB I-75	SB I-75 to WB KY 8 (5th)	SB I-75 to WB KY 8 (5th)	WB KY 8 (4th) to NB I-75	US 25 (Pike St.) to NB I-75	NB I-75 to KY 1072	US 25 to NB I-75	WB KY 371 to NB I-75	EB KY 371 to NB I-75	NB I-75 to KY 371	WB I-275 to NB I-75	WB KY 236 to NB I-75	NB I-75 to KY 236 EB	Ramp		County: Route:
	_	_	_	1	_	_	_	_	_	_	_	_	_	_	1	Curve #	Site	
	0.300	0.000	0.000	0.100	0.100	0.050	0.050	0.100	0.100	0.000	0.000	0.100	0.200	0.175	0.1	BMP		
	0.600	0.000	0.050	0.150	0.150	0.125	0.100	0.175	0.200	0.100	0.150	0.225	0.525	0.225	0.3	AMB		<u>Kenton</u> -75 Ramps
	1584	0	264	264	264	396	264	396	528	528	792	660	1716	264	1056	Length		Ĭ
	Right	Left	Right	Right	Right	Right	Right	Right	Left	Right	Right	Right	Right	Right	Right	Direction		
	65	55	55	55	55	55	55	55	55	55	55	55	55	55	55	Limit ,	Sp	
	50	30	15	15	15	30	35	45	50	30	20	50	50	35	50	Advisory	Speed	
	Curve	Turn	Turn	Turn	Turn	Curve	Curve	Curve	Curve	Curve	Loop	Curve	Curve	Curve	Curve	Limit Advisory Curve/Turn		
	Right	Left	Right	Left	Right	Right	Right	Right	Left	Right	Right	Reverse	Right	Right	Reverse	Type		
	W13-3	W13-3		W13-3	W13-3			W13-3	W13-3	W13-3	W13-7	W13-3			W13-3	Ramp		
	W1-2R			W1-1L	W1-1R	W1-2R	W1-2R	W1-2R			W1-15R	W1-4R	W1-2R	W1-2R	W1-4R	Align.	Adv	
	W13-1P			W13-1P	W13-1P	W13-1P	W13-1P	W13-1P			W13-1P	W13-1P	W13-1P	W13-1P	W13-1P	Plaque	Advanced Signing	
									W1-2L							Dual	ing	
									W13-1P							Plaque		
								W13-2				W13-2	W13-2		W13-2	Exit		
																Gore		

	Ī			П											П	٦		1	1
	10	0	7	5	5	5	ω	4		7	10		8	3			Quantity	Chevrons	County: Route:
	160	80	40	40	40	80		120		80	80		160	120			Quantity Spacing	rons	inty: ute:
		W1-6	W1-6			W1-6					W1-6						Arrow	Ad	
	32	0	6			8	0	8	11	11	2	14	35	6	22		DEL-Y	Additional Items	<u>Kenton</u> I-75 Ramps
	32	0	6			8	0	8	1	11	16	14	35	6	22		DEL-W	Items	<u>)</u> 1 <u>ps</u>
				and will need	Chevrons on both ramps							Barrier Wall brackets needed							-

141	431	412	321	221	212	211	132				
US 27 to SB I-471	SB I-471 to Park Ave.	KY 8 to NB I-471	KY 1120 to NB I-471	KY 1892 to NB I-471	212 NB I-471 to WB KY 1892	NB I-471 to EB KY 1892	EB I-275 to NB I-471	Mainline I-471 SB	Ramp		
_	_	_	1	_	_	_	_	_	Curve #	Site	Route:
0.050	0.100	0.100	0.050	0.100	0.041	0.301	0.131	1.850	BMP		
0.100	0.200	0.300	0.100	0.200	0.325	0.364	0.566	2.290	EMP		1-471 Ramps
264	528	1056	264	528	1500	333	2297	2323			nps
Left	Left	Right	Left	Left	Reverse	Right	Left	Right	Length Direction		
55	65	55	55	55	65	65	65	65	Limit	S	
45	30	30	45	40	35	35	50	60	Limit Advisory	Speed	
Curve	Loop	Loop	Curve	Curve	Curve	Curve	Curve	Curve	Curve/Turn		
Single	Single	Single	Single	Single	Single	Single	Single	Single	Type		
							W13-2		Exit		
W1-2L	W1-11R	W1-11R	W1-2L	W1-2L			W1-2L		Align.	Adı	
W1-2L W13-1P	W13-1P	W13-1P	W1-2L W13-1P	W1-2L W13-1P			W13-1P		Plaque Dual	Advanced Signing	
					W1-4R			W1-2R	Dual	ning	
					W1-4R W13-1P			W1-2R W13-1P	Plaque		
W13-3	W13-7		W13-3	W13-3	W13-3		W13-3		Ramp		
	E13-1P						E13-1P		Gore		

										1	•
3	7	14		5	13	3	15		Quantity	Chevrons	
120	80	80		120	120	120	160		Spacing	rons	County: Route:
									Arrow	Ą	
6	0	22	6	11	30	7	46	47	DEL-W	Additional Items	<u>Campbell</u> I-471 Ramps
6	0	22	6	4	30	7	46	47	DEL-Y	ems	<u>ps</u>
	Barrier wall brackets			Barrier wall brackets. W13-3 needs 30 MPH				Barrier wall brackets			•

		Alum Signs 0.080 in	Ium Signs 0.080 in Alum Signs 0.125 in	Flexiable Delinators-W	Flexiable Delinators-Y	Type I Posts	Alum Signs 0.080 in (Post Sheeting)	Existing Signs
Campbell	1-471	117	863	171	172	972	1	12
Kenton	1-75	165	387	181	181	588		19
Harrison	KY 36	1569	168	92		4500	237	12
	Total =	1851	1418	428	353	6060	237	43

PART II

SPECIFICATIONS AND STANDARD DRAWINGS

SPECIFICATIONS REFERENCE

Any reference in the plans or proposal to previous editions of the *Standard Specifications* for Road and Bridge Construction and Standard Drawings are superseded by Standard Specifications for Road and Bridge Construction, Edition of 2012 and Standard Drawings, Edition of 2016.

SUPPLEMENTAL SPECIFICATIONS

The contractor shall use the Supplemental Specifications that are effective at the time of letting. The Supplemental Specifications can be found at the following link:

http://transportation.ky.gov/Construction/Pages/Kentucky-Standard-Specifications.aspx

SPECIAL NOTE FOR BARCODE LABEL ON PERMANENT SIGNS

- **1.0 DESCRIPTION.** Install barcode label on sheeting signs. Section references herein are to the Department's 2012 Standard Specifications for Road and Bridge Construction.
- **2.0 MATERIALS.** The Department will provide the Contractor with a 2 inch x 1 inch foil barcode label for each permanent sheeting sign. A unique number will be assigned to each barcode label.

The Contractor shall contact the Operations and Pavement Management Branch in the Division of Maintenance at (502) 564-4556 to obtain the barcode labels.

3.0 CONSTRUCTION. Apply foil barcode label in the lower right quadrant of the sign back. Signs where the bottom edge is not parallel to the ground, the lowest corner of the sign shall serve as the location to place the barcode label. The barcode label shall be placed no less than one-inch and no more than three inches from any edge of the sign. The barcode must be placed so that the sign post does not cover the barcode label.

Barcodes shall be applied in an indoor setting with a minimum air temperature of 50°F or higher. Prior to application of the barcode label, the back of the sign must be clean and free of dust, oil, etc. If the sign is not clean, an alcohol swab shall be used to clean the area. The area must be allowed to dry prior to placement of the barcode label.

Data for each sign shall include the barcode number, MUTCD reference number, sheeting manufacturer, sheeting type, manufacture date, color of primary reflective surface, installation date, latitude and longitude using the North American Datum of 1983 (NAD83) or the State Plane Coordinates using an x and y ordinate of the installed location.

Data should be provided electronically on the TC 71-229 Sign Details Information and TC 71-230 Sign Assembly Information forms. The Contractor may choose to present the data in a different format provided that the information submitted to the Department is equivalent to the information required on the Department TC forms. The forms must be submitted in electronic format regardless of which type of form is used. The Department will not accept PDF or handwritten forms. These completed forms must be submitted to the Department prior to final inspection of the signs. The Department will not issue formal acceptance for the project until the TC 71-229 and TC-230 electronic forms are completed for all signs and sign assemblies on the project.

4.0 MEASUREMENT. The Department will measure all work required for the installation of the barcode label and all work associated with completion and submission of the sign inventory data (TC 71-229 and TC 71-230).


The installation of the permanent sign will be measured in accordance to Section 715.


5.0 PAYMENT. The Department will make payment for the completed and accepted quantities under the following:


CodePay ItemPay Unit24631ECBarcode Sign InventoryEach

The Department will not make payment for this item until all barcodes are installed and sign inventory is complete on every permanent sign installed on the project. The Department will make payment for installation of the permanent sign in accordance to Section 715. The Department will consider payment as full compensation for all work required under this special note.


One Sign Post










One Sign Post










One Sign Post






Double Sign Post






2 Post Signs







2016 STANDARD DRAWINGS THAT APPLY

TRAFFIC	
PERMANENT	_

~ PERMANENT ~		
RAISED PAVEMENT MARKERS		
FLEXIBLE DELINEATOR POST ARRANGEMENTS FOR HORIZONTAL CURVES	TPM-170	
FLEXIBLE DELINEATOR POST ARRANGEMENTS FOR INTERCHANGE RAMPS ANI	D CROSSOVERSTPM-171	
~ TEMPORARY ~		
TRAFFIC CONTROL		
LANE CLOSURE TWO-LANE HIGHWAY	TTC-100-04	
LANE CLOSURE MULTI-LANE HIGHWAY CASE I	TTC-115-03	
LANE CLOSURE MULTI-LANE HIGHWAY CASE II	TTC-120-03	
DOUBLE LANE CLOSURE	TTC-125-03	
SHOULDER CLOSURE	TTC-135-02	

PART III

EMPLOYMENT, WAGE AND RECORD REQUIREMENTS

FHWA-1273 -- Revised May 1, 2012

REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- I. General
- II. Nondiscrimination
- III. Nonsegregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- Compliance with Governmentwide Suspension and Debarment Requirements
- Certification Regarding Use of Contract Funds for Lobbying

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid designbuild contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

- 3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.
- 4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under

this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

- a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.
- b. The contractor will accept as its operating policy the following statement:
 - "It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."
- 2. **EEO Officer:** The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.
- 3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
- a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.
- b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.
- c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.
- d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
- e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

- **4. Recruitment:** When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.
- a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.
- b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.
- c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.
- **5. Personnel Actions:** Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:
- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
- b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are

applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.
- 7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:
- a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.
- b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.
- c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.
- d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.
- 8. Reasonable Accommodation for Applicants / Employees with Disabilities: The contractor must be familiar

with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

- 9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.
- a. The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.
- b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurance Required by 49 CFR 26.13(b):

- a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.
- b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.
- 11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.
- a. The records kept by the contractor shall document the following:
- (1) The number and work hours of minority and nonminority group members and women employed in each work classification on the project;
 - (2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and
 - (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;
- b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor

will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

- b.(1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:
 - (i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
 - (ii) The classification is utilized in the area by the construction industry; and
 - (iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
 - (2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
 - (3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or

will notify the contracting officer within the 30-day period that additional time is necessary.

- (4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

2. Withholding

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federallyassisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

3. Payrolls and basic records

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-

Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

- b.(1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at http://www.dol.gov/esa/whd/forms/wh347instr.htm or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency...
- (2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
 - (i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
 - (ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3:
 - (iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

- (3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.
- (4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
- c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and trainees

a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.

d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

- **5. Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.
- **6. Subcontracts.** The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- **7. Contract termination: debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- 8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- 9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility.

- a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

- 1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
- 2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.
- 3. Withholding for unpaid wages and liquidated damages. The FHWA or the contacting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section
- **4. Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

- 1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).
- a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:
- the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;
- (2) the prime contractor remains responsible for the quality of the work of the leased employees;
- (3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and
- (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.
- b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.
- 2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.
- 4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is

evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

VII. SAFETY: ACCIDENT PREVENTION

- This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.
- 1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.
- 2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).
- 3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

T h i s p r o v i s i o n i s applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- 1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.
- 2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

1. Instructions for Certification - First Tier Participants:

- a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this

covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

- c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.
- d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- e. The terms "covered transaction," "debarred,"
 "suspended," "ineligible," "participant," "person," "principal,"
 and "voluntarily excluded," as used in this clause, are defined
 in 2 CFR Parts 180 and 1200. "First Tier Covered
 Transactions" refers to any covered transaction between a
 grantee or subgrantee of Federal funds and a participant (such
 as the prime or general contract). "Lower Tier Covered
 Transactions" refers to any covered transaction under a First
 Tier Covered Transaction (such as subcontracts). "First Tier
 Participant" refers to the participant who has entered into a
 covered transaction with a grantee or subgrantee of Federal
 funds (such as the prime or general contractor). "Lower Tier
 Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
- g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.

- i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

- a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:
- Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;
- (2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and
- (4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

2. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

- a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.
- b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

- c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.
- d. The terms "covered transaction," "debarred,"
 "suspended," "ineligible," "participant," "person," "principal,"
 and "voluntarily excluded," as used in this clause, are defined
 in 2 CFR Parts 180 and 1200. You may contact the person to
 which this proposal is submitted for assistance in obtaining a
 copy of those regulations. "First Tier Covered Transactions"
 refers to any covered transaction between a grantee or
 subgrantee of Federal funds and a participant (such as the
 prime or general contract). "Lower Tier Covered Transactions"
 refers to any covered transaction under a First Tier Covered
 Transaction (such as subcontracts). "First Tier Participant"
 refers to the participant who has entered into a covered
 transaction with a grantee or subgrantee of Federal funds
 (such as the prime or general contractor). "Lower Tier
 Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.
- h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the

department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

* * * * *

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

- 1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.
- 2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

* * * * :

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

- 1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:
- a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

ATTACHMENT A - EMPLOYMENT AND MATERIALS PREFERENCE FOR APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS ROAD CONTRACTS

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

- 1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:
- a. To the extent that qualified persons regularly residing in the area are not available.
- b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.
- c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.
- 2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.
- 3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.
- 4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.
- 5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

KENTUCKY TRANSPORTATION CABINET DEPARTMENT OF HIGHWAYS

EMPLOYMENT REQUIREMENTS RELATING TO NONDISCRIMINATION OF EMPLOYEES (APPLICABLE TO FEDERAL-AID SYSTEM CONTRACTS)

AN ACT OF THE KENTUCKY GENERAL ASSEMBLY TO PREVENT DISCRIMINATION IN EMPLOYMENT

KRS CHAPTER 344 EFFECTIVE JUNE 16, 1972

The contract on this project, in accordance with KRS Chapter 344, provides that during the performance of this contract, the contractor agrees as follows:

- 1. The contractor shall not fail or refuse to hire, or shall not discharge any individual, or otherwise discriminate against an individual with respect to his compensation, terms, conditions, or privileges of employment, because of such individual's race, color, religion, national origin, sex, disability or age (forty and above); or limit, segregate, or classify his employees in any way which would deprive or tend to deprive an individual of employment opportunities or otherwise adversely affect his status as an employee, because of such individual's race, color, religion, national origin, sex, disability or age forty (40) and over. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.
- 2. The contractor shall not print or publish or cause to be printed or published a notice or advertisement relating to employment by such an employer or membership in or any classification or referral for employment by the employment agency, indicating any preference, limitation, specification, or discrimination, based on race, color, religion, national origin, sex, or age forty (40) and over, or because the person is a qualified individual with a disability, except that such a notice or advertisement may indicate a preference, limitation, or specification based on religion, national origin, sex, or age forty (40) and over, or because the person is a qualified individual with a disability, when religion, national origin, sex, or age forty (40) and over, or because the person is a qualified individual with a disability, is a bona fide occupational qualification for employment.
- 3. If the contractor is in control of apprenticeship or other training or retraining, including on-the-job training programs, he shall not discriminate against an individual because of his race, color, religion, national origin, sex, disability or age forty (40) and over, in admission to, or employment in any program established to provide apprenticeship or other training.

4. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representative of the contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment. The contractor will take such action with respect to any subcontract or purchase order as the administrating agency may direct as a means of enforcing such provisions, including sanctions for non-compliance.

Revised: January 25, 2017

EXECUTIVE BRANCH CODE OF ETHICS

In the 1992 regular legislative session, the General Assembly passed and Governor Brereton Jones signed Senate Bill 63 (codified as KRS 11A), the Executive Branch Code of Ethics, which states, in part:

KRS 11A.040 (7) provides:

No present or former public servant shall, within six (6) months following termination of his office or employment, accept employment, compensation, or other economic benefit from any person or business that contracts or does business with, or is regulated by, the state in matters in which he was directly involved during the last thirty-six (36) months of his tenure. This provision shall not prohibit an individual from returning to the same business, firm, occupation, or profession in which he was involved prior to taking office or beginning his term of employment, or for which he received, prior to his state employment, a professional degree or license, provided that, for a period of six (6) months, he personally refrains from working on any matter in which he was directly involved during the last thirty-six (36) months of his tenure in state government. This subsection shall not prohibit the performance of ministerial functions, including but not limited to filing tax returns, filing applications for permits or licenses, or filing incorporation papers, nor shall it prohibit the former officer or public servant from receiving public funds disbursed through entitlement programs.

KRS 11A.040 (9) states:

A former public servant shall not represent a person or business before a state agency in a matter in which the former public servant was directly involved during the last thirty-six (36) months of his tenure, for a period of one (1) year after the latter of:

- a) The date of leaving office or termination of employment; or
- b) The date the term of office expires to which the public servant was elected.

This law is intended to promote public confidence in the integrity of state government and to declare as public policy the idea that state employees should view their work as a public trust and not as a way to obtain private benefits.

If you have worked for the executive branch of state government within the past six months, you may be subject to the law's prohibitions. The law's applicability may be different if you hold elected office or are contemplating representation of another before a state agency.

Also, if you are affiliated with a firm which does business with the state and which employs former state executive-branch employees, you should be aware that the law may apply to them.

In case of doubt, the law permits you to request an advisory opinion from the Executive Branch Ethics Commission, 3 Fountain Place, Frankfort, Kentucky 40601; telephone (502) 564-7954.

Revised: January 27, 2017

General Decision Number: KY170100 03/10/2017 KY100

Superseded General Decision Number: KY20160100

State: Kentucky

Construction Type: Highway

Counties: Anderson, Bath, Bourbon, Boyd, Boyle, Bracken, Breckinridge, Bullitt, Carroll, Carter, Clark, Elliott, Fayette, Fleming, Franklin, Gallatin, Grant, Grayson, Greenup, Hardin, Harrison, Henry, Jefferson, Jessamine, Larue, Lewis, Madison, Marion, Mason, Meade, Mercer, Montgomery, Nelson, Nicholas, Oldham, Owen, Robertson, Rowan, Scott, Shelby, Spencer, Trimble, Washington and Woodford Counties in Kentucky.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.20 for calendar year 2017 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.20 (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2017. The EO minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification	Number	Publication	Date
0		01/06/2017	
1		01/13/2017	
2		02/03/2017	
3		03/10/2017	

BRIN0004-003 06/01/2016

BRECKENRIDGE COUNTY

	Rates	Fringes
BRICKLAYER	\$ 25.96	11.38

* BRKY0001-005 06/01/2016

BULLITT, CARROLL, GRAYSON, HARDIN, HENRY, JEFFERSON, LARUE, MARION, MEADE, NELSON, OLDHAM, SHELBY, SPENCER, & TRIMBLE COUNTIES:

Rates Fringes

BRICKLAYER		11.38
* BRKY0002-006 06/01/2016		
BRACKEN, GALLATIN, GRANT, MA	SON & ROBERTSON (COUNTIES:
	Rates	Fringes
BRICKLAYER	\$ 27.01	11.38
BRKY0007-004 06/01/2016		
BOYD, CARTER, ELLIOT, FLEMIN	G, GREENUP, LEWIS	S & ROWAN COUNTIES:
	Rates	Fringes
BRICKLAYER	\$ 32.20	18.78
* BRKY0017-004 06/01/2016		
ANDERSON, BATH, BOURBON, BOY HARRISON, JESSAMINE, MADISON OWEN, SCOTT, WASHINGTON & WC	, MERCER, MONTGON	
	Rates	Fringes
BRICKLAYER	\$ 25.64	11.38
CARP0064-001 05/01/2015		
	Rates	Fringes
CARPENTER		16.06
Diver PILEDRIVERMAN		16.06 16.06
ELEC0212-008 06/06/2016		
BRACKEN, GALLATIN and GRANT	COUNTIES	
	Rates	Fringes
ELECTRICIAN		17.13
ELEC0212-014 12/01/2014		
BRACKEN, GALLATIN & GRANT CC	UNTIES:	
	Rates	Fringes
Sound & Communication Technician	\$ 22.75	10.08
ELEC0317-012 06/01/2016		
BOYD, CARTER, ELLIOT & ROWAN	COUNTIES:	
	Rates	Fringes

ELECTRICIAN (Wiremen)	
Cable Splicer\$ 32.68	18.13
Electrician\$ 33.31	22.98
ELEC0369-007 06/01/2016	

ANDERSON, BATH, BOURBON, BOYLE, BRECKINRIDGE, BULLITT, CARROLL, CLARK, FAYETTE, FRAONKLIN, GRAYSON, HARDIN, HARRISON, HENRY, JEFFERSON, JESSAMINE, LARUE, MADISON, MARION, MEADE, MERCER, MONTGOMERY, NELSON, NICHOLAS, OLDHAM, OWEN, ROBERTSON, SCOTT, SHELBY, SPENCER, TRIMBLE, WASHINGTON, & WOODFORD COUNTIES:

	Rates	Fringes
ELECTRICIAN	\$ 30.56	16.10
ELEC0575-002 06/02/2014		
FLEMING, GREENUP, LEWIS & MASON	COUNTIES:	
	Rates	Fringes
ELECTRICIAN	\$ 31.70	14.21
ENGI0181-018 07/01/2016		
	Rates	Fringes
POWER EQUIPMENT OPERATOR		

14.65

14.65

14.65

14.65

OPERATING ENGINEER CLASSIFICATIONS

GROUP 1.....\$ 31.05

GROUP 2.....\$ 28.28

GROUP 3.....\$ 28.71

GROUP 4....\$ 27.97

GROUP 1 - A-Frame Winch Truck; Auto Patrol; Backfiller; Batcher Plant; Bituminous Paver; Bituminous Transfer Machine; Boom Cat; Bulldozer; Mechanic; Cableway; Carry-All Scoop; Carry Deck Crane; Central Compressor Plant; Cherry Picker; Clamshell; Concrete Mixer (21 cu. ft. or Over); Concrete Paver; Truck-Mounted Concrete Pump; Core Drill; Crane; Crusher Plant; Derrick; Derrick Boat; Ditching & Trenching Machine; Dragline; Dredge Operator; Dredge Engineer; Elevating Grader & Loaders; Grade-All; Gurries; Heavy Equipment Robotics Operator/Mechanic; High Lift; Hoe-Type Machine; Hoist (Two or More Drums); Hoisting Engine (Two or More Drums); Horizontal Directional Drill Operator; Hydrocrane; Hyster; KeCal Loader; LeTourneau; Locomotive; Mechanic; Mechanically Operated Laser Screed; Mechanic Welder; Mucking Machine; Motor Scraper; Orangepeel Bucket; Overhead Crane; Piledriver; Power Blade; Pumpcrete; Push Dozer; Rock Spreader, attached to equipment; Rotary Drill; Roller (Bituminous); Rough Terrain Crane; Scarifier; Scoopmobile; Shovel; Side Boom; Subgrader; Tailboom; Telescoping Type Forklift; Tow or Push Boat; Tower Crane (French, German & other types); Tractor Shovel; Truck Crane; Tunnel Mining Machines, including Moles, Shields or

similar types of Tunnel Mining Equipment

GROUP 2 - Air Compressor (Over 900 cu. ft. per min.);
Bituminous Mixer; Boom Type Tamping Machine; Bull Float;
Concrete Mixer (Under 21 cu. ft.); Dredge Engineer;
Electric Vibrator; Compactor/Self-Propelled Compactor;
Elevator (One Drum or Buck Hoist); Elevator (When used to
Hoist Building Material); Finish Machine; Firemen & Hoist
(One Drum); Flexplane; Forklift (Regardless of Lift
Height); Form Grader; Joint Sealing Machine; Outboard Motor
Boat; Power Sweeper (Riding Type); Roller (Rock); Ross
Carrier; Skid Mounted or Trailer Mounted Conrete Pump; Skid
Steer Machine with all Attachments; Switchman or Brakeman;
Throttle Valve Person; Tractair & Road Widening Trencher;
Tractor (50 H.P. or Over); Truck Crane Oiler; Tugger;
Welding Machine; Well Points; & Whirley Oiler

GROUP 3 - All Off Road Material Handling Equipment, including Articulating Dump Trucks; Greaser on Grease Facilities servicing Heavy Equipment

GROUP 4 - Bituminous Distributor; Burlap & Curing Machine; Cement Gun; Concrete Saw; Conveyor; Deckhand Oiler; Grout Pump; Hydraulic Post Driver; Hydro Seeder; Mud Jack; Oiler; Paving Joint Machine; Power Form Handling Equipment; Pump; Roller (Earth); Steerman; Tamping Machine; Tractor (Under 50 H.P.); & Vibrator

CRANES - with booms 150 ft. & Over (Including JIB), and where the length of the boom in combination with the length of the piling leads equals or exceeds 150 ft. - \$1.00 over Group 1 rate

EMPLOYEES ASSIGNED TO WORK BELOW GROUND LEVEL ARE TO BE PAID 10%

ABOVE BASIC WAGE RATE. THIS DOES NOT APPLY TO OPEN CUT WORK.

IRON0044-009 06/01/2016

BRACKEN, GALLATIN, GRANT, HARRISON, ROBERTSON, BOURBON (Northern third, including Townships of Jackson, Millersburg, Ruddel Mills & Shawhan); CARROLL (Eastern third, including the Township of Ghent); FLEMING (Western part, excluding Townships of Beechburg, Colfax, Elizaville, Flemingsburg, Flemingsburg Junction, Foxport, Grange City, Hillsboro, Hilltop, Mount Carmel, Muses Mills, Nepton, Pecksridge, Plummers Landing, Plummers Mill, Poplar Plains, Ringos Mills, Tilton & Wallingford); MASON (Western two-thirds, including Townships of Dover, Lewisburg, Mays Lick, Maysville, Minerva, Moranburg, Murphysville, Ripley, Sardis, Shannon, South Ripley & Washington); NICHOLAS (Townships of Barefoot, Barterville, Carlisle, Ellisville, Headquarters, Henryville, Morningglory, Myers & Oakland Mills); OWEN (Townships of Beechwood, Bromley, Fairbanks, Holbrook, Jonesville, Long Ridge, Lusby's Mill, New, New Columbus, New Liberty, Owenton, Poplar Grove, Rockdale, Sanders, Teresita & Wheatley);

SCOTT (Northern two-thirds, including Townships of Biddle, Davis, Delaplain, Elmville, Longlick, Muddy Ford, Oxford, Rogers Gap, Sadieville, Skinnersburg & Stonewall)

]	Rates	Fringes
IRONWORKER		
Fence Erector\$	23.76	19.15
Structural\$	26.47	20.20

IRON0070-006 06/01/2016

ANDERSON, BOYLE, BRECKINRIDGE, BULLITT, FAYETTE, FRANKLIN, GRAYSON, HARDIN, HENRY, JEFFERSON, JESSAMINE, LARUE, MADISON, MARION, MEADE, MERCER, NELSON, OLDHAM, SHELBY, SPENCER, TRIMBLE, WASHINGTON & WOODFORD
BOURBON (Southern two-thirds, including Townships of Austerlity, Centerville, Clintonville, Elizabeth, Hutchison, Littlerock, North Middletown & Paris);
CARROLL (Western two-thirds, including Townships of Carrollton, Easterday, English, Locust, Louis, Prestonville & Worthville);
CLARK (Western two-thirds, including Townships of Becknerville, Flanagan, Ford, Pine Grove, Winchester & Wyandotte);
OWEN (Eastern eighth, including Townships of Glenmary, Gratz, Monterey, Perry Park & Tacketts Mill);
SCOTT (Southern third, including Townships of Georgetown, Great Crossing, Newtown, Stampling Ground & Woodlake);

	Rates	Fringes
IRONWORKER	\$ 27.91	21.11

IRON0372-006 07/15/2016

BRACKEN, GALLATIN, GRANT, HARRISON and ROBERTSON BOURBON (Northern third, including Townships of Jackson, Millersburg, Ruddel Mills & Shawhan); CARROLL (Eastern third, including the Township of Ghent); FLEMING (Western part, Excluding Townships of Beechburg, Colfax, Elizaville, Flemingsburg, Flemingsburg Junction, Foxport, Grange City, Hillsboro, Hilltop, Mount Carmel, Muses Mills, Nepton, Pecksridge, Plummers Landing, Plummers Mill, Poplar Plains, Ringos Mills, Tilton & Wallingford); MASON (Western two-thirds, including Townships of Dover, Lewisburg, Mays Lick, Maysville, Minerva, Moranburg, Murphysville, Ripley, Sardis, Shannon, South Ripley & Washington); NICHOLAS (Townships of Barefoot, Barterville, Carlisle, Ellisville, Headquarters, Henryville, Morningglory, Myers & Oakland Mills); OWEN (Townships of Beechwood, Bromley, Fairbanks, Holbrook, Jonesville, Long Ridge, Lusby's Mill, New, New Columbus, New Liberty, Owenton, Poplar Grove, Rockdale, Sanders, Teresita & Wheatley); SCOTT (Northern two-thirds, including Townships of Biddle,

Davis, Delaplain, Elmville, Longlick, Muddy Ford, Oxford, Rogers

Gap, Sadieville, Skinnersburg & Stonewall) COUNTIES

	Rates	Fringes
IRONWORKER, REINFORCING	\$ 27.15	20.33
IRON0769-007 06/01/2016		

BATH, BOYD, CARTER, ELLIOTT, GREENUP, LEWIS, MONTGOMERY & ROWAN CLARK (Eastern third, including townships of Bloomingdale, Hunt, Indian Fields, Kiddville, Loglick, Rightangele & Thomson); FLEMING (Townships of Beechburg, Colfax, Elizaville, Flemingsburg, Flemingsburg Junction, Foxport, Grange City, Hillsboro, Hilltop, Mount Carmel, Muses Mills, Nepton, Pecksridge, Plummers Landing, Plummers Mill, Poplar Plains, Ringos Mills, Tilton & Wallingford); MASON (Eastern third, including Townships of Helena, Marshall, Orangeburg, Plumville & Springdale); NICHOLAS (Eastern eighth, including the Township of Moorefield Sprout)

	Rates	Fringes
IRONWORKER		
ZONE 1	\$ 31.33	23.47
ZONE 2	\$ 31.73	23.47
ZONE 3	\$ 33.33	23.47

ZONE 1 - Up to 10 mile radius of Union Hall, Ashland, Ky., 1643 Greenup Ave.

ZONE 2 - 10 to 50 mile radius of Union Hall, Ashland, Ky., 1643 Greenup Ave.

ZONE 3 - 50 mile radius & over of Union Hall, Ashland, Ky., 1643 Greenup Ave.

LABO0189-003 07/01/2016

BATH, BOURBON, BOYD, BOYLE, BRACKEN, CARTER, CLARK, ELLIOTT, FAYETTE, FLEMING, FRANKLIN, GALLATIN, GRANT, GREENUP, HARRISON, JESSAMINE, LEWIS, MADISON, MASON, MERCER, MONTGOMERY, NICHOLAS, OWEN, ROBERTSON, ROWAN, SCOTT, & WOOLFORD COUNTIES

	I	Rates	Fringes
Laborers:			
GROUP	1\$	22.75	12.84
GROUP	2\$	23.00	12.84
GROUP	3\$	23.05	12.84
GROUP	4\$	23.65	12.84

LABORERS CLASSIFICATIONS

GROUP 1 - Aging & Curing of Concrete; Asbestos Abatement Worker; Asphalt Plant; Asphalt; Batch Truck Dump; Carpenter Tender; Cement Mason Tender; Cleaning of Machines;

Concrete; Demolition; Dredging; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Level D; Flagperson; Grade Checker; Hand Digging & Hand Back Filling; Highway Marker Placer; Landscaping, Mesh Handler & Placer; Puddler; Railroad; Rip-rap & Grouter; Right-of-Way; Sign, Guard Rail & Fence Installer; Signal Person; Sound Barrier Installer; Storm & Sanitary Sewer; Swamper; Truck Spotter & Dumper; Wrecking of Concrete Forms; General Cleanup

GROUP 2 - Batter Board Man (Sanitary & Storm Sewer);
Brickmason Tender; Mortar Mixer Operator; Scaffold Builder;
Burner & Welder; Bushammer; Chain Saw Operator; Concrete
Saw Operator; Deckhand Scow Man; Dry Cement Handler;
Environmental - Nuclear, Radiation, Toxic & Hazardous Waste
- Level C; Forklift Operator for Masonary; Form Setter;
Green Concrete Cutting; Hand Operated Grouter & Grinder
Machine Operator; Jackhammer; Pavement Breaker; Paving
Joint Machine; Pipelayer; Plastic Pipe Fusion; Power Driven
Georgia Buggy & Wheel Barrow; Power Post Hole Digger;
Precast Manhole Setter; Walk-Behind Tamper; Walk-Behind
Trencher; Sand Blaster; Concrete Chipper; Surface Grinder;
Vibrator Operator; Wagon Driller

GROUP 3 - Asphalt Luteman & Raker; Gunnite Nozzleman; Gunnite Operator & Mixer; Grout Pump Operator; Side Rail Setter; Rail Paved Ditches; Screw Operator; Tunnel (Free Air); Water Blaster

GROUP 4 - Caisson Worker (Free Air); Cement Finisher; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Levels A & B; Miner & Driller (Free Air); Tunnel Blaster; & Tunnel Mucker (Free Air); Directional & Horizontal Boring; Air Track Drillers (All Types); Powdermen & Blasters; Troxler & Concrete Tester if Laborer is Utilized

LABO0189-008 07/01/2014

ANDERSON, BULLITT, CARROLL, HARDIN, HENRY, JEFFERSON, LARUE, MARION, MEADE, NELSON, OLDHAM, SHELBY, SPENCER, TRIMBLE & WASHINGTON COUNTIES

	I	Rates	Fringes
GROUP GROUP	1\$ 2\$ 3\$ 4\$	22.96 23.01	11.05 11.05 11.05 11.05
GROOT	1	23.01	11.05

LABORERS CLASSIFICATIONS

GROUP 1 - Aging & Curing of Concrete; Asbestos Abatement Worker; Asphalt Plant; Asphalt; Batch Truck Dump; Carpenter Tender; Cement Mason Tender; Cleaning of Machines; Concrete; Demolition; Dredging; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Level D; Flagperson; Grade Checker; Hand Digging & Hand Back Filling; Highway Marker Placer; Landscaping, Mesh Handler & Placer; Puddler;

Railroad; Rip-rap & Grouter; Right-of-Way; Sign, Guard Rail & Fence Installer; Signal Person; Sound Barrier Installer; Storm & Sanitary Sewer; Swamper; Truck Spotter & Dumper; Wrecking of Concrete Forms; General Cleanup

GROUP 2 - Batter Board Man (Sanitary & Storm Sewer);
Brickmason Tender; Mortar Mixer Operator; Scaffold Builder;
Burner & Welder; Bushammer; Chain Saw Operator; Concrete
Saw Operator; Deckhand Scow Man; Dry Cement Handler;
Environmental - Nuclear, Radiation, Toxic & Hazardous Waste
- Level C; Forklift Operator for Masonary; Form Setter;
Green Concrete Cutting; Hand Operated Grouter & Grinder
Machine Operator; Jackhammer; Pavement Breaker; Paving
Joint Machine; Pipelayer; Plastic Pipe Fusion; Power Driven
Georgia Buggy & Wheel Barrow; Power Post Hole Digger;
Precast Manhole Setter; Walk-Behind Tamper; Walk-Behind
Trencher; Sand Blaster; Concrete Chipper; Surface Grinder;
Vibrator Operator; Wagon Driller

GROUP 3 - Asphalt Luteman & Raker; Gunnite Nozzleman; Gunnite Operator & Mixer; Grout Pump Operator; Side Rail Setter; Rail Paved Ditches; Screw Operator; Tunnel (Free Air); Water Blaster

GROUP 4 - Caisson Worker (Free Air); Cement Finisher; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Levels A & B; Miner & Driller (Free Air); Tunnel Blaster; & Tunnel Mucker (Free Air); Directional & Horizontal Boring; Air Track Drillers (All Types); Powdermen & Blasters; Troxler & Concrete Tester if Laborer is Utilized

LABO0189-009 07/01/2014

BRECKINRIDGE & GRAYSON COUNTIES

	I	Rates	Fringes
Laborers:			
GROUP	1\$	22.66	11.10
GROUP	2\$	22.91	11.10
GROUP	3\$	22.96	11.10
GROUP	4\$	23.56	11.10

LABORERS CLASSIFICATIONS

GROUP 1 - Aging & Curing of Concrete; Asbestos Abatement Worker; Asphalt Plant; Asphalt; Batch Truck Dump; Carpenter Tender; Cement Mason Tender; Cleaning of Machines; Concrete; Demolition; Dredging; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Level D; Flagperson; Grade Checker; Hand Digging & Hand Back Filling; Highway Marker Placer; Landscaping, Mesh Handler & Placer; Puddler; Railroad; Rip-rap & Grouter; Right-of-Way; Sign, Guard Rail & Fence Installer; Signal Person; Sound Barrier Installer; Storm & Sanitary Sewer; Swamper; Truck Spotter & Dumper; Wrecking of Concrete Forms; General Cleanup

GROUP 2 - Batter Board Man (Sanitary & Storm Sewer); Brickmason Tender; Mortar Mixer Operator; Scaffold Builder; Burner & Welder; Bushammer; Chain Saw Operator; Concrete Saw Operator; Deckhand Scow Man; Dry Cement Handler; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Level C; Forklift Operator for Masonary; Form Setter; Green Concrete Cutting; Hand Operated Grouter & Grinder Machine Operator; Jackhammer; Pavement Breaker; Paving Joint Machine; Pipelayer; Plastic Pipe Fusion; Power Driven Georgia Buggy & Wheel Barrow; Power Post Hole Digger; Precast Manhole Setter; Walk-Behind Tamper; Walk-Behind Trencher; Sand Blaster; Concrete Chipper; Surface Grinder; Vibrator Operator; Wagon Driller

GROUP 3 - Asphalt Luteman & Raker; Gunnite Nozzleman; Gunnite Operator & Mixer; Grout Pump Operator; Side Rail Setter; Rail Paved Ditches; Screw Operator; Tunnel (Free Air); Water Blaster

GROUP 4 - Caisson Worker (Free Air); Cement Finisher; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Levels A & B; Miner & Driller (Free Air); Tunnel Blaster; & Tunnel Mucker (Free Air); Directional & Horizontal Boring; Air Track Drillers (All Types); Powdermen & Blasters; Troxler & Concrete Tester if Laborer is Utilized

PAIN0012-005 06/11/2005

BATH, BOURBON, BOYLE, CLARK, FAYETTE, FLEMING, FRANKLIN, HARRISON, JESSAMINE, MADISON, MERCER, MONTGOMERY, NICHOLAS, ROBERTSON, SCOTT & WOODFORD COUNTIES:

	Rates	Fringes
PAINTER		
Bridge/Equipment Tender and/or Containment Builder\$	18.90	5.90
Brush & Roller\$	21.30	5.90
Elevated Tanks; Steeplejack Work; Bridge &		
Lead Abatement\$ Sandblasting &	22.30	5.90
Waterblasting\$		5.90
Spray\$	21.80	5.90

PAIN0012-017 05/01/2015

BRACKEN, GALLATIN, GRANT, MASON & OWEN COUNTIES:

]	Rates	Fringes
PAINTER (Heavy & Highway		
Bridges - Guardrails -		
Lightpoles - Striping)		
Bridge Equipment Tender		
and Containment Builder\$	20.73	9.06
Brush & Roller\$	23.39	9.06
Elevated Tanks;		
Steeplejack Work; Bridge &		
Lead Abatement\$	24.39	9.06

Sandblasting & Water Blasting Spray		9.06 9.06
PAIN0118-004 06/01/2014		
ANDERSON, BRECKINRIDGE, BULLITT, HENRY, JEFFERSON, LARUE, MARION, SPENCER, TRIMBLE & WASHINGTON CO	MEADE, NE	
	Rates	Fringes
PAINTER Brush & Roller	\$ 18.50	11.97
Cleaning	\$ 19.50	11.97
PAIN1072-003 12/01/2016		
BOYD, CARTER, ELLIOTT, GREENUP,	LEWIS and H	ROWAN COUNTIES
	Rates	Fringes
Painters: Bridges; Locks; Dams; Tension Towers & Energized Substations		16.15 16.15
PLUM0248-003 06/01/2016		
BOYD, CARTER, ELLIOTT, GREENUP,	LEWIS & ROV	WAN COUNTIES:
	Rates	Fringes
Plumber and Steamfitter PLUM0392-007 06/01/2014	\$ 30.00	24.05
BRACKEN, CARROLL (Eastern Half), ROBERTSON COUNTIES:	GALLATIN,	GRANT, MASON, OWEN &
	Rates	Fringes
Plumbers and Pipefitters		17.79
PLUM0502-003 08/01/2016		
BRECKINRIDGE, BULLITT, CARROLL (Western three-fourths), GRAYSON LARUE, MARION, MEADE, NELSON, OI WASHINGTON COUNTIES	, HARDIN, H	HENRY, JEFFERSON,

PLUMBER.....\$ 32.00 20.13

Rates

Fringes

SUKY2010-160 10/08/2001

	Rates	Fringes
Truck drivers:		
GROUP 1	\$ 16.57	7.34
GROUP 2	\$ 16.68	7.34
GROUP 3	\$ 16.86	7.34
GROUP 4	\$ 16.96	7.34

TRUCK DRIVER CLASSIFICATIONS

GROUP 1 - Mobile Batch Truck Tender

GROUP 2 - Greaser; Tire Changer; & Mechanic Tender

GROUP 3 - Single Axle Dump; Flatbed; Semi-trailer or Pole Trailer when used to pull building materials and equipment; Tandem Axle Dump; Distributor; Mixer; & Truck Mechanic

GROUP 4 - Euclid & Other Heavy Earthmoving Equipment & Lowboy; Articulator Cat; 5-Axle Vehicle; Winch & A-Frame when used in transporting materials; Ross Carrier; Forklift when used to transport building materials; & Pavement Breaker

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date

for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board

U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

Fringe benefit amounts are applicable for all hours worked except when otherwise noted.

No laborer, workman or mechanic shall be paid at a rate less than that of a Journeyman except those classified as bona fide apprentices.

Apprentices or trainees shall be permitted to work as such subject to Administrative Regulations adopted by the Commissioner of Workplace Standards. Copies of these regulations will be furnished upon request from any interested person.

Before using apprentices on the job the contractor shall present to the Contracting Officer written evidence of registration of such employees in a program of a State apprenticeship and training agency approved and recognized by the U. S. Bureau of Apprenticeship and Training. In the absence of such a State agency, the contractor shall submit evidence of approval and registration by the U. S. Bureau of Apprenticeship and Training.

The contractor shall submit to the Contracting Officer, written evidence of the established apprenticeship-journeyman ratios and wage rates in the project area, which will be the basis for establishing such ratios and rates for the project under the applicable contract provisions.

TO: EMPLOYERS/EMPLOYEES

PREVAILING WAGE SCHEDULE:

The wages indicated on this wage schedule are the least permitted to be paid for the occupations indicated. When an employee works in more than one classification, the employer must record the number of hours worked in each classification at the prescribed hourly base rate.

OVERTIME:

Overtime is to be paid after an employee works eight (8) hours a day or forty (40) hours a week, whichever gives the employee the greater wages. At least time and one-half the base rate is required for all overtime. A laborer, workman or mechanic and an employer may enter into a written agreement or a collective bargaining agreement to work more than eight (8) hours a calendar day but not more than ten (10) hours a calendar day for the straight time hourly rate. Wage violations or questions should be directed to the designated Engineer or the undersigned.

Director Division of Construction Procurement Frankfort, Kentucky 40622 502-564-3500 General Decision Number: KY170101 03/10/2017 KY101

Superseded General Decision Number: KY20160101

State: Kentucky

Construction Type: Highway

Counties: Boone, Campbell, Kenton and Pendleton Counties in

Kentucky.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.20 for calendar year 2017 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.20 (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2017. The EO minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification	Number	Publication	Date
0		01/06/2017	
1		02/03/2017	
2		03/10/2017	

* BRKY0002-005 06/01/2016

	Rates	Fringes
BRICKLAYER	.\$ 27.01	11.38
BROH0001-005 06/01/2008		

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER.	\$ 25.75	8.60
CARP0698-001 05/01/2014		

BOONE, CAMPBELL, KENTON & PENDLETON COUNTIES:

	Rates	Fringes	
Carpenter & Piledrivermen Diver		14.59 9.69	
			_

ELEC0212-007 06/06/2016

	Rates	Fringes
ELECTRICIAN	\$ 27.47	17.13
ELEC0212-013 12/01/2014		
	Rates	Fringes
Sound & Communication Technician	\$ 22.75	10.08
ENGI0018-013 05/01/2015		
	Rates	Fringes
POWER EQUIPMENT OPERATOR GROUP 1	\$ 33.22 \$ 32.18	14.25 14.25 14.25 14.24

14.25

14.25

OPERATING ENGINEER CLASSIFICATIONS

GROUP 5.....\$ 25.54

GROUP 6.....\$ 33.59

GROUP 7.....\$ 33.84

GROUP 1 - Air Compressor on Steel Erection; Barrier Moving Machine; Boiler Operator on Compressor or Generator when mounted on a Rig; Cableway; Combination Concrete Mixer & Tower; Concrete Plant (over 4 yd. Capacity); Concrete Pump; Crane (All Types, Including Boom Truck, Cherry Picker); Crane-Compact, Track or Rubber over 4,000 lbs. capacity; Cranes-Self Erecting, Stationary, Track or Truck (All Configurations); Derrick; Dragline; Dredge (Dipper, Clam or Suction); Elevating Grader or Euclid Loader; Floating Equipment (All Types); Gradall; Helicopter Crew (Operator-Hoist or Winch); Hoe (all types); Hoisting Engine on Shaft or Tunnel Work; Hydraulic Gantry (Lifting System); Industrial-Type Tractor; Jet Engine Dryer (D8 or D9) Diesel Tractor; Locomotive (Standard Gauge); Maintenance Operator Class A; Mixer, Paving (Single or Double Drum); Mucking Machine; Multiple Scraper; Piledriving Machine (All Types); Power Shovel; Prentice Loader; Quad 9 (Double Pusher); Rail Tamper (with auto lifting & aligning device); Refrigerating Machine (Freezer Operation); Rotary Drill, on Caisson work; Rough Terrain Fork Lift with Winch/Hoist; Side-Boom; Slip-Form Paver; Tower Derrick; Tree Shredder; Trench Machine (Over 24" wide); Truck Mounted Concrete Pump; Tug Boat; Tunnel Machine and/or Mining Machine; & Wheel Excavator

GROUP 2 - Asphalt Paver; Automatic Subgrader Machine, Self-Propelled (CMI Type); Bobcat Type and/or Skid Steer Loader with Hoe Attachment Greater than 7,000 lbs.; Boring Machine More than 48"; Bulldozer; Endloader; Hydro Milling Machine; Horizontal Directional Drill (over 500,000 ft. lbs. thrust); Kolman-type Loader (production type-Dirt); Lead Greaseman; Lighting & Traffic Signal Installation Equipment (includes all groups or classifications);

Material Transfer Equipment (Shuttle Buggy) Asphalt; Pettibone-Rail Equipment; Power Grader; Power Scraper; Push Cat; Rotomill (all), Grinders & Planers of All types; Trench Machine (24" wide & under); & Vermeer type Concrete Saw

GROUP 3 - A-Frame; Air Compressor on Tunnel Work (low pressure); Asphalt Plant Engineer; Bobcat-type and/or Skid Steer Loader with or without Attachments; Highway Drills (all types); Locomotive (narrow gauge); Material Hoist/Elevator; Mixer, Concrete (more than one bag capacity); Mixer, one bag capacity (Side Loader); Power Boiler (Over 15 lbs. Pressure) Pump Operator installing & operating Well Points; Pump (4" & over discharge); Roller, Asphalt; Rotovator (lime soil stabilizer); Switch & Tie Tampers (without lifting & aligning device); Utility Operator (Small equipment); & Welding Machines

GROUP 4 - Backfiller; Ballast Re-locator; Bars, Joint & Mesh Installing Machine; Batch Plant; Boring Machine Operator (48" or less); Bull Floats; Burlap & Curing Machine; Concrete Plant (capacity 4 yd. & under); Concrete Saw (Multiple); Conveyor (Highway); Crusher; Deckhand; Farm-type Tractor with attachments (highway) except Masonry); Finishing Machine; Fireperson, Floating Equipment (all types); Fork Lift (highway); Form Trencher; Hydro Hammer; Hydro Seeder; Pavement Breaker; Plant Mixer; Post Driver; Post Hole Digger (Power Auger); Power Brush Burner; Power Form Handling Equipment; Road Widening Trencher; Roller (Brick, Grade & Macadam); Self-Propelled Power Spreader; Self-Propelled Power Subgrader; Steam Fireperson; Tractor (Pulling Sheepfoot, Roller or Grader); & Vibratory Compactor with Integral Power

GROUP 5 - Compressor (Portable, Sewer, Heavy & Highway); Drum Fireperson (Asphalt); Generator; Masonry Fork Lift; Inboard-Outboard Motor Boat Launch; Masonry Fork Lift; Oil Heater (asphalt plant); Oiler; Power Driven Heater; Power Sweeper & Scrubber; Pump (under 4" discharge); Signalperson; Tire Repairperson; & VAC/ALLS

GROUP 6 - Master Mechanic & Boom from 150 to 180

GROUP 7 - Boom from 180 and over

IRON0044-008 06/01/2016

	Rates	Fringes
Ironworkers: Fence Erector		19.15 19.15
IRON0372-004 07/15/2016		
	Rates	Fringes
IRONWORKER, REINFORCING	.\$ 27.15	20.33

LABO0189-004 07/01/2016

PENDLETON COUNTY:

	I	Rates	Fringes		
LABORER					
GROUP	1\$	22.75	12.84		
GROUP	2\$	23.00	12.84		
GROUP	3\$	23.05	12.84		
GROUP	4\$	23.65	12.84		

LABORERS CLASSIFICATIONS

GROUP 1 - Aging & Curing of Concrete; Asbestos Abatement Worker; Asphalt Plant; Asphalt; Batch Truck Dump; Carpenter Tender; Cement Mason Tender; Cleaning of Machines; Concrete; Demolition; Dredging; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Level D; Flagperson; Grade Checker; Hand Digging & Hand Back Filling; Highway Marker Placer; Landscaping, Mesh Handler & Placer; Puddler; Railroad; Rip-rap & Grouter; Right-of-Way; Sign, Guard Rail & Fence Installer; Signal Person; Sound Barrier Installer; Storm & Sanitary Sewer; Swamper; Truck Spotter & Dumper; Wrecking of Concrete Forms; General Cleanup

GROUP 2 - Batter Board Man (Sanitary & Storm Sewer);
Brickmason Tender; Mortar Mixer Operator; Scaffold Builder;
Burner & Welder; Bushammer; Chain Saw Operator; Concrete
Saw Operator; Deckhand Scow Man; Dry Cement Handler;
Environmental - Nuclear, Radiation, Toxic & Hazardous Waste
- Level C; Forklift Operator for Masonary; Form Setter;
Green Concrete Cutting; Hand Operated Grouter & Grinder
Machine Operator; Jackhammer; Pavement Breaker; Paving
Joint Machine; Pipelayer; Plastic Pipe Fusion; Power Driven
Georgia Buggy & Wheel Barrow; Power Post Hole Digger;
Precast Manhole Setter; Walk-Behind Tamper; Walk-Behind
Trencher; Sand Blaster; Concrete Chipper; Surface Grinder;
Vibrator Operator; Wagon Driller

GROUP 3 - Asphalt Luteman & Raker; Gunnite Nozzleman; Gunnite Operator & Mixer; Grout Pump Operator; Side Rail Setter; Rail Paved Ditches; Screw Operator; Tunnel (Free Air); Water Blaster

GROUP 4 - Caisson Worker (Free Air); Cement Finisher; Environmental - Nuclear, Radiation, Toxic & Hazardous Waste - Levels A & B; Miner & Driller (Free Air); Tunnel Blaster; & Tunnel Mucker (Free Air); Directional & Horizontal Boring; Air Track Driller (All Types); Powderman & Blaster; Troxler & Concrete Tester if Laborer is Utilized

LABO0265-009 05/01/2016

BOONE, CAMPBELL & KENTON COUNTIES:

Rates Fringes

LABORER

GROUP 1	.\$ 29.22	10.35
GROUP 2	.\$ 29.39	10.35
GROUP 3	.\$ 29.72	10.35
GROUP 4	\$ 30.17	10.35

LABORER CLASSIFICATIONS

GROUP 1 - Asphalt Laborer; Carpenter Tender; Concrete Curing Applicator; Dump Man (Batch Truck); Guardrail and Fence Installer; Joint Setter; Laborer (Construction); Landscape Laborer; Highway Lighting Worker; Signalization Worker; Mesh Handlers & Placer; Right-of-way Laborer; Riprap Laborer & Grouter; Scaffold Erector; Seal Coating; Surface Treatment or Road Mix Laborer; Sign Installer; Slurry Seal; Utility Man; Bridge Man; Handyman; Waterproofing Laborer; Flagperson; Hazardous Waste (level D); Diver Tender; Zone Person & Traffic Control

GROUP 2 - Skid Steer; Asphalt Raker; Concrete Puddler; Kettle Man (Pipeline); Machine Driven Tools (Gas, Electric, Air); Mason Tender; Brick Paver; Mortar Mixer; Power Buggy or Power Wheelbarrow; Sheeting & Shoring Man; Surface Grinder Man; Plastic Fusing Machine Operator; Pug Mill Operator; & Vacuum Devices (wet or dry); Rodding Machine Operator; Diver; Screwman or Paver; Screed Person; Water Blast, Hand Held Wand; Pumps 4" & Under (Gas, Air or Electric) & Hazardous Waste (level C); Air Track and Wagon Drill; Bottom Person; Cofferdam (below 25 ft. deep); Concrete Saw Person; Cutting with Burning Torch; Form Setter; Hand Spiker (Railroad); Pipelayer; Tunnel Laborer (without air) & Caisson; Underground Person (working in Sewer and Waterline, Cleaning, Repairing & Reconditioning); Sandblaster Nozzle Person; & Hazardous Waste (level B)

GROUP 3 - Blaster; Mucker; Powder Person; Top Lander; Wrencher (Mechanical Joints & Utility Pipeline); Yarner; Hazardous Waste (level A); Concrete Specialist; Concrete Crew in Tunnels (With Air-pressurized - \$1.00 premium); Curb Setter & Cutter; Grade Checker; Utility Pipeline Tapper; Waterline; and Caulker

GROUP 4 - Miner; & Gunite Nozzle Person

TUNNEL LABORER WITH AIR-PRESSURIZED ADD \$1.00 TO BASE RATE

SIGNAL PERSON WILL RECEIVE THE RATE EQUAL TO THE RATE PAID THE LABORER CLASSIFICATION FOR WHICH HE OR SHE IS SIGNALING.

PAIN0012-016 05/01/2015

	Rates	Fringes
PAINTER		
Bridge	\$ 24.39	9.06
Bridge Equipment Tender		
and Containment Builder	\$ 20.73	9.06
Brush & Roller	\$ 23.39	9.06
Sandblasting & Water		

Blasting\$	24.14	9.06
Spray\$	23.89	9.06

PLUM0392-008 06/01/2014

	Rates	Fringes
PLUMBER\$	29.80	17.79

SUKY2010-161 02/05/1996

F	Rates	Fringes
Truck drivers: GROUP 1\$ GROUP 2\$		4.60 4.60

TRUCK DRIVER CLASSIFICATIONS

GROUP 1 - Driver

GROUP 2 - Euclid Wagon; End Dump; Lowboy; Heavy Duty Equipment; Tractor-Trailer Combination; & Drag

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the

cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of

each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

Fringe benefit amounts are applicable for all hours worked except when otherwise noted.

No laborer, workman or mechanic shall be paid at a rate less than that of a Journeyman except those classified as bona fide apprentices.

Apprentices or trainees shall be permitted to work as such subject to Administrative Regulations adopted by the Commissioner of Workplace Standards. Copies of these regulations will be furnished upon request from any interested person.

Before using apprentices on the job the contractor shall present to the Contracting Officer written evidence of registration of such employees in a program of a State apprenticeship and training agency approved and recognized by the U. S. Bureau of Apprenticeship and Training. In the absence of such a State agency, the contractor shall submit evidence of approval and registration by the U. S. Bureau of Apprenticeship and Training.

The contractor shall submit to the Contracting Officer, written evidence of the established apprenticeship-journeyman ratios and wage rates in the project area, which will be the basis for establishing such ratios and rates for the project under the applicable contract provisions.

TO: EMPLOYERS/EMPLOYEES

PREVAILING WAGE SCHEDULE:

The wages indicated on this wage schedule are the least permitted to be paid for the occupations indicated. When an employee works in more than one classification, the employer must record the number of hours worked in each classification at the prescribed hourly base rate.

OVERTIME:

Overtime is to be paid after an employee works eight (8) hours a day or forty (40) hours a week, whichever gives the employee the greater wages. At least time and one-half the base rate is required for all overtime. A laborer, workman or mechanic and an employer may enter into a written agreement or a collective bargaining agreement to work more than eight (8) hours a calendar day but not more than ten (10) hours a calendar day for the straight time hourly rate. Wage violations or questions should be directed to the designated Engineer or the undersigned.

Director Division of Construction Procurement Frankfort, Kentucky 40622 502-564-3500 VARIOUS COUNTIES HSIP 9010 (279)

Contract ID: 174119 Page 116 of 122

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (Executive Order 11246)

- 1. The Offeror's or Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Specifications" set forth herein.
- 2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate work force in each trade on all construction work in the covered area, are as follows:

GOALS FOR MINORITY	GOALS FOR FEMALE
PARTICIPATION	PARTICIPATION IN
IN EACH TRADE	EACH TRADE
11.0%	6.9%

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally-assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and non-federally involved construction.

The Contractor's compliance with the Executive Order and the regulations in CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4, 3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The Contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs within ten (10) working days of award of any construction subcontract in excess of \$10,000.00 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor; employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed. The notification shall be mailed to:

Evelyn Teague, Regional Director Office of Federal Contract Compliance Programs 61 Forsyth Street, SW, Suite 7B75 Atlanta, Georgia 30303-8609

4. As used in this Notice, and in the contract resulting from this solicitation, the "covered area" is Campbell County.

VARIOUS COUNTIES HSIP 9010 (279)

Contract ID: 174119 Page 117 of 122

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (Executive Order 11246)

- 1. The Offeror's or Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Specifications" set forth herein.
- 2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate work force in each trade on all construction work in the covered area, are as follows:

GOALS FOR FEMALE
PARTICIPATION IN
EACH TRADE
6.9%

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally-assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and non-federally involved construction.

The Contractor's compliance with the Executive Order and the regulations in CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4, 3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The Contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs within ten (10) working days of award of any construction subcontract in excess of \$10,000.00 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor; employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed. The notification shall be mailed to:

Evelyn Teague, Regional Director Office of Federal Contract Compliance Programs 61 Forsyth Street, SW, Suite 7B75 Atlanta, Georgia 30303-8609

4. As used in this Notice, and in the contract resulting from this solicitation, the "covered area" is Harrison County.

VARIOUS COUNTIES HSIP 9010 (279)

Contract ID: 174119 Page 118 of 122

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (Executive Order 11246)

- 1. The Offeror's or Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Specifications" set forth herein.
- 2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate work force in each trade on all construction work in the covered area, are as follows:

GOALS FOR MINORITY	GOALS FOR FEMALE
PARTICIPATION	PARTICIPATION IN
IN EACH TRADE	EACH TRADE
11.0%	6.9%

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally-assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and non-federally involved construction.

The Contractor's compliance with the Executive Order and the regulations in CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4, 3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The Contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs within ten (10) working days of award of any construction subcontract in excess of \$10,000.00 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor; employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed. The notification shall be mailed to:

Evelyn Teague, Regional Director Office of Federal Contract Compliance Programs 61 Forsyth Street, SW, Suite 7B75 Atlanta, Georgia 30303-8609

4. As used in this Notice, and in the contract resulting from this solicitation, the "covered area" is Kenton County.

PART IV

INSURANCE

INSURANCE

The Contractor shall procure and maintain the following insurance in addition to the insurance required by law:

- 1) Commercial General Liability-Occurrence form not less than \$2,000,000 General aggregate, \$2,000,000 Products & Completed Aggregate, \$1,000,000 Personal & Advertising, \$1,000,000 each occurrence.
- 2) Automobile Liability- \$1,000,000 per accident
- 3) Employers Liability:
 - a) \$100,000 Each Accident Bodily Injury
 - b) \$500,000 Policy limit Bodily Injury by Disease
 - c) \$100,000 Each Employee Bodily Injury by Disease
- 4) The insurance required above must be evidenced by a Certificate of Insurance and this Certificate of Insurance must contain one of the following statements:
 - a) "policy contains no deductible clauses."
 - b) "policy contains _____ (amount) deductible property damage clause but company will pay claim and collect the deductible from the insured."
- 5) KENTUCKY WORKMEN'S COMPENSATION INSURANCE. The contractor shall furnish evidence of coverage of all his employees or give evidence of self-insurance by submitting a copy of a certificate issued by the Workmen's Compensation Board.

The cost of insurance is incidental to all contract items. All subcontractors must meet the same minimum insurance requirements.

PART V

BID ITEMS

174119

PROPOSAL BID ITEMS

Report Date 5/3/17

Page 1 of 1

Section: 0001 - KENTON

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	02650	MAINTAIN & CONTROL TRAFFIC I-471	1.00	LS		\$	
0020	02650	MAINTAIN & CONTROL TRAFFIC I-75	1.00	LS		\$	
0030	02650	MAINTAIN & CONTROL TRAFFIC KY 36	1.00	LS		\$	
0040	02726	STAKING I-471	1.00	LS		\$	
0050	02726	STAKING I-75	1.00	LS		\$	
0060	02726	STAKING KY 36	1.00	LS		\$	
0070	04904	BARRIER MOUNTING BRACKET	14.00	EACH		\$	
0800	06401	FLEXIBLE DELINEATOR POST-M/W	428.00	EACH		\$	
0090	06404	FLEXIBLE DELINEATOR POST-M/Y	353.00	EACH		\$	
0100	06406	SBM ALUM SHEET SIGNS .080 IN	2,088.00	SQFT		\$	
0110	06407	SBM ALUM SHEET SIGNS .125 IN	1,418.00	SQFT		\$	
0120	06410	STEEL POST TYPE 1	6,060.00	LF		\$	
0130	20194ED	REMOVE & RESET TRAFFIC SIGN	16.00	EACH		\$	
0140	21373ND	REMOVE SIGN	63.00	EACH		\$	
0150	24631EC	BARCODE SIGN INVENTORY	635.00	EACH		\$	

Section: 0002 - DEMOBILIZATION

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0160	02569	DEMOBILIZATION	1.00	LS		\$	