



Andy Beshear  
GOVERNOR

TRANSPORTATION CABINET  
200 Mero Street  
Frankfort, Kentucky 40601

Jim Gray  
SECRETARY

January 26, 2026

CALL NO. 116  
CONTRACT ID NO. 264400  
ADDENDUM # 1

Subject: Jefferson County, HSIP 8797(002)  
Letting January 29, 2026

- (1) Revised - Completion Date - Cover Page & Page 4 of 195
- (2) Revised - Special Notes - Page 47, 63, 72, 84-85 of 195
- (3) Revised - Proposal Bid Items - Pages 193-195 of 195

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.  
Director  
Division of Construction Procurement

RM:mr  
Enclosures



**CALL NO. 116**

**CONTRACT ID. 264400**

**JEFFERSON COUNTY**

**FED/STATE PROJECT NUMBER HSIP 8797(002)**

**DESCRIPTION ALGONQUIN PARKWAY (KY 2054)**

**WORK TYPE ASPHALT PAVEMENT & ROADWAY REHAB**

**PRIMARY COMPLETION DATE 9/30/2026**

**LETTING DATE: January 29,2026**

Sealed Bids will be received electronically through the Bid Express bidding service until 10:00 AM EASTERN STANDARD TIME January 29,2026. Bids will be publicly announced at 10:00 AM EASTERN STANDARD TIME.

**NO PLANS ASSOCIATED WITH THIS PROJECT.**

**DBE CERTIFICATION REQUIRED - 0%**

**REQUIRED BID PROPOSAL GUARANTY:** Not less than 5% of the total bid.

## ADMINISTRATIVE DISTRICT - 05

**CONTRACT ID - 264400**

**HSIP 8797(002)**

**COUNTY - JEFFERSON**

**PCN - 264400**

**HSIP 8797(002)**

ALGONQUIN PARKWAY (KY 2054) (MP 0.000) FROM THE INTERSECTION OF 40TH STREET PROCEEDING EAST TO THE INTERSECTION OF WINKLER AVENUE (MP 3.299), A DISTANCE OF 03.30 MILES. ASPHALT PAVEMENT & ROADWAY REHAB SYP NO. 05-09048.00.

GEOGRAPHIC COORDINATES LATITUDE 38:13:24.00 LONGITUDE 85:47:35.00

ADT 9,000

**COMPLETION DATE(S):**

COMPLETED BY 09/01/2026      MILESTONE DATE (SEE SN FOR COMPLETION DATE)

COMPLETED BY 09/30/2026      APPLIES TO ENTIRE PROJECT

### **Special Note for Completion Date & Liquidated Damages**

---

#### **I. COMPLETION DATE**

The ultimate fixed completion date for this project will be September 30, 2026 though this project will have a milestone completion date of September 1, 2026 for completion of paving activities.

Liquidated Damages for failure to achieve the milestone and/or failure to complete the project on time will be assessed following Section 108.09.

#### **II. LIQUIDATED DAMAGES**

In addition to the requirements of Section 108.09, the Department will assess Liquidated Damages in the amount of \$1,000 per hour for each hour, or fraction of an hour, for any and all lane closures that are in place beyond the time frame(s) noted in the Traffic Control Plan and approved by the Engineer.

All construction must be completed in accordance with any and all applicable weather limitations listed in the Standard Specifications. As such, the Contractor is advised to select a starting date based on a favorable weather forecast.

NOTE: At the sole discretion of the Engineer, all, or part, of these Liquidated Damages may be waived due to unforeseen circumstances, such as unexpected weather.

Contrary to Section 108.09, Liquidated Damages will be assessed for the months of December through March.

All liquidated damages will be applied accumulatively.

All other applicable portions of Section 108 apply.

### **SPECIAL NOTE FOR CONCRETE ISLAND REMOVAL**

---

#### **For Concrete Island Removal not in the Concrete Pavement Restoration area:**

Remove existing concrete islands as shown on the drawings, listed in the summary, or as directed by the Engineer. Saw cut the existing pavement, asphalt surface, base, DGA and PCC pavement (if present). Excavate to an approximate depth of 8 inches below the bottom of the existing adjacent pavement level. Remove and dispose of all materials off the Right-of Way at sites obtained by the Contractor at no additional cost to the Department. See the Special Provision for Waste and Borrow Sites. Do not damage existing culvert pipes and any existing underground utilities. Repair or restore any damaged items at no additional cost to the Department.

Backfill the excavated area with Class 3 Asphalt Base 1.00D PG64-22, in 4 inch maximum courses, up to the existing pavement surface. Compact the asphalt base to the compaction required in Section 403. Seal the asphalt base with leveling and wedging. Perform all concrete island removal operations in such a manner that removal and replacement are completed on the same day. Do this work as one of the Contractor's first operations in order to allow further compaction by traffic. Do not mill or place new asphalt surface over the repaired areas until a minimum of 14 calendar days have elapsed after placement of the final course of asphalt base. After the 14 calendar day waiting period, and/or when the Engineer determines the repair areas have sufficiently stabilized, begin milling and/or resurfacing operations. Prior to milling and/or constructing the new asphalt surface, level and wedge any settlement of the repair areas.

#### **For Concrete Island Removal within the Concrete Pavement Restoration area:**

Remove existing concrete islands as shown on the drawings, listed in the summary, or as directed by the Engineer. Saw cut the existing asphalt surface and excavate to the existing adjacent concrete pavement level. Remove and dispose of all materials off the Right-of Way at sites obtained by the Contractor at no additional cost to the Department. See the Special Provision for Waste and Borrow Sites. Do not damage existing culvert pipes and any existing underground utilities. Repair or restore any damaged items at no additional cost to the Department.

Restore the excavated area as described in the General Notes and Description of Work – Concrete Pavement Restoration.

#### **For all Concrete Island Removal:**

The bidder must draw his or her own conclusions as to the conditions to be encountered. The Department does not give any guarantee as to the accuracy of the data and no claim will be considered for additional compensation of the materials encountered that are not in accord with the classification shown.

Accept payment at the Contract unit price per square yard for Remove Concrete Island as full compensation for all labor, materials, equipment, and incidentals for removing concrete island and disposing of the materials, furnishing and placing asphalt base, and all other items necessary to complete the work according to these notes to the satisfaction of the Engineer. Leveling and wedging any settlement areas or other locations identified by the Engineer will be paid at the unit price per ton.

Traffic Control Plan  
Page 7 of 12

Protect pavement edges that traffic is not expected to cross, except accidentally, as follows:

Less than 2" - No protection required.

2" to 4" - Place plastic drums, vertical panels, or barricades every 50 feet. During daylight working hours only, the Engineer will allow the Contractor to use cones in lieu of plastic drums, panels, and barricades. Wedge the drop-off with DGA or asphalt mixture for leveling and wedging with a 1:1 or flatter slope in daylight hours, or 3:1 or flatter slope during nighttime hours, when work is not active in the drop-off area.

Greater than 4" - Protect drop-offs greater than 4 inches within 10 feet of traffic by placing drums, vertical panels, or barricades every 25 feet. The Engineer will not allow the use of cones in lieu of drums, vertical panels, or barricades for drop-offs greater than 4". Place Type III Barricades directly in front of the drop-off facing oncoming traffic in both directions of travel. Provide warning signs as shown on the Standard Drawings or as directed by the Engineer

Pedestrians & Bicycles - Protect pedestrian and bicycle traffic as directed by the Engineer.

**LAW ENFORCEMENT OFFICER**

If requested by the Contractor, the Engineer may approve Law Enforcement Officer support to supplement the Contractor's temporary traffic control. If approved, provide one (1) law enforcement support unit for each lane and/or shoulder closure, each unit consisting of an off-duty law enforcement officer from any police agency having lawful jurisdiction and a police car equipped with externally mounted flashing blue lights. Place the police support unit at a location that is most effective to alert traffic of the work, but safe for the workers, the officer, and the traveling public. The Department will measure and pay for each approved individual law enforcement support unit on a per hour basis for the officer with the police vehicle. If law enforcement support is utilized without prior approval by the Engineer, the Department may deny payment for any invoiced hours prior to the approval date.

## GENERAL SUMMARY

COUNTY OF

PROJECT NO.

JEFFERSON

5- 9048. 00

ITEM	DESCRIPTION	UNIT	TOTAL PROJECT
1	DGA BASE	TAN	298
① 190	LEVELING & WEDGING PG64- 22	TAN	639
① 356	ASPHALT MATERIAL FOR TACK	TAN	42. 5
① 388	CL3 ASPH SURF 0. 38B PG64- 22	TAN	6, 386
1875	STANDARD HEADER CURB	LF	44
② 1919	STANDARD BARRIER MEDIAN TYPE 3	SQYD	325
① 1920	STANDARD BARRIER MEDIAN TYPE 3 MOD	SQYD	325
③ 2016	REMOVE CONCRETE ISLAND	SQYD	646
② 2060	PCC PAVEMENT DIAMOND GRINDING	SQYD	6, 467
② 2115	SAW CLEAN RESEAL TRANSVERSE JOINT	LF	2, 275
② 2116	SAW CLEAN RESEAL LONGITUDINAL JOINT	LF	3, 295
2460	REMOVE TREES OR STUMPS	EACH	1
2562	TEMPORARY SIGNS	SQFT	500
2568	MOBILIZATION	LS	1
2569	DEMobilIZATION	LS	1
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2
2676	MOBILIZATION FOR MAIL & TEXT	LS	1
② ④ 2677	ASPHALT PAVING & TEXTURING	TAN	6, 920
2705	SILT TRAP TYPE C	EACH	11
2708	CLEAN SILT TRAP TYPE C	EACH	11
2720	SIDEWALK- 4 IN CONCRETE	SQYD	124
2775	ARROW PANEL	EACH	2
4720	BRACKET 4 FT	EACH	8
4722	BRACKET 8 FT	EACH	12
4724	BRACKET 12 FT	EACH	8
4780	FUSED CONNECTOR KIT	EACH	25
4820	TRENCHING AND BACKFILLING	LF	255
4832	WRE- NO. 12	LF	13, 410
4844	CABLE- NO. 14/ 5C	LF	4, 420
4845	CABLE- NO. 14/ 7C	LF	13, 040
4885	MESSENGER- 10800 LB	LF	2, 055
4886	MESSENGER- 15400 LB	LF	410
4932	INSTALL STEEL STRAIN POLE	EACH	28
4933	TEMP SIGNAL 2 PHASE	EACH	1
6406	SBM ALUM SHEET SIGNS . 080 IN	SQFT	614. 33
6410	STEEL POST TYPE 1	LF	1, 157
6472	INSTALL SPAN MOUNTED SIGN	EACH	1

- ① INCLUDES QUANTITY FROM POTENTIAL OUTCOME OF ASPHALT RESURFACING FOLLOWING SOME ACTIVITIES IN THE CONCRETE RESTORATION WORK.
- ② INCLUDES QUANTITY FROM POTENTIAL OUTCOME OF THE CONCRETE BECOMING THE FINAL RIDING SURFACE AFTER THE CONCRETE RESTORATION WORK.
- ③ REFER TO THE SPECIAL NOTE FOR CONCRETE ISLAND REMOVAL FOR DETAILS ON THIS WORK.
- ④ QUANTITY INCLUDES AN ADDITIONAL 24 TONS TO ESTIMATE THE ASPHALT TRAFFIC ISLAND REMOVAL.

GENERAL SUMMARY		COUNTY OF	PROJECT NO.
		JEFFERSON	5- 9048. 00
ITEM	DESCRIPTION	UNIT	TOTAL PROJECT
	6511 PAVE STRIPI NG-TEMP PAINT- 6 IN	LF	4, 355
①	6542 PAVE STRIPI NG-THERMO- 6 IN W	LF	38, 914
①	6543 PAVE STRIPI NG-THERMO- 6 IN Y	LF	38, 429
	6546 PAVE STRIPI NG-THERMO- 12 IN W	LF	85
②	6556 PAVE STRIPI NG-DUR TY 1-6 IN W	LF	4, 282
②	6557 PAVE STRIPI NG-DUR TY 1-6 IN Y	LF	3, 711
①	6565 PAVE MARKI NG-THERMO X-WALK- 6 IN	LF	3, 422
①	6568 PAVE MARKI NG-THERMO STOP BAR- 24 IN	LF	1, 115
①	6569 PAVE MARKI NG-THERMO CROSS- HATCH	SQFT	3, 833
①	6574 PAVE MARKI NG-THERMO CURV ARROW	EACH	110
①	6575 PAVE MARKI NG-THERMO COMB ARROW	EACH	6
	6576 PAVE MARKI NG-THERMO ONLY	EACH	1
	6610 INLAI D PAVEMENT MARKER- MW	EACH	75
	6611 INLAI D PAVEMENT MARKER- MY	EACH	18
	6612 INLAI D PAVEMENT MARKER- BY	EACH	559
	10020NS FUEL ADJUSTMENT	DOLL	11, 001
	10030NS ASPHALT ADJUSTMENT	DOLL	27, 631
	20093NS835 INSTALL PEDESTRIAN HEAD-LED	EACH	56
	20177ED FULL DEPTH PATCHING	SQFT	11, 641
	20188NS835 INSTALL LED SIGNAL- 3 SECTION	EACH	68
	20266NS835 INSTALL LED SIGNAL- 4 SECTION	EACH	6
	20390NS835 INSTALL COORDINATING UNIT	EACH	7
	20411ED LAW ENFORCEMENT OFFICER	HOUR	100
①	20782NS714 PAVE MARKI NG-THERMO BIKE ( SYMBOL)	EACH	112
	20782NS714 PAVE MARKI NG-THERMO BIKE ( WORD)	EACH	1
①	20997ED REMOVE TRAFFIC ISLAND	SQYD	215
	21373ND REMOVE SIGN	EACH	38
	21417ES717 PAVE MARK THERMO CONE CAP- SOLID YELLOW	SQFT	254
	21722EN MLLING CONCRETE PAVEMENT	TON	65
	21743NN INSTALL PEDESTRIAN DETECTOR	EACH	56
	21813NN REMOVE AND RELOCATE SHEET SIGNS	EACH	26
	22520EN PAVE MARKI NG-THERMO YIELD BAR- 36 IN	LF	31
	22692NS714 PAVEMENT MARKI NG-THERMO LETTERS	EACH	12
	23157EN TRAFFIC SIGNAL POLE BASE	CUYD	114. 5
	23158ES505 DETECTABLE WARNINGS	SQFT	114
	23222EC INSTALL SIGNAL PEDESTAL	EACH	5
②	23253ES717 PAVE MARK TY 1 TAPE CROSS HATCH	SQFT	1, 977
	23261EC PAVE MARKI NG-THERMO X-WALK- 24 IN	LF	107
②	23267ES717 PAVE MARK TY 1 TAPE- BIKE	EACH	2
②	23267ES717 PAVE MARK TY 1 TAPE- BIKE ( BIKE LANE ARROW)	EACH	2
②	23269ES717 PAVE MARK TY 1 TAPE- COMBO ARROW	EACH	2
②	23270ES717 PAVE MARK TY 1 TAPE- CURV ARROW	EACH	2
	23928EC PAVE MARK- THERMO " BUS" 8 FT	EACH	1

264400

## PROPOSAL BID ITEMS

Report Date 1/26/26

Page 1 of 3

264400

## Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	298.00	TON	\$		
0020	00190		LEVELING & WEDGING PG64-22	639.00	TON	\$		
0030	00356		ASPHALT MATERIAL FOR TACK	42.50	TON	\$		
0040	00388		CL3 ASPH SURF 0.38B PG64-22	6,386.00	TON	\$		
			MOBILIZATION FOR MILL & TEXT (JEFFERSON KY 2054 HSIP)	1.00	LS	\$		
0050	02676		ASPHALT PAVE MILLING & TEXTURING	6,920.00	TON	\$		
0070	21722EN		MILLING CONCRETE PAVEMENT	65.00	TON	\$		

## Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0080	01875		STANDARD HEADER CURB	44.00	LF	\$		
0090	01919		STANDARD BARRIER MEDIAN TYPE 3	325.00	SQYD	\$		
			STANDARD BARRIER MEDIAN TYPE 3 (MOD)	325.00	SQYD	\$		
0110	02016		REMOVE CONCRETE ISLAND	646.00	SQYD	\$		
			PCC PAVEMENT DIAMOND GRINDING (ADDED 1-26-26)	6,467.00	SQYD	\$		
0120	02115		SAW-CLEAN-RESEAL TVERSE JOINT	2,275.00	LF	\$		
0130	02116		SAW-CLEAN-RESEAL LONGIT JOINT	3,295.00	LF	\$		
0140	02460		REMOVE TREES OR STUMPS	1.00	EACH	\$		
0150	02562		TEMPORARY SIGNS	500.00	SQFT	\$		
			MAINTAIN & CONTROL TRAFFIC (JEFFERSON KY 2054 HSIP)	1.00	LS	\$		
0170	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH	\$		
0180	02705		SILT TRAP TYPE C	11.00	EACH	\$		
0190	02708		CLEAN SILT TRAP TYPE C	11.00	EACH	\$		
0200	02720		SIDEWALK-4 IN CONCRETE	124.00	SQYD	\$		
0210	02775		ARROW PANEL	2.00	EACH	\$		
0220	04933		TEMP SIGNAL 2 PHASE	1.00	EACH	\$		
0230	06511		PAVE STRIPING-TEMP PAINT-6 IN	4,355.00	LF	\$		
0240	06542		PAVE STRIPING-THERMO-6 IN W	38,914.00	LF	\$		
0250	06543		PAVE STRIPING-THERMO-6 IN Y	38,429.00	LF	\$		
0260	06546		PAVE STRIPING-THERMO-12 IN W	85.00	LF	\$		
0270	06556		PAVE STRIPING-DUR TY 1-6 IN W	4,282.00	LF	\$		
0280	06557		PAVE STRIPING-DUR TY 1-6 IN Y	3,711.00	LF	\$		
0290	06565		PAVE MARKING-THERMO X-WALK-6 IN	3,422.00	LF	\$		
0300	06568		PAVE MARKING-THERMO STOP BAR-24IN	1,115.00	LF	\$		
0310	06569		PAVE MARKING-THERMO CROSS-HATCH	3,833.00	SQFT	\$		
0320	06574		PAVE MARKING-THERMO CURV ARROW	112.00	EACH	\$		
0330	06575		PAVE MARKING-THERMO COMB ARROW	6.00	EACH	\$		
0340	06576		PAVE MARKING-THERMO ONLY	1.00	EACH	\$		
0350	06610		INLAID PAVEMENT MARKER-MW	75.00	EACH	\$		

264400

## PROPOSAL BID ITEMS

Report Date 1/26/26

Page 2 of 3

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0360	06611	INLAID PAVEMENT MARKER-MY	18.00	EACH	\$		
0370	06612	INLAID PAVEMENT MARKER-BY	559.00	EACH	\$		
0380	10020NS	FUEL ADJUSTMENT	11,001.00	DOLL	\$1.00	\$	\$11,001.00
0390	10030NS	ASPHALT ADJUSTMENT	27,631.00	DOLL	\$1.00	\$	\$27,631.00
0400	20177ED	FULL DEPTH PATCHING	11,641.00	SQFT	\$		
0405	20411ED	LAW ENFORCEMENT OFFICER (ADDED 1-26-2026)	100.00	HOUR	\$		
0410	20782NS714	PAVE MARKING THERMO-BIKE (SYMBOL)	112.00	EACH	\$		
0420	20782NS714	PAVE MARKING THERMO-BIKE (WORD)	1.00	EACH	\$		
0430	20997ED	REMOVE TRAFFIC ISLAND	215.00	SQYD	\$		
0440	21417ES717	PAVE MARK THERMO CONE CAP-SOLID YELLOW	254.00	SQFT	\$		
0450	22520EN	PAVE MARKING-THERMO YIELD BAR-36 IN	31.00	LF	\$		
0460	22692NS714	PAVEMENT MARKING-THERMO LETTERS	12.00	EACH	\$		
0470	23158ES505	DETECTABLE WARNINGS	114.00	SQFT	\$		
0480	23253ES717	PAVE MARK TY 1 TAPE CROSS-HATCH	1,977.00	SQFT	\$		
0490	23261EC	PAVE MARK-THERMO-X-WALK-24 IN	107.00	LF	\$		
0500	23267ES717	PAVE MARK TY 1 TAPE-BIKE	2.00	EACH	\$		
0510	23267ES717	PAVE MARK TY 1 TAPE-BIKE (BIKE LANE ARROW)	2.00	EACH	\$		
0520	23269ES717	PAVE MARK TY 1 TAPE-COMBO ARROW	2.00	EACH	\$		
0530	23270ES717	PAVE MARK TY 1 TAPE-CURV ARROW	2.00	EACH	\$		
0540	23928EC	PAVE MARK-THERMO "BUS" 8 FT	1.00	EACH	\$		
0550	23974EC	BIKE PATH	544.00	SQYD	\$		
0560	24386EC	PAVE MARKING THERMO-BIKE LANE ARROW	112.00	EACH	\$		
0570	24679ED	PAVE MARK THERMO CHEVRON	126.00	SQFT	\$		
0580	26186ES717	PAVE MARK TY 1 TAPE CONE CAP-SOLID Y	40.00	SQFT	\$		
0590	26192EC	PAVE MARKING-THERMO SHARED LANE MARKING	2.00	EACH	\$		

## Section: 0003 - SIGNING

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0600	06406	SBM ALUM SHEET SIGNS .080 IN	614.33	SQFT	\$		
0610	06410	STEEL POST TYPE 1	1,157.00	LF	\$		
0620	06472	INSTALL SPAN MOUNTED SIGN	1.00	EACH	\$		
0630	21373ND	REMOVE SIGN	38.00	EACH	\$		
0640	21813NN	REMOVE AND RELOCATE SHEET SIGNS	26.00	EACH	\$		
0650	24631EC	BARCODE SIGN INVENTORY	130.00	EACH	\$		

## Section: 0004 - SIGNALIZATION

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0660	04720	BRACKET 4 FT	8.00	EACH	\$		
0670	04722	BRACKET 8 FT	12.00	EACH	\$		
0680	04724	BRACKET 12 FT	8.00	EACH	\$		

264400

## PROPOSAL BID ITEMS

Report Date 1/26/26

Page 3 of 3

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0690	04780	FUSED CONNECTOR KIT	25.00	EACH	\$		
0700	04820	TRENCHING AND BACKFILLING	255.00	LF	\$		
0710	04832	WIRE-NO. 12	13,410.00	LF	\$		
0720	04844	CABLE-NO. 14/5C	4,420.00	LF	\$		
0730	04845	CABLE-NO. 14/7C	13,040.00	LF	\$		
0740	04885	MESSENGER-10800 LB	2,055.00	LF	\$		
0750	04886	MESSENGER-15400 LB	410.00	LF	\$		
0760	04932	INSTALL STEEL STRAIN POLE	28.00	EACH	\$		
0770	20093NS835	INSTALL PEDESTRIAN HEAD-LED	56.00	EACH	\$		
0780	20188NS835	INSTALL LED SIGNAL-3 SECTION	68.00	EACH	\$		
0790	20266ES835	INSTALL LED SIGNAL- 4 SECTION	6.00	EACH	\$		
0800	20390NS835	INSTALL COORDINATING UNIT	7.00	EACH	\$		
0810	21743NN	INSTALL PEDESTRIAN DETECTOR	56.00	EACH	\$		
0820	23157EN	TRAFFIC SIGNAL POLE BASE	114.50	CUYD	\$		
0830	23222EC	INSTALL SIGNAL PEDESTAL	5.00	EACH	\$		
0840	24528ED	TETHER WIRE	2,465.00	LF	\$		
0850	24589ED	LED LUMINAIRE	28.00	EACH	\$		
0860	24900EC	PVC CONDUIT-1 1/4 IN-SCHEDULE 80	174.00	LF	\$		
0870	24901EC	PVC CONDUIT-2 IN-SCHEDULE 80	505.00	LF	\$		
0880	24908EC	INSTALL SIGNAL CONTROLLER-TY ATC	7.00	EACH	\$		
0890	24955ED	REMOVE SIGNAL EQUIPMENT	7.00	EACH	\$		
		INSTALL RADAR PRESENCE DETECTOR					
0900	26119EC	TYPE A	29.00	EACH	\$		

## Section: 0005 - DEMOBILIZATION &amp; MOBILIZATION

LINE	BID CODE	ALT DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0910	02568	MOBILIZATION	1.00	LS	\$		
0920	02569	DEMOBILIZATION	1.00	LS	\$		