



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

November 6, 2024

CALL NO. 200
CONTRACT ID NO. 241016
ADDENDUM # 1

Subject: Shelby County, 106GR24D016
Letting November 14, 2024

- (1) Revised - DBE Goal - Cover Page
- (2) Added - Special Note - Pages 274A-274H of 450
- (3) Revised - Material Summary - Pages 362-375 of 450
- (4) Revised - Proposal Bid Items - Pages 438-450 of 450

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures



CALL NO. 200

CONTRACT ID. 241016

SHELBY COUNTY

FED/STATE PROJECT NUMBER 106GR24D016

DESCRIPTION I-64

WORK TYPE ASPHALT REHAB INTERSTATE/PARKWAY

PRIMARY COMPLETION DATE 10/1/2027

LETTING DATE: November 14,2024

Sealed Bids will be received electronically through the Bid Express bidding service until 10:00 AM EASTERN STANDARD TIME November 14,2024. Bids will be publicly announced at 10:00 AM EASTERN STANDARD TIME.

PLANS AVAILABLE FOR THIS PROJECT.

DBE CERTIFICATION REQUIRED - 0%

REQUIRED BID PROPOSAL GUARANTY: Not less than 5% of the total bid.

SHELBY COUNTY
I-64 SOUND BARRIER WALL
From MP 34.06 to MP 35.69
Item No. 5-65.40 & 5-65.41
Project No. FD52 106 0064 032-039

GENERAL NOTES

Project No. FD52 106 0064 032-039

EXISTING STORM DRAINAGE FACILITIES AND UNDERGROUND UTILITIES:

The Contractor shall use all possible care in his\her operations to avoid damaging existing pipes and any underground existing utilities. He\She shall be responsible for any damages to the above-mentioned items and shall repair or restore at his\her own expense any items damaged as the result of his\her operations.

The existing underground utilities shown on the plans are based on record drawings provided by the respective agencies. It is the responsibility of the contractor to verify the accuracy (both location and elevation) of the facilities prior to fabrication of the sound wall panels due to the potential impact with the proposed drilled shafts. This work is incidental to "Site Preparation".

OVERHEAD UTILITIES:

The minimum vertical clearance of existing overhead utilities should be 18 feet on state roads and 24 feet when crossing interstate or other limited access highway roadways and ramps. Clearance must also adhere to the requirements of the National Electric Safety Code, American Standards Institute, and Institute of Electrical and Electronic Engineers, Inc. Any questions concerning working around the existing facilities in the area can be addressed at the preconstruction meeting.

UTILITIES (HAZARDOUS OR FLAMMABLE MATERIAL):

The Contractor is advised to exercise caution in his\her operations in areas of gas line or other lines carrying hazardous material.

CONSTRUCTION MATERIAL DISPOSAL:

All material that is required to be removed shall be disposed of off the Right-of-Way at sites acquired by the Contractor and approved by the Engineer, at no additional cost to the department, per section 204.03.08 of current KYTC Standard Specifications.

AVOIDANCE OF UNDERGROUND TRAFFIC DEVICES:

It is the Contractor's responsibility to coordinate with Central Office traffic through the Engineer when working near or affecting underground traffic control devices located within the project limits. Locations of existing traffic devices may not be completely reflected on the plans and should be addressed before beginning construction. The Contractor shall contact the KYTC District 5 Traffic Office ten business days prior to beginning work to mark the existing roadway lighting conduits. The Contractor shall be responsible for any damages to the above-mentioned items and shall repair or restore at their own expense any items damaged because of their operations.

SPECIAL NOTES FOR SOUND BARRIER WALLS

Project No. FD52 106 0064 032-039

I. DESCRIPTION

All work shall be performed in accordance with the Department's latest Standards and Supplemental Specifications and applicable Special Provisions and Standard and Sepia Drawings, except as specified in these notes or elsewhere in this proposal. Section references are to the Standard Specifications. This work shall consist of design of the sound barrier wall, foundation, and connections, construction plans for the foundation, shop drawing preparation, and construction of precast concrete sound barrier walls, including construction of the drilled shaft foundations, in reasonably close conformity with the lines and grades shown on the contract plans and the Contractor's approved plans.

All references to AASHTO are to the AASHTO LRFD Bridge Design Specifications for Highway Bridges, Current Edition with Interims.

II. DESIGN

A. General

Furnish plans for sound barrier walls and foundations designed by a Registered Professional engineer licensed to practice in the Commonwealth of Kentucky. Design according to the AASHTO LRFD Bridge Design Specifications, and the Contract plans and documents.

The Contractor's design shall comply with all restrictions imposed by the site conditions and the proposal notes and plan sheets such as drainage, accommodation of existing and proposed utilities, limitations on dimensions or sound barrier wall location, fire hydrant access, and other conditions noted or found in the field. The top and bottom of the sound barrier wall elevation throughout shall be as shown on the contract plans.

B. Site Conditions

Be advised that Section 102.07 of the Specifications applies to this project. It shall be distinctly understood that any references in the contract plans and other contract documents to rock, rock disintegration zone, earth, or any other subsurface material whether in numbers, words, letters, or lines is solely for the Department's information. The Bidder draws his\her own conclusions as to the field conditions to be encountered.

Tops of drilled shafts are to be a minimum of 6 inches below finished grade.

C. Utilities

Take into consideration existing and proposed utilities and the Department's electrical service for interchange lighting in the vicinity of the sound barrier walls when developing sound barrier wall details. Show on the Contractor's plans and shop drawings additional work or materials necessary to construct the sound barrier wall without disturbing the utilities. The Contractor shall contact the KYTC District 5 Traffic Office ten business days prior to beginning work to mark the existing roadway lighting conduits. Repair or replace features damaged during construction in like kind materials and design at no additional cost to the Department.

D. Contractor Submittals

Submit design calculations and plans to the Engineer for review within thirty calendar days of the "Notice to Begin Work". Submit adequate documentation of proprietary designs and/or products to the Engineer for review.

Obtain sufficient subsurface information to design the drilled shaft foundations for axial and lateral loading conditions. Show field measured top of rock elevations, as appropriate, on the Contractor's plans.

Submit electronic files in PDF format of calculations and plans for the sound barrier wall to the Engineer for approval. Design calculations shall include the design for each component of the wall and the wall as a unit. Include the design for the horizontal connection between panels. Include the design of the connection to the existing barrier wall where shown on the plans. Include drilled shaft foundation design for axial and lateral loading. Show on the plans the drilled shaft foundations. One set of design calculations and plans, with any corrections noted will be returned to the Contractor. Each time corrections are made, three copies of the revised calculation sheets and/or five copies of the revised plan sheets shall be submitted. The Department will review the design calculations and plans for general conformance with AASHTO, this Special Note, and the Contract Documents. The design calculations, plans, details and dimensions may not be completely checked by the Department. The Contractor shall be responsible for the accuracy of his/her design calculations and for compatibility with the contract plans. The Department's review will not relieve the Contractor of responsibility for the accuracy and completeness of the design calculations and plans.

Upon final approval by the Department, furnish electronic files in PDF format of the Contractor's approved plans to the Engineer. The Department will provide copies of the approved plans to the Contractor.

Do not produce shop drawings before the Department's approval of the design calculations and Contractor's plans is completed. The Contractor's wall design engineer providing the design calculations and plans shall be responsible for shop drawing review. The Contractor's wall design engineer shall provide the Engineer electronic files in PDF format for the wall and provide the Department with a statement of assurance that the shop drawings are accurate and that they satisfy the

project requirements. Each sheet of the shop drawings shall be dated, sealed, and signed by the wall design engineer providing the Contractor's design for the wall. Place the Drawing Number on the lower right-hand side of all shop drawings.

Do not order materials or begin fabrication or construction before the Department's review of the shop drawings is completed. The Contractor may request permission from the Engineer to begin foundation construction at his/her own risk. Written permission from the engineer is required.

After acceptance by the Department, submit requests for changes to the design calculations, Contractor's approved plans and shop drawings to the Engineer. Obtain written acceptance from the Engineer before incorporating any of the requested changes into the work.

Allow thirty working days for the Department's review of each submission of the design calculations, Contractor's plans, and shop drawings for the sound barrier wall. The thirty-day period begins when the design calculations, Contractor's plans, or shop drawings are received by the Engineer. Additional time required by the Department to review re-submissions shall not be cause for extending the specified completion date. Provide additional re-submissions as requested at no additional cost to the Department and with no extension of the specified completion date.

III. SOUND BARRIER WALLS

Precast Concrete Walls

Where shown on the plans, design a free-standing sound barrier wall finished on one side. The maximum precast panel length shall be 40 feet. Design all sound barrier walls for the same appearance and materials. Design drilled shafts for foundations; other type foundation designs will not be accepted.

Precast Concrete panels may be pilaster (post), and panel design or connected panels.

Precast concrete panels, pilasters, and other precast elements shall comply with Section 605 of the Standard Specifications. Precast concrete shall be Class D with a minimum 28-day compressive strength of 5000 p.s.i. All materials and reinforcement shall conform to the Department's Standard Specifications.

Precast panels, pilasters, and other precast elements may be prestressed. Prestress fabrication shall be in accordance with Section 605 of the Standard Specifications. Prestressing tendons may be either bar or strand. Prestressing bars shall conform to ASTM A722, 'High Strength Steel Bars for Prestressed Concrete'. Prestressing strands shall be seven wire strands conforming to ASTM A416, 'Low-Relaxation, Seven-Wire Steel Strand for Prestressed Concrete'.

Use drilled shafts as foundation. The Contractor's design should be in accordance with the Special Note for Drilled Shafts (11C) of the Standard Specifications. The Contractor's plans shall indicate whether permanent casings will be required. Drilled Shaft Common, Drilled Shaft Solid Rock, Rock Sounding, and Rock Coring will be incidental to the Sound Barrier Wall and will not be measured for separate

payment.

Use preformed joint filler complying with AASHTO M153 for Types I, II, or III or AASHTO M213.

Provide positive means of alignment between panels. Use tongue and groove joints with a minimum protrusion of 1”.

Seal all joints between panels and between pilasters and panels with silicone sealer to prevent sound leaks. Obtain the Engineer’s approval of the sealant before use. See notes for finish requirements below.

Step elevation changes at the top of the sound barrier wall except for end panels. Construct the top of sound barrier level between steps. Make steps only at the pilasters. Construct the top of the sound barrier wall at the elevation of the top of the sound barrier shown on the contract plans. The top of the pilaster elevation should match the elevation of the highest adjacent panel.

Construct reinforced concrete pilasters. Cast using metal forms. Construct pilasters that protrude a maximum of twelve inches from the front face of the precast panels. Connect pilasters to drilled shaft foundations above the finish grade. Use bolted galvanized steel for the connections; the Engineer will not allow or permit field welding.

Obtain the Engineer’s approval of joint materials and details before use.

Finish Requirements:

Precast Panels – Provide an architectural formed finish representing an ashlar stone form lined surface on one side of the wall as approved by the Resident Engineer.

Pilasters - Pilasters shall be concrete and shall be cast using metal forms.

Color – All concrete surfaces of the precast panels and pilasters shall be stained as approved by the Resident Engineer, using outdoor grade coloring agents applied according to the manufacturer’s instructions. Provide a uniform color throughout the entire length of the sound barrier wall.

Joints – Horizontal joints are to be filled with silicone sealer and stained to match the color of the wall as approved by the Resident Engineer.

Provide two samples of the precast concrete panels, a minimum of four feet by eight feet, cast using same form liners as proposed for production for the Department’s approval. Retain one sample at the casting yard for a standard of comparison for the production panels. Deliver the second sample to the project site. Casting and delivering the samples to the job site will not be measured for separate payment but shall be incidental to Sound Barrier Wall.

IV. MATERIALS APPROVAL

All materials shall be sampled and tested in accordance with the Department's Sampling Manual and the materials shall be available for sampling a sufficient time in advance of the use of the materials to allow for the necessary time for testing. Unless otherwise specified in these Notes, obtain acceptance of materials from the Engineer before use.

V. CONSTRUCTION

Perform site preparation necessary to construct the sound barrier wall in accordance with the Standard Specifications, contract plans, Contractor's approved plans and notes in the proposal.

Construct sound barrier walls in accordance with the contract plans, the Contractor's approved plans, and the approved shop drawings. Construct vertical and horizontal joints so that the sound barrier wall is structurally sound and with no sound leaks. Construct the face of the completed sound barrier wall without deviation from the vertical of more than ½ inch in ten feet and with horizontal alignment conforming to the neat line shown on the contract plans.

Alternate drilled shaft foundation designs are permitted if solid rock is encountered above the solid rock line shown on the Contractor's approved plans; however, contact the Engineer before revising the drilled shaft foundations. Revised calculations and Contractor's plans will be required. Obtain the Engineer's acceptance of revised drilled shaft foundation designs before constructing. Construct the tops of drilled shaft foundations a minimum of six inches below finish grade on both sides of the sound barrier wall. There will be no deduction in area to be measured for payment when drilled shaft foundations protrude into the sound barrier bottom pay limit.

Revising the drilled shaft foundation designs shall not be cause for an extension in contract time or change the contract price.

Transport, store, handle, and erect precast units in accordance with Section 605 of the Standard Specifications.

Protect all masonry materials from the weather from the time of manufacture until they are in the finished sound barrier walls.

Construction of the ditches shown on the plans will not be measured for payment but shall be incidental to Site Preparation.

After constructing the wall, clean all sound barrier wall surfaces. Clean from the top of the wall to twelve inches below finished grade on both sides. Use a cleaner selected by the Contractor and approved by the Engineer.

VI. MEASUREMENT

SOUND BARRIER WALL

Sound Barrier Walls will be measured in square feet of surface area in a vertical plane between the vertical and horizontal limits, top of wall elevations, and lateral limits shown on the Contractor's approved plans or approved changes; however, tops of footings may be above the minimum depth of burial with no reduction in area to be measured.

Any area of the sound barrier wall outside the approved vertical and horizontal plan limits as shown on the approved plans or changes approved or directed by the Engineer will not be measured for payment. Approved adjustments in the area will be measured in square feet and the final quantity will be increased or decreased as applicable.

The Department will not measure caps, copings, joint sealants, void fill material, weep holes, connectors, trim, surface finish, concrete stain, cleaning, sample panels, and incidental items that are a normal part of the sound barrier wall construction but shall be incidental to Sound Barrier Wall.

FOUNDATION PREPARATION

Contrary to Section 603.04.03, **Foundation Preparation** will be measured as lump sum. Structure Excavation Common, Structure Excavation Solid Rock, Structure Excavation Unclassified, Foundation Undercut, Drilled Shaft Common, Drilled Shaft Solid Rock, Rock Sounding, and Rock Coring for removal of unsuitable foundation materials will not be measured for separate payment but shall be incidental to **Foundation Preparation or Site Preparation**.

SITE PREPARATION

See the Special Notes for Sound Barrier Wall Construction.

VII. PAYMENT

Payment at the contract unit price per square foot shall be full complete compensation for all labor, materials, equipment, and incidentals to design and construction of the sound barrier walls.

<u>CODE</u>	<u>PAY ITEM</u>	<u>PAY UNIT</u>
21590EN	Sound Barrier Wall	Square Feet
08003	Foundation Preparation	Lump Sum
20257NC	Site Preparation	Lump Sum

MATERIAL SUMMARY

CONTRACT ID: 241016

106GR24D016

DE10600642416

I-64 ADDRESS CONDITION OF I-64 FROM MP 27.88 TO MP 32.40 IN SHELBY COUNTY WITH BRIDGE WORK (2024CCR) ASPHALT REHAB INTERSTATE/PARKWAY, A DISTANCE OF 4.52 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0005	00001	DGA BASE	200.00	TON
0010	00100	ASPHALT SEAL AGGREGATE	9.00	TON
0015	00103	ASPHALT SEAL COAT	1.10	TON
0020	00194	LEVELING & WEDGING PG76-22	200.00	TON
0025	00219	CL4 ASPH BASE 1.00D PG76-22	5,908.00	TON
0030	00342	CL4 ASPH SURF 0.38A PG76-22	23,860.00	TON
0035	02676	MOBILIZATION FOR MILL & TEXT - 5-22028	1.00	LS
0040	02677	ASPHALT PAVE MILLING & TEXTURING	29,768.00	TON
0045	20071EC	JOINT ADHESIVE	253,553.00	LF
0050	24891EC	PAVE MOUNT INFRARED TEMP EQUIPMENT	1,700,076.00	SF
0055	24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	108.00	TON
0060	01985	DELINEATOR FOR BARRIER - YELLOW	12.00	EACH
0065	02014	BARRICADE-TYPE III	10.00	EACH
0070	02237	DITCHING	550.00	LF
0075	02351	GUARDRAIL-STEEL W BEAM-S FACE	450.00	LF
0080	02367	GUARDRAIL END TREATMENT TYPE 1	10.00	EACH
0085	02381	REMOVE GUARDRAIL	958.00	LF
0090	02383	REMOVE & RESET GUARDRAIL	200.00	LF
0095	02483	CHANNEL LINING CLASS II	306.00	TON
0100	02562	TEMPORARY SIGNS	1,500.00	SQFT
0105	02650	MAINTAIN & CONTROL TRAFFIC - 5-22028	1.00	LS
0110	02654	TRUCK MOUNTED ATTENUATOR	2.00	EACH
0115	02671	PORTABLE CHANGEABLE MESSAGE SIGN	6.00	EACH
0120	02696	SHOULDER RUMBLE STRIPS	89,616.00	LF
0125	02714	SHOULDERING	918.00	LF
0130	02726	STAKING - 5-22028	1.00	LS
0135	03171	CONCRETE BARRIER WALL TYPE 9T	600.00	LF
0140	06511	PAVE STRIPING-TEMP PAINT-6 IN	131,018.00	LF
0145	06531	PAVE STRIPING REMOVAL-6 IN	60,984.00	LF
0150	06542	PAVE STRIPING-THERMO-6 IN W	81,862.00	LF
0155	06543	PAVE STRIPING-THERMO-6 IN Y	53,178.00	LF
0160	06546	PAVE STRIPING-THERMO-12 IN W	5,561.00	LF
0165	06549	PAVE STRIPING-TEMP REM TAPE-B	1,485.00	LF
0170	06550	PAVE STRIPING-TEMP REM TAPE-W	60,489.00	LF
0175	06551	PAVE STRIPING-TEMP REM TAPE-Y	1,167.00	LF
0180	06556	PAVE STRIPING-DUR TY 1-6 IN W	761.00	LF
0185	06557	PAVE STRIPING-DUR TY 1-6 IN Y	507.00	LF
0190	06568	PAVE MARKING-THERMO STOP BAR-24IN	60.00	LF
0195	06574	PAVE MARKING-THERMO CURV ARROW	14.00	EACH
0200	06578	PAVE MARKING-THERMO MERGE ARROW	4.00	EACH
0205	06613	INLAID PAVEMENT MARKER-B W/R	1,463.00	EACH
0210	06614	INLAID PAVEMENT MARKER-B Y/R	28.00	EACH
0215	08903	CRASH CUSHION TY VI CLASS BT TL3	2.00	EACH

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0220	10020NS	FUEL ADJUSTMENT	129,249.00	DOLL
0225	10030NS	ASPHALT ADJUSTMENT	241,265.00	DOLL
0230	20191ED	OBJECT MARKER TY 3	10.00	EACH
0235	20411ED	LAW ENFORCEMENT OFFICER	800.00	HOURL
0240	24280EC	PAVE MARK THERMO CHEVRON-48 IN	1,870.00	LF
0245	24683ED	PAVE MARKING-THERMO DOTTED LANE EXTEN	3,230.00	LF
0250	25078ED	THRIE BEAM GUARDRAIL TRANSITION TL-3	2.00	EACH
0255	25079ED	THRIE BEAM GUARDRAIL TRANSITION TL-2	2.00	EACH
0260	26136EC	PORTABLE QUEUE WARNING ALERT SYSTEM	10.00	MONT
0265	26137EC	QUEUE WARNING PCMS	80.00	MONT
0270	26138EC	QUEUE WARNING PORTABLE RADAR SENSORS	80.00	MONT
0275	26228EC	ELECTRONIC DELIVERY MGMT SYSTEM	1.00	LS
0280	26237EC	CONNECTED ARROW PANEL	16.00	MONT
0285	30012	MILE MARKER	2.00	EACH
0290	04793	CONDUIT-1 1/4 IN	80.00	LF
0295	04795	CONDUIT-2 IN	20.00	LF
0300	04820	TRENCHING AND BACKFILLING	90.00	LF
0305	04829	PIEZOELECTRIC SENSOR	6.00	EACH
0310	04830	LOOP WIRE	2,650.00	LF
0315	04895	LOOP SAW SLOT AND FILL	600.00	LF
0320	20359NN	GALVANIZED STEEL CABINET	2.00	EACH
0325	20360ES818	WOOD POST	4.00	EACH
0330	20391NS835	ELECTRICAL JUNCTION BOX TYPE A	2.00	EACH
0335	08100	CONCRETE-CLASS A	185.50	CUYD
0340	08150	STEEL REINFORCEMENT	7,994.00	LB
0345	21935EN	REMOVE CONC MEDIAN BARRIER	147.00	LF
0350	23378EC	CONCRETE SEALING	2,285.00	SQFT
0355	02568	MOBILIZATION	1.00	LS
0360	02569	DEMOBILIZATION	1.00	LS

CONTRACT ID: 241016

106GR24D016

DE10600642417

I-64 WIDEN I-64 TO 6 LANES FORM 0.458 MILES EAST OF THE KY-55 INTERCHANGE FROM MP 32.29 TO MP 36.04 IN SHELBY COUNTY ASPHALT SURFACE WITH GRADE & DRAIN, A DISTANCE OF 3.75 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0365	00001	DGA BASE	82,908.00	TON
0370	00008	CEMENT STABILIZED ROADBED	63,683.00	SQYD
0375	00018	DRAINAGE BLANKET-TYPE II-ASPH	62,240.00	TON
0380	00100	ASPHALT SEAL AGGREGATE	536.00	TON
0385	00103	ASPHALT SEAL COAT	64.00	TON
0390	00190	LEVELING & WEDGING PG64-22	29,914.00	TON
0395	00214	CL3 ASPH BASE 1.00D PG64-22	59,577.00	TON
0400	00217	CL4 ASPH BASE 1.00D PG64-22	46,524.00	TON
0405	00219	CL4 ASPH BASE 1.00D PG76-22	34,358.00	TON
0410	00339	CL3 ASPH SURF 0.38D PG64-22	23,634.00	TON
0415	00342	CL4 ASPH SURF 0.38A PG76-22	27,403.00	TON

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0420	00356	ASPHALT MATERIAL FOR TACK	248.00	TON
0425	00358	ASPHALT CURING SEAL	228.00	TON
0430	02101	CEM CONC ENT PAVEMENT-8 IN	206.00	SQYD
0435	02542	CEMENT	1,681.00	TON
0440	02677	ASPHALT PAVE MILLING & TEXTURING	1,795.00	TON
0445	02702	SAND FOR BLOTTER	571.00	TON
0450	20071EC	JOINT ADHESIVE	204,183.00	LF
0455	00078	CRUSHED AGGREGATE SIZE NO 2	18,332.00	TON
0460	01015	INSPECT & CERTIFY EDGE DRAIN SYSTEM - 5-65.40	1.00	LS
0465	01310	REMOVE PIPE	97.00	LF
0470	01584	CAP DROP BOX INLET	1.00	EACH
0475	01585	REMOVE DROP BOX INLET	3.00	EACH
0480	01690	FLUME INLET TYPE 1	1.00	EACH
0485	01691	FLUME INLET TYPE 2	6.00	EACH
0490	01978	CONC MEDIAN BARRIER TYPE A TL5 56 IN	19,302.00	LF
0495	01982	DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	166.00	EACH
0500	01983	DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL YELLOW	12.00	EACH
0505	01984	DELINEATOR FOR BARRIER - WHITE	18.00	EACH
0510	01985	DELINEATOR FOR BARRIER - YELLOW	1,210.00	EACH
0515	02003	RELOCATE TEMP CONC BARRIER	54,686.00	LF
0520	02014	BARRICADE-TYPE III	19.00	EACH
0525	02091	REMOVE PAVEMENT	5,810.00	SQYD
0530	02159	TEMP DITCH	10,000.00	LF
0535	02160	CLEAN TEMP DITCH	5,000.00	LF
0540	02165	REMOVE PAVED DITCH	1,017.00	SQYD
0545	02200	ROADWAY EXCAVATION	144,624.00	CUYD
0550	02237	DITCHING	7,000.00	LF
0555	02242	WATER	1,275.00	MGAL
0560	02259	FENCE-TEMP	5,000.00	LF
0565	02262	FENCE-WOVEN WIRE TYPE 1	454.00	LF
0570	02265	REMOVE FENCE	668.00	LF
0575	02268	REMOVE & REPLACE FENCE	40,692.00	LF
0580	02351	GUARDRAIL-STEEL W BEAM-S FACE	9,825.00	LF
0585	02360	GUARDRAIL TERMINAL SECTION NO 1	3.00	EACH
0590	02369	GUARDRAIL END TREATMENT TYPE 2A	17.00	EACH
0595	02373	GUARDRAIL END TREATMENT TYPE 3	2.00	EACH
0600	02381	REMOVE GUARDRAIL	14,187.50	LF
0605	02391	GUARDRAIL END TREATMENT TYPE 4A	13.00	EACH
0610	02483	CHANNEL LINING CLASS II	2,744.00	TON
0615	02545	CLEARING AND GRUBBING - 57 ACRES 5-65.4	1.00	LS
0620	02562	TEMPORARY SIGNS	2,136.00	SQFT
0625	02570	PROJECT CPM SCHEDULE - 5-65.40	1.00	LS
0630	02585	EDGE KEY	90.00	LF
0635	02602	FABRIC-GEOTEXTILE CLASS 1	2,113.00	SQYD
0640	02603	FABRIC-GEOTEXTILE CLASS 2	63,549.00	SQYD
0645	02607	FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	7,674.00	SQYD
0650	02625	REMOVE HEADWALL	3.00	EACH
0655	02650	MAINTAIN & CONTROL TRAFFIC - 5-65.40	1.00	LS
0660	02651	DIVERSIONS (BY-PASS DETOURS) - 5-65.40	1.00	LS

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0665	02651	DIVERSIONS (BY-PASS DETOURS) - 5-65.40	1.00	LS
0670	02651	DIVERSIONS (BY-PASS DETOURS) - 5-65.40	1.00	LS
0675	02651	DIVERSIONS (BY-PASS DETOURS) - 5-65.40	1.00	LS
0680	02653	LANE CLOSURE	8.00	EACH
0685	02671	PORTABLE CHANGEABLE MESSAGE SIGN	16.00	EACH
0690	02676	MOBILIZATION FOR MILL & TEXT - 5-65.40	1.00	LS
0695	02690	SAFELOADING	6.90	CUYD
0700	02697	EDGE LINE RUMBLE STRIPS	78,236.00	LF
0705	02703	SILT TRAP TYPE A	101.00	EACH
0710	02704	SILT TRAP TYPE B	101.00	EACH
0715	02705	SILT TRAP TYPE C	101.00	EACH
0720	02706	CLEAN SILT TRAP TYPE A	101.00	EACH
0725	02707	CLEAN SILT TRAP TYPE B	101.00	EACH
0730	02708	CLEAN SILT TRAP TYPE C	101.00	EACH
0735	02726	STAKING - 5-65.40	1.00	LS
0740	02731	REMOVE STRUCTURE - KY 53 BRIDGE	1.00	LS
0745	02731	REMOVE STRUCTURE - CLEAR CREEK BRIDGE -1	1.00	LS
0750	02731	REMOVE STRUCTURE - CLEAR CREEK BRIDGE-2	1.00	LS
0755	02731	REMOVE STRUCTURE - KY 2861 ZARING MILL ROAD BRIDGE\PAR	1.00	LS
0760	02775	ARROW PANEL	6.00	EACH
0765	02898	RELOCATE CRASH CUSHION	7.00	EACH
0770	02998	MASONRY COATING	21,658.00	SQYD
0775	03171	CONCRETE BARRIER WALL TYPE 9T	40,900.00	LF
0780	03225	TUBULAR MARKERS	104.00	EACH
0785	04936	MAINTAIN SIGNAL OPERATION - 5-65.40	1.00	LS
0790	05950	EROSION CONTROL BLANKET	64,015.00	SQYD
0795	05952	TEMP MULCH	325,151.00	SQYD
0800	05953	TEMP SEEDING AND PROTECTION	243,863.00	SQYD
0805	05963	INITIAL FERTILIZER	8.00	TON
0810	05964	MAINTENANCE FERTILIZER	13.00	TON
0815	05985	SEEDING AND PROTECTION	253,955.00	SQYD
0820	05992	AGRICULTURAL LIMESTONE	303.00	TON
0825	06401	FLEXIBLE DELINEATOR POST-M/W	208.00	EACH
0830	06404	FLEXIBLE DELINEATOR POST-M/Y	32.00	EACH
0835	06510	PAVE STRIPING-TEMP PAINT-4 IN	29,680.00	LF
0840	06511	PAVE STRIPING-TEMP PAINT-6 IN	334,527.00	LF
0845	06515	PAVE STRIPING-PERM PAINT-6 IN	1,562.00	LF
0850	06515	PAVE STRIPING-PERM PAINT-6 IN	1,562.00	LF
0855	06542	PAVE STRIPING-THERMO-6 IN W	72,741.00	LF
0860	06543	PAVE STRIPING-THERMO-6 IN Y	51,969.00	LF
0865	06546	PAVE STRIPING-THERMO-12 IN W	3,467.00	LF
0870	06549	PAVE STRIPING-TEMP REM TAPE-B	7,060.00	LF
0875	06550	PAVE STRIPING-TEMP REM TAPE-W	2,100.00	LF
0880	06551	PAVE STRIPING-TEMP REM TAPE-Y	2,100.00	LF
0885	06556	PAVE STRIPING-DUR TY 1-6 IN W	2,621.00	LF
0890	06557	PAVE STRIPING-DUR TY 1-6 IN Y	1,639.00	LF
0895	06568	PAVE MARKING-THERMO STOP BAR-24IN	262.00	LF
0900	06572	PAVE MARKING-DOTTED LANE EXTEN	599.00	LF
0905	06574	PAVE MARKING-THERMO CURV ARROW	51.00	EACH

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0910	06576	PAVE MARKING-THERMO ONLY	6.00	EACH
0915	06588	PAVEMENT MARKER TY IVA-BY TEMP	226.00	EACH
0920	06600	REMOVE PAVEMENT MARKER TYPE V	1,019.00	EACH
0925	06610	INLAID PAVEMENT MARKER-MW	131.00	EACH
0930	06612	INLAID PAVEMENT MARKER-BY	130.00	EACH
0935	06613	INLAID PAVEMENT MARKER-B W/R	1,165.00	EACH
0940	06614	INLAID PAVEMENT MARKER-B Y/R	52.00	EACH
0945	08003	FOUNDATION PREPARATION - 5-65.40	1.00	LS
0950	08903	CRASH CUSHION TY VI CLASS BT TL3	7.00	EACH
0955	10020NS	FUEL ADJUSTMENT	387,685.00	DOLL
0960	10030NS	ASPHALT ADJUSTMENT	533,410.00	DOLL
0965	20191ED	OBJECT MARKER TY 3	17.00	EACH
0970	20257NC	SITE PREPARATION - 5-65.40	1.00	LS
0975	20411ED	LAW ENFORCEMENT OFFICER	1,000.00	HOURL
0980	20430ED	SAW CUT	130.00	LF
0985	20432ES112	REMOVE CRASH CUSHION	6.00	EACH
0990	20757ED	PAVEMENT REPAIR	5,000.00	SQYD
0995	20758ED	REMOVE AND RESET PERF PIPE HEADWALL	25.00	EACH
1000	21370ED	LONGITUDINAL SAW CUT- 6 IN	43,226.00	LF
1005	21417ES717	PAVE MARK THERMO CONE CAP-SOLID YELLOW	423.00	SQFT
1010	21590EN	SOUND BARRIER WALL	108,800.00	SQFT
1015	21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	7,512.50	LF
1020	22880ED	BARRIER WALL TRANSITION	50.00	LF
1025	22880ED	BARRIER WALL TRANSITION	50.00	LF
1030	22880ED	BARRIER WALL TRANSITION	25.00	LF
1035	22883EN	CONCRETE WEDGE CURB	2,535.00	LF
1040	23864EC	CHANNEL LINING CLASS III-MOD	232.00	TON
1045	24470ED	PERMEABLE PAVEMENT DRAIN	76.00	SQYD
1050	24679ED	PAVE MARK THERMO CHEVRON	3,269.00	SQFT
1055	24689EC	PAVE MARK THERMO-WRONG WAY ARROW	5.00	EACH
1060	24814EC	PIPELINE INSPECTION	1,370.00	LF
1065	24845EC	UTILITY COORDINATION	1.00	LS
1070	25075EC	QUEUE PROTECTION VEHICLE	250.00	HOURL
1075	25078ED	THRIE BEAM GUARDRAIL TRANSITION TL-3	8.00	EACH
1080	25079ED	THRIE BEAM GUARDRAIL TRANSITION TL-2	4.00	EACH
1085	25117EC	FURNISH QUEUE PROTECTION VEHICLES	16.00	MONT
1090	26136EC	PORTABLE QUEUE WARNING ALERT SYSTEM	16.00	MONT
1095	26137EC	QUEUE WARNING PCMS	96.00	MONT
1100	26138EC	QUEUE WARNING PORTABLE RADAR SENSORS	96.00	MONT
1105	00441	ENTRANCE PIPE-18 IN	248.00	LF
1110	00461	CULVERT PIPE-15 IN	156.00	LF
1115	00462	CULVERT PIPE-18 IN	274.00	LF
1120	00464	CULVERT PIPE-24 IN	111.00	LF
1125	00466	CULVERT PIPE-30 IN	103.00	LF
1130	00468	CULVERT PIPE-36 IN	100.00	LF
1135	00469	CULVERT PIPE-42 IN	73.00	LF
1140	00521	STORM SEWER PIPE-15 IN	436.00	LF
1145	00522	STORM SEWER PIPE-18 IN	1,022.00	LF
1150	00528	STORM SEWER PIPE-36 IN	8.00	LF
1155	01000	PERFORATED PIPE-4 IN	22,636.00	LF

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
1160	01001	PERFORATED PIPE-6 IN	31,689.00	LF
1165	01010	NON-PERFORATED PIPE-4 IN	224.00	LF
1170	01011	NON-PERFORATED PIPE-6 IN	454.00	LF
1175	01020	PERF PIPE HEADWALL TY 1-4 IN	5.00	EACH
1180	01021	PERF PIPE HEADWALL TY 1-6 IN	10.00	EACH
1185	01028	PERF PIPE HEADWALL TY 3-4 IN	9.00	EACH
1190	01029	PERF PIPE HEADWALL TY 3-6 IN	12.00	EACH
1195	01032	PERF PIPE HEADWALL TY 4-4 IN	8.00	EACH
1200	01033	PERF PIPE HEADWALL TY 4-6 IN	3.00	EACH
1205	01202	PIPE CULVERT HEADWALL-15 IN	3.00	EACH
1210	01204	PIPE CULVERT HEADWALL-18 IN	4.00	EACH
1215	01208	PIPE CULVERT HEADWALL-24 IN	1.00	EACH
1220	01210	PIPE CULVERT HEADWALL-30 IN	2.00	EACH
1225	01212	PIPE CULVERT HEADWALL-36 IN	2.00	EACH
1230	01214	PIPE CULVERT HEADWALL-42 IN	1.00	EACH
1235	01381	METAL END SECTION TY 2-18 IN	2.00	EACH
1240	01432	SLOPED BOX OUTLET TYPE 1-15 IN	5.00	EACH
1245	01433	SLOPED BOX OUTLET TYPE 1-18 IN	7.00	EACH
1250	01434	SLOPED BOX OUTLET TYPE 1-24 IN	1.00	EACH
1255	01451	S & F BOX INLET-OUTLET-24 IN	1.00	EACH
1260	01453	S & F BOX INLET-OUTLET-36 IN	1.00	EACH
1265	01480	CURB BOX INLET TYPE B	6.00	EACH
1270	01487	CURB BOX INLET TYPE F	1.00	EACH
1275	01490	DROP BOX INLET TYPE 1	5.00	EACH
1280	01496	DROP BOX INLET TYPE 3	1.00	EACH
1285	01604	CONC MED BARR BOX INLET TY B2T TL5 56	2.00	EACH
1290	01624	CONC MED BARR BOX INLET TY B2 TL5 56	21.00	EACH
1295	01626	CONC MED BARR BOX INLET TY A2 TL5 56	2.00	EACH
1300	01650	JUNCTION BOX	12.00	EACH
1305	01741	CORED HOLE DRAINAGE BOX CON-6 IN	26.00	EACH
1310	01756	MANHOLE TYPE A	1.00	EACH
1315	01767	MANHOLE TYPE C	1.00	EACH
1320	23126EN	BORE AND JACK PIPE-18 IN	251.00	LF
1325	02403	REMOVE CONCRETE MASONRY	5.00	CUYD
1330	08002	STRUCTURE EXCAV-SOLID ROCK	24.00	CUYD
1335	08003	FOUNDATION PREPARATION	1.00	LS
1340	08100	CONCRETE-CLASS A	64.30	CUYD
1345	08150	STEEL REINFORCEMENT	6,295.00	LB
1350	01643	JUNCTION BOX-24 IN	4.00	EACH
1355	02220	FLOWABLE FILL	315.00	CUYD
1360	03299	ARMORED EDGE FOR CONCRETE	185.00	LF
1365	08002	STRUCTURE EXCAV-SOLID ROCK	318.00	CUYD
1370	08003	FOUNDATION PREPARATION	1.00	LS
1375	08020	CRUSHED AGGREGATE SLOPE PROT	585.00	TON
1380	08033	TEST PILES	47.00	LF
1385	08039	PRE-DRILLING FOR PILES	330.00	LF
1390	08050	PILES-STEEL HP14X73	333.00	LF
1395	08100	CONCRETE-CLASS A	539.20	CUYD
1400	08104	CONCRETE-CLASS AA	948.70	CUYD
1405	08130	MECHANICAL REINF COUPLER #5	32.00	EACH

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
1410	08133	MECHANICAL REINF COUPLER #8	16.00	EACH
1415	08135	MECHANICAL REINF COUPLER #10	72.00	EACH
1420	08150	STEEL REINFORCEMENT	103,299.00	LB
1425	08151	STEEL REINFORCEMENT-EPOXY COATED	319,912.00	LB
1430	08160	STRUCTURAL STEEL - LB	1.00	LS
1435	08634	PRECAST PC I BEAM TYPE 4	2,825.00	LF
1440	20391NS835	ELECTRICAL JUNCTION BOX TYPE A	4.00	EACH
1445	23378EC	CONCRETE SEALING	48,580.00	SQFT
1450	24902EC	PVC CONDUIT-3 IN-SCHEDULE 80	598.00	LF
1455	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	574.00	LF
1460	02220	FLOWABLE FILL	130.00	CUYD
1465	03299	ARMORED EDGE FOR CONCRETE	73.00	LF
1470	08002	STRUCTURE EXCAV-SOLID ROCK	81.00	CUYD
1475	08003	FOUNDATION PREPARATION	1.00	LS
1480	08020	CRUSHED AGGREGATE SLOPE PROT	220.00	TON
1485	08033	TEST PILES	43.00	LF
1490	08039	PRE-DRILLING FOR PILES	118.00	LF
1495	08051	PILES-STEEL HP14X89	98.00	LF
1500	08100	CONCRETE-CLASS A	142.50	CUYD
1505	08104	CONCRETE-CLASS AA	358.60	CUYD
1510	08150	STEEL REINFORCEMENT	21,814.00	LB
1515	08151	STEEL REINFORCEMENT-EPOXY COATED	103,796.00	LB
1520	23378EC	CONCRETE SEALING	23,713.00	SQFT
1525	24383EC	PC I-BEAM TY NH 66 61-HYBRID	1,064.70	LF
1530	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	538.00	LF
1535	02231	STRUCTURE GRANULAR BACKFILL	904.00	CUYD
1540	03299	ARMORED EDGE FOR CONCRETE	288.00	LF
1545	08002	STRUCTURE EXCAV-SOLID ROCK	350.00	CUYD
1550	08003	FOUNDATION PREPARATION	1.00	LS
1555	08019	CYCLOPEAN STONE RIP RAP	1,024.00	TON
1560	08020	CRUSHED AGGREGATE SLOPE PROT	685.00	TON
1565	08033	TEST PILES	69.00	LF
1570	08039	PRE-DRILLING FOR PILES	263.00	LF
1575	08050	PILES-STEEL HP14X73	1,254.00	LF
1580	08095	PILE POINTS-14 IN	46.00	EACH
1585	08100	CONCRETE-CLASS A	1,219.10	CUYD
1590	08104	CONCRETE-CLASS AA	1,416.70	CUYD
1595	08130	MECHANICAL REINF COUPLER #5	48.00	EACH
1600	08133	MECHANICAL REINF COUPLER #8	80.00	EACH
1605	08134	MECHANICAL REINF COUPLER #9	32.00	EACH
1610	08150	STEEL REINFORCEMENT	239,801.00	LB
1615	08151	STEEL REINFORCEMENT-EPOXY COATED	331,694.00	LB
1620	08636	PRECAST PC I BEAM TYPE 5	4,149.33	LF
1625	23378EC	CONCRETE SEALING	70,549.00	SQFT
1630	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	528.00	LF
1635	04903	REFERENCE MARKER	40.00	EACH
1640	04904	BARRIER MOUNTING BRACKET	19.00	EACH
1645	06400	GMSS GALV STEEL TYPE A	1,662.00	LB
1650	06405	SBM ALUMINUM PANEL SIGNS	2,563.00	SQFT
1655	06406	SBM ALUM SHEET SIGNS .080 IN	260.00	SQFT

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
1660	06407	SBM ALUM SHEET SIGNS .125 IN	1,010.00	SQFT
1665	06410	STEEL POST TYPE 1	1,848.00	LF
1670	06412	STEEL POST MILE MARKERS	8.00	EACH
1675	06441	GMSS GALV STEEL TYPE C	21,255.00	LB
1680	06449	REM OVERHEAD SIGN SUPPORT STR	1.00	EACH
1685	06451	REMOVE SIGN SUPPORT BEAM	56.00	EACH
1690	06490	CLASS A CONCRETE FOR SIGNS	83.00	CUYD
1695	06491	STEEL REINFORCEMENT FOR SIGNS	4,924.00	LB
1700	20418ED	REMOVE & RELOCATE SIGNS	22.00	EACH
1705	20419ND	ROADWAY CROSS SECTION	34.00	EACH
1710	20912ND	BARRIER WALL POST	4.00	EACH
1715	21373ND	REMOVE SIGN	10.00	EACH
1720	21596ND	GMSS TYPE D	24.00	EACH
1725	24631EC	BARCODE SIGN INVENTORY	147.00	EACH
1730	02568	MOBILIZATION	1.00	LS
1735	02569	DEMOBILIZATION	1.00	LS
1740	04714	POLE 120 FT MTG HT HIGH MAST	8.00	EACH
1745	04761	LIGHTING CONTROL EQUIPMENT	2.00	EACH
1750	04800	MARKER	20.00	EACH
1755	04820	TRENCHING AND BACKFILLING	5,800.00	LF
1760	04860	CABLE-NO. 8/3C DUCTED	4,750.00	LF
1765	04873	POLE 45 FT WOODEN	2.00	EACH
1770	04940	REMOVE LIGHTING	1.00	LS
1775	20391NS835	ELECTRICAL JUNCTION BOX TYPE A	6.00	EACH
1780	20392NS835	ELECTRICAL JUNCTION BOX TYPE C	2.00	EACH
1785	20410ED	MAINTAIN LIGHTING	1.00	LS
1790	21543EN	BORE AND JACK CONDUIT	1,075.00	LF
1795	23161EN	POLE BASE-HIGH MAST	27.00	CUYD
1800	24749EC	HIGH MAST LED LUMINAIRE	40.00	EACH
1805	24851EC	CABLE-NO. 10/3C DUCTED	5,400.00	LF
1810	24902EC	PVC CONDUIT-3 IN-SCHEDULE 80	1,075.00	LF
1815	04820	TRENCHING AND BACKFILLING	80.00	LF
1820	04845	CABLE-NO. 14/7C	1,880.00	LF
1825	04886	MESSENGER-15400 LB	1,085.00	LF
1830	04932	INSTALL STEEL STRAIN POLE	8.00	EACH
1835	04953	TEMP RELOCATION OF SIGNAL HEAD	6.00	EACH
1840	20188NS835	INSTALL LED SIGNAL-3 SECTION	13.00	EACH
1845	20266ES835	INSTALL LED SIGNAL- 4 SECTION	2.00	EACH
1850	20390NS835	INSTALL COORDINATING UNIT	1.00	EACH
1855	23068NN	REMOVE & REINSTALL COORDINATING UNIT	1.00	EACH
1860	23157EN	TRAFFIC SIGNAL POLE BASE	36.00	CUYD
1865	24528ED	TETHER WIRE	1,085.00	LF
1870	24901EC	PVC CONDUIT-2 IN-SCHEDULE 80	160.00	LF
1875	24908EC	INSTALL SIGNAL CONTROLLER-TY ATC	2.00	EACH
1880	24955ED	REMOVE SIGNAL EQUIPMENT	1.00	EACH
1885	26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	6.00	EACH
1890	26120EC	INSTALL RADAR ADVANCE DETECTOR TYPE B	2.00	EACH
1895	02742	TRAINEE PAYMENT REIMBURSEMENT - GROUP 2, 3, 4 OPERATOR	1,400.00	HOURL
1900	02742	TRAINEE PAYMENT REIMBURSEMENT - IRONWORK	1,400.00	HOURL

MATERIAL SUMMARY

CONTRACT ID: 241016

106GR24D016

DE10600642418

I-64 REDUCE CONGESTION ON I-64 FROM 0.83 MILES EAST OF THE KY-53 INTERCHANGE TO THE KY-1790 UNDERPASS. (INCLUDES SYP NO. 05-00475.00) GRADE DRAIN & SURFACE WITH BRIDGE, A DISTANCE OF 2.3 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
1905	00001	DGA BASE	64,026.00	TON
1910	00008	CEMENT STABILIZED ROADBED	67,890.00	SQYD
1915	00018	DRAINAGE BLANKET-TYPE II-ASPH	35,601.00	TON
1920	00100	ASPHALT SEAL AGGREGATE	473.00	TON
1925	00103	ASPHALT SEAL COAT	57.00	TON
1930	00190	LEVELING & WEDGING PG64-22	27,372.00	TON
1935	00214	CL3 ASPH BASE 1.00D PG64-22	23,036.00	TON
1940	00217	CL4 ASPH BASE 1.00D PG64-22	16,093.00	TON
1945	00219	CL4 ASPH BASE 1.00D PG76-22	22,248.00	TON
1950	00221	CL2 ASPH BASE 0.75D PG64-22	54.00	TON
1955	00301	CL2 ASPH SURF 0.38D PG64-22	90.00	TON
1960	00339	CL3 ASPH SURF 0.38D PG64-22	9,190.00	TON
1965	00342	CL4 ASPH SURF 0.38A PG76-22	16,509.00	TON
1970	00356	ASPHALT MATERIAL FOR TACK	187.00	TON
1975	00358	ASPHALT CURING SEAL	122.00	TON
1980	02542	CEMENT	1,344.00	TON
1985	02676	MOBILIZATION FOR MILL & TEXT - 5-475	1.00	LS
1990	02677	ASPHALT PAVE MILLING & TEXTURING	8,574.00	TON
1995	02702	SAND FOR BLOTTER	337.00	TON
2000	25010EC	GEOCOMPOSITE REINFORCEMENT FOR ASPHALT	7,120.00	SQYD
2005	00078	CRUSHED AGGREGATE SIZE NO 2	194.00	TON
2010	01000	PERFORATED PIPE-4 IN	47,376.00	LF
2015	01001	PERFORATED PIPE-6 IN	546.00	LF
2020	01010	NON-PERFORATED PIPE-4 IN	3,132.00	LF
2025	01011	NON-PERFORATED PIPE-6 IN	20.00	LF
2030	01015	INSPECT & CERTIFY EDGE DRAIN SYSTEM - 5-475	1.00	LS
2035	01020	PERF PIPE HEADWALL TY 1-4 IN	32.00	EACH
2040	01024	PERF PIPE HEADWALL TY 2-4 IN	10.00	EACH
2045	01028	PERF PIPE HEADWALL TY 3-4 IN	41.00	EACH
2050	01032	PERF PIPE HEADWALL TY 4-4 IN	110.00	EACH
2055	01033	PERF PIPE HEADWALL TY 4-6 IN	1.00	EACH
2060	01978	CONC MEDIAN BARRIER TYPE A TL5 56 IN	552.00	LF
2065	01982	DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	109.00	EACH
2070	01983	DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL YELLOW	83.00	EACH
2075	01984	DELINEATOR FOR BARRIER - WHITE	8.00	EACH
2080	01985	DELINEATOR FOR BARRIER - YELLOW	8.00	EACH
2085	01986	DELINEATOR FOR BARRIER WALL-B/Y	7.00	EACH
2090	01987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	19.00	EACH
2095	01990	DELINEATOR FOR BARRIER WALL-B/W	17.00	EACH
2100	02003	RELOCATE TEMP CONC BARRIER	25,199.00	LF
2105	02014	BARRICADE-TYPE III	4.00	EACH

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit	
2110	02159	TEMP DITCH	13,235.00	LF	
2115	02160	CLEAN TEMP DITCH	6,618.00	LF	
2120	02165	REMOVE PAVED DITCH	165.00	SQYD	
2125	02200	ROADWAY EXCAVATION	236,377.00	CUYD	
2130	02231	STRUCTURE GRANULAR BACKFILL	1,355.00	CUYD	
2135	02242	WATER	2,780.00	MGAL	
2140	02268	REMOVE & REPLACE FENCE	25,023.00	LF	
2145	02351	GUARDRAIL-STEEL W BEAM-S FACE	11,703.00	LF	
2150	02367	GUARDRAIL END TREATMENT TYPE 1	18.00	EACH	
2155	02369	GUARDRAIL END TREATMENT TYPE 2A	14.00	EACH	
2160	02381	REMOVE GUARDRAIL	16,333.00	LF	
2165	02469	CLEAN SINKHOLE	12.00	EACH	
2170	02471	FILL AND CAP SINKHOLE	12.00	EACH	
2175	02483	CHANNEL LINING CLASS II	177.00	TON	
2180	02484	CHANNEL LINING CLASS III	3,456.00	TON	
2185	02545	CLEARING AND GRUBBING - 119 ACRES	5-475	1.00	LS
2190	02562	TEMPORARY SIGNS	451.00	SQFT	
2195	02565	OBJECT MARKER TYPE 2	8.00	EACH	
2200	02585	EDGE KEY	174.00	LF	
2205	02602	FABRIC-GEOTEXTILE CLASS 1	5,963.00	SQYD	
2210	02603	FABRIC-GEOTEXTILE CLASS 2	1,518.00	SQYD	
2215	02650	MAINTAIN & CONTROL TRAFFIC - 5-475	1.00	LS	
2220	02671	PORTABLE CHANGEABLE MESSAGE SIGN	6.00	EACH	
2225	02697	EDGELINE RUMBLE STRIPS	71,968.00	LF	
2230	02701	TEMP SILT FENCE	13,235.00	LF	
2235	02703	SILT TRAP TYPE A	119.00	EACH	
2240	02704	SILT TRAP TYPE B	119.00	EACH	
2245	02705	SILT TRAP TYPE C	20.00	EACH	
2250	02706	CLEAN SILT TRAP TYPE A	357.00	EACH	
2255	02707	CLEAN SILT TRAP TYPE B	357.00	EACH	
2260	02708	CLEAN SILT TRAP TYPE C	60.00	EACH	
2265	02726	STAKING - 5-475	1.00	LS	
2270	02731	REMOVE STRUCTURE - REMOVE STRUCTURE GUIST CREEK BR I-64 EB	1.00	LS	
2275	02731	REMOVE STRUCTURE - REMOVE STRUCTURE GUIST CREEK BR I-64 WB	1.00	LS	
2280	02731	REMOVE STRUCTURE - REMOVE STRUCTURE KY 1790 BRIDGE	1.00	LS	
2285	02775	ARROW PANEL	2.00	EACH	
2290	02898	RELOCATE CRASH CUSHION	4.00	EACH	
2295	02998	MASONRY COATING	2,647.00	SQYD	
2300	03171	CONCRETE BARRIER WALL TYPE 9T	25,199.00	LF	
2305	05950	EROSION CONTROL BLANKET	46,385.00	SQYD	
2310	05952	TEMP MULCH	384,327.00	SQYD	
2315	05953	TEMP SEEDING AND PROTECTION	288,101.00	SQYD	
2320	05963	INITIAL FERTILIZER	13.00	TON	
2325	05964	MAINTENANCE FERTILIZER	21.00	TON	
2330	05985	SEEDING AND PROTECTION	403,801.00	SQYD	
2335	05992	AGRICULTURAL LIMESTONE	250.00	TON	
2340	06401	FLEXIBLE DELINEATOR POST-M/W	94.00	EACH	
2345	06511	PAVE STRIPING-TEMP PAINT-6 IN	189,844.00	LF	

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
2350	06514	PAVE STRIPING-PERM PAINT-4 IN	1,800.00	LF
2355	06542	PAVE STRIPING-THERMO-6 IN W	44,734.00	LF
2360	06543	PAVE STRIPING-THERMO-6 IN Y	29,814.00	LF
2365	06546	PAVE STRIPING-THERMO-12 IN W	1,337.00	LF
2370	06555	PAVE STRIPING-DUR TY 1-4 IN Y	738.00	LF
2375	06556	PAVE STRIPING-DUR TY 1-6 IN W	720.00	LF
2380	06557	PAVE STRIPING-DUR TY 1-6 IN Y	480.00	LF
2385	06572	PAVE MARKING-DOTTED LANE EXTEN	110.00	LF
2390	06600	REMOVE PAVEMENT MARKER TYPE V	623.00	EACH
2395	06613	INLAID PAVEMENT MARKER-B W/R	834.00	EACH
2400	08903	CRASH CUSHION TY VI CLASS BT TL3	4.00	EACH
2405	10020NS	FUEL ADJUSTMENT	364,193.00	DOLL
2410	10030NS	ASPHALT ADJUSTMENT	439,705.00	DOLL
2415	20071EC	JOINT ADHESIVE	113,332.00	LF
2420	20191ED	OBJECT MARKER TY 3	18.00	EACH
2425	20209EP69	GRANULAR PILE CORE	2,144.00	CUYD
2430	20411ED	LAW ENFORCEMENT OFFICER	1,000.00	HOURL
2435	20418ED	REMOVE & RELOCATE SIGNS	1.00	EACH
2440	20419ND	ROADWAY CROSS SECTION	9.00	EACH
2445	20758ED	REMOVE AND RESET PERF PIPE HEADWALL	1.00	EACH
2450	21289ED	LONGITUDINAL EDGE KEY	24,233.00	LF
2455	21370ED	LONGITUDINAL SAW CUT- 6 IN	24,233.00	LF
2460	21476ED	SNOW FENCE	1,200.00	LF
2465	21587EN	REINFORCED SOIL SLOPE	29,242.00	SQFT
2470	21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	2,635.00	LF
2475	21843EN	GEOMEMBRANE LINER	2,285.00	SQYD
2480	22664EN	WATER BLASTING EXISTING STRIPE	7,142.00	LF
2485	23274EN11F	TURF REINFORCEMENT MAT 1	6,135.00	SQYD
2490	23639ED	REM SIGN BRIDGE MOUNT ATTACHMENT	1.00	EACH
2495	23875NC	REMOVE THERMOPLASTIC ARROWS	4.00	EACH
2500	23930EC	LIGHTWEIGHT CELLULAR CONCRETE FILL - (REVISED 11-6-24)	6,755.00	CUYD
2505	23931EC	EPS FOAM BLOCK - (REVISED 11-6-24)	138,663.00	CUFT
2510	24470ED	PERMEABLE PAVEMENT DRAIN	111.00	SQYD
2515	24640ED	OBJECT MARKER TYPE 1	4.00	EACH
2520	24679ED	PAVE MARK THERMO CHEVRON	5,190.00	SQFT
2525	25075EC	QUEUE PROTECTION VEHICLE	250.00	HOURL
2530	25078ED	THRIE BEAM GUARDRAIL TRANSITION TL-3	12.00	EACH
2535	25117EC	FURNISH QUEUE PROTECTION VEHICLES	16.00	MONT
2540	26136EC	PORTABLE QUEUE WARNING ALERT SYSTEM	16.00	MONT
2545	26137EC	QUEUE WARNING PCMS	96.00	MONT
2550	26138EC	QUEUE WARNING PORTABLE RADAR SENSORS	96.00	MONT
2560	00440	ENTRANCE PIPE-15 IN	28.00	LF
2565	00462	CULVERT PIPE-18 IN	150.00	LF
2570	00464	CULVERT PIPE-24 IN	91.00	LF
2575	00472	CULVERT PIPE-60 IN	4.00	LF
2580	00474	CULVERT PIPE-72 IN	4.00	LF
2585	00491	CULVERT PIPE-18 IN EQUIV	96.00	LF
2590	00521	STORM SEWER PIPE-15 IN	10.00	LF
2595	00522	STORM SEWER PIPE-18 IN	6.00	LF

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
2600	00524	STORM SEWER PIPE-24 IN	116.00	LF
2605	01204	PIPE CULVERT HEADWALL-18 IN	1.00	EACH
2610	01208	PIPE CULVERT HEADWALL-24 IN	3.00	EACH
2615	01310	REMOVE PIPE	108.00	LF
2620	01312	REMOVE AND RELAY PIPE	180.00	LF
2625	01370	METAL END SECTION TY 1-15 IN	2.00	EACH
2630	01440	SLOPED BOX INLET-OUTLET TYPE 1	4.00	EACH
2635	01450	S & F BOX INLET-OUTLET-18 IN	6.00	EACH
2640	01451	S & F BOX INLET-OUTLET-24 IN	4.00	EACH
2645	01480	CURB BOX INLET TYPE B	1.00	EACH
2650	01490	DROP BOX INLET TYPE 1	3.00	EACH
2655	01491	DROP BOX INLET TYPE 1 MOD	1.00	EACH
2660	01584	CAP DROP BOX INLET	2.00	EACH
2665	01585	REMOVE DROP BOX INLET	5.00	EACH
2670	01691	FLUME INLET TYPE 2	5.00	EACH
2675	01708	RECONSTRUCT CATCH BASIN	1.00	EACH
2680	01720	RECONSTRUCT INLET	1.00	EACH
2685	02607	FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	1,332.00	SQYD
2690	02625	REMOVE HEADWALL	11.00	EACH
2695	02690	SAFELOADING	5.00	CUYD
2700	03260	CLEAN ROADWAY DRAINS	2.00	EACH
2705	03262	CLEAN PIPE STRUCTURE	2.00	EACH
2710	08100	CONCRETE-CLASS A	49.00	CUYD
2715	20602EC	LIGHTWEIGHT FILL	936.00	CUYD
2720	22045NN	FLUME INLET TY 2-MOD	2.00	EACH
2725	23822EC	CORED HOLE DRAINAGE BOX CON-15 IN	1.00	EACH
2730	24025EC	PIPE CULVERT HEADWALL-72 IN	1.00	EACH
2735	24814EC	PIPELINE INSPECTION	3,915.00	LF
2740	02231	STRUCTURE GRANULAR BACKFILL	480.00	CUYD
2745	03299	ARMORED EDGE FOR CONCRETE	160.00	LF
2750	08003	FOUNDATION PREPARATION	1.00	LS
2755	08019	CYCLOPEAN STONE RIP RAP	3,344.00	TON
2760	08033	TEST PILES	63.00	LF
2765	08046	PILES-STEEL HP12X53	725.00	LF
2770	08094	PILE POINTS-12 IN	30.00	EACH
2775	08100	CONCRETE-CLASS A	430.00	CUYD
2780	08104	CONCRETE-CLASS AA	611.60	CUYD
2785	08130	MECHANICAL REINF COUPLER #5	28.00	EACH
2790	08133	MECHANICAL REINF COUPLER #8	16.00	EACH
2795	08134	MECHANICAL REINF COUPLER #9	16.00	EACH
2800	08140	MECHANICAL REINF COUPLER #5 EPOXY COATED	30.00	EACH
2805	08150	STEEL REINFORCEMENT	51,624.00	LB
2810	08151	STEEL REINFORCEMENT-EPOXY COATED	157,528.00	LB
2815	08634	PRECAST PC I BEAM TYPE 4	1,872.00	LF
2820	20743ED	DRILLED SHAFT 54 IN-SOLID ROCK	140.00	LF
2825	20744ED	DRILLED SHAFT 60 IN-COMMON	110.00	LF
2830	20745ED	ROCK SOUNDINGS	120.00	LF
2835	20746ED	ROCK CORINGS	275.00	LF
2840	21320NC	CSL ACCESS TUBING (6 TUBES) - (REVISED 11-6-24)	10.00	EACH
2845	21322NC	CSL TESTING (6 TUBES)	10.00	EACH

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
2850	22590NN	CSL TESTING MOBILIZATION	1.00	EACH
2855	23378EC	CONCRETE SEALING	30,033.00	SQFT
2860	24405EC	MECHANICAL REINF COUPLER-#8 EPOXY COATED	18.00	EACH
2865	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	545.00	LF
2870	02231	STRUCTURE GRANULAR BACKFILL	362.00	CUYD
2875	03299	ARMORED EDGE FOR CONCRETE	130.00	LF
2880	08003	FOUNDATION PREPARATION	1.00	LS
2885	08019	CYCLOPEAN STONE RIP RAP	2,774.00	TON
2890	08033	TEST PILES	73.00	LF
2895	08046	PILES-STEEL HP12X53	738.00	LF
2900	08094	PILE POINTS-12 IN	26.00	EACH
2905	08100	CONCRETE-CLASS A	363.50	CUYD
2910	08104	CONCRETE-CLASS AA	480.70	CUYD
2915	08130	MECHANICAL REINF COUPLER #5	28.00	EACH
2920	08133	MECHANICAL REINF COUPLER #8	32.00	EACH
2925	08140	MECHANICAL REINF COUPLER #5 EPOXY COATED	30.00	EACH
2930	08150	STEEL REINFORCEMENT	43,722.00	LB
2935	08151	STEEL REINFORCEMENT-EPOXY COATED	113,451.00	LB
2940	08634	PRECAST PC I BEAM TYPE 4	1,431.00	LF
2945	20743ED	DRILLED SHAFT 54 IN-SOLID ROCK	140.00	LF
2950	20744ED	DRILLED SHAFT 60 IN-COMMON	100.00	LF
2955	20745ED	ROCK SOUNDINGS	109.00	LF
2960	20746ED	ROCK CORINGS	275.00	LF
2965	21320NC	CSL ACCESS TUBING (6 TUBES) - (REVISED 11-6-24)	10.00	EACH
2970	21322NC	CSL TESTING (6 TUBES)	10.00	EACH
2975	22590NN	CSL TESTING MOBILIZATION	1.00	EACH
2980	23378EC	CONCRETE SEALING	26,308.00	SQFT
2985	24405EC	MECHANICAL REINF COUPLER-#8 EPOXY COATED	18.00	EACH
2990	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	417.00	LF
2995	02231	STRUCTURE GRANULAR BACKFILL	265.00	CUYD
3000	03299	ARMORED EDGE FOR CONCRETE	58.00	LF
3005	08002	STRUCTURE EXCAV-SOLID ROCK	235.60	CUYD
3010	08003	FOUNDATION PREPARATION	1.00	LS
3015	08020	CRUSHED AGGREGATE SLOPE PROT	318.00	TON
3020	08033	TEST PILES	54.00	LF
3025	08039	PRE-DRILLING FOR PILES	96.00	LF
3030	08046	PILES-STEEL HP12X53	260.00	LF
3035	08094	PILE POINTS-12 IN	14.00	EACH
3040	08100	CONCRETE-CLASS A	309.30	CUYD
3045	08104	CONCRETE-CLASS AA	423.00	CUYD
3050	08150	STEEL REINFORCEMENT	54,469.00	LB
3055	08151	STEEL REINFORCEMENT-EPOXY COATED	120,877.00	LB
3060	23378EC	CONCRETE SEALING	29,090.00	SQFT
3065	24520EC	PPC I-BEAM HN 48-49	1,456.00	LF
3070	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	739.00	LF
3075	04903	REFERENCE MARKER	24.00	EACH
3080	06405	SBM ALUMINUM PANEL SIGNS	844.00	SQFT
3085	06406	SBM ALUM SHEET SIGNS .080 IN	22.00	SQFT
3090	06407	SBM ALUM SHEET SIGNS .125 IN	116.00	SQFT
3095	06410	STEEL POST TYPE 1	132.00	LF

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
3100	06412	STEEL POST MILE MARKERS	4.00	EACH
3105	06441	GMSS GALV STEEL TYPE C	2,746.00	LB
3110	06449	REM OVERHEAD SIGN SUPPORT STR	1.00	EACH
3115	06450	REM OVERHEAD STRUC CONC BASE	1.00	EACH
3120	06451	REMOVE SIGN SUPPORT BEAM	12.00	EACH
3125	06490	CLASS A CONCRETE FOR SIGNS	11.00	CUYD
3130	06491	STEEL REINFORCEMENT FOR SIGNS	808.00	LB
3135	21134ND	REMOVE-STORE AND REINSTALL SIGN	1.00	EACH
3140	21373ND	REMOVE SIGN	9.00	EACH
3145	21596ND	GMSS TYPE D	5.00	EACH
3150	24631EC	BARCODE SIGN INVENTORY	34.00	EACH
3155	02568	MOBILIZATION	1.00	LS
3160	02569	DEMOBILIZATION	1.00	LS
3165	26145EC	4 IN CONCRETE LOAD DISTRIBUTOR - (REVISED 11-6-24)	510.00	SQYD

PROPOSAL BID ITEMS

Report Date 11/6/24

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	147,134.00	TON		\$	
0020	00008		CEMENT STABILIZED ROADBED	131,573.00	SQYD		\$	
0030	00018		DRAINAGE BLANKET-TYPE II-ASPH	97,841.00	TON		\$	
0040	00100		ASPHALT SEAL AGGREGATE	1,018.00	TON		\$	
0050	00103		ASPHALT SEAL COAT	122.10	TON		\$	
0060	00190		LEVELING & WEDGING PG64-22	57,286.00	TON		\$	
0070	00194		LEVELING & WEDGING PG76-22	200.00	TON		\$	
0080	00214		CL3 ASPH BASE 1.00D PG64-22	82,613.00	TON		\$	
0090	00217		CL4 ASPH BASE 1.00D PG64-22	62,617.00	TON		\$	
0100	00219		CL4 ASPH BASE 1.00D PG76-22	62,514.00	TON		\$	
0110	00221		CL2 ASPH BASE 0.75D PG64-22	54.00	TON		\$	
0120	00301		CL2 ASPH SURF 0.38D PG64-22	90.00	TON		\$	
0130	00339		CL3 ASPH SURF 0.38D PG64-22	32,824.00	TON		\$	
0140	00342		CL4 ASPH SURF 0.38A PG76-22	67,772.00	TON		\$	
0150	00356		ASPHALT MATERIAL FOR TACK	435.00	TON		\$	
0160	00358		ASPHALT CURING SEAL	350.00	TON		\$	
0170	02101		CEM CONC ENT PAVEMENT-8 IN	206.00	SQYD		\$	
0180	02542		CEMENT	3,025.00	TON		\$	
0190	02676		MOBILIZATION FOR MILL & TEXT 5-22028	1.00	LS		\$	
0200	02676		MOBILIZATION FOR MILL & TEXT 5-475	1.00	LS		\$	
0210	02677		ASPHALT PAVE MILLING & TEXTURING	40,137.00	TON		\$	
0220	02702		SAND FOR BLOTTER	908.00	TON		\$	
0230	20071EC		JOINT ADHESIVE	457,736.00	LF		\$	
0240	24891EC		PAVE MOUNT INFRARED TEMP EQUIPMENT	1,700,076.00	SF		\$	
0250	24970EC		ASPHALT MATERIAL FOR TACK NON- TRACKING	108.00	TON		\$	
0260	25010EC		GEOCOMPOSITE REINFORCEMENT FOR ASPHALT	7,120.00	SQYD		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0270	00078		CRUSHED AGGREGATE SIZE NO 2	18,526.00	TON		\$	
0280	01000		PERFORATED PIPE-4 IN	47,376.00	LF		\$	
0290	01001		PERFORATED PIPE-6 IN	546.00	LF		\$	
0300	01010		NON-PERFORATED PIPE-4 IN	3,132.00	LF		\$	
0310	01011		NON-PERFORATED PIPE-6 IN	20.00	LF		\$	
0320	01015		INSPECT & CERTIFY EDGE DRAIN SYSTEM 5-475	1.00	LS		\$	
0330	01015		INSPECT & CERTIFY EDGE DRAIN SYSTEM 5-65.40	1.00	LS		\$	
0340	01020		PERF PIPE HEADWALL TY 1-4 IN	32.00	EACH		\$	
0350	01024		PERF PIPE HEADWALL TY 2-4 IN	10.00	EACH		\$	
0360	01028		PERF PIPE HEADWALL TY 3-4 IN	41.00	EACH		\$	
0370	01032		PERF PIPE HEADWALL TY 4-4 IN	110.00	EACH		\$	

SHELBY COUNTY
106GR24D016
241016

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0830	02585		EDGE KEY	264.00	LF		\$	
0840	02602		FABRIC-GEOTEXTILE CLASS 1	8,076.00	SQYD		\$	
0850	02603		FABRIC-GEOTEXTILE CLASS 2	65,067.00	SQYD		\$	
0860	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	7,674.00	SQYD	\$2.00	\$	\$15,348.00
0870	02625		REMOVE HEADWALL	3.00	EACH		\$	
0880	02650		MAINTAIN & CONTROL TRAFFIC 5-22028	1.00	LS		\$	
0890	02650		MAINTAIN & CONTROL TRAFFIC 5-475	1.00	LS		\$	
0900	02650		MAINTAIN & CONTROL TRAFFIC 5-65.40	1.00	LS		\$	
0910	02651		DIVERSIONS (BY-PASS DETOURS) 5-65.40	1.00	LS		\$	
0920	02651		DIVERSIONS (BY-PASS DETOURS) 5-65.40	1.00	LS		\$	
0930	02651		DIVERSIONS (BY-PASS DETOURS) 5-65.40	1.00	LS		\$	
0940	02651		DIVERSIONS (BY-PASS DETOURS) 5-65.40	1.00	LS		\$	
0950	02653		LANE CLOSURE	8.00	EACH		\$	
0960	02654		TRUCK MOUNTED ATTENUATOR	2.00	EACH		\$	
0970	02671		PORTABLE CHANGEABLE MESSAGE SIGN	28.00	EACH		\$	
0980	02676		MOBILIZATION FOR MILL & TEXT 5-65.40	1.00	LS		\$	
0990	02690		SAFELoading	6.90	CUYD		\$	
1000	02696		SHOULDER RUMBLE STRIPS	89,616.00	LF		\$	
1010	02697		EDGE LINE RUMBLE STRIPS	150,204.00	LF		\$	
1020	02701		TEMP SILT FENCE	13,235.00	LF		\$	
1030	02703		SILT TRAP TYPE A	220.00	EACH		\$	
1040	02704		SILT TRAP TYPE B	220.00	EACH		\$	
1050	02705		SILT TRAP TYPE C	121.00	EACH		\$	
1060	02706		CLEAN SILT TRAP TYPE A	458.00	EACH		\$	
1070	02707		CLEAN SILT TRAP TYPE B	458.00	EACH		\$	
1080	02708		CLEAN SILT TRAP TYPE C	161.00	EACH		\$	
1090	02714		SHOULDERING	918.00	LF		\$	
1100	02726		STAKING 5-22028	1.00	LS		\$	
1110	02726		STAKING 5-475	1.00	LS		\$	
1120	02726		STAKING 5-65.40	1.00	LS		\$	
1130	02731		REMOVE STRUCTURE KY 53 BRIDGE	1.00	LS		\$	
1140	02731		REMOVE STRUCTURE CLEAR CREEK BRIDGE -1	1.00	LS		\$	
1150	02731		REMOVE STRUCTURE CLEAR CREEK BRIDGE-2	1.00	LS		\$	
1160	02731		REMOVE STRUCTURE KY 2861 ZARING MILL ROAD BRIDGE/PAR	1.00	LS		\$	
1170	02731		REMOVE STRUCTURE REMOVE STRUCTURE GUIST CREEK BR I-64 EB	1.00	LS		\$	

SHELBY COUNTY
106GR24D016
241016

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2080	26228EC		ELECTRONIC DELIVERY MGMT SYSTEM	1.00	LS		\$	
2090	26237EC		CONNECTED ARROW PANEL	16.00	MON		\$	
2100	30012		MILE MARKER	2.00	EACH		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2110	00440		ENTRANCE PIPE-15 IN	28.00	LF		\$	
2120	00441		ENTRANCE PIPE-18 IN	248.00	LF		\$	
2130	00461		CULVERT PIPE-15 IN	156.00	LF		\$	
2140	00462		CULVERT PIPE-18 IN	424.00	LF		\$	
2150	00464		CULVERT PIPE-24 IN	202.00	LF		\$	
2160	00466		CULVERT PIPE-30 IN	103.00	LF		\$	
2170	00468		CULVERT PIPE-36 IN	100.00	LF		\$	
2180	00469		CULVERT PIPE-42 IN	73.00	LF		\$	
2190	00472		CULVERT PIPE-60 IN	4.00	LF		\$	
2200	00474		CULVERT PIPE-72 IN	4.00	LF		\$	
2210	00491		CULVERT PIPE-18 IN EQUIV	96.00	LF		\$	
2220	00521		STORM SEWER PIPE-15 IN	446.00	LF		\$	
2230	00522		STORM SEWER PIPE-18 IN	1,028.00	LF		\$	
2240	00524		STORM SEWER PIPE-24 IN	116.00	LF		\$	
2250	00528		STORM SEWER PIPE-36 IN	8.00	LF		\$	
2260	01000		PERFORATED PIPE-4 IN	22,636.00	LF		\$	
2270	01001		PERFORATED PIPE-6 IN	31,689.00	LF		\$	
2280	01010		NON-PERFORATED PIPE-4 IN	224.00	LF		\$	
2290	01011		NON-PERFORATED PIPE-6 IN	454.00	LF		\$	
2300	01020		PERF PIPE HEADWALL TY 1-4 IN	5.00	EACH		\$	
2310	01021		PERF PIPE HEADWALL TY 1-6 IN	10.00	EACH		\$	
2320	01028		PERF PIPE HEADWALL TY 3-4 IN	9.00	EACH		\$	
2330	01029		PERF PIPE HEADWALL TY 3-6 IN	12.00	EACH		\$	
2340	01032		PERF PIPE HEADWALL TY 4-4 IN	8.00	EACH		\$	
2350	01033		PERF PIPE HEADWALL TY 4-6 IN	3.00	EACH		\$	
2360	01202		PIPE CULVERT HEADWALL-15 IN	3.00	EACH		\$	
2370	01204		PIPE CULVERT HEADWALL-18 IN	4.00	EACH		\$	
2380	01204		PIPE CULVERT HEADWALL-18 IN	1.00	EACH		\$	
2390	01208		PIPE CULVERT HEADWALL-24 IN	1.00	EACH		\$	
2400	01208		PIPE CULVERT HEADWALL-24 IN	3.00	EACH		\$	
2410	01210		PIPE CULVERT HEADWALL-30 IN	2.00	EACH		\$	
2420	01212		PIPE CULVERT HEADWALL-36 IN	2.00	EACH		\$	
2430	01214		PIPE CULVERT HEADWALL-42 IN	1.00	EACH		\$	
2440	01310		REMOVE PIPE	108.00	LF		\$	
2450	01312		REMOVE AND RELAY PIPE	180.00	LF		\$	
2460	01370		METAL END SECTION TY 1-15 IN	2.00	EACH		\$	
2470	01381		METAL END SECTION TY 2-18 IN	2.00	EACH		\$	
2480	01432		SLOPED BOX OUTLET TYPE 1-15 IN	5.00	EACH		\$	
2490	01433		SLOPED BOX OUTLET TYPE 1-18 IN	7.00	EACH		\$	
2500	01434		SLOPED BOX OUTLET TYPE 1-24 IN	1.00	EACH		\$	
2510	01440		SLOPED BOX INLET-OUTLET TYPE 1	4.00	EACH		\$	

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2520	01450		S & F BOX INLET-OUTLET-18 IN	6.00	EACH		\$	
2530	01451		S & F BOX INLET-OUTLET-24 IN	5.00	EACH		\$	
2540	01453		S & F BOX INLET-OUTLET-36 IN	1.00	EACH		\$	
2550	01480		CURB BOX INLET TYPE B	7.00	EACH		\$	
2560	01487		CURB BOX INLET TYPE F	1.00	EACH		\$	
2570	01490		DROP BOX INLET TYPE 1	8.00	EACH		\$	
2580	01491		DROP BOX INLET TYPE 1 MOD	1.00	EACH		\$	
2590	01496		DROP BOX INLET TYPE 3	1.00	EACH		\$	
2600	01584		CAP DROP BOX INLET	2.00	EACH		\$	
2610	01585		REMOVE DROP BOX INLET	5.00	EACH		\$	
2620	01604		CONC MED BARR BOX INLET TY B2T TL5 56	2.00	EACH		\$	
2630	01624		CONC MED BARR BOX INLET TY B2 TL5 56	21.00	EACH		\$	
2640	01626		CONC MED BARR BOX INLET TY A2 TL5 56	2.00	EACH		\$	
2650	01650		JUNCTION BOX	12.00	EACH		\$	
2660	01691		FLUME INLET TYPE 2	5.00	EACH		\$	
2670	01708		RECONSTRUCT CATCH BASIN	1.00	EACH		\$	
2680	01720		RECONSTRUCT INLET	1.00	EACH		\$	
2690	01741		CORED HOLE DRAINAGE BOX CON-6 IN	26.00	EACH		\$	
2700	01756		MANHOLE TYPE A	1.00	EACH		\$	
2710	01767		MANHOLE TYPE C	1.00	EACH		\$	
2720	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	1,332.00	SQYD	\$2.00	\$	\$2,664.00
2730	02625		REMOVE HEADWALL	11.00	EACH		\$	
2740	02690		SAFELOADING	5.00	CUYD		\$	
2750	03260		CLEAN ROADWAY DRAINS	2.00	EACH		\$	
2760	03262		CLEAN PIPE STRUCTURE	2.00	EACH		\$	
2770	08100		CONCRETE-CLASS A	49.00	CUYD		\$	
2780	20602EC		LIGHTWEIGHT FILL	936.00	CUYD		\$	
2790	22045NN		FLUME INLET TY 2-MOD	2.00	EACH		\$	
2800	23126EN		BORE AND JACK PIPE-18 IN	251.00	LF		\$	
2810	23822EC		CORED HOLE DRAINAGE BOX CON-15 IN	1.00	EACH		\$	
2820	24025EC		PIPE CULVERT HEADWALL-72 IN	1.00	EACH		\$	
2830	24814EC		PIPELINE INSPECTION	3,915.00	LF		\$	

Section: 0004 - BRIDGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2840	08100		CONCRETE-CLASS A	185.50	CUYD		\$	
2850	08150		STEEL REINFORCEMENT	7,994.00	LB		\$	
2860	21935EN		REMOVE CONC MEDIAN BARRIER	147.00	LF		\$	
2870	23378EC		CONCRETE SEALING	2,285.00	SQFT		\$	

Section: 0005 - BRIDGE-CULVERT KY-53 CLEAR CREEK TRIBUTARY 28831

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2880	02403		REMOVE CONCRETE MASONRY	5.00	CUYD		\$	
2890	08002		STRUCTURE EXCAV-SOLID ROCK	24.00	CUYD		\$	
2900	08003		FOUNDATION PREPARATION	1.00	LS		\$	

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2910	08100		CONCRETE-CLASS A	64.30	CUYD		\$	
2920	08150		STEEL REINFORCEMENT	6,295.00	LB		\$	

Section: 0006 - BRIDGE- GUIST CREEK I-64 EB

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
2930	02231		STRUCTURE GRANULAR BACKFILL	480.00	CUYD		\$	
2940	03299		ARMORED EDGE FOR CONCRETE	160.00	LF		\$	
2950	08003		FOUNDATION PREPARATION	1.00	LS		\$	
2960	08019		CYCLOPEAN STONE RIP RAP	3,344.00	TON		\$	
2970	08033		TEST PILES	63.00	LF		\$	
2980	08046		PILES-STEEL HP12X53	725.00	LF		\$	
2990	08094		PILE POINTS-12 IN	30.00	EACH		\$	
3000	08100		CONCRETE-CLASS A	430.00	CUYD		\$	
3010	08104		CONCRETE-CLASS AA	611.60	CUYD		\$	
3020	08130		MECHANICAL REINF COUPLER #5	28.00	EACH		\$	
3030	08133		MECHANICAL REINF COUPLER #8	16.00	EACH		\$	
3040	08134		MECHANICAL REINF COUPLER #9	16.00	EACH		\$	
3050	08140		MECHANICAL REINF COUPLER #5 EPOXY COATED	30.00	EACH		\$	
3060	08150		STEEL REINFORCEMENT	51,624.00	LB		\$	
3070	08151		STEEL REINFORCEMENT-EPOXY COATED	157,528.00	LB		\$	
3080	08634		PRECAST PC I BEAM TYPE 4	1,872.00	LF		\$	
3090	20743ED		DRILLED SHAFT 54 IN-SOLID ROCK	140.00	LF		\$	
3100	20744ED		DRILLED SHAFT 60 IN-COMMON	110.00	LF		\$	
3110	20745ED		ROCK SOUNDINGS	120.00	LF		\$	
3120	20746ED		ROCK CORINGS	275.00	LF		\$	
3130	21320NC		CSL ACCESS TUBING (6 TUBES) (REVISED 11-6-24)	10.00	EACH		\$	
3140	21322NC		CSL TESTING (6 TUBES)	10.00	EACH		\$	
3150	22590NN		CSL TESTING MOBILIZATION	1.00	EACH		\$	
3160	23378EC		CONCRETE SEALING	30,033.00	SQFT		\$	
3170	24405EC		MECHANICAL REINF COUPLER-#8 EPOXY COATED	18.00	EACH		\$	
3180	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	545.00	LF		\$	

Section: 0007 - BRIDGE- KY-53 MT. EDEN RD 26319

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
3190	01643		JUNCTION BOX-24 IN	4.00	EACH		\$	
3200	02220		FLOWABLE FILL	315.00	CUYD		\$	
3210	03299		ARMORED EDGE FOR CONCRETE	185.00	LF		\$	
3220	08002		STRUCTURE EXCAV-SOLID ROCK	318.00	CUYD		\$	
3230	08003		FOUNDATION PREPARATION	1.00	LS		\$	
3240	08020		CRUSHED AGGREGATE SLOPE PROT	585.00	TON		\$	
3250	08033		TEST PILES	47.00	LF		\$	
3260	08039		PRE-DRILLING FOR PILES	330.00	LF		\$	
3270	08050		PILES-STEEL HP14X73	333.00	LF		\$	

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
3280	08100		CONCRETE-CLASS A	539.20	CUYD		\$	
3290	08104		CONCRETE-CLASS AA	948.70	CUYD		\$	
3300	08130		MECHANICAL REINF COUPLER #5	32.00	EACH		\$	
3310	08133		MECHANICAL REINF COUPLER #8	16.00	EACH		\$	
3320	08135		MECHANICAL REINF COUPLER #10	72.00	EACH		\$	
3330	08150		STEEL REINFORCEMENT	103,299.00	LB		\$	
3340	08151		STEEL REINFORCEMENT-EPOXY COATED	319,912.00	LB		\$	
3350	08160		STRUCTURAL STEEL LB	1.00	LS		\$	
3360	08634		PRECAST PC I BEAM TYPE 4	2,825.00	LF		\$	
3370	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	4.00	EACH		\$	
3380	23378EC		CONCRETE SEALING	48,580.00	SQFT		\$	
3390	24902EC		PVC CONDUIT-3 IN-SCHEDULE 80	598.00	LF		\$	
3400	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	574.00	LF		\$	

Section: 0008 - BRIDGE- GUIST CREEK I-64 WB

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
3410	02231		STRUCTURE GRANULAR BACKFILL	362.00	CUYD		\$	
3420	03299		ARMORED EDGE FOR CONCRETE	130.00	LF		\$	
3430	08003		FOUNDATION PREPARATION	1.00	LS		\$	
3440	08019		CYCLOPEAN STONE RIP RAP	2,774.00	TON		\$	
3450	08033		TEST PILES	73.00	LF		\$	
3460	08046		PILES-STEEL HP12X53	738.00	LF		\$	
3470	08094		PILE POINTS-12 IN	26.00	EACH		\$	
3480	08100		CONCRETE-CLASS A	363.50	CUYD		\$	
3490	08104		CONCRETE-CLASS AA	480.70	CUYD		\$	
3500	08130		MECHANICAL REINF COUPLER #5	28.00	EACH		\$	
3510	08133		MECHANICAL REINF COUPLER #8	32.00	EACH		\$	
3520	08140		MECHANICAL REINF COUPLER #5 EPOXY COATED	30.00	EACH		\$	
3530	08150		STEEL REINFORCEMENT	43,722.00	LB		\$	
3540	08151		STEEL REINFORCEMENT-EPOXY COATED	113,451.00	LB		\$	
3550	08634		PRECAST PC I BEAM TYPE 4	1,431.00	LF		\$	
3560	20743ED		DRILLED SHAFT 54 IN-SOLID ROCK	140.00	LF		\$	
3570	20744ED		DRILLED SHAFT 60 IN-COMMON	100.00	LF		\$	
3580	20745ED		ROCK SOUNDINGS	109.00	LF		\$	
3590	20746ED		ROCK CORINGS	275.00	LF		\$	
3600	21320NC		CSL ACCESS TUBING (6 TUBES) (REVISED 11-6-24)	10.00	EACH		\$	
3610	21322NC		CSL TESTING (6 TUBES)	10.00	EACH		\$	
3620	22590NN		CSL TESTING MOBILIZATION	1.00	EACH		\$	
3630	23378EC		CONCRETE SEALING	26,308.00	SQFT		\$	
3640	24405EC		MECHANICAL REINF COUPLER-#8 EPOXY COATED	18.00	EACH		\$	
3650	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	417.00	LF		\$	

Section: 0009 - BRIDGE-KY-2861 ZARING MILL ROAD 26321

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
3660	02220		FLOWABLE FILL	130.00	CUYD		\$	
3670	03299		ARMORED EDGE FOR CONCRETE	73.00	LF		\$	
3680	08002		STRUCTURE EXCAV-SOLID ROCK	81.00	CUYD		\$	
3690	08003		FOUNDATION PREPARATION	1.00	LS		\$	
3700	08020		CRUSHED AGGREGATE SLOPE PROT	220.00	TON		\$	
3710	08033		TEST PILES	43.00	LF		\$	
3720	08039		PRE-DRILLING FOR PILES	118.00	LF		\$	
3730	08051		PILES-STEEL HP14X89	98.00	LF		\$	
3740	08100		CONCRETE-CLASS A	142.50	CUYD		\$	
3750	08104		CONCRETE-CLASS AA	358.60	CUYD		\$	
3760	08150		STEEL REINFORCEMENT	21,814.00	LB		\$	
3770	08151		STEEL REINFORCEMENT-EPOXY COATED	103,796.00	LB		\$	
3780	23378EC		CONCRETE SEALING	23,713.00	SQFT		\$	
3790	24383EC		PC I-BEAM TY NH 66 61-HYBRID	1,064.70	LF		\$	
3800	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	538.00	LF		\$	

Section: 0010 - BRIDGE- KY 1790

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
3810	02231		STRUCTURE GRANULAR BACKFILL	265.00	CUYD		\$	
3820	03299		ARMORED EDGE FOR CONCRETE	58.00	LF		\$	
3830	08002		STRUCTURE EXCAV-SOLID ROCK	235.60	CUYD		\$	
3840	08003		FOUNDATION PREPARATION	1.00	LS		\$	
3850	08020		CRUSHED AGGREGATE SLOPE PROT	318.00	TON		\$	
3860	08033		TEST PILES	54.00	LF		\$	
3870	08039		PRE-DRILLING FOR PILES	96.00	LF		\$	
3880	08046		PILES-STEEL HP12X53	260.00	LF		\$	
3890	08094		PILE POINTS-12 IN	14.00	EACH		\$	
3900	08100		CONCRETE-CLASS A	309.30	CUYD		\$	
3910	08104		CONCRETE-CLASS AA	423.00	CUYD		\$	
3920	08150		STEEL REINFORCEMENT	54,469.00	LB		\$	
3930	08151		STEEL REINFORCEMENT-EPOXY COATED	120,877.00	LB		\$	
3940	23378EC		CONCRETE SEALING	29,090.00	SQFT		\$	
3950	24520EC		PPC I-BEAM HN 48-49	1,456.00	LF		\$	
3960	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	739.00	LF		\$	

Section: 0011 - BRIDGE-KY-53 CLEAR CREEK 26318

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
3970	02231		STRUCTURE GRANULAR BACKFILL	904.00	CUYD		\$	
3980	03299		ARMORED EDGE FOR CONCRETE	288.00	LF		\$	
3990	08002		STRUCTURE EXCAV-SOLID ROCK	350.00	CUYD		\$	
4000	08003		FOUNDATION PREPARATION	1.00	LS		\$	
4010	08019		CYCLOPEAN STONE RIP RAP	1,024.00	TON		\$	
4020	08020		CRUSHED AGGREGATE SLOPE PROT	685.00	TON		\$	
4030	08033		TEST PILES	69.00	LF		\$	
4040	08039		PRE-DRILLING FOR PILES	263.00	LF		\$	

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4050	08050		PILES-STEEL HP14X73	1,254.00	LF		\$	
4060	08095		PILE POINTS-14 IN	46.00	EACH		\$	
4070	08100		CONCRETE-CLASS A	1,219.10	CUYD		\$	
4080	08104		CONCRETE-CLASS AA	1,416.70	CUYD		\$	
4090	08130		MECHANICAL REINF COUPLER #5	48.00	EACH		\$	
4100	08133		MECHANICAL REINF COUPLER #8	80.00	EACH		\$	
4110	08134		MECHANICAL REINF COUPLER #9	32.00	EACH		\$	
4120	08150		STEEL REINFORCEMENT	239,801.00	LB		\$	
4130	08151		STEEL REINFORCEMENT-EPOXY COATED	331,694.00	LB		\$	
4140	08636		PRECAST PC I BEAM TYPE 5	4,149.33	LF		\$	
4150	23378EC		CONCRETE SEALING	70,549.00	SQFT		\$	
4160	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	528.00	LF		\$	

Section: 0012 - SIGNING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4170	04903		REFERENCE MARKER	64.00	EACH		\$	
4180	04904		BARRIER MOUNTING BRACKET	19.00	EACH		\$	
4190	06400		GMSS GALV STEEL TYPE A	1,662.00	LB		\$	
4200	06405		SBM ALUMINUM PANEL SIGNS	3,407.00	SQFT		\$	
4210	06406		SBM ALUM SHEET SIGNS .080 IN	282.00	SQFT		\$	
4220	06407		SBM ALUM SHEET SIGNS .125 IN	1,126.00	SQFT		\$	
4230	06410		STEEL POST TYPE 1	1,980.00	LF		\$	
4240	06412		STEEL POST MILE MARKERS	12.00	EACH		\$	
4250	06441		GMSS GALV STEEL TYPE C	24,001.00	LB		\$	
4260	06449		REM OVERHEAD SIGN SUPPORT STR	2.00	EACH		\$	
4270	06450		REM OVERHEAD STRUC CONC BASE	1.00	EACH		\$	
4280	06451		REMOVE SIGN SUPPORT BEAM	68.00	EACH		\$	
4290	06490		CLASS A CONCRETE FOR SIGNS	94.00	CUYD		\$	
4300	06491		STEEL REINFORCEMENT FOR SIGNS	5,732.00	LB		\$	
4310	20418ED		REMOVE & RELOCATE SIGNS	22.00	EACH		\$	
4320	20419ND		ROADWAY CROSS SECTION	34.00	EACH		\$	
4330	20912ND		BARRIER WALL POST	4.00	EACH		\$	
4340	21134ND		REMOVE-STORE AND REINSTALL SIGN	1.00	EACH		\$	
4350	21373ND		REMOVE SIGN	19.00	EACH		\$	
4360	21596ND		GMSS TYPE D	29.00	EACH		\$	
4370	24631EC		BARCODE SIGN INVENTORY	181.00	EACH		\$	

Section: 0013 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4380	04820		TRENCHING AND BACKFILLING	80.00	LF		\$	
4390	04845		CABLE-NO. 14/7C	1,880.00	LF		\$	
4400	04886		MESSENGER-15400 LB	1,085.00	LF		\$	
4410	04932		INSTALL STEEL STRAIN POLE	8.00	EACH		\$	
4420	04953		TEMP RELOCATION OF SIGNAL HEAD	6.00	EACH		\$	
4430	20188NS835		INSTALL LED SIGNAL-3 SECTION	13.00	EACH		\$	

PROPOSAL BID ITEMS

Report Date 11/6/24

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4440	20266ES835		INSTALL LED SIGNAL- 4 SECTION	2.00	EACH		\$	
4450	20390NS835		INSTALL COORDINATING UNIT	1.00	EACH		\$	
4460	23068NN		REMOVE & REINSTALL COORDINATING UNIT	1.00	EACH		\$	
4470	23157EN		TRAFFIC SIGNAL POLE BASE	36.00	CUYD		\$	
4480	24528ED		TETHER WIRE	1,085.00	LF		\$	
4490	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	160.00	LF		\$	
4500	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC	2.00	EACH		\$	
4510	24955ED		REMOVE SIGNAL EQUIPMENT	1.00	EACH		\$	
4520	26119EC		INSTALL RADAR PRESENCE DETECTOR TYPE A	6.00	EACH		\$	
4530	26120EC		INSTALL RADAR ADVANCE DETECTOR TYPE B	2.00	EACH		\$	

Section: 0014 - LIGHTING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4540	04714		POLE 120 FT MTG HT HIGH MAST	8.00	EACH		\$	
4550	04761		LIGHTING CONTROL EQUIPMENT	2.00	EACH		\$	
4560	04800		MARKER	20.00	EACH		\$	
4570	04820		TRENCHING AND BACKFILLING	5,800.00	LF		\$	
4580	04860		CABLE-NO. 8/3C DUCTED	4,750.00	LF		\$	
4590	04873		POLE 45 FT WOODEN	2.00	EACH		\$	
4600	04940		REMOVE LIGHTING	1.00	LS		\$	
4610	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	6.00	EACH		\$	
4620	20392NS835		ELECTRICAL JUNCTION BOX TYPE C	2.00	EACH		\$	
4630	20410ED		MAINTAIN LIGHTING	1.00	LS		\$	
4640	21543EN		BORE AND JACK CONDUIT	1,075.00	LF		\$	
4650	23161EN		POLE BASE-HIGH MAST	27.00	CUYD		\$	
4660	24749EC		HIGH MAST LED LUMINAIRE	40.00	EACH		\$	
4670	24851EC		CABLE-NO. 10/3C DUCTED	5,400.00	LF		\$	
4680	24902EC		PVC CONDUIT-3 IN-SCHEDULE 80	1,075.00	LF		\$	

Section: 0015 - TRAFFIC LOOPS

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4690	04793		CONDUIT-1 1/4 IN	80.00	LF		\$	
4700	04795		CONDUIT-2 IN	20.00	LF		\$	
4710	04820		TRENCHING AND BACKFILLING	90.00	LF		\$	
4720	04829		PIEZOELECTRIC SENSOR	6.00	EACH		\$	
4730	04830		LOOP WIRE	2,650.00	LF		\$	
4740	04895		LOOP SAW SLOT AND FILL	600.00	LF		\$	
4750	20359NN		GALVANIZED STEEL CABINET	2.00	EACH		\$	
4760	20360ES818		WOOD POST	4.00	EACH		\$	
4770	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	2.00	EACH		\$	

Section: 0016 - TRAINERS

PROPOSAL BID ITEMS

Report Date 11/6/24

SECTION: 0010 - TRAINEES

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4780	02742		TRAINEE PAYMENT REIMBURSEMENT GROUP 2, 3, 4 OPERATOR	1,400.00	HOUR		\$	
4790	02742		TRAINEE PAYMENT REIMBURSEMENT IRONWORK	1,400.00	HOUR		\$	

Section: 0017 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
4800	02568		MOBILIZATION	1.00	LS		\$	
4810	02569		DEMOBILIZATION	1.00	LS		\$	