



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

October 24, 2023

CALL NO. 202
CONTRACT ID NO. 235320
ADDENDUM # 1

Subject: Henderson-Caldwell-McLean Counties, 121GR23D020-STP BRZ
Letting October 26, 2023

- (1) Revised - Notes - Pages 4 and 75-77 of 311
- (2) Revised - Material Summary - Pages 258-260 of 311
- (3) Revised - Proposal Bid Items - Pages 309-311 of 311

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

Rachel Mills,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

ADMINISTRATIVE DISTRICT - 02

CONTRACT ID - 235320

121GR23D020-STP BRZ

COUNTY - CALDWELL

PCN - BR01715922300

STP BRZ 9030 (426)

KY 1592 (MP 4.19) ADDRESS DEFICIENCIES OF KY 1592 OVER TOWERY BRANCH (017B00076N) (MP 4.27), A DISTANCE OF 0.08 MILES.BRIDGE REPLACEMENT SYP NO. 02-10065.00.

GEOGRAPHIC COORDINATES LATITUDE 37:18:44.00 LONGITUDE 87:50:37.00

ADT

COUNTY - HENDERSON

PCN - BR05101452300

STP BRZ 9030 (427)

KY 145 (MP 5.49) ADDRESS DEFICIENCIES OF KY 145 OVER BEAVER DAM CREEK (051B00119N) (MP 5.65), A DISTANCE OF 0.16 MILES.BRIDGE WITH GRADE, DRAIN & SURFACE SYP NO. 02-10091.00.

GEOGRAPHIC COORDINATES LATITUDE 37:42:25.00 LONGITUDE 87:41:46.00

ADT 561

COUNTY - MCLEAN

PCN - BR07500812300

STP BRZ 9030 (428)

KY 81 (MP 6.83) ADDRES DEFICIENCIES OF KY 81 OF SLOUGH (075B00025N) (MP 6.93), A DISTANCE OF 0.10 MILES.BRIDGE REPLACEMENT SYP NO. 02-10110.00.

GEOGRAPHIC COORDINATES LATITUDE 37:28:20.00 LONGITUDE 87:14:16.00

ADT 2,029

COMPLETION DATE(S):

COMPLETED BY 05/31/2025

APPLIES TO ENTIRE CONTRACT

90 CALENDAR Days

APPLIES TO BRIDGES 017B00076N & 051B00119N

120 CALENDAR Days

APPLIES TO BRIDGE 075B00025N

SPECIAL NOTE FOR CONTRACT COMPLETION DATE AND LIQUIDATED DAMAGES ON BRIDGE REPAIR CONTRACTS

2-10065 Caldwell County 017B00076N

I. COMPLETION DATE.

Upon Notice to Proceed, the Contractor has the option of selecting the Begin Work date. Once selected, notify the Department in writing of the date selected at least two weeks prior to beginning work and provide a proposed project schedule. All work is to be completed by the specified contract completion date. The Contractor is allotted 90 calendar days once work begins to complete all work to safely reopen the structure with no lane closures. At a minimum, prior to reopening the lane to traffic, all strength requirements and curing for materials used shall be completed per Division 600 of the Standard Specifications.

The Engineer will begin charging calendar days for a structure on the day the Contractor begins work, with the exception of placement of signs, regardless of holidays or seasonal weather limitations.

II. LIQUIDATED DAMAGES.

Liquidated damages will be assessed to the Contractor in accordance with the Transportation Cabinet, Department of Highway's current Standard Specifications for Road and Bridge Construction, Section 112.03.15A, when the lane closures are used beyond the allotted number of calendar days. Liquidated Damages will be assessed per the Standard Specification Section 108.09 when the contract time extends beyond the contract date.

Contrary to the Standard Specifications, liquidated damages will be assessed to the Contractor during the months of December, January, February and March when the contract time has expired on any individual bridge. Contract time will be charged during these months. All construction must be completed in accordance with the weather limitations specified in Section 606 and/or Section 601 as applicable. No extension of Contract time will be granted due to inclement weather or temperature limitations that occur due to starting work on the Contract or a structure late in the construction season.

SPECIAL NOTE FOR CONTRACT COMPLETION DATE AND LIQUIDATED DAMAGES ON BRIDGE REPAIR CONTRACTS

2-10091 Henderson County 051B00119N

I. COMPLETION DATE.

Upon Notice to Proceed, the Contractor has the option of selecting the Begin Work date. Once selected, notify the Department in writing of the date selected at least two weeks prior to beginning work and provide a proposed project schedule. All work is to be completed by the specified contract completion date. The Contractor is allotted 90 calendar days once the bridge is closed to complete all work to safely reopen the structure with no lane closures. At a minimum, prior to reopening the bridge to traffic, all strength requirements and curing for materials used shall be completed per Division 600 of the Standard Specifications. Guardrail shall be installed to the satisfaction of the Engineer prior to reopening the bridge to traffic unless prior approval is obtained from the engineer for use of temporary railing.

The Engineer will begin charging calendar days for a structure on the day the Contractor closes the structure to traffic, regardless of holidays or seasonal weather limitations.

II. LIQUIDATED DAMAGES.

Liquidated damages will be assessed to the Contractor in accordance with the Transportation Cabinet, Department of Highway's current Standard Specifications for Road and Bridge Construction, Section 108.09, when either the allotted number of calendar days or the specified completion date is exceeded.

~~Contrary to the Standard Specifications, liquidated damages will be assessed to the Contractor during the months of December, January, February and March when the contract time has expired on any individual bridge. Contract time will be charged during these months. All construction must be completed in accordance with the weather limitations specified in Section 606 and/or Section 601 as applicable. No extension of Contract time will be granted due to inclement weather or temperature limitations that occur due to starting work on the Contract or a structure late in the construction season.~~

Any approval of cold weather plans or allowance of construction operations to occur outside Section 606 and/or Section 601 does not alleviate the 90 day maximum bridge closure. In the event the closure lasts longer than 90 calendar days as specified, liquidated damages will apply to all excess days regardless of weather limitations.

SPECIAL NOTE FOR CONTRACT COMPLETION DATE AND LIQUIDATED DAMAGES ON BRIDGE REPAIR CONTRACTS

2-10110 McLean County 075B00025N

I. COMPLETION DATE.

Upon Notice to Proceed, the Contractor has the option of selecting the Begin Work date. Once selected, notify the Department in writing of the date selected at least two weeks prior to beginning work and provide a proposed project schedule. All work is to be completed by the specified contract completion date. The Contractor is allotted 120 calendar days once the bridge is closed to complete all work to safely reopen the structure with no lane closures. At a minimum, prior to reopening the bridge to traffic, all strength requirements and curing for materials used shall be completed per Division 600 of the Standard Specifications. Guardrail shall be installed to the satisfaction of the Engineer prior to reopening the bridge to traffic unless prior approval is obtained from the engineer for use of temporary railing.

The Engineer will begin charging calendar days for a structure on the day the Contractor closes the structure to traffic, regardless of holidays or seasonal weather limitations.

II. LIQUIDATED DAMAGES.

Liquidated damages will be assessed to the Contractor in accordance with the Transportation Cabinet, Department of Highway's current Standard Specifications for Road and Bridge Construction, Section 108.09, when either the allotted number of calendar days or the specified completion date is exceeded.

Contrary to the Standard Specifications, liquidated damages will be assessed to the Contractor during the months of December, January, February and March when the contract time has expired on any individual bridge. Contract time will be charged during these months. All construction must be completed in accordance with the weather limitations specified in Section 606 and/or Section 601 as applicable. No extension of Contract time will be granted due to inclement weather or temperature limitations that occur due to starting work on the Contract or a structure late in the construction season.

Any approval of cold weather plans or allowance of construction operations to occur outside Section 606 and/or Section 601 does not alleviate the 120 day maximum bridge closure. In the event the closure lasts longer than 120 calendar days as specified, liquidated damages will apply to all excess days regardless of weather limitations.

MATERIAL SUMMARY

CONTRACT ID: 235320

121GR23D020-STP BRZ

BR01715922300

KY 1592 ADDRESS DEFICIENCIES OF KY 1592 OVER TOWERY BRANCH (017B00076N) BRIDGE REPLACEMENT, A DISTANCE OF .08 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0005	00001	DGA BASE	348.00	TON
0010	00100	ASPHALT SEAL AGGREGATE	5.00	TON
0015	00103	ASPHALT SEAL COAT	1.00	TON
0020	00212	CL2 ASPH BASE 1.00D PG64-22	440.00	TON
0025	00301	CL2 ASPH SURF 0.38D PG64-22	70.00	TON
0030	00356	ASPHALT MATERIAL FOR TACK	2.00	TON
0035	01987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	4.00	EACH
0040	01990	DELINEATOR FOR BARRIER WALL-B/W	2.00	EACH
0045	02230	EMBANKMENT IN PLACE	945.00	CUYD
0050	02351	GUARDRAIL-STEEL W BEAM-S FACE	100.00	LF
0055	02367	GUARDRAIL END TREATMENT TYPE 1	4.00	EACH
0060	02429	RIGHT-OF-WAY MONUMENT TYPE 1	9.00	EACH
0065	02432	WITNESS POST	9.00	EACH
0070	02545	CLEARING AND GRUBBING - APPROX LESS THAN 1 ACRE	1.00	LS
0075	02650	MAINTAIN & CONTROL TRAFFIC	1.00	LS
0080	02671	PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH
0085	02726	STAKING	1.00	LS
0090	02731	REMOVE STRUCTURE	1.00	LS
0095	03299	ARMORED EDGE FOR CONCRETE	48.00	LF
0100	06514	PAVE STRIPING-PERM PAINT-4 IN	880.00	LF
0105	08003	FOUNDATION PREPARATION	1.00	LS
0110	08019	CYCLOPEAN STONE RIP RAP	392.00	TON
0115	08033	TEST PILES	130.00	LF
0120	08046	PILES-STEEL HP12X53	484.40	LF
0125	08094	PILE POINTS-12 IN	10.00	EACH
0130	08100	CONCRETE-CLASS A	36.40	CUYD
0135	08104	CONCRETE-CLASS AA	24.40	CUYD
0140	08151	STEEL REINFORCEMENT-EPOXY COATED	7,432.00	LB
0145	08664	PRECAST PC BOX BEAM CB27-48	363.00	LF
0150	20191ED	OBJECT MARKER TY 3	4.00	EACH
0155	20550ND	SAWCUT PAVEMENT	36.00	LF
0160	21415ND	EROSION CONTROL	1.00	LS
0165	23378EC	CONCRETE SEALING	2,641.00	SQFT
0170	25017ED	RAIL SYSTEM SIDE MOUNTED MGS	109.00	LF
0175	02568	MOBILIZATION	1.00	LS
0180	02569	DEMOBILIZATION	1.00	LS

CONTRACT ID: 235320

121GR23D020-STP BRZ

BR05101452300

KY 145 ADDRESS DEFICIENCIES OF KY 145 OVER BEAVER DAM CREEK (051B00119N) BRIDGE WITH GRADE, DRAIN & SURFACE A DISTANCE OF .16 MILES

MATERIAL SUMMARY

DRAWING SCALE: 1"=40' DISTANCE OF 1/4"=10' MILES:

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0185	00001	DGA BASE	617.00	TON
0190	00020	TRAFFIC BOUND BASE	72.00	TON
0195	00100	ASPHALT SEAL AGGREGATE	2.30	TON
0200	00103	ASPHALT SEAL COAT	.50	TON
0205	00212	CL2 ASPH BASE 1.00D PG64-22	1,196.00	TON
0210	00301	CL2 ASPH SURF 0.38D PG64-22	167.00	TON
0215	00441	ENTRANCE PIPE-18 IN	44.00	LF
0220	02200	ROADWAY EXCAVATION	1,690.00	CUYD
0225	02351	GUARDRAIL-STEEL W BEAM-S FACE	135.00	LF
0230	02360	GUARDRAIL TERMINAL SECTION NO 1	1.00	EACH
0235	02367	GUARDRAIL END TREATMENT TYPE 1	3.00	EACH
0240	02429	RIGHT-OF-WAY MONUMENT TYPE 1	7.00	EACH
0245	02545	CLEARING AND GRUBBING - APPROX LESS THAN 1 ACRE	1.00	LS
0250	02585	EDGE KEY	40.00	LF
0255	02603	FABRIC-GEOTEXTILE CLASS 2	61.00	SQYD
0260	02610	RETAINING WALL-GABION	42.00	CUYD
0265	02650	MAINTAIN & CONTROL TRAFFIC	1.00	LS
0270	02671	PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH
0275	02726	STAKING	1.00	LS
0280	02731	REMOVE STRUCTURE	1.00	LS
0285	03299	ARMORED EDGE FOR CONCRETE	68.00	LF
0290	06514	PAVE STRIPING-PERM PAINT-4 IN	3,020.00	LF
0295	08003	FOUNDATION PREPARATION	1.00	LS
0300	08019	CYCLOPEAN STONE RIP RAP	490.00	TON
0305	08033	TEST PILES	75.00	LF
0310	08046	PILES-STEEL HP12X53	383.00	LF
0315	08094	PILE POINTS-12 IN	13.00	EACH
0320	08100	CONCRETE-CLASS A	57.10	CUYD
0325	08104	CONCRETE-CLASS AA	85.00	CUYD
0330	08151	STEEL REINFORCEMENT-EPOXY COATED	19,597.00	LB
0335	08670	PRECAST PC BOX BEAM SB27	266.00	LF
0340	14005	W ENCASEMENT CONCRETE	40.00	LF
0345	14022	W FLUSH HYDRANT ASSEMBLY	1.00	EACH
0350	14060	W PIPE PVC 08 INCH	637.00	LF
0355	14066	W PIPE PVC SPECIAL	160.00	LF
0360	14095	W TIE-IN 08 INCH	2.00	EACH
0365	14106	W VALVE 08 INCH	2.00	EACH
0370	14118	W VALVE CUT-IN 08 INCH	1.00	EACH
0375	14153	W LEAK DETECTION METER	1.00	EACH
0380	20191ED	OBJECT MARKER TY 3	3.00	EACH
0385	21415ND	EROSION CONTROL	1.00	LS
0390	22883EN	CONCRETE WEDGE CURB	200.50	LF
0395	23378EC	CONCRETE SEALING	4,013.00	SQFT
0400	25028ED	RAIL SYSTEM SINGLE SLOPE - 40 IN	139.00	LF
0405	25078ED	THRIE BEAM GUARDRAIL TRANSITION TL-3	4.00	EACH
0410	02568	MOBILIZATION	1.00	LS
0415	02569	DEMOBILIZATION	1.00	LS
0420	00356	ASPHALT MATERIAL FOR TACK - (ADDED 10-24-24)	.60	TON

MATERIAL SUMMARY

CONTRACT ID: 235320

121GR23D020-STP BRZ

BR07500812300

KY 81 ADDRESS DEFICIENCIES OF KY 81 OF SLOUGH (075B00025N) BRIDGE REPLACEMENT, A DISTANCE OF .1 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0420	00003	CRUSHED STONE BASE	326.00	TON
0425	00020	TRAFFIC BOUND BASE	26.00	TON
0430	00100	ASPHALT SEAL AGGREGATE	8.00	TON
0435	00103	ASPHALT SEAL COAT	1.00	TON
0440	00212	CL2 ASPH BASE 1.00D PG64-22	259.00	TON
0445	00301	CL2 ASPH SURF 0.38D PG64-22	38.00	TON
0450	00356	ASPHALT MATERIAL FOR TACK	1.00	TON
0455	01987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	9.00	EACH
0460	02230	EMBANKMENT IN PLACE	504.00	CUYD
0465	02351	GUARDRAIL-STEEL W BEAM-S FACE	425.00	LF
0470	02360	GUARDRAIL TERMINAL SECTION NO 1	1.00	EACH
0475	02367	GUARDRAIL END TREATMENT TYPE 1	3.00	EACH
0480	02381	REMOVE GUARDRAIL	403.00	LF
0485	02429	RIGHT-OF-WAY MONUMENT TYPE 1	9.00	EACH
0490	02432	WITNESS POST	3.00	EACH
0495	02545	CLEARING AND GRUBBING - APPROX. LESS THAN 1 ACRE	1.00	LS
0500	02585	EDGE KEY	47.00	LF
0505	02650	MAINTAIN & CONTROL TRAFFIC	1.00	LS
0510	02671	PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH
0515	02677	ASPHALT PAVE MILLING & TEXTURING	19.00	TON
0520	02726	STAKING	1.00	LS
0525	02731	REMOVE STRUCTURE	1.00	LS
0530	03299	ARMORED EDGE FOR CONCRETE	64.00	LF
0535	04933	TEMP SIGNAL 2 PHASE	2.00	EACH
0540	06514	PAVE STRIPING-PERM PAINT-4 IN	1,030.00	LF
0545	08003	FOUNDATION PREPARATION	1.00	LS
0550	08019	CYCLOPEAN STONE RIP RAP	396.00	TON
0555	08033	TEST PILES	206.00	LF
0560	08051	PILES-STEEL HP14X89	980.00	LF
0565	08100	CONCRETE-CLASS A	42.00	CUYD
0570	08104	CONCRETE-CLASS AA	32.00	CUYD
0575	08151	STEEL REINFORCEMENT-EPOXY COATED	7,931.00	LB
0580	08663	PRECAST PC BOX BEAM CB21-48	432.00	LF
0585	20191ED	OBJECT MARKER TY 3	3.00	EACH
0590	20550ND	SAWCUT PAVEMENT	350.00	LF
0595	21415ND	EROSION CONTROL	1.00	LS
0600	23378EC	CONCRETE SEALING	2,347.00	SQFT
0605	25017ED	RAIL SYSTEM SIDE MOUNTED MGS	94.00	LF
0610	02568	MOBILIZATION	1.00	LS
0615	02569	DEMOBILIZATION	1.00	LS

PROPOSAL BID ITEMS

Report Date 10/24/23

Section: 0001 - BRIDGE - 017B00076N

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	348.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	5.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	1.00	TON		\$	
0040	00212		CL2 ASPH BASE 1.00D PG64-22	440.00	TON		\$	
0050	00301		CL2 ASPH SURF 0.38D PG64-22	70.00	TON		\$	
0060	00356		ASPHALT MATERIAL FOR TACK	2.00	TON		\$	
0070	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	4.00	EACH		\$	
0080	01990		DELINEATOR FOR BARRIER WALL-B/W	2.00	EACH		\$	
0090	02230		EMBANKMENT IN PLACE	945.00	CUYD		\$	
0100	02351		GUARDRAIL-STEEL W BEAM-S FACE	100.00	LF		\$	
0110	02367		GUARDRAIL END TREATMENT TYPE 1	4.00	EACH		\$	
0120	02429		RIGHT-OF-WAY MONUMENT TYPE 1	9.00	EACH		\$	
0130	02432		WITNESS POST	9.00	EACH		\$	
0140	02545		CLEARING AND GRUBBING APPROX LESS THAN 1 ACRE	1.00	LS		\$	
0150	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0160	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0170	02726		STAKING	1.00	LS		\$	
0180	02731		REMOVE STRUCTURE	1.00	LS		\$	
0190	03299		ARMORED EDGE FOR CONCRETE	48.00	LF		\$	
0200	06514		PAVE STRIPING-PERM PAINT-4 IN	880.00	LF		\$	
0210	08003		FOUNDATION PREPARATION	1.00	LS		\$	
0220	08019		CYCLOPEAN STONE RIP RAP	392.00	TON		\$	
0230	08033		TEST PILES	130.00	LF		\$	
0240	08046		PILES-STEEL HP12X53	484.40	LF		\$	
0250	08094		PILE POINTS-12 IN	10.00	EACH		\$	
0260	08100		CONCRETE-CLASS A	36.40	CUYD		\$	
0270	08104		CONCRETE-CLASS AA	24.40	CUYD		\$	
0280	08151		STEEL REINFORCEMENT-EPOXY COATED	7,432.00	LB		\$	
0290	08664		PRECAST PC BOX BEAM CB27-48	363.00	LF		\$	
0300	20191ED		OBJECT MARKER TY 3	4.00	EACH		\$	
0310	20550ND		SAWCUT PAVEMENT	36.00	LF		\$	
0320	21415ND		EROSION CONTROL	1.00	LS		\$	
0330	23378EC		CONCRETE SEALING	2,641.00	SQFT		\$	
0340	25017ED		RAIL SYSTEM SIDE MOUNTED MGS	109.00	LF		\$	

Section: 0002 - BRIDGE - 051B00119N

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0350	00001		DGA BASE	617.00	TON		\$	
0360	00020		TRAFFIC BOUND BASE	72.00	TON		\$	
0370	00100		ASPHALT SEAL AGGREGATE	2.30	TON		\$	
0380	00103		ASPHALT SEAL COAT	.50	TON		\$	
0390	00212		CL2 ASPH BASE 1.00D PG64-22	1,196.00	TON		\$	
0400	00301		CL2 ASPH SURF 0.38D PG64-22	167.00	TON		\$	

PROPOSAL BID ITEMS

Report Date 10/24/23

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0405	00356		ASPHALT MATERIAL FOR TACK (ADDED 10-24-24)	.60	TON		\$	
0410	00441		ENTRANCE PIPE-18 IN	44.00	LF		\$	
0420	02200		ROADWAY EXCAVATION	1,690.00	CUYD		\$	
0430	02351		GUARDRAIL-STEEL W BEAM-S FACE	135.00	LF		\$	
0440	02360		GUARDRAIL TERMINAL SECTION NO 1	1.00	EACH		\$	
0450	02367		GUARDRAIL END TREATMENT TYPE 1	3.00	EACH		\$	
0460	02429		RIGHT-OF-WAY MONUMENT TYPE 1	7.00	EACH		\$	
0470	02545		CLEARING AND GRUBBING APPROX LESS THAN 1 ACRE	1.00	LS		\$	
0480	02585		EDGE KEY	40.00	LF		\$	
0490	02603		FABRIC-GEOTEXTILE CLASS 2	61.00	SQYD		\$	
0500	02610		RETAINING WALL-GABION	42.00	CUYD		\$	
0510	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0520	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0530	02726		STAKING	1.00	LS		\$	
0540	02731		REMOVE STRUCTURE	1.00	LS		\$	
0550	03299		ARMORED EDGE FOR CONCRETE	68.00	LF		\$	
0560	06514		PAVE STRIPING-PERM PAINT-4 IN	3,020.00	LF		\$	
0570	08003		FOUNDATION PREPARATION	1.00	LS		\$	
0580	08019		CYCLOPEAN STONE RIP RAP	490.00	TON		\$	
0590	08033		TEST PILES	75.00	LF		\$	
0600	08046		PILES-STEEL HP12X53	383.00	LF		\$	
0610	08094		PILE POINTS-12 IN	13.00	EACH		\$	
0620	08100		CONCRETE-CLASS A	57.10	CUYD		\$	
0630	08104		CONCRETE-CLASS AA	85.00	CUYD		\$	
0640	08151		STEEL REINFORCEMENT-EPOXY COATED	19,597.00	LB		\$	
0650	08670		PRECAST PC BOX BEAM SB27	266.00	LF		\$	
0660	14005		W ENCASMENT CONCRETE	40.00	LF		\$	
0670	14022		W FLUSH HYDRANT ASSEMBLY	1.00	EACH		\$	
0680	14060		W PIPE PVC 08 INCH	637.00	LF		\$	
0690	14066		W PIPE PVC SPECIAL	160.00	LF		\$	
0700	14095		W TIE-IN 08 INCH	2.00	EACH		\$	
0710	14106		W VALVE 08 INCH	2.00	EACH		\$	
0720	14118		W VALVE CUT-IN 08 INCH	1.00	EACH		\$	
0730	14153		W LEAK DETECTION METER	1.00	EACH		\$	
0740	20191ED		OBJECT MARKER TY 3	3.00	EACH		\$	
0750	21415ND		EROSION CONTROL	1.00	LS		\$	
0760	22883EN		CONCRETE WEDGE CURB	200.50	LF		\$	
0770	23378EC		CONCRETE SEALING	4,013.00	SQFT		\$	
0780	25028ED		RAIL SYSTEM SINGLE SLOPE - 40 IN	139.00	LF		\$	
0790	25078ED		THRIE BEAM GUARDRAIL TRANSITION TL-3	4.00	EACH		\$	

Section: 0003 - BRIDGE - 075B00025N

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0800	00003		CRUSHED STONE BASE	326.00	TON		\$	
0810	00020		TRAFFIC BOUND BASE	26.00	TON		\$	
0820	00100		ASPHALT SEAL AGGREGATE	8.00	TON		\$	

PROPOSAL BID ITEMS

Report Date 10/24/23

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0830	00103		ASPHALT SEAL COAT	1.00	TON		\$	
0840	00212		CL2 ASPH BASE 1.00D PG64-22	259.00	TON		\$	
0850	00301		CL2 ASPH SURF 0.38D PG64-22	38.00	TON		\$	
0860	00356		ASPHALT MATERIAL FOR TACK	1.00	TON		\$	
0870	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	9.00	EACH		\$	
0880	02230		EMBANKMENT IN PLACE	504.00	CUYD		\$	
0890	02351		GUARDRAIL-STEEL W BEAM-S FACE	425.00	LF		\$	
0900	02360		GUARDRAIL TERMINAL SECTION NO 1	1.00	EACH		\$	
0910	02367		GUARDRAIL END TREATMENT TYPE 1	3.00	EACH		\$	
0920	02381		REMOVE GUARDRAIL	403.00	LF		\$	
0930	02429		RIGHT-OF-WAY MONUMENT TYPE 1	9.00	EACH		\$	
0940	02432		WITNESS POST	3.00	EACH		\$	
0950	02545		CLEARING AND GRUBBING APPROX. LESS THAN 1 ACRE	1.00	LS		\$	
0960	02585		EDGE KEY	47.00	LF		\$	
0970	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0980	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0990	02677		ASPHALT PAVE MILLING & TEXTURING	19.00	TON		\$	
1000	02726		STAKING	1.00	LS		\$	
1010	02731		REMOVE STRUCTURE	1.00	LS		\$	
1020	03299		ARMORED EDGE FOR CONCRETE	64.00	LF		\$	
1030	04933		TEMP SIGNAL 2 PHASE	2.00	EACH		\$	
1040	06514		PAVE STRIPING-PERM PAINT-4 IN	1,030.00	LF		\$	
1050	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1060	08019		CYCLOPEAN STONE RIP RAP	396.00	TON		\$	
1070	08033		TEST PILES	206.00	LF		\$	
1080	08051		PILES-STEEL HP14X89	980.00	LF		\$	
1090	08100		CONCRETE-CLASS A	42.00	CUYD		\$	
1100	08104		CONCRETE-CLASS AA	32.00	CUYD		\$	
1110	08151		STEEL REINFORCEMENT-EPOXY COATED	7,931.00	LB		\$	
1120	08663		PRECAST PC BOX BEAM CB21-48	432.00	LF		\$	
1130	20191ED		OBJECT MARKER TY 3	3.00	EACH		\$	
1140	20550ND		SAWCUT PAVEMENT	350.00	LF		\$	
1150	21415ND		EROSION CONTROL	1.00	LS		\$	
1160	23378EC		CONCRETE SEALING	2,347.00	SQFT		\$	
1170	25017ED		RAIL SYSTEM SIDE MOUNTED MGS	94.00	LF		\$	

Section: 0004 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1180	02568		MOBILIZATION	1.00	LS		\$	
1190	02569		DEMOBILIZATION	1.00	LS		\$	