



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

October 23, 2023

CALL NO. 203
CONTRACT ID NO. 234107
ADDENDUM # 1

Subject: Russell County, 104GR23T030-HSIP & FE04
Letting October 26, 2023

- (1) Revised - Material Summary - Pages 107-109 of 295
- (2) Revised - Summary Sheets - Pages 127-130 and 137 of 295
- (3) Proposal Bid Items - Pages 293-295a of 295

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

Rachel Mills,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

MATERIAL SUMMARY

CONTRACT ID: 234107

104GR23T030-HSIP & FE04

0810401272301

US HIGHWAY 127 (US 127) BEGINNING 0.2 MILES NORTH OF THE INTERSECTION WITH THE CUMBERLAND PARKWAY EXTENDING NORTH TO 0.1 MILES NORTH OF KY 80. WIDENING, A DISTANCE OF 1 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0005	00003	CRUSHED STONE BASE - (REVISED 10-23-23)	6,038.00	TON
0010	00100	ASPHALT SEAL AGGREGATE	70.00	TON
0015	00103	ASPHALT SEAL COAT	8.40	TON
0020	00190	LEVELING & WEDGING PG64-22	77.00	TON
0025	00212	CL2 ASPH BASE 1.00D PG64-22	1,261.00	TON
0030	00214	CL3 ASPH BASE 1.00D PG64-22	2,499.00	TON
0035	00301	CL2 ASPH SURF 0.38D PG64-22 - (REVISED 10-23-23)	594.00	TON
0040	00356	ASPHALT MATERIAL FOR TACK	27.00	TON
0045	00388	CL3 ASPH SURF 0.38B PG64-22 - (REVISED 10-23-23)	3,636.00	TON
0050	02676	MOBILIZATION FOR MILL & TEXT	1.00	LS
0055	02677	ASPHALT PAVE MILLING & TEXTURING - (REVISED 10-23-23)	3,674.00	TON
0060	00441	ENTRANCE PIPE-18 IN	6.00	LF
0065	00462	CULVERT PIPE-18 IN	59.00	LF
0070	01391	METAL END SECTION TY 3-18 IN	2.00	EACH
0075	01630	REMOVE MEDIAN BOX INLET	2.00	EACH
0080	01921	STANDARD BARRIER MEDIAN TYPE 4	22.00	SQYD
0085	02014	BARRICADE-TYPE III	4.00	EACH
0090	02016	REMOVE CONCRETE ISLAND	1,409.00	SQYD
0095	02159	TEMP DITCH	3,200.00	LF
0100	02160	CLEAN TEMP DITCH	1,600.00	LF
0105	02562	TEMPORARY SIGNS	450.00	SQFT
0110	02650	MAINTAIN & CONTROL TRAFFIC - (RUSSELL US 127 HSIP)	1.00	LS
0115	02671	PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH
0120	02690	SAFELOADING	6.40	CUYD
0125	02701	TEMP SILT FENCE	3,200.00	LF
0130	02703	SILT TRAP TYPE A	8.00	EACH
0135	02704	SILT TRAP TYPE B	8.00	EACH
0140	02705	SILT TRAP TYPE C	8.00	EACH
0145	02706	CLEAN SILT TRAP TYPE A	8.00	EACH
0150	02707	CLEAN SILT TRAP TYPE B	8.00	EACH
0155	02708	CLEAN SILT TRAP TYPE C	8.00	EACH
0160	02720	SIDEWALK-4 IN CONCRETE	202.00	SQYD
0165	02726	STAKING - (RUSSELL US 127 HSIP)	1.00	LS
0170	05950	EROSION CONTROL BLANKET	1,890.00	SQYD
0175	05952	TEMP MULCH	23,373.00	SQYD
0180	05953	TEMP SEEDING AND PROTECTION	17,529.00	SQYD
0185	05963	INITIAL FERTILIZER	1.90	TON
0190	05964	MAINTENANCE FERTILIZER	1.10	TON
0195	05985	SEEDING AND PROTECTION	33,168.00	SQYD
0200	05992	AGRICULTURAL LIMESTONE	22.00	TON
0205	06510	PAVE STRIPING-TEMP PAINT-4 IN	49,967.00	LF
0210	06542	PAVE STRIPING-THERMO-6 IN W - (REVISED 10-23-23)	24,453.00	LF

MATERIAL SUMMARY

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0215	06543	PAVE STRIPING-THERMO-6 IN Y - (REVISED 10-23-23)	20,210.00	LF
0220	06546	PAVE STRIPING-THERMO-12 IN W	247.00	LF
0225	06566	PAVE MARKING-THERMO X-WALK-12 IN	577.00	LF
0230	06568	PAVE MARKING-THERMO STOP BAR-24IN	438.00	LF
0235	06569	PAVE MARKING-THERMO CROSS-HATCH	1,155.00	SQFT
0240	06574	PAVE MARKING-THERMO CURV ARROW	71.00	EACH
0245	06575	PAVE MARKING-THERMO COMB ARROW	5.00	EACH
0250	08100	CONCRETE-CLASS A	1.13	CUYD
0255	10020NS	FUEL ADJUSTMENT - (REVISED 10-23-23)	14,729.00	DOLL
0260	10030NS	ASPHALT ADJUSTMENT - (REVISED 10-23-23)	31,539.00	DOLL
0265	21134ND	REMOVE-STORE AND REINSTALL SIGN	7.00	EACH
0270	21289ED	LONGITUDINAL EDGE KEY	6,552.00	LF
0275	23010EN	PAVE MARK TEMP PAINT STOP BAR-24 IN	438.00	LF
0280	23158ES505	DETECTABLE WARNINGS	149.00	SQFT
0285	23398EC	STRUCTURAL SIDEWALK - (WITH DRAIN)	11.00	SQYD
0290	23608EC	YELLOW PAINT FOR MEDIAN SAFETY NOSE	90.00	SQFT
0295	24679ED	PAVE MARK THERMO CHEVRON	953.00	SQFT
0300	24683ED	PAVE MARKING-THERMO DOTTED LANE EXTEN - (6 IN)	452.00	LF
0305	26175EC	ROADSIDE REGRADING	10,951.00	LF
0310	06406	SBM ALUM SHEET SIGNS .080 IN	551.32	SQFT
0315	06407	SBM ALUM SHEET SIGNS .125 IN	81.00	SQFT
0320	06410	STEEL POST TYPE 1	1,100.00	LF
0325	06490	CLASS A CONCRETE FOR SIGNS	.25	CUYD
0330	21373ND	REMOVE SIGN	69.00	EACH
0335	21596ND	GMSS TYPE D	1.00	EACH
0340	24631EC	BARCODE SIGN INVENTORY	141.00	EACH
0345	02351	GUARDRAIL-STEEL W BEAM-S FACE	712.50	LF
0350	02367	GUARDRAIL END TREATMENT TYPE 1	6.00	EACH
0355	02381	REMOVE GUARDRAIL	1,083.00	LF
0360	04793	CONDUIT-1 1/4 IN	80.00	LF
0365	04795	CONDUIT-2 IN	20.00	LF
0370	04811	ELECTRICAL JUNCTION BOX TYPE B	2.00	EACH
0375	04820	TRENCHING AND BACKFILLING	90.00	LF
0380	04829	PIEZOELECTRIC SENSOR	5.00	EACH
0385	04830	LOOP WIRE	2,300.00	LF
0390	04895	LOOP SAW SLOT AND FILL	580.00	LF
0395	20360ES818	WOOD POST	2.00	EACH
0400	20468EC	ELECTRICAL JUNCTION BOX-10 X 8 X 4	2.00	EACH
0405	02569	DEMOBILIZATION	1.00	LS

MATERIAL SUMMARY

CONTRACT ID: 234107

104GR23T030-HSIP & FE04

0810401272302

US HIGHWAY 127 (US 127) BEGINNING 0.2 MILES NORTH OF THE INTERSECTION WITH THE CUMBERLAND PARKWAY EXTENDING NORTH TO 0.1 MILES NORTH OF KY 80. TRAFFIC SIGNAL SYSTEMS, A DISTANCE OF 1 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0410	04793	CONDUIT-1 1/4 IN	200.00	LF
0415	04795	CONDUIT-2 IN	150.00	LF
0420	04811	ELECTRICAL JUNCTION BOX TYPE B	3.00	EACH
0425	04820	TRENCHING AND BACKFILLING	150.00	LF
0430	04844	CABLE-NO. 14/5C	2,450.00	LF
0435	04845	CABLE-NO. 14/7C	2,450.00	LF
0440	04884	ANCHOR	4.00	EACH
0445	04885	MESSENGER-10800 LB	550.00	LF
0450	04932	INSTALL STEEL STRAIN POLE	4.00	EACH
0455	04953	TEMP RELOCATION OF SIGNAL HEAD	47.00	EACH
0460	20093NS835	INSTALL PEDESTRIAN HEAD-LED	8.00	EACH
0465	20188NS835	INSTALL LED SIGNAL-3 SECTION	20.00	EACH
0470	20266ES835	INSTALL LED SIGNAL- 4 SECTION	10.00	EACH
0475	20390NS835	INSTALL COORDINATING UNIT	1.00	EACH
0480	21743NN	INSTALL PEDESTRIAN DETECTOR	8.00	EACH
0485	23157EN	TRAFFIC SIGNAL POLE BASE	20.00	CUYD
0490	23235EC	INSTALL PEDESTAL POST	5.00	EACH
0495	24900EC	PVC CONDUIT-1 1/4 IN-SCHEDULE 80	50.00	LF
0500	24901EC	PVC CONDUIT-2 IN-SCHEDULE 80	80.00	LF
0505	24908EC	INSTALL SIGNAL CONTROLLER-TY ATC	1.00	EACH
0510	24955ED	REMOVE SIGNAL EQUIPMENT	3.00	EACH
0515	26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	12.00	EACH
0520	26120EC	INSTALL RADAR ADVANCE DETECTOR TYPE B	3.00	EACH
0525	02569	DEMOBILIZATION	1.00	LS

RUSSELL CO. ITEM NO. 8-952 (HSIP US 127 IMPROVEMENTS)

GENERAL SUMMARY			
ITEM	DESCRIPTION	UNIT	QUANTITY
0003	CRUSHED STONE BASE	TON	6,038
0100	ASPHALT SEAL AGGREGATE	TON	70
0103	ASPHALT SEAL COAT	TON	8.4
0190	LEVELING & WEDGING PG64-22	TON	77
0212	CL2 ASPH BASE 1.00D PG64-22	TON	1,261
0214	CL3 ASPH BASE 1.00D PG64-22	TON	2,499
0301	CL2 ASPH SURF 0.38D PG64-22	TON	594
0356	ASPHALT MATERIAL FOR TACK	TON	27
0388	CL3 ASPH SURF 0.38B PG64-22	TON	3,636
2676	MOBILIZATION FOR MILL & TEXT	LS	1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	3,674
0441	ENTRANCE PIPE-18 IN	LF	6
0462	CULVERT PIPE-18 IN	LF	59
1391	METAL END SECTION TY 3-18 IN	EACH	2
1630	REMOVE MEDIAN BOX INLET	EACH	2
1921	STANDARD BARRIER MEDIAN TYPE 4	SQYD	22
2014	BARRICADE-TYPE III	EACH	4
2016	REMOVE CONCRETE ISLAND	SQYD	1,409
2159	TEMP DITCH	LF	3,200
2160	CLEAN TEMP DITCH	LF	1,600
2351	GUARDRAIL-STEEL W BEAM-S FACE	LF	712.5
2367	GUARDRAIL END TREATMENT TYPE 1	EACH	6
2381	REMOVE GUARDRAIL	LF	1,083
2562	TEMPORARY SIGNS	SQFT	450
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2
2690	SAFELOADING	CUYD	6.4
2701	TEMP SILT FENCE	LF	3,200
2703	SILT TRAP TYPE A	EACH	8
2704	SILT TRAP TYPE B	EACH	8
2705	SILT TRAP TYPE C	EACH	8
2706	CLEAN SILT TRAP TYPE A	EACH	8
2707	CLEAN SILT TRAP TYPE B	EACH	8
2708	CLEAN SILT TRAP TYPE C	EACH	8
2720	SIDEWALK-4 IN CONCRETE	SQYD	202
2726	STAKING	LS	1
5950	EROSION CONTROL BLANKET	SQYD	1,890
5952	TEMP MULCH	SQYD	23,373
5953	TEMP SEEDING AND PROTECTION	SQYD	17,529
5963	INITIAL FERTILIZER	TON	1.9

GENERAL SUMMARY			
ITEM	DESCRIPTION	UNIT	QUANTITY
5964	MAINTENANCE FERTILIZER	TON	1.1
5985	SEEDING AND PROTECTION	SQYD	33,168
5992	AGRICULTURAL LIMESTONE	TON	22.0
6510	PAVE STRIPING-TEMP PAINT-4 IN	LF	49,967
6542	PAVE STRIPING-THERMO-6 IN W	LF	24,453
6543	PAVE STRIPING-THERMO-6 IN Y	LF	20,210
6546	PAVE STRIPING-THERMO-12 IN W	LF	247
6566	PAVE MARKING-THERMO X-WALK-12 IN	LF	577
6568	PAVE MARKING-THERMO STOP BAR-24 IN	LF	438
6569	PAVE MARKING-THERMO CROSS-HATCH	SQFT	1,155
6574	PAVE MARKING-THERMO CURV ARROW	EACH	71
6575	PAVE MARKING-THERMO COMB ARROW	EACH	5
8100	CONCRETE-CLASS A ③	CUYD	1.13
10020NS	FUEL ADJUSTMENT	DOLL	14,729
10030NS	ASPHALT ADJUSTMENT	DOLL	31,539
21289ED	LONGITUDINAL EDGE KEY	LF	6,552
23010EN	PAVE MARK TEMP PAINT STOP BAR-24 IN	LF	438
23158ES505	DETECTABLE WARNINGS	SQFT	149
23398EC	STRUCTURAL SIDEWALK WITH DRAIN	SQYD	11
23608EC	YELLOW PAINT FOR MEDIAN SAFETY NOSE	SQFT	90
24679ED	PAVE MARK THERMO CHEVRON	SQFT	953
24683ED	PAVE MARKING-THERMO DOTTED LANE EXTEN (6 IN)	LF	452
26175EC	ROADSIDE REGRADING	LF	10,951
6406	SBM ALUM SHEET SIGNS .080 IN	SQFT	551.32
6407	SBM ALUM SHEET SIGNS .125 IN	SQFT	81.00
6410	STEEL POST TYPE 1	LF	1,100
6490	CLASS A CONCRETE FOR SIGNS	CUYD	0.25
21134ND	REMOVE-STORE AND REINSTALL SIGN	EACH	7
21373ND	REMOVE SIGN	EACH	69
21596ND	GMSS TYPE D	EACH	1
24631EC	BARCODE SIGN INVENTORY	EACH	141
4793	CONDUIT 1 1/4 INCH	LF	80
4795	CONDUIT 2 INCH	LF	20
4811	ELECTRICAL JUNCTION BOX TYPE B	EACH	2
4820	TRENCHING AND BACKFILLING	LF	90
4829	PIEZOELECTRIC SENSOR	EACH	5
4830	LOOP WIRE	LF	2,300
4895	LOOP SAW SLOT AND FILL	LF	580
20360ES818	WOOD POST	EACH	2
20468EC	ELECTRICAL JUNCTION BOX 10x8x4	EACH	2

GENERAL SUMMARY			
ITEM	DESCRIPTION	UNIT	QUANTITY
2569	DEMOBILIZATION	LS	1

NOTES:

All item quantities on the following Summary pages have been carried over to this General Summary.

- ① Flowable fill backfill required (incidental to pipe).
- ② For removal of ex. CBI's in concrete median island. Top phase of CBI to be removed down to approximate elevation of ex. asphalt base under concrete island; flowable fill (incidental to this item) to be placed in remaining chamber.
- ③ For Intermediate Anchor at connection of existing 18" pipe to new pipe extension.

RUSSELL CO. ITEM NO. 8-952 (HSIP - US 127 TWLTL)

PAVING AREAS SUMMARY

Depth (Inch)	ITEM DESCRIPTION	UNIT	US 127	KY 619	BERNARD	CHARLES PECK DR	SHOPPING CENTER	STEVE DR. CONN.	KY 80	PROJECT TOTAL
	<u>US 127:</u>									
1.50	CL3 ASPH SURF 0.38B PG64-22	SQYD	34958							34,958
3.00	CL3 ASPH BASE 1.00D PG64-22 (top base course) ①	SQYD	5736							5,736
3.00	CL3 ASPH BASE 1.00D PG64-22 (mid course)	SQYD	3426							3,426
3.00	CL3 ASPH BASE 1.00D PG64-22 (bottom course)	SQYD	3902							3,902
4.50	CL3 ASPH BASE 1.00D PG64-22 (refill island area) ③	SQYD	1,387							1,387
Various	CRUSHED STONE BASE	CUFT	57890							57,890
1.00 avg.	LEVELING & WEDGING PG64-22 (refill island area) ③	SQYD	1,387							1,387
1.50	ASPHALT PAVE MILLING & TEXTURING	SQYD	30510							30,510
	<u>KY 619:</u>									
1.50	CL2 ASPH SURF 0.38D PG64-22	SQYD		6381						6,381
3.00	CL2 ASPH BASE 1.00D PG62-22 (top base course)	SQYD		5971						5,971
3.00	CL2 ASPH BASE 1.00D PG62-22 (bottom course)	SQYD		1231						1,231
Various	CRUSHED STONE BASE	CUFT		17959						17,959
1.50	ASPHALT PAVE MILLING & TEXTURING	SQYD		4117						4,117
	<u>BERNARD/CHARLES PECK DR:</u>									
1.50	CL2 ASPH SURF 0.38D PG64-22	SQYD			331	477				808
3.00	CL2 ASPH BASE 1.00D PG62-22 (top base course)	SQYD			69	205				274
3.00	CL2 ASPH BASE 1.00D PG62-22 (bottom course)	SQYD				118				118
Various	CRUSHED STONE BASE	CUFT			76	2811				2,887
1.50	ASPHALT PAVE MILLING & TEXTURING	SQYD			331	448				779
	<u>SHOPPING CENTER:</u>									
1.50	CL3 ASPH SURF 0.38B PG64-22	SQYD					77			77
1.50	ASPHALT PAVE MILLING & TEXTURING	SQYD					77			77
	<u>STEVE DR. CONN:</u>									
1.50	CL3 ASPH SURF 0.38B PG64-22	SQYD						113		113
1.50	ASPHALT PAVE MILLING & TEXTURING	SQYD						113		113
	<u>KY 80:</u>									
1.50	CL3 ASPH SURF 0.38B PG64-22	SQYD							8,896	8,896
1.50	ASPHALT PAVE MILLING & TEXTURING	SQYD							8,896	8,896
Avg RATE	<u>PROJECT:</u>									
0.80 LB/SY	ASPHALT MATERIAL FOR TACK	SQYD	44120	12352	331	682	77	113	8,896	66,571
25.0 LB/SY	ASPHALT SEAL AGGREGATE ②	SQYD	2226			21			540	2,787
3.0 LB/SY	ASPHALT SEAL COAT ②	SQYD	2226			21			540	2,787

NOTES:
 All HMA estimated at 110 LBS/SQYD/INCH of depth.
 ① Includes quantity for Longitudinal Edge Key
 ② TWO APPLICATIONS:
 30 LBS/SQYD 1st course & 20 on 2nd course - ASPH SEAL AGGREGATE
 3.2 LBS/SQYD 1st course & 2.8 on 2nd course - ASPH SEAL COAT
 ③ Refill of concrete median island removal areas.
 ④ Includes an additional 7 Tons for pavement refill (three 3" layers of asph base) at culvert pipe replacement on Charles Peck Drive.
 ⑤ Estimated at 153.3 LBS/CUFT.

PAVING SUMMARY

ITEM CODE	ITEM DESCRIPTION	UNIT	US 127	KY 619	BERNARD	CHARLES PECK DR	SHOPPING CENTER	STEVE DR. CONN.	KY 80	PROJECT TOTAL
0003	CRUSHED STONE BASE ⑤	TON	4,439	1,377	222					6,038
0100	ASPHALT SEAL AGGREGATE ②	TON								70
0103	ASPHALT SEAL COAT ②	TON								8.4
0190	LEVELING & WEDGING PG64-22	TON	77							77
0212	CL2 ASPH BASE 1.00D PG64-22	TON		1,189	72 ④					1,261
0214	CL3 ASPH BASE 1.00D PG64-22	TON	2,499							2,499
0301	CL2 ASPH SURF 0.38D PG64-22	TON		527	67					594
0388	CL3 ASPH SURF 0.38B PG64-22	TON	2,885				7	10	734	3,636
2676	MOBILIZATION FOR MILL & TEXT	LS								1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	2,518	340	65		7	10	734	3,674
0356	ASPHALT MATERIAL FOR TACK	TON								27

RUSSELL CO. ITEM NO. 8-952 (US 127)
PAVEMENT STRIPING SUMMARY
FD52 104 0027 018-019

STATIONS				LOCATION	DESCRIPTION		WIDTH/	QUANTITY
BEGIN	LT/RT	END	LT/RT		TYPE	PATTERN	COLOR	LF
55+74	RT	57+41	RT	619 EB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	167
57+50	RT	57+50	LT	619 CROSSWALK	CROSSWALK	SOLID	12" X-WALK	69
57+57	RT	57+57	LT	619 CROSSWALK	CROSSWALK	SOLID	12" X-WALK	80
59+11	RT	69+30	RT	619 EB EDGELINE	EDGELINE	SOLID	6 IN W	1019
59+02	LT	69+30	LT	619 WB EDGELINE	EDGELINE	SOLID	6 IN W	1028
58+82	RT	61+00	RT	619 CENTERLINE	C/L	SOLID DBL	6 IN Y	435
58+83	LT	60+34	LT	619 WB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	152
58+84	LT	60+34	LT	619 WB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	151
61+00	RT	66+50	RT	SOUTHERN EDGE 619 TWLTL	LANE LINE	SOLID/DASHED	6 IN Y	689
60+98	LT	66+50	LT	NORTHERN EDGE 619 TWLTL	LANE LINE	SOLID/DASHED	6 IN Y	690
66+50	LT	69+30	CTR.	NORTHERN EDGE 619 HATCHED TAPER	ISLAND OUTLINE	SOLID DBL	6 IN Y	561
66+50	RT	69+30	CTR.	SOUTHERN EDGE 619 HATCHED TAPER	ISLAND OUTLINE	SOLID DBL	6 IN Y	561
50+00	RT	51+20	RT	EB EDGELINE BERNARD	EDGELINE	SOLID	6 IN W	120
50+00	CTR.	51+32	CTR.	BERNARD CENTERLINE	C/L	SOLID DBL	6 IN Y	265
50+00	LT	51+07	LT	WB EDGELINE BERNARD	EDGELINE	SOLID	6 IN W	108
52+36	LT	53+81	LT	WB EDGELINE Charles Peck Dr	EDGELINE	SOLID	6 IN W	145
52+03	CTR.	53+81	CTR.	Charles Peck Dr CENTERLINE	C/L	SOLID DBL	6 IN Y	356
52+42	RT	53+81	RT	EB EDGELINE Charles Peck Dr	EDGELINE	SOLID	6 IN W	140
50+62	RT	50+83	RT	SHOPPING CENTER EB EDGELINE	EDGELINE	SOLID	6 IN W	22
50+62	RT	50+94	RT	SHOPPING CENTER RT TURN LANE	LANE LINE	SOLID	6 IN W	33
50+62	LT	50+94	LT	SHOPPING CENTER CENTERLINE	C/L	SOLID DBL	6 IN Y	65
53+00	RT	58+25	RT	KY 80 EB EDGELINE	EDGELINE	SOLID	6 IN W	526
53+00	RT	56+90	RT	HATCHED MEDIAN EDGE	LANE LINE	SOLID DBL	6 IN Y	780
53+00	RT	58+62	RT	KY 80 CENTERLINE	C/L	SOLID DBL	6 IN Y	1124
53+00	LT	58+57	LT	KY 80 WB EDGELINE	EDGELINE	SOLID	6 IN W	558
55+90	RT	56+90	RT	KY 80 EB RT TURN LANE EXT	DOTTED LN. EXTEN.	DOTTED 3/9	6 IN W *	25
55+90	RT	56+90	RT	KY 80 EB LT TURN LANE EXT	DOTTED LN. EXTEN.	DOTTED 3/9	6 IN W *	25
56+90	RT	58+62	RT	KY 80 EB RT TURN LANE	AUX. LANE LINE	SOLID	6 IN W	172
56+90	RT	58+62	RT	KY 80 WB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	172
56+90	RT	58+62	RT	KY 80 WB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	172
60+22	RT	66+50	RT	KY 80 EB EDGELINE	EDGELINE	SOLID	6 IN W	628
60+06	RT	66+50	CTR.	KY 80 CENTERLINE	C/L	SOLID DBL	6 IN Y	1288
62+05	RT	66+50	CTR.	KY 80 HATCHED MEDIAN EDGE	LANE LINE	SOLID DBL	6 IN Y	890
60+06	RT	62+05	RT	KY 80 WB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	200
60+07	RT	62+05	RT	KY 80 WB LT TURN LANE BUFFER	AUX. LANE LINE	SOLID	6 IN W	199
60+06	LT	62+05	LT	KY 80 WB RT TURN LANE	AUX. LANE LINE	SOLID	6 IN W	200
60+22	LT	66+50	LT	KY 80 WB EDGELINE	EDGELINE	SOLID	6 IN W	629
62+05	LT	64+05	LT	KY 80 WB RT TURN LAN EXT	DOTTED LN. EXTEN.	DOTTED 3/9	6 IN W *	50
62+05	RT	63+05	RT	KY 80 WB LT TURN LANE EXT	DOTTED LN. EXTEN.	DOTTED 3/9	6 IN W *	25

NOTE: All Pavement Striping is THERMOPLASTIC.

8-952 PAVEMENT STRIPING PROJECT TOTALS:		
ITEM CODE	DESCRIPTION	QUANTITY (LF)
6542	PAVE STRIPING-THERMO-6 IN W	24,453
6543	PAVE STRIPING-THERMO-6 IN Y	20,210
6546	PAVE STRIPING-THERMO-12 IN W	247
6566	PAVE MARKING-THERMO X-WALK-12 IN	577
24683ED	PAVE MARKING-THERMO DOTTED LANE EXTEN (6 IN)	452

Note: All Quantities carried over to the GENERAL SUMMARY.

PROPOSAL BID ITEMS

234107

Page 1 of 4

Report Date 10/23/23

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE (REVISED 10-23-23)	6,038.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	70.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	8.40	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	77.00	TON		\$	
0050	00212		CL2 ASPH BASE 1.00D PG64-22	1,261.00	TON		\$	
0060	00214		CL3 ASPH BASE 1.00D PG64-22	2,499.00	TON		\$	
0070	00301		CL2 ASPH SURF 0.38D PG64-22 (REVISED 10-23-23)	594.00	TON		\$	
0080	00356		ASPHALT MATERIAL FOR TACK	27.00	TON		\$	
0090	00388		CL3 ASPH SURF 0.38B PG64-22 (REVISED 10-23-23)	3,636.00	TON		\$	
0100	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0110	02677		ASPHALT PAVE MILLING & TEXTURING (REVISED 10-23-23)	3,674.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0120	00441		ENTRANCE PIPE-18 IN	6.00	LF		\$	
0130	00462		CULVERT PIPE-18 IN	59.00	LF		\$	
0140	01391		METAL END SECTION TY 3-18 IN	2.00	EACH		\$	
0150	01630		REMOVE MEDIAN BOX INLET	2.00	EACH		\$	
0160	01921		STANDARD BARRIER MEDIAN TYPE 4	22.00	SQYD		\$	
0170	02014		BARRICADE-TYPE III	4.00	EACH		\$	
0180	02016		REMOVE CONCRETE ISLAND	1,409.00	SQYD		\$	
0190	02159		TEMP DITCH	3,200.00	LF		\$	
0200	02160		CLEAN TEMP DITCH	1,600.00	LF		\$	
0210	02562		TEMPORARY SIGNS	450.00	SQFT		\$	
0220	02650		MAINTAIN & CONTROL TRAFFIC (RUSSELL US 127 HSIP)	1.00	LS		\$	
0230	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0240	02690		SAFELOADING	6.40	CUYD		\$	
0250	02701		TEMP SILT FENCE	3,200.00	LF		\$	
0260	02703		SILT TRAP TYPE A	8.00	EACH		\$	
0270	02704		SILT TRAP TYPE B	8.00	EACH		\$	
0280	02705		SILT TRAP TYPE C	8.00	EACH		\$	
0290	02706		CLEAN SILT TRAP TYPE A	8.00	EACH		\$	
0300	02707		CLEAN SILT TRAP TYPE B	8.00	EACH		\$	
0310	02708		CLEAN SILT TRAP TYPE C	8.00	EACH		\$	
0320	02720		SIDEWALK-4 IN CONCRETE	202.00	SQYD		\$	
0330	02726		STAKING (RUSSELL US 127 HSIP)	1.00	LS		\$	
0340	05950		EROSION CONTROL BLANKET	1,890.00	SQYD		\$	
0350	05952		TEMP MULCH	23,373.00	SQYD		\$	
0360	05953		TEMP SEEDING AND PROTECTION	17,529.00	SQYD		\$	
0370	05963		INITIAL FERTILIZER	1.90	TON		\$	

PROPOSAL BID ITEMS

234107

Page 2 of 4

Report Date 10/23/23

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0380	05964		MAINTENANCE FERTILIZER	1.10	TON		\$	
0390	05985		SEEDING AND PROTECTION	33,168.00	SQYD		\$	
0400	05992		AGRICULTURAL LIMESTONE	22.00	TON		\$	
0410	06510		PAVE STRIPING-TEMP PAINT-4 IN	49,967.00	LF		\$	
0420	06542		PAVE STRIPING-THERMO-6 IN W (REVISED 10-23-23)	24,453.00	LF		\$	
0430	06543		PAVE STRIPING-THERMO-6 IN Y (REVISED 10-23-23)	20,210.00	LF		\$	
0440	06546		PAVE STRIPING-THERMO-12 IN W	247.00	LF		\$	
0450	06566		PAVE MARKING-THERMO X-WALK-12 IN	577.00	LF		\$	
0460	06568		PAVE MARKING-THERMO STOP BAR-24IN	438.00	LF		\$	
0470	06569		PAVE MARKING-THERMO CROSS-HATCH	1,155.00	SQFT		\$	
0480	06574		PAVE MARKING-THERMO CURV ARROW	71.00	EACH		\$	
0490	06575		PAVE MARKING-THERMO COMB ARROW	5.00	EACH		\$	
0500	08100		CONCRETE-CLASS A	1.13	CUYD		\$	
0510	10020NS		FUEL ADJUSTMENT (REVISED 10-23-23)	14,729.00	DOLL	\$1.00	\$	\$14,729.00
0520	10030NS		ASPHALT ADJUSTMENT (REVISED 10-23-23)	31,539.00	DOLL	\$1.00	\$	\$31,539.00
0530	21134ND		REMOVE-STORE AND REINSTALL SIGN	7.00	EACH		\$	
0540	21289ED		LONGITUDINAL EDGE KEY	6,552.00	LF		\$	
0550	23010EN		PAVE MARK TEMP PAINT STOP BAR-24 IN	438.00	LF		\$	
0560	23158ES505		DETECTABLE WARNINGS	149.00	SQFT		\$	
0570	23398EC		STRUCTURAL SIDEWALK (WITH DRAIN)	11.00	SQYD		\$	
0580	23608EC		YELLOW PAINT FOR MEDIAN SAFETY NOSE	90.00	SQFT		\$	
0590	24679ED		PAVE MARK THERMO CHEVRON	953.00	SQFT		\$	
0600	24683ED		PAVE MARKING-THERMO DOTTED LANE EXTEN (6 IN)	452.00	LF		\$	
0610	26175EC		ROADSIDE REGRADING	10,951.00	LF		\$	

Section: 0003 - SIGNING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0620	06406		SBM ALUM SHEET SIGNS .080 IN	551.32	SQFT		\$	
0630	06407		SBM ALUM SHEET SIGNS .125 IN	81.00	SQFT		\$	
0640	06410		STEEL POST TYPE 1	1,100.00	LF		\$	
0650	06490		CLASS A CONCRETE FOR SIGNS	.25	CUYD		\$	
0660	21373ND		REMOVE SIGN	69.00	EACH		\$	
0670	21596ND		GMSS TYPE D	1.00	EACH		\$	
0680	24631EC		BARCODE SIGN INVENTORY	141.00	EACH		\$	

Section: 0004 - TRAFFIC SIGNALS

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0690	04793		CONDUIT-1 1/4 IN	200.00	LF		\$	
0700	04795		CONDUIT-2 IN	150.00	LF		\$	
0710	04811		ELECTRICAL JUNCTION BOX TYPE B	3.00	EACH		\$	

PROPOSAL BID ITEMS

234107

Page 3 of 4

Report Date 10/23/23

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0720	04820		TRENCHING AND BACKFILLING	150.00	LF		\$	
0730	04844		CABLE-NO. 14/5C	2,450.00	LF		\$	
0740	04845		CABLE-NO. 14/7C	2,450.00	LF		\$	
0750	04884		ANCHOR	4.00	EACH		\$	
0760	04885		MESSENGER-10800 LB	550.00	LF		\$	
0770	04932		INSTALL STEEL STRAIN POLE	4.00	EACH		\$	
0780	04953		TEMP RELOCATION OF SIGNAL HEAD	47.00	EACH		\$	
0790	20093NS835		INSTALL PEDESTRIAN HEAD-LED	8.00	EACH		\$	
0800	20188NS835		INSTALL LED SIGNAL-3 SECTION	20.00	EACH		\$	
0810	20266ES835		INSTALL LED SIGNAL- 4 SECTION	10.00	EACH		\$	
0820	20390NS835		INSTALL COORDINATING UNIT	1.00	EACH		\$	
0830	21743NN		INSTALL PEDESTRIAN DETECTOR	8.00	EACH		\$	
0840	23157EN		TRAFFIC SIGNAL POLE BASE	20.00	CUYD		\$	
0850	23235EC		INSTALL PEDESTAL POST	5.00	EACH		\$	
0860	24900EC		PVC CONDUIT-1 1/4 IN-SCHEDULE 80	50.00	LF		\$	
0870	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	80.00	LF		\$	
0880	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC	1.00	EACH		\$	
0890	24955ED		REMOVE SIGNAL EQUIPMENT	3.00	EACH		\$	
0900	26119EC		INSTALL RADAR PRESENCE DETECTOR TYPE A	12.00	EACH		\$	
0910	26120EC		INSTALL RADAR ADVANCE DETECTOR TYPE B	3.00	EACH		\$	

Section: 0005 - GUARDRAIL

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0920	02351		GUARDRAIL-STEEL W BEAM-S FACE	712.50	LF		\$	
0930	02367		GUARDRAIL END TREATMENT TYPE 1	6.00	EACH		\$	
0940	02381		REMOVE GUARDRAIL	1,083.00	LF		\$	

Section: 0006 - TRAFFIC LOOPS

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0950	04793		CONDUIT-1 1/4 IN	80.00	LF		\$	
0960	04795		CONDUIT-2 IN	20.00	LF		\$	
0970	04811		ELECTRICAL JUNCTION BOX TYPE B	2.00	EACH		\$	
0980	04820		TRENCHING AND BACKFILLING	90.00	LF		\$	
0990	04829		PIEZOELECTRIC SENSOR	5.00	EACH		\$	
1000	04830		LOOP WIRE	2,300.00	LF		\$	
1010	04895		LOOP SAW SLOT AND FILL	580.00	LF		\$	
1020	20360ES818		WOOD POST	2.00	EACH		\$	
1030	20468EC		ELECTRICAL JUNCTION BOX-10 X 8 X 4	2.00	EACH		\$	

Section: 0007 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
------	----------	-----	-------------	----------	------	-----------	----	--------

234107

PROPOSAL BID ITEMS

Page 4 of 4

Report Date 10/23/23

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1040	02569		DEMOBILIZATION	1.00	LS		\$	