



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Rebecca Goodman
SECRETARY

May 14, 2026

CALL NO. 303
CONTRACT ID NO. 261109
ADDENDUM # 2

Subject: Mason County, FD04 076 NEW ROUTE
Letting May 21, 2026

- (1) Revised - Proposal Bid Items - Pages 127-129 of 129
- (2) Revised - Plan Sheet R2B

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

PROPOSAL BID ITEMS

261109

Page 1 of 3

Report Date 5/14/26

261109

Section: 0001 - PAVING

| LINE | BID CODE | ALT | DESCRIPTION | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|----------------------------------|-----------|------|-----------|----|--------|
| 0010 | 00001 | | DGA BASE | 5,714.00 | TON | | \$ | |
| 0020 | 00008 | | CEMENT STABILIZED ROADBED | 16,487.00 | SQYD | | \$ | |
| 0030 | 00020 | | TRAFFIC BOUND BASE | 81.00 | TON | | \$ | |
| 0040 | 00190 | | LEVELING & WEDGING PG64-22 | 356.00 | TON | | \$ | |
| 0050 | 00212 | | CL2 ASPH BASE 1.00D PG64-22 | 6,041.00 | TON | | \$ | |
| 0060 | 00221 | | CL2 ASPH BASE 0.75D PG64-22 | 27.00 | TON | | \$ | |
| 0070 | 00301 | | CL2 ASPH SURF 0.38D PG64-22 | 1,406.00 | TON | | \$ | |
| 0080 | 00356 | | ASPHALT MATERIAL FOR TACK | 13.28 | TON | | \$ | |
| 0090 | 00358 | | ASPHALT CURING SEAL | 48.40 | TON | | \$ | |
| 0100 | 02676 | | MOBILIZATION FOR MILL & TEXT | 1.00 | LS | | \$ | |
| 0110 | 02677 | | ASPHALT PAVE MILLING & TEXTURING | 287.00 | TON | | \$ | |
| 0120 | 02702 | | SAND FOR BLOTTER | 48.00 | TON | | \$ | |

Section: 0002 - ROADWAY

| LINE | BID CODE | ALT | DESCRIPTION | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|--|-----------|------|-----------|----|--------|
| 0130 | 01310 | | REMOVE PIPE | 1,309.00 | LF | | \$ | |
| 0140 | 01810 | | STANDARD CURB AND GUTTER | 6,990.00 | LF | | \$ | |
| 0150 | 01982 | | DELINEATOR FOR G/R MONO DIRECTIONAL WHITE | 21.00 | EACH | | \$ | |
| 0160 | 02014 | | BARRICADE-TYPE III | 4.00 | EACH | | \$ | |
| 0170 | 02091 | | REMOVE PAVEMENT | 1,436.00 | SQYD | | \$ | |
| 0180 | 02159 | | TEMP DITCH | 2,166.00 | LF | | \$ | |
| 0190 | 02160 | | CLEAN TEMP DITCH | 1,083.00 | LF | | \$ | |
| 0200 | 02230 | | EMBANKMENT IN PLACE | 41,831.00 | CUYD | | \$ | |
| 0210 | 02242 | | WATER | 41.00 | MGAL | | \$ | |
| 0220 | 02351 | | G/R-W BEAM-S FACE TL-3 | 1,000.00 | LF | | \$ | |
| 0230 | 02367 | | G/R END TREATMENT TYPE 1 | 5.00 | EACH | | \$ | |
| 0240 | 02370 | | G/R END TREATMENT TYPE 2M | 5.00 | EACH | | \$ | |
| 0250 | 02429 | | RIGHT-OF-WAY MONUMENT TYPE 1 | 25.00 | EACH | | \$ | |
| 0260 | 02432 | | WITNESS POST | 25.00 | EACH | | \$ | |
| 0270 | 02483 | | CHANNEL LINING CLASS II | 1,623.00 | TON | | \$ | |
| 0280 | 02484 | | CHANNEL LINING CLASS III | 65.00 | TON | | \$ | |
| 0285 | 02542 | | CEMENT (REVISED 5-14-26) | 335.00 | TON | | \$ | |
| 0290 | 02545 | | CLEARING AND GRUBBING APPROXIMATELY 10 ACRES | 1.00 | LS | | \$ | |
| 0300 | 02562 | | TEMPORARY SIGNS | 275.00 | SQFT | | \$ | |
| 0310 | 02585 | | EDGE KEY | 71.90 | LF | | \$ | |
| 0320 | 02625 | | REMOVE HEADWALL | 4.00 | EACH | | \$ | |
| 0330 | 02650 | | MAINTAIN & CONTROL TRAFFIC | 1.00 | LS | | \$ | |
| 0340 | 02653 | | LANE CLOSURE | 1.00 | EACH | | \$ | |
| 0350 | 02701 | | TEMP SILT FENCE | 2,166.00 | LF | | \$ | |
| 0360 | 02703 | | SILT TRAP TYPE A | 10.00 | EACH | | \$ | |

PROPOSAL BID ITEMS

261109

Page 2 of 3

Report Date 5/14/26

| LINE | BID CODE | ALT | DESCRIPTION | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|--|-----------|------|-----------|----|-------------|
| 0370 | 02704 | | SILT TRAP TYPE B | 10.00 | EACH | | \$ | |
| 0380 | 02705 | | SILT TRAP TYPE C | 10.00 | EACH | | \$ | |
| 0390 | 02706 | | CLEAN SILT TRAP TYPE A | 10.00 | EACH | | \$ | |
| 0400 | 02707 | | CLEAN SILT TRAP TYPE B | 10.00 | EACH | | \$ | |
| 0410 | 02708 | | CLEAN SILT TRAP TYPE C | 10.00 | EACH | | \$ | |
| 0420 | 02726 | | STAKING | 1.00 | LS | | \$ | |
| 0430 | 04935 | | TEMP SIGNAL APPROX STA. 52+50 | 1.00 | LS | | \$ | |
| 0440 | 04935 | | TEMP SIGNAL APPROX STA. 56+00 | 1.00 | LS | | \$ | |
| 0450 | 05952 | | TEMP MULCH | 33,300.00 | SQYD | | \$ | |
| 0460 | 05953 | | TEMP SEEDING AND PROTECTION | 24,675.00 | SQYD | | \$ | |
| 0470 | 05963 | | INITIAL FERTILIZER | 1.00 | TON | | \$ | |
| 0480 | 05964 | | MAINTENANCE FERTILIZER | 1.60 | TON | | \$ | |
| 0490 | 05985 | | SEEDING AND PROTECTION | 30,910.00 | SQYD | | \$ | |
| 0500 | 05992 | | AGRICULTURAL LIMESTONE | 30.00 | TON | | \$ | |
| 0510 | 06406 | | SBM ALUM SHEET SIGNS .080 IN | 61.00 | SQFT | | \$ | |
| 0520 | 06410 | | STEEL POST TYPE 1 | 100.00 | LF | | \$ | |
| 0530 | 06514 | | PAVE STRIPING-PERM PAINT-4 IN | 8,102.00 | LF | | \$ | |
| 0540 | 06568 | | PAVE MARKING-THERMO STOP BAR-24IN | 24.00 | LF | | \$ | |
| 0550 | 06574 | | PAVE MARKING-THERMO CURV ARROW | 2.00 | EACH | | \$ | |
| 0560 | 08002 | | STRUCTURE EXCAV-SOLID ROCK | 13.00 | CUYD | | \$ | |
| 0570 | 08003 | | FOUNDATION PREPARATION | 1.00 | LS | | \$ | |
| 0580 | 08100 | | CONCRETE-CLASS A | 363.50 | CUYD | | \$ | |
| 0590 | 08150 | | STEEL REINFORCEMENT | 66,881.00 | LB | | \$ | |
| 0600 | 10020NS | | FUEL ADJUSTMENT | 19,784.00 | DOLL | \$1.00 | \$ | \$19,784.00 |
| 0610 | 10030NS | | ASPHALT ADJUSTMENT | 30,270.00 | DOLL | \$1.00 | \$ | \$30,270.00 |
| 0620 | 20191ED | | OBJECT MARKER TY 3 | 5.00 | EACH | | \$ | |
| 0630 | 24631EC | | BARCODE SIGN INVENTORY | 8.00 | EACH | | \$ | |
| 0640 | 24814EC | | PIPELINE INSPECTION | 5,203.00 | LF | | \$ | |
| 0650 | 26248EC | | ELECTRONIC DELIVERY MGMT SYSTEM - AGG | 1.00 | LS | | \$ | |

Section: 0003 - DRAINAGE

| LINE | BID CODE | ALT | DESCRIPTION | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|------------------------------|----------|------|-----------|----|--------|
| 0660 | 00440 | | ENTRANCE PIPE-15 IN | 93.00 | LF | | \$ | |
| 0670 | 00443 | | ENTRANCE PIPE-24 IN | 60.00 | LF | | \$ | |
| 0680 | 00462 | | CULVERT PIPE-18 IN | 34.00 | LF | | \$ | |
| 0690 | 00521 | | STORM SEWER PIPE-15 IN | 3,925.00 | LF | | \$ | |
| 0700 | 00522 | | STORM SEWER PIPE-18 IN | 602.00 | LF | | \$ | |
| 0710 | 00523 | | STORM SEWER PIPE-21 IN | 41.00 | LF | | \$ | |
| 0720 | 00524 | | STORM SEWER PIPE-24 IN | 248.00 | LF | | \$ | |
| 0730 | 01000 | | PERFORATED PIPE-4 IN | 168.00 | LF | | \$ | |
| 0740 | 01010 | | NON-PERFORATED PIPE-4 IN | 32.00 | LF | | \$ | |
| 0750 | 01024 | | PERF PIPE HEADWALL TY 2-4 IN | 1.00 | EACH | | \$ | |
| 0760 | 01028 | | PERF PIPE HEADWALL TY 3-4 IN | 2.00 | EACH | | \$ | |
| 0770 | 01450 | | S & F BOX INLET-OUTLET-18 IN | 2.00 | EACH | | \$ | |
| 0780 | 01451 | | S & F BOX INLET-OUTLET-24 IN | 5.00 | EACH | | \$ | |

PROPOSAL BID ITEMS

261109

Page 3 of 3

Report Date 5/14/26

| LINE | BID CODE | ALT | DESCRIPTION | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|-----------------------|----------|------|-----------|----|--------|
| 0790 | 01456 | | CURB BOX INLET TYPE A | 39.00 | EACH | | \$ | |

Section: 0004 - DEMOBILIZATION &/OR MOBILIZATION

| LINE | BID CODE | ALT | DESCRIPTION | QUANTITY | UNIT | UNIT PRIC | FP | AMOUNT |
|------|----------|-----|----------------|----------|------|-----------|----|--------|
| 0800 | 02568 | | MOBILIZATION | 1.00 | LS | | \$ | |
| 0810 | 02569 | | DEMOBILIZATION | 1.00 | LS | | \$ | |

GENERAL SUMMARY

| ITEM | DESCRIPTION | UNIT | Mainline | Menelaus Rd | Total |
|---------|---|-------|----------|-------------|--------|
| 1310 | REMOVE PIPE | LF | 1,309 | | 1,309 |
| 1810 | STANDARD CURB AND GUTTER | LF | 6,990 | | 6,990 |
| 1982 | DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE | EACH | 21 | | 21 |
| 2014 | BARRICADE-TYPE III (5) | EACH | | 4 | 4 |
| 2091 | REMOVE PAVEMENT | SO YD | 1,436 | | 1,436 |
| 2159 | TEMP DITCH | LF | 2,075 | 91 | 2,166 |
| 2160 | CLEAN TEMP DITCH | LF | 1,038 | 45 | 1,083 |
| 2230 | EMBANKMENT IN PLACE | CU YD | 41,479 | 352 | 41,831 |
| 2242 | WATER | MGAL | 39 | 2 | 41 |
| 2351 | GUARDRAIL-STEEL W BEAM-S FACE | LF | 1,000 | | 1,000 |
| 2367 | GUARDRAIL END TREATMENT TYPE 1 | EACH | 5 | | 5 |
| 2370 | GUARDRAIL END TREATMENT TYPE 2M | EACH | 5 | | 5 |
| 2429 | RIGHT OF WAY MONUMENT TYPE 1 | EACH | 25 | | 25 |
| 2432 | WITNESS POST | EACH | 25 | | 25 |
| 2483 | CHANNEL LINING CLASS II | TON | 1,596 | 27 | 1,623 |
| 2484 | CHANNEL LINING CLASS III | TON | 65 | | 65 |
| 2542 | CEMENT | TONS | 329 | 6 | 335 |
| 2545 | CLEARING AND GRUBBING | LS | 1 | | 1 |
| 2562 | TEMPORARY SIGNS (5) | SO FT | | 275 | 275 |
| 2568 | MOBILIZATION | LS | 1 | | 1 |
| 2569 | DEMOBILIZATION | LS | 1 | | 1 |
| 2585 | EDGE KEY | LF | 54.5 | 17.4 | 71.9 |
| 2625 | REMOVE HEADWALL | EACH | 4 | | 4 |
| 2650 | MAINTAIN AND CONTROL TRAFFIC | LS | 1 | | 1 |
| 2653 | LANE CLOSURE (5) | EACH | | 1 | 1 |
| 2701 | TEMP SILT FENCE | LF | 2,075 | 91 | 2,166 |
| 2703 | SILT TRAP TYPE A | EACH | 10 | | 10 |
| 2704 | SILT TRAP TYPE B | EACH | 10 | | 10 |
| 2705 | SILT TRAP TYPE C | EACH | 10 | | 10 |
| 2706 | CLEAN SILT TRAP TYPE A | EACH | 10 | | 10 |
| 2707 | CLEAN SILT TRAP TYPE B | EACH | 10 | | 10 |
| 2708 | CLEAN SILT TRAP TYPE C | EACH | 10 | | 10 |
| 2726 | STAKING | LS | 1 | | 1 |
| 4935 | TEMPORARY SIGNAL (5) | EACH | 2 | | 2 |
| 5952 | TEMP MULCH | SO YD | 33,300 | | 33,300 |
| 5953 | TEMP SEED AND PROTECT | SO YD | 24,975 | | 24,975 |
| 5963 | INITIAL FERTILIZER | TONS | 1 | | 1 |
| 5964 | MAINTENANCE FERTILIZER | TONS | 1.60 | | 1.60 |
| 5985 | SEEDING AND PROTECTION | SO YD | 30,910 | | 30,910 |
| 5992 | AGRICULTURAL LIMESTONE | TONS | 30 | | 30 |
| 6406 | SBM ALUM SHEET SIGNS .080 IN (6) | SO FT | 61 | | 61 |
| 6410 | STEEL POST TYPE 1 (6) | LF | 100 | | 100 |
| 6514 | PAVE STRIPING-PERM PAINT-4 IN (WHITE) | LF | 90 | | 90 |
| 6514 | PAVE STRIPING-PERM PAINT-4 IN (YELLOW) | LF | 7,780 | 232 | 8,012 |
| 6568 | PAVE MARKING-THERMO STOP BAR-24 IN | LF | | 24 | 24 |
| 6574 | PAVE MARKING-THERMO CURVE ARROW | EACH | 2 | | 2 |
| 20191ED | OBJECT MARKER TY 3 | EACH | 5 | | 5 |
| 24631EC | BARCODE SIGN INVENTORY (6) | EACH | 8 | | 8 |
| 24814EC | PIPELINE INSPECTION | LF | 5,169 | 34 | 5,203 |

PAVING SUMMARY

| ITEM CODE | ITEM | UNIT | Mainline | Menelaus Rd | Approach | Entrances | Total |
|-----------|--|-------|----------|-------------|----------|-----------|--------|
| 00001 | DGA BASE | TON | 5,576 | 86 | | 52 | 5,714 |
| 00008 | CEMENT STABILIZED ROADBED | SO YD | 16,214 | 273 | | | 16,487 |
| 00020 | TRAFFIC BOUND BASE | TON | | | | 81 | 81 |
| 00190 | LEVELING & WEDGING PG64-22 (1) (2) | TON | 168 | 188 | | | 356 |
| 00212 | CL2 ASPH BASE 1.000 PG 64-22 | TON | 5,960 | 81 | | | 6,041 |
| 00221 | CL2 ASPH BASE 0.750 PG 64-22 | TON | | | | 27 | 27 |
| 00301 | CL2 ASPH SURF 0.380 PG 64-22 | TON | 1,348 | 43 | | 15 | 1,406 |
| 00356 | ASPHALT MATERIAL FOR TACK | TON | 13 | 0.19 | | 0.09 | 13.28 |
| 00358 | ASPHALT CURING SEAL | TON | 47 | 1 | | 0.40 | 48.40 |
| 02676 | MOBILIZATION FOR MILLING AND TEXTURING | LS | 1 | | | | 1 |
| 02677 | ASPHALT PAVE MILLING & TEXTURIZING (3) (4) | TON | 236 | 51 | | | 287 |
| 02702 | SAND FOR BLOTTER | TON | 47 | 0.68 | | 0.33 | 48 |

NOTES

ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
 ASPHALT CURING SEAL ESTIMATED AT 2 LBS PER SQ. YD
 ASPHALT MATERIAL FOR TACK ESTIMATED AT 0.84 LBS PER SQ. YD
 SAND FOR BLOTTER ESTIMATED AT 3 LBS PER SQ. YD
 DISTURBED LIMITS = 10 ACRES

- ① MAINLINE L&W BASED ON AN AVERAGE DEPTH: 17+00) 3 IN (STA. 16+50 - 17+00)
- ② MENELAUS L&W BASED ON AN AVERAGE DEPTH OF 11 IN
- ③ MAINLINE MILLING BASED ON AN AVERAGE DEPTH: 16+30) 5 IN (STA. 16+30 - 17+00) 6 IN (STA. 55+00 - 58+00)
- ④ MENELAUS MILLING BASED ON AN AVERAGE DEPTH OF 3 IN
- ⑤ ITEMS FOR MAINTENANCE OF TRAFFIC PERMINT SIGNS
- ⑥ FOR CONSTRUCTION OF PERMINT SIGNS

Earthwork Quantities
 Mainline and Menelaus Rd
 Com = 27,678
 Emb* = 41,831

*TOTAL INCLUDES 645 CY FROM EMBANKMENT FOUNDATION BENCHES

PAVING AREAS

| ITEM | Mainline | Menelaus Rd | LT STA 54+00 Entrance | Total |
|------------------------------------|----------|-------------|-----------------------|--------|
| 1.25" CL2 ASPH SURF 0.380 PG 64-22 | | | 216 | 216 |
| 1.50" CL2 ASPH SURF 0.380 PG 64-22 | 16,338 | 524 | | 16,862 |
| 2.25" CL2 ASPH BASE 0.75B PG 64-22 | | | 219 | 219 |
| 3.00" CL2 ASPH BASE 1.00B PG 64-22 | 15,535 | 220 | | 15,755 |
| 3.50" CL2 ASPH BASE 1.000 PG 64-22 | 15,560 | 233 | | 15,793 |
| 4.00" DGA BASE | | | 224 | 224 |
| 6.00" DGA BASE | 16,164 | 248 | | 16,412 |
| 8" CEMENT STABILIZED ROADBED | 16,214 | 273 | | 16,487 |
| ASPHALT MATERIAL FOR TACK | 31,095 | 453 | 219 | 31,767 |
| LEVELING & WEDGING PG64-22 | 815 | 310 | | 1,125 |



GENERAL SUMMARY

PAVING SUMMARY

| ITEM | DESCRIPTION | UNIT | Mainline | Menelaus Rd | Total |
|---------|---|-------|----------|-------------|--------|
| 1310 | REMOVE PIPE | LF | 1,309 | | 1,309 |
| 1810 | STANDARD CURB AND GUTTER | LF | 6,990 | | 6,990 |
| 1982 | DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE | EACH | 21 | | 21 |
| 2014 | BARRICADE-TYPE III (5) | EACH | | 4 | 4 |
| 2091 | REMOVE PAVEMENT | SO YD | 1,436 | | 1,436 |
| 2159 | TEMP DITCH | LF | 2,075 | 91 | 2,166 |
| 2160 | CLEAN TEMP DITCH | LF | 1,038 | 45 | 1,083 |
| 2230 | EMBANKMENT IN PLACE | CU YD | 41,479 | 352 | 41,831 |
| 2242 | WATER | MGAL | 39 | 2 | 41 |
| 2351 | GUARDRAIL-STEEL W BEAM-S FACE | LF | 1,000 | | 1,000 |
| 2367 | GUARDRAIL END TREATMENT TYPE 1 | EACH | 5 | | 5 |
| 2370 | GUARDRAIL END TREATMENT TYPE 2M | EACH | 5 | | 5 |
| 2429 | RIGHT OF WAY MONUMENT TYPE 1 | EACH | 25 | | 25 |
| 2432 | WITNESS POST | EACH | 25 | | 25 |
| 2483 | CHANNEL LINING CLASS II | TON | 1,596 | 27 | 1,623 |
| 2484 | CHANNEL LINING CLASS III | TON | 65 | | 65 |
| 2542 | CEMENT | TONS | 329 | 6 | 335 |
| 2543 | CLEANING AND GRUBBING | LS | | | |
| 2562 | TEMPORARY SIGNS (5) | SO FT | | 275 | 275 |
| 2568 | MOBILIZATION | LS | 1 | | 1 |
| 2569 | DEMOBILIZATION | LS | 1 | | 1 |
| 2585 | EDGE KEY | LF | 54.5 | 17.4 | 71.9 |
| 2625 | REMOVE HEADWALL | EACH | 4 | | 4 |
| 2650 | MAINTAIN AND CONTROL TRAFFIC | LS | 1 | | 1 |
| 2653 | LANE CLOSURE (5) | EACH | | 1 | 1 |
| 2701 | TEMP SILT FENCE | LF | 2,075 | 91 | 2,166 |
| 2703 | SILT TRAP TYPE A | EACH | 10 | | 10 |
| 2704 | SILT TRAP TYPE B | EACH | 10 | | 10 |
| 2705 | SILT TRAP TYPE C | EACH | 10 | | 10 |
| 2706 | CLEAN SILT TRAP TYPE A | EACH | 10 | | 10 |
| 2707 | CLEAN SILT TRAP TYPE B | EACH | 10 | | 10 |
| 2708 | CLEAN SILT TRAP TYPE C | EACH | 10 | | 10 |
| 2726 | STAKING | LS | 1 | | 1 |
| 4935 | TEMPORARY SIGNAL (5) | EACH | 2 | | 2 |
| 5952 | TEMP MULCH | SO YD | 33,300 | | 33,300 |
| 5953 | TEMP SEED AND PROTECT | SO YD | 24,975 | | 24,975 |
| 5963 | INITIAL FERTILIZER | TONS | 1 | | 1 |
| 5964 | MAINTENANCE FERTILIZER | TONS | 1.60 | | 1.60 |
| 5985 | SEEDING AND PROTECTION | SO YD | 30,910 | | 30,910 |
| 5992 | AGRICULTURAL LIMESTONE | TONS | 30 | | 30 |
| 6406 | SBM ALUM SHEET SIGNS .080 IN (6) | SO FT | 61 | | 61 |
| 6410 | STEEL POST TYPE 1 (6) | LF | 100 | | 100 |
| 6514 | PAVE STRIPING-PERM PAINT-4 IN (WHITE) | LF | 90 | | 90 |
| 6514 | PAVE STRIPING-PERM PAINT-4 IN (YELLOW) | LF | 7,780 | 232 | 8,012 |
| 6568 | PAVE MARKING-THERMO STOP BAR-24 IN | LF | | 24 | 24 |
| 6574 | PAVE MARKING-THERMO CURVE ARROW | EACH | 2 | | 2 |
| 20191ED | OBJECT MARKER TY 3 | EACH | 5 | | 5 |
| 24631EC | BARCODE SIGN INVENTORY (6) | EACH | 8 | | 8 |
| 24814EC | PIPELINE INSPECTION | LF | 5,169 | 34 | 5,203 |

| ITEM CODE | ITEM | UNIT | Mainline | Menelaus Rd | Approach | Entrances | Total |
|-----------|--|-------|----------|-------------|----------|-----------|--------|
| 00001 | DGA BASE | TON | 5,576 | | 86 | 52 | 5,714 |
| 00008 | CEMENT STABILIZED ROADBED | SO YD | 16,214 | | 273 | | 16,487 |
| 00020 | TRAFFIC BOUND BASE | TON | | | | 81 | 81 |
| 00190 | LEVELING & WEDGING PG64-22 (1) (2) | TON | 168 | | 188 | | 356 |
| 00212 | CL2 ASPH BASE 1.000 PG 64-22 | TON | 5,960 | | 81 | | 6,041 |
| 00221 | CL2 ASPH BASE 0.750 PG 64-22 | TON | | | | 27 | 27 |
| 00301 | CL2 ASPH SURF 0.380 PG 64-22 | TON | 1,348 | | 43 | 15 | 1,406 |
| 00356 | ASPHALT MATERIAL FOR TACK | TON | 13 | | 0.19 | 0.09 | 13.28 |
| 00358 | ASPHALT CURING SEAL | LS | 47 | | 1 | 0.40 | 48.40 |
| 02676 | MOBILIZATION FOR MILLING AND TEXTURING | LS | 1 | | | | 1 |
| 02677 | ASPHALT PAVE MILLING & TEXTURIZING (3) (4) | TON | 236 | | 51 | | 287 |
| 02702 | SAND FOR BLOTTER | TON | 47 | | 0.68 | 0.33 | 48 |

PAVING AREAS

| ITEM | Mainline | Menelaus Rd | LT STA 54+00 | Total |
|------------------------------------|----------|-------------|--------------|--------|
| 1.25" CL2 ASPH SURF 0.380 PG 64-22 | | | 216 | 216 |
| 1.50" CL2 ASPH SURF 0.380 PG 64-22 | 16,338 | 524 | | 16,862 |
| 2.25" CL2 ASPH BASE 0.75B PG 64-22 | | | 219 | 219 |
| 3.00" CL2 ASPH BASE 1.00B PG 64-22 | 15,535 | 220 | | 15,755 |
| 3.50" CL2 ASPH BASE 1.000 PG 64-22 | 15,560 | 233 | | 15,793 |
| 4.00" DGA BASE | | | 224 | 224 |
| 6.00" DGA BASE | 16,164 | 248 | | 16,412 |
| 8" CEMENT STABILIZED ROADBED | 16,214 | 273 | | 16,487 |
| ASPHALT MATERIAL FOR TACK | 31,095 | 453 | 219 | 31,767 |
| LEVELING & WEDGING PG64-22 | 815 | 310 | | 1,125 |

- (1) MAINLINE L&W BASED ON AN AVERAGE DEPTH OF 3 IN (STA. 16+50 - 17+00)
- (2) MENELAUS L&W BASED ON AN AVERAGE DEPTH OF 11 IN
- (3) MAINLINE MILLING BASED ON AN AVERAGE DEPTH OF 3 IN (STA. 16+30 - 17+00)
- (4) MENELAUS MILLING BASED ON AN AVERAGE DEPTH OF 3 IN
- (5) ITEMS FOR MAINTENANCE OF TRAFFIC PERMINT SIGNS
- (6) FOR CONSTRUCTION OF TRAFFIC PERMINT SIGNS

Earthwork Quantities
Mainline and Menelaus Rd
Com = 27,678
Emb* = 41,831

*TOTAL INCLUDES 645 CY FROM EMBANKMENT FOUNDATION BENCHES

