



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

June 17, 2024

CALL NO. 305
CONTRACT ID NO. 242202
ADDENDUM # 2

Subject: Carroll County, FD05 021 0227 004-007
Letting June 20, 2024

- (1) Revised - Notes - Pages 15 & 39 of 55
- (2) Revised - Proposal Bid Items - Page 55 of 55

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

SPECIAL NOTE FOR PAVEMENT WEDGE AND SHOULDER MONOLITHIC OPERATION


1.0 MATERIALS. Provide an Asphalt Surface Mixture conforming to Section 403 of the Standard Specifications, as applicable to the project, for the pavement wedge.

2.0 CONSTRUCTION. Place the specified Asphalt Surface Mixture on shoulders monolithically with the driving lane. Prime the existing shoulder with tack material as the Engineer directs before placing the wedge. Construct according to Section 403.03 of the Standard Specifications.

Equip the paver with a modified screed that extends the full width of the wedge being placed and is tapered to produce a wedge. Obtain the Engineer’s approval of the modified screed before placing shoulder wedge monolithically with the driving lane.

The wedge may vary in thickness at the edge of the milled area in the shoulder. If the area to receive the shoulder wedge is milled prior to placement, during rolling operations pinch the outside edge of the new inlay wedge to match the existing shoulder elevation not being resurfaced. Unless required otherwise by the Contract, construct rolled or sawed rumble strips according to Section 403.03.08, as applicable.

The following sketch is primarily for the computation of quantities; however, the wedge will result in a similar cross-section where sufficient width exists. Do not construct a shoulder for placing the wedge unless specified elsewhere in the Contract.




3.0 MEASUREMENT. The Department will measure Asphalt Surface Mixture placed as the pavement wedge according to Section 403.

4.0 PAYMENT. The Department will make payment for the completed and accepted quantities of Asphalt Surface Mixtures on pavement wedges according to Section 403.

TYPICAL SECTION (3 LANE SECTION)

CARROLL COUNTY
KY 227, MP 4.700 TO MP 6.816
FD05 021 0227 004-007



PROPOSAL BID ITEMS

242202

Page 1 of 1

Report Date 6/17/24

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	355.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	155.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	19.00	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	672.00	TON		\$	
0060	00356		ASPHALT MATERIAL FOR TACK	34.00	TON		\$	
0070	00388		CL3 ASPH SURF 0.38B PG64-22 (REVISED 6-17-24)	4,405.00	TON		\$	
0080	02562		TEMPORARY SIGNS	330.00	SQFT		\$	
0090	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0100	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0110	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0120	02677		ASPHALT PAVE MILLING & TEXTURING	80.00	TON		\$	
0130	02775		ARROW PANEL	2.00	EACH		\$	
0140	06510		PAVE STRIPING-TEMP PAINT-4 IN	35,000.00	LF		\$	
0150	06515		PAVE STRIPING-PERM PAINT-6 IN	53,000.00	LF		\$	
0160	06566		PAVE MARKING-THERMO X-WALK-12 IN	36.00	LF		\$	
0170	06568		PAVE MARKING-THERMO STOP BAR-24IN	118.00	LF		\$	
0180	06574		PAVE MARKING-THERMO CURV ARROW	14.00	EACH		\$	
0190	06575		PAVE MARKING-THERMO COMB ARROW	8.00	EACH		\$	
0200	06600		REMOVE PAVEMENT MARKER TYPE V	567.00	EACH		\$	
0210	10020NS		FUEL ADJUSTMENT	7,903.00	DOLL	\$1.00	\$	\$7,903.00
0220	10030NS		ASPHALT ADJUSTMENT	19,849.00	DOLL	\$1.00	\$	\$19,849.00
0230	23756EC		PAVE MARK-THERM R/R ADVANCE WARN SYMBOL	2.00	EACH		\$	
0240	26119EC		INSTALL RADAR PRESENCE DETECTOR TYPE A	7.00	EACH		\$	
0250	26228EC		ELECTRONIC DELIVERY MGMT SYSTEM	1.00	LS		\$	

Section: 0002 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0260	02569		DEMOBILIZATION	1.00	LS		\$	