



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

January 26, 2026

CALL NO. 306
CONTRACT ID NO. 261103
ADDENDUM # 1

Subject: Perry County, FD06 097 NEW ACCESS
Letting January 29, 2026

- (1) Revised - Proposal Bid Items - Pages 206-209 of 209
- (2) Revised - Plan Sheet R2D

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

PROPOSAL BID ITEMS

Report Date 1/26/26

Page 1 of 4

261103

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	18,001.00	TON		\$	
0020	00020		TRAFFIC BOUND BASE	440.00	TON		\$	
0030	00100		ASPHALT SEAL AGGREGATE	178.00	TON		\$	
0040	00103		ASPHALT SEAL COAT	21.00	TON		\$	
0050	00212		CL2 ASPH BASE 1.00D PG64-22	10,171.00	TON		\$	
0060	00216		CL3 ASPH BASE 1.00D PG76-22	1,949.00	TON		\$	
0070	00301		CL2 ASPH SURF 0.38D PG64-22	2,883.00	TON		\$	
0080	00356		ASPHALT MATERIAL FOR TACK	55.00	TON		\$	
0090	00387		CL3 ASPH SURF 0.38B PG76-22	921.00	TON		\$	
0100	02677		ASPHALT PAVE MILLING & TEXTURING	814.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0110	00078		CRUSHED AGGREGATE SIZE NO 2	14.00	TON		\$	
0120	01000		PERFORATED PIPE-4 IN	543.00	LF		\$	
0130	01010		NON-PERFORATED PIPE-4 IN	181.00	LF		\$	
0140	01020		PERF PIPE HEADWALL TY 1-4 IN	5.00	EACH		\$	
0150	01028		PERF PIPE HEADWALL TY 3-4 IN	7.00	EACH		\$	
0160	01032		PERF PIPE HEADWALL TY 4-4 IN	2.00	EACH		\$	
0170	01811		STANDARD CURB AND GUTTER MOD	1,272.00	LF		\$	
0180	01876		STANDARD HEADER CURB MOD	210.00	LF		\$	
0190	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	3.00	EACH		\$	
0200	02014		BARRICADE-TYPE III	10.00	EACH		\$	
0210	02159		TEMP DITCH	5,148.00	LF		\$	
0220	02160		CLEAN TEMP DITCH	2,574.00	LF		\$	
0230	02200		ROADWAY EXCAVATION	1,603,406.00	CUYD		\$	
0240	02204		SPECIAL EXCAVATION	75,000.00	CUYD		\$	
0250	02242		WATER	195.00	MGAL		\$	
0260	02351		GUARDRAIL-STEEL W BEAM-S FACE	219.00	LF		\$	
0270	02391		GUARDRAIL END TREATMENT TYPE 4A	1.00	EACH		\$	
0280	02429		RIGHT-OF-WAY MONUMENT TYPE 1	80.00	EACH		\$	
0290	02432		WITNESS POST	8.00	EACH		\$	
0300	02483		CHANNEL LINING CLASS II	2,921.00	TON		\$	
0310	02484		CHANNEL LINING CLASS III	4,775.00	TON		\$	
0320	02545		CLEARING AND GRUBBING 88 ACRES	1.00	LS		\$	
0330	02555		CONCRETE-CLASS B (REVISED 1-26-26)	13.44	CUYD		\$	
0340	02562		TEMPORARY SIGNS	324.00	SQFT		\$	
0350	02585		EDGE KEY	259.00	LF		\$	
0360	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	10,576.00	SQYD	\$2.00	\$	\$21,152.00
0370	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	

PERRY COUNTY
FD06 097 NEW ACCESS
261103

PROPOSAL BID ITEMS

Page 2 of 4

Report Date 1/26/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0380	02651		DIVERSIONS (BY-PASS DETOURS)	1.00	LS		\$	
0390	02671		PORTABLE CHANGEABLE MESSAGE SIGN	4.00	EACH		\$	
0400	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0410	02696		SHOULDER RUMBLE STRIPS	20,176.00	LF		\$	
0420	02701		TEMP SILT FENCE	5,148.00	LF		\$	
0430	02703		SILT TRAP TYPE A	88.00	EACH		\$	
0440	02704		SILT TRAP TYPE B	88.00	EACH		\$	
0450	02705		SILT TRAP TYPE C	88.00	EACH		\$	
0460	02706		CLEAN SILT TRAP TYPE A	88.00	EACH		\$	
0470	02707		CLEAN SILT TRAP TYPE B	88.00	EACH		\$	
0480	02708		CLEAN SILT TRAP TYPE C	88.00	EACH		\$	
0490	02726		STAKING	1.00	LS		\$	
0500	03171		CONC BARRIER WALL TYPE 9T	80.00	LF		\$	
0510	05950		EROSION CONTROL BLANKET	2,011.00	SQYD		\$	
0520	05952		TEMP MULCH	282,096.00	SQYD		\$	
0530	05953		TEMP SEEDING AND PROTECTION	213,709.00	SQYD		\$	
0540	05963		INITIAL FERTILIZER	19.00	TON		\$	
0550	05964		MAINTENANCE FERTILIZER	13.00	TON		\$	
0560	05985		SEEDING AND PROTECTION	213,709.00	SQYD		\$	
0570	05992		AGRICULTURAL LIMESTONE	264.00	TON		\$	
0580	06406		SBM ALUM SHEET SIGNS .080 IN	208.00	SQFT		\$	
0590	06410		STEEL POST TYPE 1	410.00	LF		\$	
0600	06510		PAVE STRIPING-TEMP PAINT-4 IN	2,316.00	LF		\$	
0610	06514		PAVE STRIPING-PERM PAINT-4 IN	38,263.00	LF		\$	
0620	06542		PAVE STRIPING-THERMO-6 IN W	6,640.00	LF		\$	
0630	06543		PAVE STRIPING-THERMO-6 IN Y	6,084.00	LF		\$	
0640	06568		PAVE MARKING-THERMO STOP BAR-24IN	72.00	LF		\$	
0650	06574		PAVE MARKING-THERMO CURV ARROW	9.00	EACH		\$	
0660	06575		PAVE MARKING-THERMO COMB ARROW	4.00	EACH		\$	
0670	06578		PAVE MARKING-THERMO MERGE ARROW	4.00	EACH		\$	
0680	06610		INLAID PAVEMENT MARKER-MW	67.00	EACH		\$	
0690	06611		INLAID PAVEMENT MARKER-MY	30.00	EACH		\$	
0700	06612		INLAID PAVEMENT MARKER-BY	19.00	EACH		\$	
0710	10020NS		FUEL ADJUSTMENT	308,730.00	DOLL	\$1.00	\$	\$308,730.00
0720	10030NS		ASPHALT ADJUSTMENT	62,256.00	DOLL	\$1.00	\$	\$62,256.00
0730	20191ED		OBJECT MARKER TY 3	1.00	EACH		\$	
0740	20411ED		LAW ENFORCEMENT OFFICER	1,000.00	HOURL		\$	
0750	20458ES403		CENTERLINE RUMBLE STRIPS	9,157.00	LF		\$	
0760	20550ND		SAWCUT PAVEMENT	2,496.00	LF		\$	
0770	20667ED		PNEUMATIC BACKSTOWING	500.00	TON		\$	
0780	21289ED		LONGITUDINAL EDGE KEY	2,496.00	LF		\$	
0790	23379EC		STAMPED CONCRETE	382.00	SQYD		\$	
0800	23791EC		PAVE STRIPING-CHEVRON MARKINGS	167.00	SQFT		\$	
0810	23911EC		GROUT	247.00	CUYD		\$	
0820	24114EC		PAVE MARK-THERMO-YIELD	20.00	EACH		\$	
0830	24261EC		ISLAND CURB AND GUTTER(MODIFIED)	298.00	LF		\$	
0840	24843EC		VIBRATING WIRE PIEZOMETER	4.00	EACH		\$	
0850	26248EC		ELECTRONIC DELIVERY MGMT SYSTEM - AGG	1.00	LS		\$	

PERRY COUNTY
FD06 097 NEW ACCESS
261103

PROPOSAL BID ITEMS

Report Date 1/26/26

Page 3 of 4

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0860	00440		ENTRANCE PIPE-15 IN	212.00	LF		\$	
0870	00441		ENTRANCE PIPE-18 IN	40.00	LF		\$	
0880	00462		CULVERT PIPE-18 IN	352.00	LF		\$	
0890	00464		CULVERT PIPE-24 IN	379.00	LF		\$	
0900	00466		CULVERT PIPE-30 IN	272.00	LF		\$	
0910	00468		CULVERT PIPE-36 IN	862.00	LF		\$	
0920	00469		CULVERT PIPE-42 IN	86.00	LF		\$	
0930	00470		CULVERT PIPE-48 IN	360.00	LF		\$	
0940	00522		STORM SEWER PIPE-18 IN	54.00	LF		\$	
0950	01204		PIPE CULVERT HEADWALL-18 IN	6.00	EACH		\$	
0960	01208		PIPE CULVERT HEADWALL-24 IN	3.00	EACH		\$	
0970	01210		PIPE CULVERT HEADWALL-30 IN	2.00	EACH		\$	
0980	01212		PIPE CULVERT HEADWALL-36 IN	6.00	EACH		\$	
0990	01214		PIPE CULVERT HEADWALL-42 IN	2.00	EACH		\$	
1000	01433		SLOPED BOX OUTLET TYPE 1-18 IN	2.00	EACH		\$	
1010	01434		SLOPED BOX OUTLET TYPE 1-24 IN	2.00	EACH		\$	
1020	01444		SLOPED AND PARALLEL HEADWALL-18 IN	4.00	EACH		\$	
1030	01456		CURB BOX INLET TYPE A	2.00	EACH		\$	
1040	01490		DROP BOX INLET TYPE 1	2.00	EACH		\$	
1050	24814EC		PIPELINE INSPECTION	2,557.00	LF		\$	

Section: 0004 - LIGHTING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1060	04712		POLE 100 FT MTG HT HIGH MAST	2.00	EACH		\$	
1070	04761		LIGHTING CONTROL EQUIPMENT	1.00	EACH		\$	
1080	04780		FUSED CONNECTOR KIT	4.00	EACH		\$	
1090	04820		TRENCHING AND BACKFILLING	240.00	LF		\$	
1100	04832		WIRE-NO. 12	600.00	LF		\$	
1110	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	4.00	EACH		\$	
1120	21543EN		BORE AND JACK CONDUIT	280.00	LF		\$	
1130	23161EN		POLE BASE-HIGH MAST	19.00	CUYD		\$	
1140	24749EC		HIGH MAST LED LUMINAIRE	8.00	EACH		\$	
1150	24851EC		CABLE-NO. 10/3C DUCTED	410.00	LF		\$	
1160	24902EC		PVC CONDUIT-3 IN-SCHEDULE 80	280.00	LF		\$	

Section: 0005 - WATERLINE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1170	14014		W ENCASEMENT STEEL OPEN CUT RANGE 3	140.00	LF		\$	
1180	14022		W FLUSH HYDRANT ASSEMBLY	3.00	EACH		\$	
1190	14059		W PIPE PVC 06 INCH	1,325.00	LF		\$	
1200	14079		W SERV PE/PLST LONG SIDE 2 IN	1.00	EACH		\$	
1210	14081		W SERVICE RELOCATE	3.00	EACH		\$	

PROPOSAL BID ITEMS

Report Date 1/26/26

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1220	14094		W TIE-IN 06 INCH	4.00	EACH		\$	
1230	14105		W VALVE 06 INCH	2.00	EACH		\$	
1240	14144		W LINE MARKER	9.00	EACH		\$	

Section: 0006 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1250	02568		MOBILIZATION	1.00	LS		\$	
1260	02569		DEMOBILIZATION	1.00	LS		\$	

ROADWAY GENERAL SUMMARY

ITEM	DESCRIPTION	NOTES	UNIT	AIRPORT ACCESS RD	KY 15	DIVERSION	TOTAL PROJECT
78	CRUSHED AGGREGATE SIZE NO 2		TON	14			14
1000	PERFORATED PIPE - 4 INCH		LF	543			543
1010	NON-PERFORATED PIPE - 4 INCH		LF	181			181
1020	PERFORATED PIPE HEADWALL TY 1 - 4 INCH		EACH	5			5
1028	PERFORATED PIPE HEADWALL TY 3 - 4 INCH		EACH	7			7
1032	PERFORATED PIPE HEADWALL TY 4 - 4 INCH		EACH	2			2
1811	STANDARD CURB AND GUTTER (MOD)		LF	1,272			1,272
24261EC	ISLAND CURB AND GUTTER (MOD)		LF	298			298
1876	STANDARD HEADER CURB		LF	210			210
1987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE		EACH		3		3
2014	BARRICADE TYPE III		EACH	5	3	2	10
2159	TEMP DITCH		LF	5,148			5,148
2160	CLEAN TEMP DITCH		LF	2,574			2,574
2200	ROADWAY EXCAVATION	NOTE 1	CU YD	1,603,406			1,603,406
2204	SPECIAL EXCAVATION	NOTE 8	CU YD	75,000			75,000
2242	WATER	NOTE 2	MGAL	195			195
2351	GUARDRAIL-STEEL W BEAM-S FACE		LF		219		219
2391	GUARDRAIL END TREATMENT TYPE 4A		LF		1		1
2429	RIGHT-OF-WAY MONUMENT TYPE 1		EACH	80			80
2432	WITNESS POST		EACH	8			8
2483	CHANNEL LINING CLASS II		TON	2,603	318		2,921
2484	CHANNEL LINING CLASS III		TON	4,008	767		4,775
2545	CLEARING AND GRUBBING	NOTE 3	LS	1			1
2555	CLASS B CONCRETE	NOTE 11	CU YD	13.44			13.44
2568	MOBILIZATION		LS	1			1
2569	DEMOBILIZATION		LS	1			1
2585	EDGE KEY		LF	82	177		259
2607	FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	NOTE 7	SQ YD	10,576			10,576
2650	MAINTAIN AND CONTROL TRAFFIC		LS	1			1
2651	DIVERSIONS (BY-PASS DETOURS)		LS			1	1
2676	MOBILIZATION FOR MILL & TEXTURING	NOTE 9	LS		1		1
2696	SHOULDER RUMBLE STRIPS		LF	18,010	2,166		20,176
2701	TEMP SILT FENCE		LF	5,148			5,148
2703	SILT TRAP TYPE A		EACH	88			88
2704	SILT TRAP TYPE B		EACH	88			88
2705	SILT TRAP TYPE C		EACH	88			88
2706	CLEAN SILT TRAP TYPE A		EACH	88			88
2707	CLEAN SILT TRAP TYPE B		EACH	88			88
2708	CLEAN SILT TRAP TYPE C		EACH	88			88
2726	STAKING		LS	1			1
5950	EROSION CONTROL BLANKET		SQ YD	2,011			2,011
5952	TEMP MULCH		SQ YD	282,096			282,096
5953	TEMP SEEDING AND PROTECTION		SQ YD	213,709			213,709
5963	INITIAL FERTILIZER	NOTE 4	TON	19			19
5964	MAINTENANCE FERTILIZER	NOTE 5	TON	13			13
5985	SEEDING AND PROTECTION		SQ YD	213,709			213,709
5992	AGRICULTURAL LIMESTONE	NOTE 6	TON	264			264
6406	SBM ALUM SHEET SIGNS .080 IN	NOTE 13	SQ FT	208			208
6410	STEEL POST TYPE 1		LF	410			410
6510	PAVE STRIPING-TEMP PAINT-4 IN		LF			2,316	2,316
6514	PAVE STRIPING-PERM PAINT-4 IN		LF	38,263			38,263
6542	PAVE STRIPING-THERMO-6 IN W		LF	2,700	3,940		6,640
6543	PAVE STRIPING-THERMO-6 IN Y		LF	2,780	3,304		6,084
6568	PAVE MARKING-THERMO STOP BAR-24IN		LF	12	60		72
6574	PAVE MARKING - THERMO CURV ARROW		EACH		9		9
6575	PAVE MARKING - THERMO COMBO ARROW		EACH	4			4
6578	PAVE MARKING - THERMO MERGE ARROW		EACH		4		4
6610	INLAID PAVEMENT MARKER - MW		EACH	32	35		67
6611	INLAID PAVEMENT MARKER - MY		EACH	30			30
6612	INLAID PAVEMENT MARKER - BY		EACH		19		19
20191ED	OBJECT MARKER TY 3		EACH		1		1
20411ED	LAW ENFORCEMENT OFFICER		HOURL		1,000		1,000

26248

ITEM	DESCRIPTION	NOTES	UNIT	AIRPORT ACCESS RD	KY 15	DIVERSION	TOTAL PROJECT
20458E403	CENTERLINE RUMBLE STRIPS		LF	8,132	1,025		9,157
20550ND	SAW/CUT PAVEMENT		LF		2,496		2,496
20667ED	PNEUMATIC BACKSTOWING		TON	500			500
21289ED	LONGITUDINAL EDGE KEY		LF		2,496		2,496
23379EC	STAMPED CONCRETE	NOTE 10	SQ YD	382			382
23791EC	PAVEMENT STRIPING - CHEVRON MARKINGS		SQ FT		167		167
23911EC	GROUT		CU YD	238	9		247
24114EC	PAVE MARK - THERMO - YIELD		EACH	20			20
24843EC	VIBRATING WIRE PIEZOMETER		EACH	4			4
2671	PORTABLE CHANGEABLE MESSAGE SIGN		EACH	4			4
3171	CONCRETE BARRIER WALL TYPE 9T	12	LF	80			80
2562	TEMPORARY SIGNS		SF	324			324
10020NS	FUEL ADJUSTMENT		DOLLARS				308,730
10030NS	ASPHALT ADJUSTMENT		DOLLARS				62,256
26248	ELECTRONIC DELIVERY MGMT SYSTEM-AGG		LS	1			1

NOTES:

- 1 ESTIMATE FOR EARTHWORK CALCULATIONS SHOWN FOR
 INFORMATION ONLY.

2 ASSUMPTIONS FOR SHRINKAGE AND SWELL
 FACTORS ARE THE CONTRACTOR'S RESPONSIBILITY.
 FOR CONTROLLING DUST CAUSED BY MAINTAINING
 TRAFFIC ONLY.

3 APPROXIMATELY 88 ACRES
 4 APPLIED AT A RATE OF 500 LBS PER ACRE
 5 APPLIED AT A RATE OF 300 LBS PER ACRE
 6 APPLIED AT A RATE OF 3 TONS PER ACRE
 7 FOR WRAPPING PIPE TRENCH BACKFILL

8 FOR ADVISED MITIGATION WHERE ABANDONED MINE WORKS
 NEAR PROPOSED ROADWAY GRADE. SEE GEOTECHNICAL
 RECOMMENDATIONS.

9 MILLING DEPTH VARIES. FOR ESTIMATION, 1.25" DEPTH
 WAS ASSUMED.

10 STAMPED CONCRETE PATTERN AND COLOR WILL BE APPROVED BY
 KYTC ENGINEER, COLOR - RED, PATTERN - BLOCK.

11 FOR RAISED ISLANDS AT ROUNDABOUT APPROACH
 12 HOW TO HANDLE TEMPORARY CONCRETE BARRIER
 UPON COMPLETION OF PROJECT.

13 INCLUDES 76 SF OF SOLAR POWER FLASHING W2-6 + R1-2

EROSION CONTROL QUANTITIES ARE BASED ON THE PROBABLE
 AMOUNT OF EROSION CONTROL FEATURES ARE ESTIMATED
 BY THE DESIGNER. CONTRACTOR IS RESPONSIBLE FOR DESIGN,
 INSTALLATION AND MAINTENANCE OF STORM WATER
 POLLUTION PREVENTION ITEMS

EARTHWORK TOTALS

EXCAVATION (ACCESS ROAD)
 EXCAVATION (KY 15)
 EXCAVATION APPROACHES, DIVERSION & ENTRANCES
 SOLID ROCK
 EMBANKMENT BENCHING
 TRANSVERSE BENCHING

EMBANKMENT (ACCESS ROAD)
 EMBANKMENT (KY 15)
 EMBANKMENT APPROACHES DIVERSION & ENTRANCES
 ROCK ROADBED
 SELECT ROCK EMBANKMENT

ROADWAY GENERAL SUMMARY						
ITEM	DESCRIPTION	NOTES	UNIT	AIRPORT ACCESS RD	KY 15	DIVERSION
78	CRUSHED AGGREGATE SIZE NO 2		TON	14		
1000	PERFORATED PIPE - 4 INCH		LF	543		14
1010	NON-PERFORATED PIPE - 4 INCH		LF	181		543
1020	PERFORATED PIPE HEADWALL TY 1 - 4 INCH		EACH	5		181
1028	PERFORATED PIPE HEADWALL TY 3 - 4 INCH		EACH	7		5
1032	PERFORATED PIPE HEADWALL TY 4 - 4 INCH		EACH	2		7
1811	STANDARD CURB AND GUTTER (MOD)		LF	1,272		2
24261EC	ISLAND CURB AND GUTTER (MOD)		LF	298		1,272
1876	STANDARD HEADER CURB		LF	210		298
1987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE		EACH		3	210
2014	BARRICADE TYPE III		EACH	5		3
2159	TEMP DITCH		LF	5,148		10
2160	CLEAN TEMP DITCH		LF	2,574		5,148
2200	ROADWAY EXCAVATION	NOTE 1	CU YD	1,603,406		2,574
2204	SPECIAL EXCAVATION	NOTE 8	CU YD	75,000		1,603,406
2242	WATER	NOTE 2	MGAL	195		75,000
2351	GUARDRAIL-STEEL W BEAM-S FACE		LF		219	195
2391	GUARDRAIL END TREATMENT TYPE 4A		LF		1	219
2429	RIGHT-OF-WAY MONUMENT TYPE 1		EACH	80		1
2432	WITNESS POST		EACH	8		80
2483	CHANNEL LINING CLASS II		TON	2,603		8
2484	CHANNEL LINING CLASS III		TON	4,008		2,603
2545	CLEARING AND GRUBBING	NOTE 3	LS	1		4,008
2555	CLASS B CONCRETE	NOTE 11	CU YD	13.44		1
2568	MOBILIZATION		LS	1		13.44
2569	DEMOBILIZATION		LS	1		1
2585	EDGE KEY		LF	82		1
2607	FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	NOTE 7	SQ YD	10,576		82
2650	MAINTAIN AND CONTROL TRAFFIC		LS	1		10,576
2651	DIVERSIONS (BY-PASS DETOURS)		LS			1
2676	MOBILIZATION FOR MILL & TEXTURING	NOTE 9	LS		1	1
2696	SHOULDER RUMBLE STRIPS		LF	18,010		1
2701	TEMP SILT FENCE		LF	5,148		18,010
2703	SILT TRAP TYPE A		EACH	88		5,148
2704	SILT TRAP TYPE B		EACH	88		88
2705	SILT TRAP TYPE C		EACH	88		88
2706	CLEAN SILT TRAP TYPE A		EACH	88		88
2707	CLEAN SILT TRAP TYPE B		EACH	88		88
2708	CLEAN SILT TRAP TYPE C		EACH	88		88
2726	STAKING		LS	1		1
5950	EROSION CONTROL BLANKET		SQ YD	2,011		2,011
5952	TEMP MULCH		SQ YD	282,096		282,096
5953	TEMP SEEDING AND PROTECTION		SQ YD	213,709		213,709
5963	INITIAL FERTILIZER	NOTE 4	TON	19		19
5964	MAINTENANCE FERTILIZER	NOTE 5	TON	13		13
5985	SEEDING AND PROTECTION		SQ YD	213,709		213,709
5992	AGRICULTURAL LIMESTONE	NOTE 6	TON	264		264
6406	SBM ALUM SHEET SIGNS .080 IN	NOTE 13	SQ FT	208		208
6410	STEEL POST TYPE 1		LF	410		410
6510	PAVE STRIPING-TEMP PAINT-4 IN		LF			2,316
6514	PAVE STRIPING-PERM PAINT-4 IN		LF	38,263		2,316
6542	PAVE STRIPING-THERMO-6 IN W		LF	2,700		38,263
6543	PAVE STRIPING-THERMO-6 IN Y		LF	2,780		2,700
6568	PAVE MARKING-THERMO STOP BAR-24IN		LF	12		3,940
6574	PAVE MARKING - THERMO CURV ARROW		EACH			2,780
6575	PAVE MARKING - THERMO COMBO ARROW		EACH	4		6,084
6578	PAVE MARKING - THERMO MERGE ARROW		EACH			12
6610	INLAID PAVEMENT MARKER - MW		EACH			9
6611	INLAID PAVEMENT MARKER - MY		EACH	32		4
6612	INLAID PAVEMENT MARKER - BY		EACH	30		4
20191ED	OBJECT MARKER TY 3		EACH			67
20411ED	LAW ENFORCEMENT OFFICER		HOURL		1,000	30

26248						
ITEM	DESCRIPTION	NOTES	UNIT	AIRPORT ACCESS RD	KY 15	DIVERSION
20458ES403	CENTERLINE RUMBLE STRIPS		LF	8,132	1,025	
20550ND	SAWCUT PAVEMENT		LF		2,496	
20667ED	PNEUMATIC BACKSTOWING		TON	500		
21289ED	LONGITUDINAL EDGE KEY		LF		2,496	
23379EC	STAMPED CONCRETE	NOTE 10	SQ YD	382		
23791EC	PAVEMENT STRIPING - CHEVRON MARKINGS		SQ FT		167	
23911EC	GROUT		CU YD	238	9	
24114EC	PAVE MARK - THERMO - YIELD		EACH	20		
24843EC	VIBRATING WIRE PIEZOMETER		EACH	4		
2671	PORTABLE CHANGEABLE MESSAGE SIGN		EACH	4		
3171	CONCRETE BARRIER WALL TYPE 9T	12	LF	80		
2562	TEMPORARY SIGNS		SF	324		
10020NS	FUEL ADJUSTMENT		DOLLARS			
10030NS	ASPHALT ADJUSTMENT		DOLLARS			
26248	ELECTRONIC DELIVERY MGMT SYSTEM-AGG		LS	1		

NOTES:

- 1
- ESTIMATE FOR EARTHWORK CALCULATIONS SHOWN FOR INFORMATION ONLY.
ASSUMPTIONS FOR SHRINKAGE AND SWELL
FACTORS ARE THE CONTRACTOR'S RESPONSIBILITY.
FOR CONTROLLING DUST CAUSED BY MAINTAINING TRAFFIC ONLY.
- 2
- APPROXIMATELY 88 ACRES
- 3
- APPLIED AT A RATE OF 500 LBS PER ACRE
- 4
- APPLIED AT A RATE OF 300 LBS PER ACRE
- 5
- APPLIED AT A RATE OF 3 TONS PER ACRE
- 6
- FOR WRAPPING PIPE TRENCH BACKFILL
- 7
- FOR ADVISED MITIGATION WHERE ABANDONED MINE WORKS NEAR PROPOSED ROADWAY GRADE. SEE GEOTECHNICAL RECOMMENDATIONS.
- 8
- MILLING DEPTH VARIES. FOR ESTIMATION, 1.25" DEPTH WAS ASSUMED.
- 9
- STAMPED CONCRETE PATTERN AND COLOR WILL BE APPROVED BY KYTC ENGINEER, COLOR - RED, PATTERN - BLOCK.
- 10
- FOR RAISED ISLANDS AT ROUNDABOUT APPROACH
- 11
- HOW TO HANDLE TEMPORARY CONCRETE BARRIER UPON COMPLETION OF PROJECT.
- 12
- INCLUDES 76 SF OF SOLAR POWER FLASHING W2-6 + R1-2
- 13
- EROSION CONTROL QUANTITIES ARE BASED ON THE PROBABLE AMOUNT OF EROSION CONTROL FEATURES ARE ESTIMATED BY THE DESIGNER. CONTRACTOR IS RESPONSIBLE FOR DESIGN, INATALLATION AND MAINTENANCE OF STORM WATER POLLUTION PREVENTION ITEMS
- EARTHWORK TOTALS
- EXCAVATION (ACCESS ROAD)
- EXCAVATION (KY 15)
- EXCAVATION APPROACHES, DIVERSION & ENTRANCES
- SOLID ROCK
- EMBANKMENT BENCHING
- TRANSVERSE BENCHING
- 365,529 CU. YD.
- 3,028 CU. YD.
- 7,954 CU. YD.
- 1,121,815 CU. YD.
- 97,780 CU. YD.
- 7300 CU. YD.
- 1,603,406 CU. YD.
- 1,014,758 CU. YD.
- 990 CU. YD.
- 7521 CU. YD.
- 34,660 CU. YD.
- 487,354 CU. YD.
- 1,545,283 CU. YD.
- EMBANKMENT (ACCESS ROAD)
- EMBANKMENT (KY 15)
- EMBANKMENT APPROACHES DIVERSION & ENTRANCES
- ROCK ROADBED
- SELECT ROCK EMBANKMENT

REVISED 1/23/2026