



CALL NO. 401

CONTRACT ID. 252309

KENTON COUNTY

FED/STATE PROJECT NUMBER 059GR25P074 - FD05, FE01, & FD04

DESCRIPTION DIXIE HIGHWAY (US 25)

WORK TYPE ASPHALT RESURFACING

PRIMARY COMPLETION DATE 11/24/2025

LETTING DATE: July 24, 2025

Sealed Bids will be received electronically through the Bid Express bidding service until 10:00 AM EASTERN DAYLIGHT TIME July 24, 2025. Bids will be publicly announced at 10:00 AM EASTERN DAYLIGHT TIME.

NO PLANS ASSOCIATED WITH THIS PROJECT.

REQUIRED BID PROPOSAL GUARANTY: Not less than 5% of the total bid.

TABLE OF CONTENTS

PART I	SCOPE OF WORK <ul style="list-style-type: none">• PROJECT(S), COMPLETION DATE(S), & LIQUIDATED DAMAGES• CONTRACT NOTES• STATE CONTRACT NOTES• SURFACING AREAS• ASPHALT MIXTURE• INCIDENTAL SURFACING• FUEL AND ASPHALT PAY ADJUSTMENT• COMPACTION OPTION A• SPECIAL NOTE(S) APPLICABLE TO PROJECT• LIQUIDATED DAMAGES• WASTE AND BORROW SITES• NON-TRACKING TACK COAT• ELECTRONIC DELIVERY MANAGEMENT SYSTEM (E-TICKETING) ASPHALT• RECYCLED ASPHALT PAVEMENT (RAP) STOCKPILE MANAGEMENT• COORDINATION OF WORK WITH OTHER CONTRACTS• ASPHALT MILLING AND TEXTURING• BASE FAILURE REPAIR 23STONE-12IN-PAY SY• TYPICAL SECTION DIMENSIONS• TRAFFIC CONTROL PLAN• INSTALL RADAR PRESENCE DETECTOR TYPE A• SKETCH MAP(S)• MATERIAL SUMMARY• SUMMARY SHEET(S)• TYPICAL SECTION(S)• DETAIL SHEET(S)
PART II	SPECIFICATIONS AND STANDARD DRAWINGS <ul style="list-style-type: none">• STANDARD AND SUPPLEMENTAL SPECIFICATIONS• 2020 STANDARD DRAWINGS THAT APPLY
PART III	EMPLOYMENT, WAGE AND RECORD REQUIREMENTS <ul style="list-style-type: none">• LABOR AND WAGE REQUIREMENTS• EXECUTIVE BRANCH CODE OF ETHICS• KENTUCKY EQUAL EMPLOYMENT OPPORTUNITY ACT OF 1978 LOCALITY / STATE• PROJECT WAGE RATES / STATE FUNDED
PART IV	BID ITEMS

PART I

SCOPE OF WORK

ADMINISTRATIVE DISTRICT - 06

CONTRACT ID - 252309
059GR25P074 - FD05, FE01, & FD04
COUNTY - KENTON
PCN - MP05900252506
FD05 059 0025 010-013

DIXIE HIGHWAY (US 25) (MP 10.829) BEGINNING 230 FEET NORTH OF KY 1072/KYLES LANE EXTENDING NORTH TO 60 FEET NORTH OF JILLIANS WAY (MP 12.725), A DISTANCE OF 01.89 MILES.ASPHALT RESURFACING
GEOGRAPHIC COORDINATES LATITUDE 39:04:13.42 LONGITUDE 84:31:39.04
ADT 9,376

PCN - MP05900252507
FE01 059 0025 010-013

DIXIE HIGHWAY (US 25) (MP 10.829) BEGINNING 230 FEET NORTH OF KY 1072/KYLES LANE EXTENDING NORTH TO 60 FEET NORTH OF JILLIANS WAY (MP 12.725), A DISTANCE OF 01.89 MILES.SIGNS-LIGHTING-SIGNALS
GEOGRAPHIC COORDINATES LATITUDE 39:04:13.42 LONGITUDE 84:31:39.04
ADT 9,376

PCN - MP05900252508
FD04 059 0025 010-013

DIXIE HIGHWAY (US 25) (MP 10.829) BEGINNING 230 FEET NORTH OF KY 1072/KYLES LANE EXTENDING NORTH TO 60 FEET NORTH OF JILLIANS WAY (MP 12.725), A DISTANCE OF 01.89 MILES.SIGNS-LIGHTING-SIGNALS
GEOGRAPHIC COORDINATES LATITUDE 39:04:13.42 LONGITUDE 84:31:39.04
ADT 9,376

COMPLETION DATE(S):
COMPLETED BY 11/24/2025 APPLIES TO ENTIRE CONTRACT

CONTRACT NOTES

INSURANCE

Refer to Kentucky Standard Specifications for Road and Bridge Construction, current edition.

PROPOSAL ADDENDA

All addenda to this proposal must be applied when calculating bid and certified in the bid packet submitted to the Kentucky Department of Highways. Failure to use the correct and most recent addenda may result in the bid being rejected.

BID SUBMITTAL

Bidder must use the Department's electronic bidding software. The Bidder must download the bid file located on the Bid Express website (www.bidx.com) to prepare a bid packet for submission to the Department. The bidder must submit electronically using Bid Express.

JOINT VENTURE BIDDING

Joint venture bidding is permissible. All companies in the joint venture must be prequalified in one of the work types in the Qualifications for Bidders for the project. The bidders must get a vendor ID for the joint venture from the Division of Construction Procurement and register the joint venture as a bidder on the project. Also, the joint venture must obtain a digital ID from Bid Express to submit a bid. A joint bid bond of 5% may be submitted for both companies or each company may submit a separate bond of 5%.

UNDERGROUND FACILITY DAMAGE PROTECTION

The contractor shall make every effort to protect underground facilities from damage as prescribed in the Underground Facility Damage Protection Act of 1994, Kentucky Revised Statute KRS 367.4901 to 367.4917. It is the contractor's responsibility to determine and take steps necessary to be in compliance with federal and state damage prevention directives. When prescribed in said directives, the contractor shall submit Excavation Locate Requests to the Kentucky Contact Center (KY811) via web ticket entry. The submission of this request does not relieve the contractor from the responsibility of contacting non-member facility owners, whom shall be contacted through their individual Protection Notification Center. Non-compliance with these directives can result in the enforcement of penalties.

REGISTRATION WITH THE SECRETARY OF STATE BY A FOREIGN ENTITY

Pursuant to KRS 176.085(1)(b), an agency, department, office, or political subdivision of the Commonwealth of Kentucky shall not award a state contract to a person that is a foreign entity required by [KRS 14A.9-010](#) to obtain a certificate of authority to transact business in the Commonwealth ("certificate") from the Secretary of State under [KRS 14A.9-030](#) unless the person produces the certificate within fourteen (14) days of the bid or proposal opening. If the

foreign entity is not required to obtain a certificate as provided in [KRS 14A.9-010](#), the foreign entity should identify the applicable exception. Foreign entity is defined within [KRS 14A.1-070](#).

For all foreign entities required to obtain a certificate of authority to transact business in the Commonwealth, if a copy of the certificate is not received by the contracting agency within the time frame identified above, the foreign entity's solicitation response shall be deemed non-responsive or the awarded contract shall be cancelled.

Businesses can register with the Secretary of State at <https://secure.kentucky.gov/sos/ftbr/welcome.aspx>.

SPECIAL NOTE FOR PROJECT QUESTIONS DURING ADVERTISEMENT

Questions about projects during the advertisement should be submitted in writing to the Division of Construction Procurement. This may be done by email to kytc.projectquestions@ky.gov. The Department will attempt to answer all submitted questions. The Department reserves the right not to answer if the question is not pertinent or does not aid in clarifying the project intent.

The deadline for posting answers will be 3:00 pm Eastern Daylight Time, the day preceding the Letting. Questions may be submitted until this deadline with the understanding that the later a question is submitted, the less likely an answer will be able to be provided.

The questions and answers will be posted for each Letting under the heading "Questions & Answers" on the Construction Procurement website (www.transportation.ky.gov/construction-procurement). The answers provided shall be considered part of this Special Note and, in case of a discrepancy, will govern over all other bidding documents.

HARDWOOD REMOVAL RESTRICTIONS

The US Department of Agriculture has imposed a quarantine in Kentucky and several surrounding states, to prevent the spread of an invasive insect, the emerald ash borer. Hardwood cut in conjunction with the project may not be removed from the state. Chipping or burning on site is the preferred method of disposal.

INSTRUCTIONS FOR EXCESS MATERIAL SITES AND BORROW SITES

Identification of excess material sites and borrow sites shall be the responsibility of the Contractor. The Contractor shall be responsible for compliance with all applicable state and federal laws and may wish to consult with the US Fish and Wildlife Service to seek protection under Section 10 of the Endangered Species Act for these activities.

ACCESS TO RECORDS

The state agency certifies that it is in compliance with the provisions of KRS 45A.150, "Access to contractor's books, documents, papers, records, or other evidence directly pertinent to the contract." The Contractor, as defined in KRS 45A.030, agrees that the contracting agency, the

Finance and Administration Cabinet, the Auditor of Public Accounts, and the Legislative Research Commission, or their duly authorized representatives, shall have access to any books, documents, papers, records, or other evidence, which are directly pertinent to this agreement for the purpose of financial audit or program review. The Contractor also recognizes that any books, documents, papers, records, or other evidence, received during a financial audit or program review shall be subject to the Kentucky Open Records Act, KRS 61.870 to 61.884. Records and other prequalification information confidentially disclosed as part of the bid process shall not be deemed as directly pertinent to the agreement and shall be exempt from disclosure as provided in KRS 61.878(1)(c).

BOYCOTT PROVISIONS

If applicable, the contractor represents that, pursuant to [KRS 45A.607](#), they are not currently engaged in, and will not for the duration of the contract engage in, the boycott of a person or an entity based in or doing business with a jurisdiction with which Kentucky can enjoy open trade. **Note:** The term Boycott does not include actions taken for bona fide business or economic reasons, or actions specifically required by federal or state law.

If applicable, the contractor verifies that, pursuant to KRS 41.480, they do not engage in, and will not for the duration of the contract engage in, in energy company boycotts as defined by KRS 41.472.

LOBBYING PROHIBITIONS

The contractor represents that they, and any subcontractor performing work under the contract, have not violated the agency restrictions contained in [KRS 11A.236](#) during the previous ten (10) years, and pledges to abide by the restrictions set forth in such statute for the duration of the contract awarded.

The contractor further represents that, pursuant to [KRS 45A.328](#), they have not procured an original, subsequent, or similar contract while employing an executive agency lobbyist who was convicted of a crime related to the original, subsequent, or similar contract within five (5) years of the conviction of the lobbyist.

Revised: 1/1/2025

SPECIAL NOTE – BUY AMERICA REQUIREMENTS AND BUILD
AMERICA, BUY AMERICA (BABA) ACT

05/05/2025

1.0 BUY AMERICA REQUIREMENT.

Follow the “Buy America” provisions as required by 23 U.S.C. § 313 and 23 C.F.R. § 635.410. Except as expressly provided herein all manufacturing processes of steel or iron materials including but not limited to structural steel, guardrail materials, corrugated steel, culvert pipe, structural plate, prestressing strands, and steel reinforcing bars shall occur in the United States of America, including the application of:

- Coating,
- Galvanizing,
- Painting, and
- Other coating that protects or enhances the value of steel or iron products.

The following are exempt, unless processed or refined to include substantial amounts of steel or iron material, and may be used regardless of source in the domestic manufacturing process for steel or iron material:

- Pig iron,
- Processed, pelletized, and reduced iron ore material, or
- Processed alloys.

The Contractor shall submit a certification stating that all manufacturing processes involved with the production of steel or iron materials occurred in the United States.

Produce, mill, fabricate, and manufacture in the United States of America all aluminum components of bridges, tunnels, and large sign support systems, for which either shop fabrication, shop inspection, or certified mill test reports are required as the basis of acceptance by the Department.

Use foreign materials only under the following conditions:

- 1) When the materials are not permanently incorporated into the project; or
- 2) When the delivered cost of such materials used does not exceed 0.1 percent of the total Contract amount or \$2,500.00, whichever is greater.

The Contractor shall submit to the Engineer the origin and value of any foreign material used.

2.0 – BUILD AMERICA, BUY AMERICA (BABA)

Contractor shall comply with the Federal Highway Administration (FHWA) Buy America Requirement in 23 C.F.R. § 635.410 and all relevant provisions of the Build America, Buy America Act (BABA), contained within the Infrastructure Investment and Jobs Act, Pub. L. No. 117-58, §§ 70901-52 enacted November 15, 2021. The BABA requires iron, steel, manufactured products, and construction materials used in infrastructure projects funded by federal financial assistance to be produced in the United States. Comply with 2 C.F.R § 184.

BABA permits FHWA participation in the Contract only if domestic steel and iron will be used on the Project. To be considered domestic, all steel and iron used, and all products manufactured from steel and iron must be produced in the United States and all manufacturing processes, including application of a coating, for these materials must occur in the United States. Coating includes all processes that protect or enhance the value of the material to which the coating is applied. This requirement does not preclude a minimal use of foreign steel and iron materials, provided the cost of such materials does not exceed 0.1% of the total contract amount under the Contract or \$2,500.00 whichever is greater.

BABA permits FHWA participation in the Contract only if all “construction materials” as defined in the Act are made in the United States. The Buy America preference applies to the following construction materials incorporated into infrastructure projects: non-ferrous metals; plastic and polymer-based products (including polyvinylchloride, composite building materials, and polymers used in fiber optic cables); glass (including optic glass); Fiber optic cable; optical fiber; lumber; engineered wood; and drywall. Contractor will be

required to use construction materials produced in the United States on this Project. The Contractor shall submit a certification stating that all construction materials are certified to be BABA compliant.

3.0 FINAL RULE – FHWA’S BUY AMERICA REGULATION TO TERMINATE GENERAL APPLICABILITY WAIVER FOR MANUFACTURED PRODUCTS

- **March 17, 2025** (effective date): For all Federal-aid projects obligated on or after March 15, 2025, all iron or steel products, as defined in § 635.410(c)(1)(iii), must comply with FHWA’s Buy America requirements for steel and iron in § 635.410(b). In addition, for all Federal-aid projects obligated on or after March 15, 2025, per § 635.410(c)(2), articles, materials, and supplies should be classified as an iron or steel product, a manufactured product, or another product as specified by law or in 2 CFR part 184 (such other products specified by law or in 2 CFR part 184 include “excluded materials” and “construction materials”); an article, material, or supply must not be considered to fall into multiple categories.
- **October 1, 2025:** The final assembly requirement will become effective for Federal-aid projects obligated on or after October 1, 2025. This means that, for manufactured product to be Buy America compliant, for Federal-aid projects obligated on or after October 1, 2025, final assembly of the manufactured product must occur in the United States.
- **October 1, 2026:** The 55 percent requirement will become effective for Federal-aid projects obligated on or after October 1, 2026. This means that, for manufactured product to be Buy America-compliant, for Federal-aid projects obligated on or after October 1, 2026, all manufactured products permanently incorporated into the project must both be manufactured in the United States (satisfy the final assembly requirement) and have the cost of the components of the manufactured product that are mined, produced, or manufactured in the United States be greater than 55 percent of the total cost of all components of the manufactured product (satisfy the 55 percent requirement).

4.0 – ADDITIONAL REQUIREMENTS

The Contractor has completed and submitted, or shall complete and submit, to the Cabinet a Buy America/Build America, Buy America Certificate prior to the Cabinet issuing the notice to proceed, in the format below. After submittal, the Contractor is bound by its original certification.

A false certification is a criminal act in violation of 18 U.S.C. § 1001. The Contractor has the burden of proof to establish that it’s in compliance.

At the Contractor’s request, the Cabinet may, but is not obligated to, seek a waiver of Buy America requirements if grounds for the waiver exist under 23 C.F.R. § 635.410(c) or will comply with the applicable Buy America requirements if a waiver of those requirements is not available or not pursued by the Cabinet.

Please refer to the Federal Highway Administration’s Buy America webpage for more information.

[Buy America - Construction Program Guide - Contract Administration - Construction - Federal Highway Administration \(dot.gov\)](#)

Effective - June 26, 2025, Letting

SPECIAL NOTE – BUY AMERICA REQUIREMENTS AND BUILD
AMERICA, BUY AMERICA (BABA) ACT

05/05/2025

BUY AMERICA / BUILD AMERICA, BUY AMERICA (ACT) MATERIALS CERTIFICATE OF COMPLIANCE

The Contractor hereby certifies that it will comply with all relevant provisions of the Build America, Buy America Act, contained within the Infrastructure Investment and Jobs Act, Pub. L. NO. 117-58, §§ 70901-52, the requirements of 23 U.S.C. § 313, 23 C.F.R. § 635.410 and 2 C.F.R § 184.

Date Submitted:_____

Contractor:_____

Signature:_____

Printed Name:_____

Title:_____

NOTE: THIS CERTIFICATION IS IN ADDITION TO ANY AND ALL REQUIREMENTS OUTLINED IN THE CURRENT EDITION OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND/OR SPECIAL NOTES CONTAINED IN THE PROJECT PROPOSAL.

SPECIAL NOTE FOR RECIPROCAL PREFERENCE

RECIPROCAL PREFERENCE TO BE GIVEN BY PUBLIC AGENCIES TO RESIDENT BIDDERS

By reference, KRS 45A.490 to 45A.494 are incorporated herein and in compliance regarding the bidders residency. Bidders who want to claim resident bidder status should complete the Affidavit for Claiming Resident Bidder Status along with their bid in the electronic bidding software. Submittal of the Affidavit should be done along the bid in Bid Express.

April 30, 2018

SURFACING AREAS

The Department estimates the mainline surfacing width to be varied from 40 to 70 feet.

The Department estimates the total mainline area to be surfaced to be 51,732 square yards.

The Department estimates the shoulder width to be 0 feet on each side.

The Department estimates the total shoulder area to be surfaced to be 0 square yards.

ASPHALT MIXTURE

Unless otherwise noted, the Department estimates the rate of application for all asphalt mixtures to be 110 lbs/sy per inch of depth.

INCIDENTAL SURFACING

The Department has included in the quantities of asphalt mixtures established in the proposal estimated quantities required for resurfacing or surfacing mailbox turnouts, farm field entrances, residential and commercial entrances, curve widening, ramp gores and tapers, and road and street approaches, as applicable. Pave these areas to the limits as shown on Standard Drawing RPM-110-06 or as directed by the Engineer. In the event signal detectors are present in the intersecting streets or roads, pave the crossroads to the right of way limit or back of the signal detector, whichever is the farthest back of the mainline. Surface or resurface these areas as directed by the Engineer. The Department will not measure placing and compacting for separate payment but shall be incidental to the Contract unit price for the asphalt mixtures.

FUEL AND ASPHALT PAY ADJUSTMENT

The Department has included the Contract items Asphalt Adjustment and Fuel Adjustment for possible future payments at an established Contract unit price of \$1.00. The Department will calculate actual adjustment quantities after work is completed. If existing Contract amount is insufficient to pay all items on the contract with the adjustments, the Department will establish additional monies with a change order.

OPTION A

Be advised that the Department will accept compaction of asphalt mixtures furnished for driving lanes and ramps, at 1 inch (25mm) or greater, on this project according to OPTION A in accordance with Section 402 and Section 403 of the current Standard Specifications. The Department will require joint cores as described in Section 402.03.02 for surface mixtures only. The Department will accept compaction of all other asphalt mixtures according to OPTION B.

Special Notes Applicable to Project General Notes & Description of Work

CAUTION

The information in this proposal and the type of work listed herein are approximate only and are not to be taken as an exact evaluation of the materials and conditions to be encountered during construction; the bidder must draw his/her own conclusions when developing the Unit Bid Prices for each bid item. As such, if the conditions encountered are not in accordance with the information shown, the Department does not guarantee any changes to the Unit Bid Prices nor extension of the contract will be considered. The Department will pay for bid item quantity overruns, but only if pre-approved by the Engineer.

STATIONING

The contractor is advised that the planned locations of work were established using the Route Milepoint Log with a beginning location approximately 230 northeast of the intersection of US 25 and KY 1072 (Kyles Ln.), which corresponds to Milepoint 10.829 along US 25. **NOTE:** The existing mile marker signs may not correspond to the proposed work locations.

ON-SITE INSPECTION

Before submitting a bid for the work, make a thorough inspection of the site and determine existing conditions so that the work can be expeditiously performed after a contract is awarded. The Department will consider submission of a bid to be evidence of this inspection having been made. The Department will not honor any claims for money or time extension resulting from site conditions.

RIGHT OF WAY LIMITS

The Department has not established the exact limits of the Right-of-Way. Unless a consent and release form is obtained from the adjoining property owner, limit work activities to the obvious Right-of-Way and staging areas secured and environmentally cleared by the Contractor at no additional cost to the Department. In the event that private improvements (i.e., fences, buildings, etc.) encroach upon the Right-of-Way, the contractor shall notify the Engineer and limit work activities in order to NOT disturb the improvements. If they become necessary, the Department will secure consent and releases from property owners through the Engineer. Be responsible for all encroachments onto private lands.

CONTROL

Perform all work under the absolute control of the Department of Highways. Obtain the Engineer's approval of all designs required to be furnished by the Contractor prior to incorporation into the work. The Department reserves the right to have other work performed by other contractors and its own forces and to permit public utility companies and others to do work during the construction within the limits of, or adjacent to, the project. Conduct operations and cooperate with such other parties so that interference with such other work will be reduced to a minimum. The Department will not honor any claims for money or time extension created by the operations of such other parties. Should a difference of opinion arise as to the rights of the Contractor and others working within the limits of, or adjacent to, the project, the Engineer will decide as to the respective rights of the various parties involved in order to assure the completion of the Department's work in general harmony and in a satisfactory manner, and his/her decision shall be final and binding upon the Contractor.

General Notes & Description of Work
Page 2 of 2

DESCRIPTION OF WORK

This project contains work to be paid for using multiple funding sources. The Contractor shall work with the Engineer to document work and the appropriate bid items for measurement by the Engineer. The work and funding source is listed in the following sections. Except as specified herein, perform all work in accordance with the Department's Standard Specifications, Supplemental Specifications, applicable Special Notes and Special Provisions, and applicable Standard and Sepia Drawings, current editions. Furnish all materials, labor, equipment, and incidentals for the following work:

FD05 059 0025 010-013

Pavement Resurfacing. The existing roadway is to be resurfaced from approximately 230 feet northeast of the intersection of US 25 and KY 1072 (Kyles Ln.) to the asphalt-concrete pavement joint in the western approach to the intersection of US 25 and Bullock St./I-75S Ramp. Other items that may be associated with the pavement resurfacing include: removal of existing pavement by milling and texturing, leveling and wedging, application of asphalt material for tack, and construction of permanent pavement striping and markings.

Base Failure Repairs. An area has been identified along the route for Base Failure Repair. The repair location and dimensions listed on the Base Failure Repair Summary are approximate only. The Engineer will determine actual repair locations and dimensions at the time of construction. Refer to the Special Note for Base Failure Repair for more details on this item of work.

Radar Presence Detectors. Work to include the installation and activation of Radar Detection equipment as identified in this proposal, detailed in the Special Note for Radar Presence Detection, and to the satisfaction of the District Traffic Engineer.

FD04 059 0025 010-013

Removal of Existing Signal Heads and Installation of Proposed Signal Heads. Several intersections have signal heads that are to be removed and replaced with specified equipment. The Contractor should coordinate with the District Traffic Engineer to effectively and efficiently perform this work with minimal impact to corridor traffic. Refer to the Signal Head Replacement Summaries, the Install Items List, and Signal Detail Sheets as well as the Standard Drawings for Traffic Installations and Standard Specifications for more information.

FE01 059 0025 010-013

Removal of Existing Signal Controllers and Installation of Proposed Signal Controllers. Several intersections have a signal controller that is to be removed and replaced with new specified equipment. The Contractor should coordinate with the District Traffic Engineer to effectively and efficiently perform this work with minimal impact to corridor traffic. Refer to the Install Items List, and Signal Detail Sheets as well as the Standard Drawings for Traffic Installations and Standard Specifications for more information.

Special Note for Completion Date & Liquidated Damages

I. COMPLETION DATE

All work in this Contract is to be completed in the 2025 construction season by November 24, 2025 or before. The Contractor will have the option of selecting the starting date for the work proposed within this Contract. Once a starting date is selected, notify the Department in writing of the date selected at least two weeks prior to beginning work. Once work begins, all work shall be completed and all traffic control devices removed within a maximum of 45 calendar days. Contrary to Section 108.07.03, the Engineer will begin charging calendar days for this project on the day the Contractor starts work or sets up traffic control.

II. LIQUIDATED DAMAGES

In addition to the requirements of Section 108.09, the Department will assess Liquidated Damages in the amount of **\$1000** per day for each day, or fraction of a day, if either the 45 calendar days or the November 24, 2025 date is exceeded. All construction must be completed in accordance with any and all applicable weather limitations listed in the Standard Specifications. As such, the Contractor is advised to select a starting date based on a favorable weather forecast.

NOTE: At the sole discretion of the Engineer, all, or part, of these Liquidated Damages may be waived due to unforeseen circumstances, such as unexpected weather.

Contrary to Section 108.09, Liquidated Damages will be assessed for the months of December through March.

All liquidated damages will be applied accumulatively.

All other applicable portions of Section 108 apply.

SPECIAL PROVISION FOR WASTE AND BORROW SITES

Obtain U.S. Army Corps of Engineer's approval before utilizing a waste or borrow site that involves "Waters of the United States". The Corps of Engineers defines "Waters of the United States" as perennial or intermittent streams, ponds or wetlands. The Corps of Engineers also considers ephemeral streams, typically dry except during rainfall but having a defined drainage channel, to be jurisdictional waters. Direct questions concerning any potential impacts to "Waters of the United States" to the attention of the appropriate District Office for the Corps of Engineers for a determination prior to disturbance. Be responsible for any fees associated with obtaining approval for waste and borrow sites from the U.S. Army Corps of Engineer or other appropriate regulatory agencies.

1-296 Waste & Borrow Sites
01/02/2012

SPECIAL NOTE FOR NON-TRACKING TACK COAT

1. DESCRIPTION AND USEAGE. This specification covers the requirements and practices for applying a non-tracking tack asphalt coating. Place this material on the existing pavement course, prior to placement of a new asphalt pavement layer. Use when expedited paving is necessary or when asphalt tracking would negatively impact the surrounding area. This material is not suitable for other uses. Ensure material can “break” within 15 minutes under conditions listed in 3.2.
2. MATERIALS, EQUIPMENT, AND PERSONNEL.

2.1 Non-Tracking Tack. Provide material conforming to Subsection 2.1.1.

2.1.1 Provide a tack conforming to the following material requirements:

Property	Specification	Test Procedure
Viscosity, SFS, 77 ° F	20 – 100	AASHTO T 72
Sieve, %	0.3 max.	AASHTO T 59
Asphalt Residue ¹ , %	50 min.	AASHTO T 59
Oil Distillate, %	1.0 max.	AASHTO T 59
Residue Penetration, 77 ° F	0 - 30	AASHTO T 49
Original Dynamic Shear (G*/sin δ), 82 ° C	1.0 min.	AASHTO T 315
Softening Point, ° F	149 min.	AASHTO T 53
Solubility, %	97.5 min.	AASHTO T 44

¹ Bring sample to 212 °F over a 10-15 minute period. Maintain 212 °F for 15-20 minutes or until 30-40 mL of water has distilled. Continue distillation as specified in T59.

- 2.2. Equipment. Provide a distributor truck capable of heating, circulating, and spraying the tack between 170 °F and 180 °F. Do not exceed 180 °F. Circulate the material while heating. Provide the correct nozzles that is recommend by the producer to ensure proper coverage of tack is obtained. Ensure the bar can be raised to between 14” and 18” from the roadway.
 - 2.3. Personnel. Ensure the tack supplier has provided training to the contractor on the installation procedures for this product. Make a technical representative from the supplier available at the request of the Engineer.
3. CONSTRUCTION.
 - 3.1 Surface Preparation. Prior to the application of the non-tracking tack, ensure the pavement surface is thoroughly dry and free from dust or any other debris that would inhibit adhesion. Clean the surface by scraping, sweeping, and the use of compressed air. Ensure this preparation process occurs shortly before application to prevent the return of debris on to the pavement. If rain is expected within one hour after application, do not apply material. Apply material only when the surface is dry, and no precipitation is expected.

3.2 Non-tracking Tack Application. Placement of non-tracking tack is not permitted from October 1st to May 15th. When applying material, ensure the roadway temperature is a minimum of 40°F and rising. Prior to application, demonstrate competence in applying the tack according to this note to the satisfaction of the Engineer. Heat the tack in the distributor to between 170 – 180 °F. After the initial heating, between 170 – 180 °F, the material may be sprayed between 165 °F and 180 °F. Do not apply outside this temperature range. Apply material at a minimum rate of 0.70 pounds (0.08 gallons) per square yard. Ensure full coverage of the material on the pavement surface. Full coverage of this material is critical. Increase material application rate if needed to achieve full coverage. Schedule the work so that, at the end of the day's production, all non-tracking tack is covered with the asphalt mixture. If for some reason the non-tracking tack cannot be covered by an asphalt mixture, ensure the non-tracking tack material is clean and reapply the non-tracking tack prior to placing the asphalt mixture. Do not heat material more than twice in one day.

3.3 Non-tracking Tack Certification. Furnish the tack certification to the Engineer stating the material conforms to all requirements herein prior to use.

3.4 Sampling and Testing. The Department will require a sample of non-tracking tack be taken from the distributor at a rate of one sample per 15,000 tons of mix. Take two 1 gallon samples of the heated material and forward the sample to the Division of Materials for testing within 7 days. Ensure the product temperature is between 170 and 180 °F at the time of sampling.

4. MEASUREMENT. The Department will measure the quantity of non-tracking tack in tons. The Department will not measure for payment any extra materials, labor, methods, equipment, or construction techniques used to satisfy the requirements of this note. The Department will not measure for payment any trial applications of non-tracking tack, the cleaning of the pavement surface, or furnishing and placing the non-tracking tack. The Department will consider all such items incidental to the non-tracking tack.
5. PAYMENT. The Department will pay for the non-tracking tack at the Contract unit bid price and apply an adjustment for each manufacturer's lot of material based on the degree of compliance as defined in the following schedule. Non-tracking tack will not be permitted for use from October 1st to May 15th. During this timeframe, the department will allow the use of an approved asphalt emulsion in lieu of a non-tracking tack product but will not adjust the unit bid price of the material. When a sample fails on two or more tests, the Department may add the deductions, but the total deduction will not exceed 100 percent.

Non-Tracking Tack Price Adjustment Schedule						
Test	Specification	100% Pay	90% Pay	80% Pay	50% Pay	0% Pay
Viscosity, SFS, 77 ° F	20 – 100	19 - 102	17 - 18	15 - 16	14	≤13
			103 - 105	106 - 107	108 - 109	≥ 110
Sieve, %	0.30 max.	≤ 0.40	0.41 - 0.50	0.51 - 0.60	0.61 - 0.70	≥ 0.71
Asphalt Residue, %	50 min.	≥49.0	48.5 – 48.9	48.0 – 48.4	47.5-47.9	≤ 47.4
Oil Distillate, %	1.0 max.	≤1.0	1.1-1.5	1.6 - 1.7	1.8-1.9	>2.0
Residue Penetration, 77 ° F.	30 max.	≤ 31	32 - 33	34 - 35	36 - 37	≥ 38
Original Dynamic Shear (G*/sin δ), 82 ° C	1.0 min.	≥0.95	0.92 – 0.94	0.90 – 0.91	0.85 - 0.89	≤ 0.84
Softening Point, ° F	149 min.	≥145	142 - 144	140 - 141	138 - 139	≤ 137
Solubility, %	97.5 min.	≥ 97.0	96.8 – 96.9	96.6 – 96.7	96.4 – 96.5	≤ 96.3

Code
24970EC

Pay Item
Asphalt Material for Tack Non-Tracking

Pay Unit
Ton

Revised: May 23, 2022

SPECIAL NOTE FOR ELECTRONIC DELIVERY MANAGEMENT SYSTEM (e-Ticketing) ASPHALT

This Special Note will apply when indicated on the plans or in the proposal. Section references herein are to the Department's Standard Specifications for Road and Bridge Construction current edition.

1.0 DESCRIPTION. Incorporate an e-Ticketing Delivery Software for weighed asphalt material delivered to the project to report loads and provide daily running totals of weighed asphalt material for pay items and incidental work during the construction processes from the point of measurement and loading to the point of incorporation to the project.

2.0 MATERIALS AND EQUIPMENT. Contractor shall supply material data in JavaScript Object Notation (JSON) documents to the KYTC e-Ticketing Delivery Software (KYTC e-Ticketing Portal) via Application Programming Interface (API) or direct connection. Test and verify that ticket data can be shared from the original source no fewer than 30 days prior to material placement activities. An e-Ticketing Delivery Software supplier can provide a qualified representative for on-site technical assistance during the initial setup, pre-construction verifications, and data management and processing as needed during the Project to maintain material data delivery capabilities. Virtual meetings may be hosted in lieu of on-site meetings when deemed appropriate by the Engineer.

Provide e-Ticketing Delivery Software that will meet the following:

1. The e-Ticketing Delivery Software shall be fully integrated with the Contractor's Load Read-Out scale system at the material source location.
2. The e-Ticketing Delivery Software shall provide real-time delivery to KYTC e-Ticketing Portal.
3. Transmit any updates to the ticket data within 5 minutes of a change.

3.0 CONSTRUCTION. Provide the Engineer with the manufacturer's specifications and all required documentation for data access at the pre-construction conference.

A. Construction Requirements

1. Install and operate software in accordance with the manufacturer's specifications.
2. Verify that all pertinent information is provided by the software within the requirements of this Special Note.

B. Data Deliverables

Provide to the Engineer a means in which to gather report summaries by way of iOS apps, web pages, or any other method at the disposal of the Engineer. The Engineer may request data at any time during the project.

1. Asphalt Material

a. Real-time Continuous Data Items

Provide the Engineer access to JSON documents capable of being transmitted through the KYTC's e-Ticketing Portal that displays the following information in real-time with a web-based system compatible with iOS and Windows environments.

- Each Truck
 - Supplier Name
 - Supplier Address
 - Supplier Phone
 - Plant location
 - Date
 - Time at source
 - Project Location

- Contract ID#
- Carrier Name
- Unique Truck ID
- Description of Material
- Mix Design Number
- Gross, Tare and Net Weight
- Weighmaster

4.0 MEASUREMENT. The Department will not measure the electronic delivery management system.

5.0 PAYMENT. The Department will not measure this work for payment and will consider all items contained in this note to be incidental to the asphalt mixtures on the project, as applicable.

May 5, 2025

SPECIAL NOTE FOR RECYCLED ASPHALT PAVEMENT (RAP) STOCKPILE MANAGEMENT

I. GENERAL

The use of reclaimed asphalt pavement (RAP) from Department projects or other approved sources in hot mix asphalt (HMA) or warm mix asphalt (WMA) shall be subject to stockpile management and handling of material as described in this section.

The Department approves RAP on a stockpile basis, following the process set forth in this method. The contractor's responsibilities in the process are as follows:

- To obtain the Department's approval of all RAP prior to its use on a Department project and to deliver test data and samples as required
- To monitor and preserve the quality and uniformity of the approved material during storage and handling, adding no unapproved material to the existing stockpile
- To comply with the Department's requirements regarding replenishment of approved stockpiles

The Department will approve RAP based on its composition and variability in gradation and asphalt content, and on visual inspections of the stockpile, which the Department may conduct at its discretion. The Department may withdraw approval of a stockpile if the requirements of this specification are not followed in good faith.

The Maximum Percentage Allowed in a mix design will be based on these criteria and on the category of RAP source, as defined in this document.

II. APPROVAL PROCESS

Qualified asphalt producers (listed in List of Approved Materials-Asphalt Mixing Plants) may submit requests for RAP stockpile approval to the Asphalt Branch, Division of Materials, in the Annual Certification for Previously Approved Asphalt Mixing Plants and Related Equipment. The requester shall provide test results as prescribed in Part IID. The Division of Materials may, at their discretion, collect samples or inspect a RAP stockpile consistent with Section IIE.

Upon completion of the review of testing results and, if applicable, visual inspection, the Division of Materials, Asphalt Branch will approve or disapprove the material by letter and will assign a Stockpile Identification Number for each approved RAP stockpile. Note: The contractor's average gradation and asphalt content, as listed in the approval letter, shall be the gradation used in subsequent mix designs. The approval letter will state the applicable limits on the use of the material in mix designs and will summarize the Department's findings, listing the average gradation and asphalt content from the contractor's tests and the corresponding values found by the Department. Where the Maximum Percentage Allowed is low due to variability, the contractor may elect to improve the uniformity of the material by further processing and may again sample, test, and request approval for the material.

No material shall be added to a stockpile after it has been approved, except as provided in Parts V, VI, and VII below.

IIA. RAP Quality Management Plan

For a contractor to receive approval to use RAP on any department project, a RAP Quality Management Plan must first be approved by the department. The RAP Quality Management Plan shall be submitted to the

Division of Materials annually for approval as part of the Contractor's Quality Control Plan/Checklist. The Quality Management Plan is required to demonstrate how the Contractor will provide consistency and quality of material utilized in all asphalt mixes produced for use on Department projects. The Quality Management Plan shall include:

- Unprocessed RAP Stockpiles
 - Designation of stockpile(s) as single or multiple source
 - Designation of stockpile(s) as classified or unclassified
 - Designation of stockpile(s) as captive or continuously replenishing
 - Plan for how stockpile(s) is built (layers, slope, etc.)
 - Plan to minimize stockpile(s) contamination
- Processing and Crushing
 - Equipment used to feed screener or crusher
 - Excavation process based on equipment type
- Processing Millings
 - Single Project or Source
 - Screening, Fractionation, or Crushing plan
 - Multiple Source
 - Process to achieve uniform material from stockpile
 - Screening, Fractionation, or Crushing plan
- Processed RAP Stockpiles
 - Minimization of segregation
 - Minimization of moisture

IIB. RAP Stockpile Placement

All processed RAP stockpiles shall be placed on a sloped, paved surface. The requirement for a paved surface may be waived by the Cabinet if the Contractor's RAP Quality Management Plan demonstrates effective material handling that will minimize deleterious material from beneath the processed stockpile entering the plant. *No processed stockpile will be placed directly on grass or dirt.*

IIC. Stockpile Identification Signs

RAP stockpiles shall be identified with posted signs displaying the gradation of material in the stockpile (course, intermediate, or fine). These signs shall be made of weatherproof material and shall be highly visible. Numerals shall be easily readable from outside the stockpile area. If a stockpile exists in two or more parts, each part must have its own sign.

IID. Standard Approval Procedure

The Contractor shall obtain random samples representative of the entire stockpile and shall have each sample tested for gradation and asphalt content according to KM 64-426, KM 64-427, and AASHTO T308. The material samples must be in its final condition after all crushing and screening. At least one sample shall be obtained for each 1,000 tons of processed RAP, with a minimum of five samples per stockpile. Sampling shall be performed according to the method prescribed for asphalt mix aggregates in the Department's Materials Field Testing and Sampling Manual and KM 64-601. The minimum sampling size (after quartering) for tests of RAP samples is 1,500 g. except for samples containing particles more than one inch in diameter, for which the minimum is 2,000 g.

To request approval of a RAP stockpile, submit the following documents to the Division of Materials. It is the requester's responsibility to correctly address, label, and deliver these submittals:

- Submit request for approval at beginning of the paving season as part of the Annual Certification for Previously Approved Asphalt Mixing Plants and Related Equipment.
- If requesting approval after paving season begins, submit memo, including stockpile portion of the inspection list for Annual Certification for Previously Approved Asphalt Mixing Plants and Related Equipment, to Division of Materials.
- Reports of the tests prescribed above using the Stockpile <INSERT NAME> document.
- A drawing of the plant site showing the location of the stockpile to be approved *and all other stockpiles on the premises*

Mail, deliver or email the request form, with test reports and site drawing, to:

Kentucky Transportation Cabinet
Division of Materials
ATTN: Asphalt Branch Manager
1227 Wilkinson Boulevard
Frankfort, Kentucky 40601

Robert.Semones@ky.gov

III. Tests and inspections by the Department

The Department shall have the right to observe the collection of samples, or to perform the sampling and testing as a verification of contractor submittal. As a condition of approval, the Department may at any time inspect and sample RAP stockpiles for which approval has been requested and may perform additional quality control tests to determine the consistency and quality of the material.

The approval letter issued by the Department will include any results of verification testing performed by the Cabinet. The approved contractor results should be used by mix design technicians in the design calculations.

III. RAP STOCKPILE TIERED MANAGEMENT AND EFFECTIVE BINDER CONTENT

The stockpile management and approval requirements will be tiered based on the maximum cold feed percentages as defined in this section and Table 1. below.

Table 1. Tiered Testing Requirements

Mix Type	0-≤12%	12-≤20%	20-≤35%
Surface	Tier 1	Tier 2	Tier 3
Base	Tier 1	Tier 2	Tier 3

NOTE: All asphalt mixes and binder selection will be subject to Section 409 of the current Standard Specifications.

The following requirements will apply based on the percentage of RAP in the mix.

Tier 1

Tier 1 mixes (less than or equal to 12% RAP) will be subject to the requirements of sections IIA, IIB, and IIC.

Tier 2

Tier 2 mixes (12% to less than 20% RAP) will be subject to the requirements of Section II in its entirety and Table 2 requirements.

Tier 3

Tier 3 Asphalt Base mixes with 20% to less than 35% RAP, Tier 3 Asphalt Surface mixes with 20% to less than 30% RAP will be subject to Section II in its entirety and Table 2 requirements.

IV. MAXIMUM PERCENTAGE OF RAP ALLOWED

The Maximum Percent of RAP allowed in mix designs shall be the lowest percentage determined by the gradation and asphalt content of the RAP, as established under the criteria below, and requirements listed in Section III.

Limits according to range in gradation and bitumen content

The Maximum Percent of RAP Allowed, based on gradation and asphalt content, shall be determined by the Department using the standard deviation of these values. This standard deviation will be calculated using data provided by the contractor from at least five samples. While the contractor is required to provide the data from these tested samples, the Department retains the discretion to perform its own sampling and testing to support or verify its findings. An apparent outlier shall not be considered in determining these ranges. Where one result appears to be unrepresentative of the whole, two or more additional samples shall be tested. The outlying value of all tests shall then be excluded from the range. The maximum percentage of RAP allowable shall be the lowest percentage determined according to Table 2 below.

Table 2. Maximum Percent RAP According to Variability in Test Results

	Standard Deviation as calculated above:		
Surface			
% asphalt content	< 0.4	< 0.5	
% passing No. 200 sieve	< 1.25	< 1.5	
% passing Median Sieve	< 4.0	< 5.0	
	Allowable RAP Cold Feed %		
	Tier 3 - 20%-30%	Tier 2 - 12%-20%	Tier 1 - 0%-12%
Base			
% asphalt content	< 0.5	< 0.75	
% passing No. 200 sieve	< 1.5	< 2.25	
% passing Median sieve	< 5.0	< 7.0	
	Allowable RAP Cold Feed %		
	Tier 3 - 20%-35%	Tier 2 - 12%-20%	Tier 1 - 0%-12%

NOTE: These allowances notwithstanding, the Contractor is required to maintain the mixture within the Mixture Control Tolerances of Kentucky Method 443.

The percentage allowable in mix designs shall be limited to meet the design criteria for viscosity established in the Standard Specifications.

V. GENERAL STOCKPILE REQUIREMENTS AND REPLENISHMENT

V.A. Single Pavement Source

Early approval of material from a single pavement source. When a new stockpile is to consist entirely of millings removed from a single existing pavement, the stockpile may be approved based on samples taken during the milling and processing operations, prior to completion of milling. The initial stockpile may be approved as either a new stockpile or a new stockpile in continual replenishment status.

For continual replenishment status, samples shall be taken from the processed stockpile after it reaches 1,000 tons. A total of five initial samples, plus one additional sample for every 1,000 tons, is required. As prescribed in Part II above, the contractor shall test all samples and deliver the test results, together with a letter request for approval in Continual Replenishment status, to the address indicated. The stockpile shall be subject to initial approval as prescribed above in Part II. Once approved, it may be replenished without further approvals as provided in Part VII below.

V.B. Heterogeneous or contaminated material

Asphalt pavement millings containing traffic detection loops, raised pavement markers, or other debris must be separated and excluded before stockpiling RAP for approval for use in KYTC asphaltic concrete mixtures.

No material other than RAP from an approved stockpile shall be included in mixtures for State projects. The following materials are specifically excluded:

- Material contaminated with foreign matter such as liquids, soil, concrete, or debris
- Plant waste, especially waste containing abnormal concentrations of bitumen, drum build-up, or material from spills or plant clean-up operations

The following materials shall not be added to or placed in proximity to an approved stockpile but may be accumulated in a separate stockpile and submitted for approval according to Part III:

- Production mixtures returned to the plant for any reason.
- Mis-proportioned mixtures, especially those generated at start-up.

VI. REPLENISHMENT OF STOCKPILES

An approved RAP stockpile may be replenished with Department approval, provided the replenishment material meets all necessary requirements for approval and maintains uniformity in gradation and asphalt content as outlined in this document.

VI.A. Procedure and approval criteria

The procedure for requesting approval of a stockpile replenishment, that is not in continual replenishment status, shall be the same as for approval of an original stockpile, and the material for the replenishment shall meet all criteria for approval as a new stockpile. RAP proposed for replenishment shall be sampled and tested by the Contractor for gradation and asphalt cement as prescribed in Section II above. The Laboratory shall

review these results and provide approval for use in Department asphalt mix designs, according to Table 2 above.

VI.B. Effect of replenishment on existing approved mix designs

Replenishment of a stockpile may render certain mix designs invalid, depending on the percent RAP allowed in the design and on the difference in average properties between the old and new stockpiles. A replenished stockpile may be used as the RAP ingredient in an existing approved design provided that:

1. The Maximum Percent Allowed for the replenishment stockpile equals or exceeds the percent RAP called for in the mix design. In no case may the Maximum Percent Allowed be exceeded.

However, if a mix design calls for up to 5.0 percent more than the Maximum Percent Allowed for the replenishment, the *design* may be adjusted, with approval, to use the lower percent allowed, provided that the production mixture continues to meet all acceptance criteria. For example, a design which calls for 20 percent RAP may be adjusted and produced with 15 percent if it continues to meet for acceptance.

VII. CONTINUAL REPLENISHMENT WITHOUT RE-APPROVAL

At the request of the contractor, a previously approved stockpile may be placed in Continual Replenishment Status and may be replenished any number of times without re-approval provided that:

1. Replenishment is within six months of the last stockpile addition.
2. The contractor shall continue to monitor and test the materials added to the stockpile and shall forward these results to the Division of Materials for every 1,000 tons of RAP added to the stockpile.
3. The contractor must certify that replenishment materials are free of contaminants.
4. The Department shall be notified by letter to the Director of the Division of Materials that the stockpile is being replenished on a continual basis.
5. The RAP Maximum Percent Allowed for continual replenishment shall be limited by Sections III and IV.

Note: Upon request, one 20-pound sample bag of RAP for each Continual Replenishment Stockpile shall be submitted to the Division of Materials for petrographic analysis every 12 months.

The Department may inspect, sample, and test such stockpiles at its discretion and may, upon determining that the stockpile is unsuitable, withdraw approval of the material and all mix designs which include it. Approval of the stockpile may be withdrawn at any time based upon extreme or erratic ingredient proportions, unsuitable ingredients, or poor performance, as determined by the Division of Materials, Asphalt Branch. The Department will conduct periodic comparison testing on the opposite quarters of samples submitted by the Contractor for special replenishment approval category. The approval of the stockpile may be withdrawn if

erroneous information was found on the contractor's testing and/or improper sampling procedures were involved after a thorough investigation.

VIII. DEPLETION OF STOCKPILE AND EXPIRATION OF APPROVAL

When a stockpile has been fully depleted, the Contractor may replenish it within 24 months after the date of depletion; a depleted stockpile not replenished after 24 months will be removed from the approved list and may not be replenished.

Approval of a stockpile may be withdrawn if, in the finding of the Division of Materials, Asphalt Branch, the total amount of material used in new mixtures equals the total tonnage of the original stockpile plus all approved replenishments. Six years from the original approval of a stockpile or from its most recent replenishment, a stockpile shall be presumed to be depleted, and its approval shall expire. This shall apply to all stockpiles, regardless of status or history of use.

IX. RECORDS

The Contractor shall maintain records at the plant site on all RAP stockpiles. These records shall be available for inspection by representatives of the Department and shall include the following:

- All test results.
- The Department's approval letter for each stockpile and replenishment, together with the Contractor's requests for approval and all data submitted therewith.
- A current drawing of all stockpile locations at the plant site, including unapproved stockpiles, showing stockpile numbers of all stockpiles approved for State work.

X. RELOCATION OF STOCKPILE

If material from an approved RAP stockpile is to be moved to another location, the contractor shall seek approval from the Department prior to its further use on State projects. A letter request shall be submitted to the Division of Materials indicating the current stockpile location, the total quantity of material to be moved, and the amount, if any, to remain in the current location. The Division of Materials will issue an approval letter applicable to the new location.

June 18, 2025

COORDINATION OF WORK WITH OTHER CONTRACTS

Be advised, there may be an active project(s) adjacent to or within this project. The Engineer will coordinate the work of the Contractors. See Section 105.06.

1-3193 Coordination Contracts
01/02/2012

**SPECIAL NOTE FOR
ASPHALT MILLING AND TEXTURING**

Begin paving operations within **48 hours** of commencement of the milling operation. Continue paving operations continuously until completed. If paving operations are not begun within this time period, the Department will assess liquidated damages at the rate prescribed by Section 108.09 until such time as paving operations are begun.

Take possession of the millings and recycle the millings or dispose of the millings off the Right-of-Way at sites obtained by the Contractor at no additional cost to the Department.

1-3520 48 hours Contractor keeps millings
01/2/2012

SPECIAL NOTE FOR BASE FAILURE REPAIR

Repair locations listed on the summary are approximate only. The Engineer will determine actual repair locations and dimensions at the time of construction. Saw cut the existing pavement, asphalt surface, base, DGA, and PCC pavement (if present). Excavate to an approximate depth of 4 inches below the bottom of the existing pavement level. Use all possible care to avoid damaging existing culvert pipes and any existing underground utilities. Repair or restore any damaged items at no additional cost to the Department. Waste all removed materials off the Right of Way at sites obtained by the Contractor at no additional cost to the Department. See the Special Provision for Waste and Borrow Sites.

On the same day trench is excavated, backfill the excavated area 4 inches of DGA, and Class 3 Asphalt Base 1.00D PG64-22, in 4 inch maximum courses, up to the existing pavement surface. Compact the asphalt base to the proper compaction as required by Section 403. Seal the asphalt base with leveling and wedging. Perform all base failure repairs in such a manner that removal and replacement are completed on the same day. Do this work as one of the Contractor's first operations in order to allow further compaction by traffic. Do not mill or place new asphalt surface over repaired base failure areas until a minimum of 14 calendar days have elapsed after placement of the final course of asphalt base. After the 14 calendar day waiting period, and/or when the Engineer determines the base failure repair areas have sufficiently stabilized, begin milling and/or resurfacing operations. Prior to milling and/or constructing the new asphalt surface, level and wedge any settlement of the repair areas.

The bidder must draw his or her own conclusions as to the conditions to be encountered. The Department does not give any guarantee as to the accuracy of the data and no claim will be considered for additional compensation of the materials encountered that are not in accord with the classification shown.

Accept payment at the Contract unit prices per square yard for Base Failure Repair and per ton for Leveling and Wedging as full compensation for all labor, materials, equipment, and incidentals for saw cutting pavement and excavating and disposing of all materials; furnishing and placing asphalt base up to the pavement boundary; leveling and wedging until the repair areas stabilize; and all other items necessary to complete the work according to these notes to the satisfaction of the Engineer.

SPECIAL NOTE FOR TYPICAL SECTION DIMENSIONS

Consider the dimensions shown on the typical sections for pavement and shoulder widths and thickness' to be nominal or typical dimensions. The Engineer may direct or approve varying the actual dimensions to be constructed to fit existing conditions. Do not widen existing pavement or shoulders unless specified elsewhere in this proposal or directed by the engineer.

1-3725 Typical Section Dimensions
01/02/2012

TRAFFIC CONTROL PLAN

TRAFFIC CONTROL GENERAL

Except as provided herein, traffic shall be maintained in accordance with the current editions of the Manual on Uniform Traffic Control Devices (MUTCD), Standard Specifications, Supplemental Specifications, and the Standard and Sepia Drawings. Except for the roadway and traffic control bid items listed, all items of work necessary to maintain and control traffic shall be paid at the lump sum bid price to "Maintain and Control Traffic".

Contrary to Section 106.01, traffic control devices used on this project may be new, or used in like new condition, at the beginning of the work and maintained in like new condition until completion of the work. Any temporary traffic control items, devices, materials, and incidentals shall remain the property of the contractor unless otherwise addressed, when no longer needed.

PROJECT PHASING & CONSTRUCTION PROCEDURES

At locations with three or more lanes, maintain one lane of traffic in each direction at all times during construction. At locations with two lanes, maintain alternating one-way traffic during construction and provide a minimum clear lane width of 10 feet; however, provide for passage of vehicles of up to 16 feet in width. If traffic should be stopped due to construction operations, and a school bus or emergency vehicle on an official run arrives on the scene, make provisions for the passage of the school bus or emergency vehicle as quickly as possible..

The Department will allow night work on this project. Obtain the Engineer's approval of the method of lighting prior to performing night work.

Take these restrictions into account in submitting bid. The Department will not consider any claims for money or grant contract time extensions for any delays to the Contractor as a result of these restrictions.

Unless otherwise approved by the Engineer, no lane closures will be allowed during the following times:

Labor Day Weekend 2025

Do NOT erect lane closures during the following days and/or hours:

Normal Workday Rush Hours

Monday-Friday 6:00 AM – 9:00 AM, and 2:00 PM – 6:00 PM, daily

At the discretion of the Engineer, additional days and hours may be specified when lane closures will not be allowed.

The Department will provide public notification regarding lane closures. The Contractor shall submit proposed lane closure days and times to the Engineer at least 14 calendar days in advance for approval. Liquidated Damages will be assessed for each hour or fraction of an hour that a lane closure is in place outside of an approved time period. See the Special Notes for Completion Dates & Liquidated Damages for details on the Liquidated Damages amount.

LANE CLOSURES

Traffic Control Plan
Page 2 of 9

Long term lane closures shall not be allowed; therefore, lane closures will not be measured for payment. Do not leave lane closures in place during non-working hours and prohibited periods.

TEMPORARY SIGNS

Temporary signposts and splices shall be compliant with NCHRP 350 or MASH. Manufacturer's documentation validating this compliance shall be provided to the Engineer prior to installation. Temporary signs, including any splices, shall be installed according to manufacturer's specifications and installation recommendations. Contrary to section 112.04.02, only long-term temporary signs (temporary signs intended to be continuously in place for more than 3 days) will be measured for payment. Short-term temporary signs (temporary signs intended to be left in place for 3 days or less) will not be measured for payment but will be incidental to Maintain and Control Traffic.

CHANGEABLE MESSAGE SIGNS

Provide changeable message signs in advance of and within the project at locations determined by the Engineer. If work is in progress concurrently in both directions or if more than one lane closure is in place in the same direction of travel, provide additional changeable message signs as directed by the Engineer. Place changeable message signs approximately one mile in advance of the anticipated queue at each lane closure. As the actual queue lengthens and/or shortens, relocate or provide additional changeable message signs so that traffic has warning of slowed or stopped traffic at least one mile but not more than two miles before reaching the end of the actual queue. The Engineer may vary the designated locations as the work progresses. The Engineer will determine the messages to be displayed. In the event of damage or mechanical/electrical failure, repair or replace the Changeable Message Sign. If the damage or mechanical/electrical failure is identified during active work operations, repair or replace the Changeable Message Sign within 6 hours. If the damage or mechanical/electrical failure is identified when there are no active work operations on the project, repair or replace the Changeable Message Sign within 12 hours. The Department will measure for payment the maximum number of Changeable Message Signs in concurrent use at the same time on a single day on all sections of the contract. The Department will measure individual Changeable Message Signs only once for payment, regardless of how many times they are set, reset, removed, and/or relocated during the duration of the project. The Department will not measure for payment any replacements for damaged Changeable Message Signs or any changeable message signs the Engineer directs to be replaced due to poor condition or readability. Retain possession of the Changeable Message Signs upon completion of the work.

ARROW PANELS

Use arrow panels as shown on the Standard Drawings or as directed by the Engineer. The Department will measure for payment the maximum number of arrow panels in concurrent use at the same time on a single day on all sections of the contract. The Department will measure individual Arrow Panels only once for payment, regardless of how many times they are set, reset, removed, and relocated during the duration of the project. The Department will not measure replacements for damaged Arrow Panels or for panels signs the Engineer directs be replaced due to poor condition or readability for payment. Retain possession of the Arrow Panels upon completion of the work.

BARRICADES

Traffic Control Plan
Page 3 of 9

The Department will not measure barricades used in lieu of barrels and cones for channelization or delineation but shall be incidental to Maintain and Control Traffic according to Section 112.04.01.

TEMPORARY ENTRANCES AND ON-STREET PARKING

The Engineer will not require the Contractor to provide continuous access to farms, single family, duplex, or triplex residential properties during working hours; however, provide reasonable egress and ingress to each such property when actual operations are not in progress at that location. Limit the time during which a farm or residential entrance is blocked to the minimum length of time required for actual operations, not extended for the Contractor's convenience, and in no case exceeding six (6) hours. Notify all residents in writing twenty-four hours in advance of work that will require access restrictions to any driveway, entrance, and on-street parking and make any accommodations necessary to meet the access needs of disabled residents. Contractor to post street signs alerting of parking restrictions. Measurement of these signs for payment will not be made but instead should be incidental to Maintain and Control Traffic.

Except as allowed by the Phasing as specified above, maintain direct access to all side streets and roads, schools, churches, commercial properties, and apartments or apartment complexes of four or more units at all times. Access to fire hydrants must also be maintained at all times.

THERMOPLASTIC INTERSECTION MARKINGS

Consider the locations listed on the summary and/or shown on the plan sheets as approximate only. Prior to milling and/or resurfacing, locate and document the locations of the existing markings. After final surfacing operations, replace the markings at their approximate existing locations, as shown on the plan sheets, or as directed by the Engineer. Place markings not existing prior to resurfacing as shown on the plan sheets or as directed by the Engineer.

PAVEMENT MARKINGS

Install Temporary Striping according to Section 112 with the following exception:

If the Contractor's operations or phasing requires temporary markings that must subsequently be removed from the final surface course, use an approved removable lane tape; however, the Department will not measure removable lane tape for separate payment, but will measure and pay for removable lane tape as temporary striping.

PAVEMENT EDGE DROP-OFFS

Do not allow a pavement edge between opposing directions of traffic or lanes that traffic is expected to cross in a lane change situation with an elevation difference greater than 1½". Place Warning signs (MUTCD W8-11 or W8-9A) in advance of and at 1500' intervals throughout the drop-off area. Dual post the signs on both sides of the traveled way. Wedge all transverse transitions between resurfaced and un-resurfaced areas which traffic may cross with asphalt mixture for leveling and wedging. Remove the wedges prior to placement of the final surface course.

Protect pavement edges that traffic is not expected to cross, except accidentally, as follows:

Traffic Control Plan
Page 4 of 9

Less than 2" - No protection required.

2" to 4" - Place plastic drums, vertical panels, or barricades every 50 feet. During daylight working hours only, the Engineer will allow the Contractor to use cones in lieu of plastic drums, panels, and barricades. Wedge the drop-off with DGA or asphalt mixture for leveling and wedging with a 1:1 or flatter slope in daylight hours, or 3:1 or flatter slope during nighttime hours, when work is not active in the drop-off area.

Greater than 4" - Protect drop-offs greater than 4 inches within 10 feet of traffic by placing drums, vertical panels, or barricades every 25 feet. The Engineer will not allow the use of cones in lieu of drums, vertical panels, or barricades for drop-offs greater than 4". Place Type III Barricades directly in front of the drop-off facing oncoming traffic in both directions of travel. Provide warning signs as shown on the Standard Drawings or as directed by the Engineer

Pedestrians & Bicycles - Protect pedestrian and bicycle traffic as directed by the Engineer.

USE AND PLACEMENT OF CHANGEABLE MESSAGE SIGNS

The following policy is based upon current Changeable Message Signs (CMS) standards and practice from many sources, including the Federal Highway Administration (FHWA), other State Departments of Transportation, and Traffic Safety Associations. It is understood that each CMS installation or use requires individual consideration due to the specific location or purpose. However, there will be elements that are constant in nearly all applications. Accordingly, these recommended guidelines bring a level of uniformity, while still being open to regional experience and engineering judgment.

Application

The primary purpose of CMS is to advise the driver of unexpected traffic and routing situations. Examples of applications where CMS can be effective include:

- Closures (road, lane, bridge, ramp, shoulder, interstate)
- Changes in alignment or surface conditions
- Significant delays, congestion
- Construction/maintenance activities (delays, future activities)
- Detours/alternative routes
- Special events with traffic and safety implications
- Crash/incidents
- Vehicle restrictions (width, height, weight, flammable)
- Advance notice of new traffic control devices
- Real-time traffic conditions (must be kept up to date)
- Weather /driving conditions, environmental conditions, Roadway Weather Information Systems
- Emergency Situations
- Referral to Highway Advisory Radio (if available)
- Messages as approved by the County Engineer's Office

CMS should not be used for:

- Replacement of static signs (e.g. ROAD WORK AHEAD), regulatory signage (e.g. speed limits), pavement markings, standard traffic control devices, conventional warning or guide signs.
- Replacement of lighted arrow board
- Advertising (Don't advertise the event unless clarifying "action" to be taken by driver – e.g. Speedway traffic next exit)
- Generic messages
- Test messages (portable signs only)
- Describe recurrent congestion (e.g. rush hour)
- Public service announcements (not traffic related)

Traffic Control Plan
Page 6 of 9

Messages

Basic principles that are important to providing proper messages and ensuring the proper operation of a CMS are:

- Visible for at least ½ mile under ideal daytime and nighttime conditions
- Legible from all lanes a minimum of 650 feet
- Entire message readable twice while traveling at the posted speed
- No more than two message panels should be used (three panels may be used on roadways where vehicles are traveling less than 45 mph). A panel is the message that fits on the face of the sign without flipping or scrolling.
- Each panel should convey a single thought; short and concise
- Do not use two unrelated panels on a sign
- Do not use the sign for two unrelated messages
- Should not scroll text horizontally or vertically
- Should not contain both the words left and right
- Use standardized abbreviations and messages
- Should be accurate and timely
- Avoid filler/unnecessary words and periods (hazardous, a, an, the)
- Avoid use of speed limits
- Use words (not numbers) for dates

Placement

Placement of the CMS is important to ensure that the sign is visible to the driver and provides ample time to take any necessary action. Some of the following principles may only be applicable to controlled access roadways. The basic principles of placement for a CMS are:

- When 2 signs are needed, place on same side of roadway and at least 1,000 feet apart
- Place behind semi-rigid/rigid protection (guardrail, barrier) or outside of the clear zone
- Place 1,000 feet in advance of work zone; at least one mile ahead of decision point
- Normally place on right side of roadway; but should be placed closest to the affected lane so that either side is acceptable
- Signs should not be dual mounted (one on each side of roadway facing same direction)
- Point trailer hitch downstream
- Secure to immovable object to prevent theft (if necessary)
- Do not place in sags or just beyond crest
- Check for reflection of sun to prevent the blinding of motorist
- Should be turned ~3 degrees outward from perpendicular to the edge of pavement
- Bottom of sign should be 7 feet above the elevation of edge of roadway
- Should be removed when not in use

Traffic Control Plan
Page 7 of 9

Standard Abbreviations

The following is a list of standard abbreviations to be used on CMS:

<u>Word</u>	<u>Abbrev</u>	<u>Example</u>
Access	ACCS	CRASH AHEAD/ USE ACCS RD NEXT RIGHT
Alternate	ALT	CRASH AHEAD/ USE ALT RTE NEXT RIGHT
Avenue	AVE	FIFTH AVE CLOSED/ DETOUR NEXT LEFT
Blocked	BLKD	FIFTH AVE BLKD/ MERGE LEFT
Boulevard	BLVD	MAIN BLVD CLOSED/ USE ALT RTE
Bridge	BRDG	SMITH BRDG CLOSED/ USE ALT RTE
Cardinal Directions	N, S, E, W	N I75 CLOSED/ DETOUR EXIT 30
Center	CNTR	CNTR LANE CLOSED/ MERGE LEFT
Commercial	COMM	OVRSZ COMM VEH/ USE I275
Condition	COND	ICY COND POSSIBLE
Congested	CONG	HVY CONG NEXT 3 MI
Construction	CONST	CONST WORK AHEAD/ EXPECT DELAYS
Downtown	DWNTN	DWNTN TRAF USE EX 40
Eastbound	E-BND	E-BND I64 CLOSED/ DETOUR EXIT 20
Emergency	EMER	EMER VEH AHEAD/ PREPARE TO STOP
Entrance, Enter	EX, EXT	DWNTN TRAF USE EX 40
Expressway	EXPWY	WTRSN EXPWY CLOSED/ DETOUR EXIT 10
Freeway	FRWY, FWY	GN SYNDR FWY CLOSED/ DETOUR EXIT 15
Hazardous Materials	HAZMAT	HAZMAT IN ROADWAY/ ALL TRAF EXIT 25
Highway	HWY	CRASH ON AA HWY/ EXPECT DELAYS
Hour	HR	CRASH ON AA HWY/ 2 HR DELAY
Information	INFO	TRAF INFO TUNE TO 1240 AM
Interstate	I	E-BND I64 CLOSED/ DETOUR EXIT 20
Lane	LN	LN CLOSED MERGE LEFT
Left	LFT	LANE CLOSED MERGE LFT
Local	LOC	LOC TRAF USE ALT RTE
Maintenance	MAINT	MAINT WRK ON BRDG/ SLOW
Major	MAJ	MAJ DELAYS I75/ USE ALT RTE
Mile	MI	CRASH 3 MI AHEAD/ USE ALT RTE
Minor	MNR	CRASH 3 MI MNR DELAY
Minutes	MIN	CRASH 3 MI/ 30 MIN DELAY
Northbound	N-BND	N-BND I75 CLOSED/ DETOUR EXIT 50
Oversized	OVRSZ	OVRSZ COMM VEH/ USE I275 NEXT RIGHT
Parking	PKING	EVENT PKING NEXT RGT
Parkway	PKWY	CUM PKWAY TRAF/ DETOUR EXIT 60
Prepare	PREP	CRASH 3 MI/ PREP TO STOP
Right	RGT	EVENT PKING NEXT RGT
Road	RD	HAZMAT IN RD/ ALL TRAF EXIT 25
Roadwork	RDWK	RDWK NEXT 4 MI/ POSSIBLE DELAYS
Route	RTE	MAJ DELAYS I75/ USE ALT RTE
Shoulder	SHLDR	SHLDR CLOSED NEXT 5 MI
Slippery	SLIP	SLIP COND POSSIBLE/ SLOW SPD
Southbound	S-BND	S-BND I75 CLOSED/ DETOUR EXIT 50
Speed	SPD	SLIP COND POSSIBLE/ SLOW SPD

Traffic Control Plan
Page 8 of 9

Standard Abbreviations (cont.)

<u>Word</u>	<u>Abbrev</u>	<u>Example</u>
Street	ST	MAIN ST CLOSED/ USE ALT RTE
Traffic	TRAF	CUM PKWAY TRAF/ DETOUR EXIT 60
Vehicle	VEH	OVRSZ COMM VEH/ USE I275 NEXT RIGHT
Westbound	W-BND	W-BND I64 CLOSED/ DETOUR EXIT 50
Work	WRK	CONST WRK 2MI/ POSSIBLE DELAYS

Certain abbreviations are prone to inviting confusion because another word is abbreviated or could be abbreviated in the same way. DO NOT USE THESE ABBREVIATIONS:

<u>Abbrev</u>	<u>Intended Word</u>	<u>Word Erroneously Given</u>
ACC	Accident	Access (Road)
CLRS	Clears	Colors
DLY	Delay	Daily
FDR	Feeder	Federal
L	Left	Lane (merge)
LOC	Local	Location
LT	Light (traffic)	Left
PARK	Parking	Park
POLL	Pollution (index)	Poll
RED	Reduce	Red
STAD	Stadium	Standard
TEMP	Temporary	Temperature
WRNG	Warning	Wrong

Typical Messages

The following is a list of typical messages used on CMS. The list consists of the reason or problem that you want the driver to be aware of and the action that you want the driver to take.

<u>Reason/Problem</u>	<u>Action</u>
CRASH AHEAD	ALL TRAFFIC EXIT RT
CRASH/XX MILES	AVOID DELAY USE XX
XX ROAD CLOSED	CONSIDER ALT ROUTE
XX EXIT CLOSED	DETOUR
BRIDGE CLOSED	DETOUR XX MILES
BRIDGE/(SLIPPERY, ICE, ETC.)	DO NOT PASS
CENTER/LANE/CLOSED	EXPECT DELAYS
DELAY(S), MAJOR/DELAYS	FOLLOW ALT ROUTE
DEBRIS AHEAD	KEEP LEFT
DENSE FOG	KEEP RIGHT
DISABLED/VEHICLE	MERGE XX MILES
EMER/VEHICLES/ONLY	MERGE LEFT
EVENT PARKING	MERGE RIGHT
EXIT XX CLOSED	ONE-WAY TRAFFIC
FLAGGER XX MILES	PASS TO LEFT

Typical Messages (cont.)

Reason/Problem	Action
FOG XX MILES	PASS TO RIGHT
FREEWAY CLOSED	PREPARE TO STOP
FRESH OIL	REDUCE SPEED
HAZMAT SPILL	SLOW
ICE	SLOW DOWN
INCIDENT AHEAD	STAY IN LANE
LANES (NARROW, SHIFT, MERGE, ETC.)	STOP AHEAD
LEFT LANE CLOSED	STOP XX MILES
LEFT LANE NARROWS	TUNE RADIO 1610 AM
LEFT 2 LANES CLOSED	USE NN ROAD
LEFT SHOULDER CLOSED	USE CENTER LANE
LOOSE GRAVEL	USE DETOUR ROUTE
MEDIAN WORK XX MILES	USE LEFT TURN LANE
MOVING WORK ZONE, WORKERS IN ROADWAY	USE NEXT EXIT
NEXT EXIT CLOSED	USE RIGHT LANE
NO OVERSIZED LOADS	WATCH FOR FLAGGER
NO PASSING	
NO SHOULDER	
ONE LANE BRIDGE	
PEOPLE CROSSING	
RAMP CLOSED	
RAMP (SLIPPERY, ICE, ETC.)	
RIGHT LANE CLOSED	
RIGHT LANE NARROWS	
RIGHT SHOULDER CLOSED	
ROAD CLOSED	
ROAD CLOSED XX MILES	
ROAD (SLIPPERY, ICE, ETC.)	
ROAD WORK	
ROAD WORK (OR CONSTRUCTION) (TONIGHT, TODAY, TOMORROW, DATE)	
ROAD WORK XX MILES	
SHOULDER (SLIPPERY, ICE, SOFT, BLOCKED, ETC.)	
NEW SIGNAL XX MILES	
SLOW 1 (OR 2) - WAY TRAFFIC	
SOFT SHOULDER	
STALLED VEHICLES AHEAD	
TRAFFIC BACKUP	
TRAFFIC SLOWS	
TRUCK CROSSING	
TRUCKS ENTERING	
TOW TRUCK AHEAD	
UNEVEN LANES	
WATER ON ROAD	
WET PAINT	
WORK ZONE XX MILES	
WORKERS AHEAD	

INSTALL RADAR PRESENCE DETECTOR TYPE A




Install Radar Presence Detector Type A shall consist of installation of a pole mounted radar presence sensor, sensor mounting bracket, sensor cables, interface boxes, lead-in cable, connectors (furnished by contractor), and controller interface assembly. Radar Presence Detector Type A bid item shall include all labor required to provide a functional detection system. Radar Presence Detector Type A shall be installed and wired in accordance with the manufacturer's instructions. After the detector is installed and before the detector is powered on, the contractor shall coordinate with District Traffic Division's representatives to schedule a time to perform the detector setup. The contractor shall double check to verify that all wiring is correctly installed and connected before scheduling the setup work. Representatives from KYTC and/or the manufacturer or sales representative will assist with setup and calibration. The contractor shall provide a bucket truck and operators at this time for final aiming of the sensors. The contractor shall provide individuals capable of operating the setup software and learning the setup process so that future installations may be completed without assistance from others. This includes the removal of all existing loop lead-in cable, conduits, and junction boxes from cabinet, poles, spans, and the ground.

March 25, 2025



Commonwealth of Kentucky
DEPARTMENT OF HIGHWAYS
PLANS OF
PROPOSED PROJECT
CORRIDOR IMPROVEMENTS
KENTON COUNTY
US 25

COUNTY OF	ITEM NO.
KENTON	FD05 059 0025 010-013 FE01 059 0025 010-013 FD04



MATERIAL SUMMARY

CONTRACT ID: 252309

059GR25P074 - FD05, FE01, & FD04

MP05900252506

DIXIE HIGHWAY (US 25) BEGINNING 230 FEET NORTH OF KY 1072/KYLES LANE EXTENDING NORTH TO 60 FEET NORTH OF JILLIANS WAY ASPHALT RESURFACING, A DISTANCE OF 1.89 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0005	00190	LEVELING & WEDGING PG64-22	356.00	TON
0010	00388	CL3 ASPH SURF 0.38B PG64-22	3,559.00	TON
0015	02562	TEMPORARY SIGNS	370.00	SQFT
0020	02650	MAINTAIN & CONTROL TRAFFIC - (FD05)	1.00	LS
0025	02671	PORTABLE CHANGEABLE MESSAGE SIGN	3.00	EACH
0030	02676	MOBILIZATION FOR MILL & TEXT - (FD05)	1.00	LS
0035	02677	ASPHALT PAVE MILLING & TEXTURING	3,559.00	TON
0040	02775	ARROW PANEL	2.00	EACH
0045	03240	BASE FAILURE REPAIR	15.00	SQYD
0050	06510	PAVE STRIPING-TEMP PAINT-4 IN	20,022.00	LF
0055	06542	PAVE STRIPING-THERMO-6 IN W	19,264.00	LF
0060	06543	PAVE STRIPING-THERMO-6 IN Y	24,845.00	LF
0065	06546	PAVE STRIPING-THERMO-12 IN W	300.00	LF
0070	06565	PAVE MARKING-THERMO X-WALK-6 IN	1,703.00	LF
0075	06568	PAVE MARKING-THERMO STOP BAR-24IN	479.00	LF
0080	06569	PAVE MARKING-THERMO CROSS-HATCH	823.00	SQFT
0085	06573	PAVE MARKING-THERMO STR ARROW	3.00	EACH
0090	06574	PAVE MARKING-THERMO CURV ARROW	54.00	EACH
0095	06575	PAVE MARKING-THERMO COMB ARROW	11.00	EACH
0100	06576	PAVE MARKING-THERMO ONLY	2.00	EACH
0105	06598	PAVEMENT MARKING REMOVAL	46.00	SQFT
0110	10020NS	FUEL ADJUSTMENT	6,125.00	DOLL
0115	10030NS	ASPHALT ADJUSTMENT	15,384.00	DOLL
0120	20099ES842	PAVE MARK TEMP PAINT STOP BAR	479.00	LF
0125	20100ES842	PAVE MARK TEMP PAINT LINE ARROW	68.00	EACH
0130	22520EN	PAVE MARKING-THERMO YIELD BAR-36 IN	40.00	LF
0135	22664EN	WATER BLASTING EXISTING STRIPE	280.00	LF
0140	23251ES717	PAVE MARK TY 1 TAPE X-WALK-6 IN	134.00	LF
0145	23253ES717	PAVE MARK TY 1 TAPE CROSS-HATCH	28.00	SQFT
0150	23255ES717	PAVE MARK TY 1 TAPE-STRAIGHT ARROW	1.00	EACH
0155	23261EC	PAVE MARK-THERMO-X-WALK-24 IN	441.00	LF
0160	23265ES717	PAVE MARK TY 1 TAPE STOP BAR-24 IN	23.00	LF
0165	23270ES717	PAVE MARK TY 1 TAPE-CURV ARROW	1.00	EACH
0170	23928EC	PAVE MARK-THERMO "BUS" 8 FT	2.00	EACH
0175	24679ED	PAVE MARK THERMO CHEVRON	138.00	SQFT
0180	24880EC	REMOVE PAVEMENT MARKER	663.00	EACH
0185	24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	21.00	TON
0190	26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	25.00	EACH
0195	26186ES717	PAVE MARK TY 1 TAPE CONE CAP-SOLID Y	56.00	SQFT
0200	02569	DEMOBILIZATION	1.00	LS

MATERIAL SUMMARY

CONTRACT ID: 252309

059GR25P074 - FD05, FE01, & FD04

MP05900252507

DIXIE HIGHWAY (US 25) BEGINNING 230 FEET NORTH OF KY 1072/KYLES LANE EXTENDING NORTH TO 60 FEET NORTH OF JILLIANS WAY SIGNS-LIGHTING-SIGNALS, A DISTANCE OF 1.89 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0205	24908EC	INSTALL SIGNAL CONTROLLER-TY ATC - (FE01)	2.00	EACH
0210	24955ED	REMOVE SIGNAL EQUIPMENT - (FE01)	2.00	EACH
0215	02569	DEMOBILIZATION	1.00	LS

CONTRACT ID: 252309

059GR25P074 - FD05, FE01, & FD04

MP05900252508

DIXIE HIGHWAY (US 25) BEGINNING 230 FEET NORTH OF KY 1072/KYLES LANE EXTENDING NORTH TO 60 FEET NORTH OF JILLIANS WAY SIGNS-LIGHTING-SIGNALS, A DISTANCE OF 1.89 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0220	20188NS835	INSTALL LED SIGNAL-3 SECTION	7.00	EACH
0225	20266ES835	INSTALL LED SIGNAL- 4 SECTION	2.00	EACH
0230	24955ED	REMOVE SIGNAL EQUIPMENT	4.00	EACH
0235	02562	TEMPORARY SIGNS	60.00	SQFT
0240	02650	MAINTAIN & CONTROL TRAFFIC - (FD04)	1.00	LS
0245	02671	PORTABLE CHANGEABLE MESSAGE SIGN	3.00	EACH
0250	02569	DEMOBILIZATION	1.00	LS

GENERAL SUMMARY

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013

ITEM	DESCRIPTION	UNIT	TOTAL PROJECT
190	LEVELING & WEDGING PG64-22	TON	356
388	CL3 ASPH SURF 0.38B PG64-22	TON	3,559
2562	TEMPORARY SIGNS	SQFT	370.00
2569	DEMOBILIZATION	LS	1
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	3
2676	MOBILIZATION FOR MILL & TEXT	LS	1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	3,559
2775	ARROW PANEL	EACH	2
3240	BASE FAILURE REPAIR	SQYD	15
6511	PAVE STRIPING-TEMP PAINT-6 IN	LF	20,022
6542	PAVE STRIPING-THERMO-6 IN W	LF	19,264
6543	PAVE STRIPING-THERMO-6 IN Y	LF	24,845
6546	PAVE STRIPING-THERMO-12 IN W	LF	300
6565	PAVE MARKING-THERMO X-WALK-6 IN	LF	1,703
6568	PAVE MARKING-THERMO STOP BAR-24IN	LF	479
6569	PAVE MARKING-THERMO CROSS-HATCH	SQFT	823
6573	PAVE MARKING-THERMO STR ARROW	EACH	3
6574	PAVE MARKING-THERMO CURV ARROW	EACH	54
6575	PAVE MARKING-THERMO COMB ARROW	EACH	11
6576	PAVE MARKING-THERMO ONLY	EACH	2
6598	PAVEMENT MARKING REMOVAL	SQFT	46
6610	INLAID PAVEMENT MARKER-MW	EACH	24
6612	INLAID PAVEMENT MARKER-BY	EACH	422
10020NS	FUEL ADJUSTMENT	DOLL	6,125
10030NS	ASPHALT ADJUSTMENT	DOLL	15,384
20099ES842	PAVE MARK TEMP PAINT STOP BAR	LF	479
20100ES842	PAVE MARK TEMP PAINT LINE ARROW	EACH	68
22520EN	PAVE MARKING-THERMO YIELD BAR-36 IN	LF	40
22664EN	WATER BLASTING EXISTING STRIPE	LF	280
23251ES717	PAVE MARK TY 1 TAPE X-WALK-6 IN	LF	134
23253ES717	PAVE MARK TY 1 TAPE CROSS HATCH	SQFT	28
23255ES717	PAVE MARK TY 1 TAPE-STRAIGHT ARROW	EACH	1
23261EC	PAVE MARK-THERMO-X-WALK-24 IN	LF	441
23265ES717	PAVE MARK TY 1 TAPE STOP BAR-24 IN	LF	23
23270ES717	PAVE MARK TY 1 TAPE-CURV ARROW	EACH	1
23928EC	PAVE MARK-THERMO "BUS" 8 FT	EACH	2
24679ED	PAVE MARK THERMO CHEVRON	SQFT	138
24880EC	REMOVE PAVEMENT MARKER	EACH	663
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	TON	21
26119EC	INSTALL RADAR PRESENCE DETECTOR TYPE A	EACH	25
26186ES717	PAVE MARK TY 1 TAPE CONE CAP-SOLID Y	SQFT	56
26228EC	ELECTRONIC DELIVERY MGMT SYSTEM	LS	1

**Base Failure
Repair Summary**
FD05 059 0025 010-013

Total			15
Milepoint	Length	Width	SQYD
11.122	15	8	13.33

Refer to the Special Note for Base Failure Repair for more information on the effort and quantities involved in this work.

THERMOPLASTIC INTERSECTION PAVEMENT MARKINGS SUMMARY
FD05 059 0025 010-013

MPT.	INTERSECTION	X-WALKS		STOP BAR 24 INCH LF	YIELD BAR 36 INCH LF	CROSS-HATCH 12 INCH SQFT	CHEVRON 12 INCH SQFT	CONE CAP YELLOW SQFT	ARROWS			WORDS		NOTES
		6 INCH LF	24 INCH LF						CURVE EA	COMB EA	STR EA	BUS EA	ONLY EA	
	TWLTL Kyles Ln. to Sleepy Hollow Rd.								2					
10.944	Sleepy Hollow Rd.	311		82		123	138		7	2				
	TWLTL Sleepy Hollow to St. James / Hilton	82							4					
11.128	St. James Ave. / Hilton Dr.	380		101					5	5				
	TWLTL St. James / Hilton to Covington Catholic Entrance								2					
11.253	Covington Catholic Entrance			45					1					
	TWLTL Covington Catholic Entrance to St. Joseph													
11.417	St. Joseph Ln.	176	276	59					4	4				
	TWLTL St. Joseph to South Arlington								4					
11.588	South Arlington Rd	198		65							1			
11.606	Arlington Rd.	162		60							1			
	TWLTL Arlington to Tapestry Ridge Entrance								6					
11.843	Tapestry Ridge Entrance					126			2					
12.031	Grays Peak	86	75	22	20				2					
	TWLTL Grays Peak to Western / Montague					470			6					
12.448	Western Ave. / Montague Rd.	232		45		34			4			1	1	CUSTOM CURVE ARROWS FOR ORIENTATION OF MOVEMENTS
	TWLTL Western / Montague to Bullock / I-75S	76	90		20	37			4			1	1	
12.665	Bullock Ave. / I-75S					33			1		1			ADDITIONAL MARKINGS PLANNED FOR INTERSECTION BUT ARE TO BE TYPE 1 DURABLE TAPE. MARKINGS INSTALLED ON ASPHALT SHALL BE THERMOPLASTIC WHILE THOSE INSTALLED ON CONCRETE SHALL BE TYPE DURABLE TAPE.
TOTAL		1,703	441	479	40	823	138	0	54	11	3	2	2	

TYPE 1 DURABLE TAPE INTERSECTION PAVEMENT MARKINGS SUMMARY
FD05 059 0025 010-013

MPT.	INTERSECTION	X-WALKS		STOP BAR 24 INCH LF	YIELD BAR 36 INCH LF	CROSS-HATCH 12 INCH SQFT	CHEVRON 12 INCH SQFT	CONE CAP YELLOW SQFT	ARROWS			WORDS		NOTES
		6 INCH LF	24 INCH LF						CURVE EA	COMB EA	STR EA	BUS EA	ONLY EA	
12.665	Bullock Ave. / I-75S	134		23		28		56	1		1			ADDITIONAL MARKINGS PLANNED FOR INTERSECTION BUT ARE TO BE THERMOPLASTIC. MARKINGS INSTALLED ON ASPHALT SHALL BE THERMOPLASTIC WHILE THOSE INSTALLED ON CONCRETE SHALL BE TYPE DURABLE TAPE. EXISTING STRIPING AND MARKINGS ARE TO BE REMOVED BY WATERBLASTING. STRIPING AND MARKINGS IDENTIFIED FOR REMOVAL INCLUDE 280 LF OF LANE LINE AND X-WALK STRIPING AND 46 SQFT OF STOP BAR. EXISTING CROSS-HATCH MARKINGS ON CONCRETE TO REMAIN.
TOTAL		134	0	23	0	28	0	56	1	0	1	0	0	

Kenton County - US 25
RADAR PRESENCE DETECTOR SUMMARY
FD05 059 0025 010-013

MP.	INTERSECTION	RADAR PRESENCE DETECTOR		RADAR PRESENCE DETECTOR TYPE B	NOTES
		TYPE A	EA		
10.944	KY 1072	4		EA	Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
11.253	Covington Catholic High School	3			Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
11.417	St. Joseph Ln.	4			Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
11.588 & 11.606	Arlington Rd.	4			Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
12.448	Montague Rd. / Western Ave.	4			Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
12.665	I-75 S / Bullock Ave.	3			Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
12.710	I-75 N / Simon Kenton Way	3			Refer to Signal Detail Sheet and Special Note for Radar Detection for more information.
TOTAL		25	0		

NOTES:

GENERAL SUMMARY

COUNTY OF	FUNDING NO.
KENTON	FE01 059 0025 010-013

ITEM	DESCRIPTION	UNIT	TOTAL PROJECT
24908EC	INSTALL SIGNAL CONTROLLER TY-ATC	EACH	2
24955ED	REMOVE SIGNAL EQUIPMENT	EACH	2

①

①

FOR REMOVAL OF THE SIGNAL CONTROLLER FROM THE EXISTING CABINET AT THE INTERSECTIONS OF US 25 AND MONTAGUE RD./WESTERN AVE. AND SIMON KENTON WAY/I-75N RAMPS.

GENERAL SUMMARY

COUNTY OF	FUNDING NO.
KENTON	FD04

ITEM	DESCRIPTION	UNIT	TOTAL PROJECT
2562	TEMPORARY SIGNS	SQFT	60.00
2569	DEMOBILIZATION	LS	1
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	3
20188NS835	INSTALL LED SIGNAL-3 SECTION	EACH	7
20266ES835	INSTALL LED SIGNAL- 4 SECTION	EACH	2
24955ED	REMOVE SIGNAL EQUIPMENT	EACH	4

- ①
- ① FOR REMOVAL OF THE SPECIFIED SIGNAL HEADS AT THE INTERSECTIONS OF US 25 AND SLEEPY HOLLOW RD., THE WESTERN SIGNALIZED ENTRANCE TO COVINGTON CATHOLIC, ST. JOSEPH LN., AND ARLINGTON RD.

Signal Head Replacements for: US 25 @ Sleepy Hollow

Signal Heads For EB US 25

Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
4 Section (Flashing Yellow Arrow) w/Reflective Backplate		1		2		1
3 Section w/Reflective Backplate	1		1		1	
Totals	1	1	1	2	1	1

Signal Heads For WB US 25

Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
4 Section (Flashing Yellow Arrow) w/Reflective Backplate		1		2		1
3 Section w/Reflective Backplate	1		1		1	
Totals	1	1	1	2	1	1

TOTALS FOR THIS INTERSECTION	2	2	2	4	2	2
------------------------------	---	---	---	---	---	---

Signal Head Replacements for: US 25 @ Covington Catholic

Signal Heads For EB US 25

Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
3 Section w/Reflective Backplate		1		2		
Totals	0	1	0	2	0	0

TOTALS FOR THIS INTERSECTION	0	1	0	2	0	0
------------------------------	---	---	---	---	---	---

Signal Head Replacements for: US 25 @ St. Joseph Ln.

Signal Heads For EB US 25

Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
3 Section w/Reflective Backplate		1		2		
Totals	0	1	0	2	0	0

Signal Heads For WB US 25

Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
3 Section w/Reflective Backplate		1		2		
Totals	0	1	0	2	0	0

TOTALS FOR THIS INTERSECTION	0	2	0	4	0	0
------------------------------	---	---	---	---	---	---

Signal Head Replacements for: US 25 @ Arlington Rd.

Signal Heads For EB US 25


Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
3 Section w/Reflective Backplate		1		2		
Totals	0	1	0	2	0	0

Signal Heads For WB US 25


Signal Head	Red Ball	Red Arrow	Yellow Ball	Yellow Arrow	Green Ball	Green Arrow
3 Section w/Reflective Backplate		1		2		
Totals	0	1	0	2	0	0

TOTALS FOR THIS INTERSECTION	0	2	0	4	0	0
------------------------------	---	---	---	---	---	---


TYPICAL SECTIONS



MP. 11.133 - MP. 11.360



MP. 10.940 - MP. 11.133



MP. 10.829 - MP. 10.940

PAVING NOTES:
MILL AND RESURFACE
MAINTAIN EXISTING CROWN
1.25" CL3 ASPH SURF 0.38B PG64-22
ASPHALT LEVEL & WEDGE AS
DIRECTED BY THE ENGINEER

REFER TO STRIPING PLANS
FOR LANE WIDTHS AND
OTHER TYPICAL WIDTH
DIMENSIONS



COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 TYPICAL SECTION

N. T. S.

ITEM NO.






COUNTY OF
KENTON

SHEET NO.

TYP 1

TYPICAL SECTIONS

END PAVING AT ASPHALT-CONCRETE JOINT AT MP. 12.637.
END CONSTRUCTION AT INTERSECTION OF US 25 & I-71N
AT MP. 12.725.



PAVING NOTES:

MILL AND RESURFACE
MAINTAIN EXISTING CROWN
1.25" CL3 ASPH SURF 0.38B PG64-22
ASPHALT LEVEL & WEDGE AS
DIRECTED BY THE ENGINEER

* CURVE WIDENING BETWEEN
MP. 12.132 AND MP. 12.191.
WIDTH VARIES 42'-70'.

REFER TO STRIPING PLANS
FOR LANE WIDTHS AND
OTHER TYPICAL WIDTH
DIMENSIONS



COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 TYPICAL SECTION


N. T. S.


ITEM NO.

COUNTY OF
KENTON

SHEET NO.

TYP 2






COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS





DRAWING TITLE: US 25 PLAN SHEET


STA. 110+00.00 TO STA. 120+00.00




ITEM NO.	COUNTY OF KENTON
SHEET NO.	2 OF 10

























LEGEND


 EX. POLE-MOUNTED CONTROLLER


 EX. STEEL STRAIN POLE

 EX. MESSENGER CABLE

 PROP. DETECTION ZONE

 PROP. RADAR DETECTOR

 EX. SIGNAL HEAD (FOR REMOVAL)


 NEW SIGNAL HEAD

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013

REPLACE 5-SECTION EX. SIGNAL HEAD #1
WITH NEW SIGNAL HEADS #1 AND #6.
(PAID BY FD04 FUNDS)

INSTALL RADAR PRESENCE DETECTOR ON
POLE A FOR DETECTION ZONES 5, 2A, & 2B.

INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONES 8A & 8B.



NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES, ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.

RELOCATE EXISTING SIGNAL HEADS AND SPAN MOUNTED SIGNS IF NECESSARY TO ALIGN WITH NEW STRIPING.

SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.

CABLE	ORIGIN	ENDING	CONNECTING
1-#14/7C	CONTROLLER	SH 1	SH 1
1-#14/5C	CONTROLLER	SH 2	SH 2
1-#14/7C	CONTROLLER	SH 5	SH 5
1-#14/5C	CONTROLLER	SH 6	SH 6

INSTALL RADAR PRESENCE DETECTOR ON
POLE D FOR DETECTION ZONE 4A & 4B.

INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONES 1 & 6.
REPLACE 5-SECTION EX. SIGNAL HEAD #5
WITH NEW SIGNAL HEADS #5 AND #2.
(PAID BY FD04 FUNDS)


DETECTION ZONE	PHASE	SLOT	CHANNEL	SIZE	# OF TURNS	DIST. FROM STOP BAR
1	1	1	1	10 X 48	RADAR	0'
2A	2	2	1	10 X 48	RADAR	0'
2B	2	2	2	10 X 48	RADAR	0'
4A	4	4	1	10 X 48	RADAR	0'
4B	4	4	2	10 X 48	RADAR	0'
5	5	5	1	10 X 48	RADAR	0'
6	6	6	1	10 X 48	RADAR	0'
8A	8	8	1	10 X 48	RADAR	0'
8B	8	8	2	10 X 48	RADAR	0'

FLASHING YELLOW ARROW SIGNAL WIRING AND SPECIAL REQUIREMENTS

CONNECTION	COLOR	OUTPUT FILE CONNECTION FOR FYA ON PHASE 1	OUTPUT FILE CONNECTION OF FYA ON PHASE 5
RED ARROW	RED	PHASE 1 RED	PHASE 5 RED
STEADY YELLOW ARROW	ORANGE	PHASE 1 YELLOW	PHASE 5 YELLOW
FLASHING YELLOW ARROW	BLACK	PHASE 1 GREEN	PHASE 5 GREEN
GREEN ARROW	BLUE	PED YELLOW PHASE 2	PED YELLOW PHASE 6
NEUTRAL	WHITE	WHITE	WHITE
EQUIPMENT GROUND	GREEN		
NOT USED	WHITE/TRACER		

THE CONTRACTOR SHALL CONNECT THE CONNECTOR LABELED "2PY 4PY 6PY 8PY" TO CONNECTOR "CMU 13.16.R.U" BEHIND THE OUTPUT PANEL. IF IT IS A SOLID STATE CABINET (SIEMENS) ONLY HAVE 2 CONNECTORS WHICH SIMPLY NEED TO BE CONNECTED TOGETHER.

NEW SIGNAL HEADS



HEAD # 6 & 2 HEAD # 1 & 5


ALL INDICATIONS L.E.D.


BIMODAL HEAD 5 MUST BE SPECIAL ORDERED.


US 25 MP 10.944
SIGNAL DETAIL SHEET


SCALE: 1"=80'


LEGEND


 EX. POLE-MOUNTED CONTROLLER


 EX. STEEL STRAIN POLE

 EX. MESSENGER CABLE

 PROP. DETECTION ZONE

 PROP. RADAR DETECTOR

 EX. SIGNAL HEAD

 NEW SIGNAL HEAD

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013



INSTALL RADAR PRESENCE DETECTOR ON
POLE A FOR DETECTION ZONES 1 & 6.

INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONE 4.

NEW SIGNAL HEADS



HEAD #1


ALL INDICATIONS L.E.D.

NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES, ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.

RELOCATE EXISTING SIGNAL HEADS AND SPAN MOUNTED SIGNS IF NECESSARY TO ALIGN WITH NEW STRIPING.

SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.



INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONE 2.
INSTALL 3-SECTION SIGNAL HEAD #1.
(PAID BY FD04 FUNDS)

WIRING SCHEDULE

CABLE	ORIGIN	ENDING	CONNECTING
I-14/7C	CONTROLLER	SH 1	SH 1

FLASHING YELLOW ARROW SIGNAL WIRING AND SPECIAL REQUIREMENTS

7-CONDUCTOR THREE-SECTION FYA HEADS		OUTPUT FILE CONNECTION FOR FYA ON PHASE 1		OUTPUT FILE CONNECTION OF FYA ON PHASE 5	
CONNECTION	COLOR	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
RED ARROW	RED	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
STEADY YELLOW ARROW	ORANGE	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
FLASHING YELLOW ARROW	BLACK	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
NOT USED	BLUE	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
NEUTRAL	WHITE	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
EQUIPMENT GROUND	GREEN	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN
NOT USED	WHITE/TRACER	PHASE 1 RED	PHASE 1 GREEN	PHASE 5 RED	PHASE 5 GREEN


THE CONTRACTOR SHALL CONNECT THE CONNECTOR LABELED "2PY 4PY 6PY 8PY" TO CONNECTOR "CMU 13.16.R.U" BEHIND THE OUTPUT PANEL. IF IT IS A SOLID STATE CABINET (SIEMENS) ONLY HAVE 2 CONNECTORS WHICH SIMPLY NEED TO BE CONNECTED TOGETHER.


LOOP SCHEDULE					# OF TURNS	DIST. FROM STOP BAR
DETECTION ZONE	PHASE	SLOT	CHANNEL	SIZE		
1	1	1	1	6 X 30	RADAR	0'
2	2	2	1	6 X 30	RADAR	0'
4	4	4	1	6 X 30	RADAR	0'
6	6	6	1	6 X 30	RADAR	0'


SCALE: 1"=80'


US 25 MP 11.253
SIGNAL DETAIL SHEET


LEGEND


 EX. POLE-MOUNTED CONTROLLER


 EX. STEEL STRAIN POLE

 EX. MESSENGER CABLE

 PROP. DETECTION ZONE

 PROP. RADAR DETECTOR

 EX. SIGNAL HEAD

 NEW SIGNAL HEAD

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013



INSTALL 3-SECTION SIGNAL HEAD #1.
(PAID BY FD04 FUNDS)

INSTALL RADAR PRESENCE DETECTOR ON
POLE A FOR DETECTION ZONES 5 & 2.

INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONES 4A & 4B.



WIRING SCHEDULE

CABLE	ORIGIN	ENDING	CONNECTING
1-14/7C	CONTROLLER	SH 1	SH 1
1-14/7C	CONTROLLER	SH 5	SH 5

NEW SIGNAL HEADS



HEAD #
1 & 5

ALL INDICATIONS L.E.D.

NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES. ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.

SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.

INSTALL RADAR PRESENCE DETECTOR ON
POLE D FOR DETECTION ZONE 8.

INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONES 1 & 6.
INSTALL 3-SECTION SIGNAL HEAD #5.
(PAID BY FD04 FUNDS)

DETECTION ZONE	LOOP SCHEDULE				# OF TURNS	DIST. FROM STOP BAR
	PHASE	SLOT	CHANNEL	SIZE		
1	1	1	1	6 X 30	RADAR	0'
2	2	2	2	6 X 30	RADAR	0'
4A	4	4	1	6 X 30	RADAR	0'
4B	4	4	2	6 X 30	RADAR	0'
5	5	5	1	6 X 30	RADAR	0'
6	6	6	1	6 X 30	RADAR	0'
8	8	8	1	6 X 30	RADAR	0'

FLASHING YELLOW ARROW SIGNAL WIRING AND SPECIAL REQUIREMENTS


7-CONDUCTOR THREE-SECTION FYA HEADS		OUTPUT FILE CONNECTION FOR FYA ON PHASE 1		OUTPUT FILE CONNECTION OF FYA ON PHASE 5	
CONNECTION	COLOR	PHASE 1 RED	PHASE 5 RED	PHASE 1 YELLOW	PHASE 5 YELLOW
RED ARROW	RED	PHASE 1 RED	PHASE 5 RED	PHASE 1 YELLOW	PHASE 5 YELLOW
STEADY YELLOW ARROW	ORANGE	PHASE 1 YELLOW	PHASE 5 YELLOW	PHASE 1 GREEN	PHASE 5 GREEN
FLASHING YELLOW ARROW	BLACK	PHASE 1 GREEN	PHASE 5 GREEN	N/A	N/A
NOT USED	BLUE	N/A	N/A	WHITE	WHITE
NEUTRAL	WHITE	WHITE	WHITE		
EQUIPMENT GROUND	GREEN				
NOT USED	WHITE/TRACER				

THE CONTRACTOR SHALL CONNECT THE CONNECTOR LABELED "2PY 4PY 6PY 8PY" TO CONNECTOR "CMU 13,16,R,U" BEHIND THE OUTPUT PANEL. IF IT IS A SOLID STATE CABINET (SIEMENS) ONLY HAVE 2 CONNECTORS WHICH SIMPLY NEED TO BE CONNECTED TOGETHER.


US 25 MP 11.417
SIGNAL DETAIL SHEET

SCALE: 1"=80'


LEGEND




EX. POLE-MOUNTED CONTROLLER




EX. STEEL STRAIN POLE




EX. MESSENGER CABLE




PROP. DETECTION ZONE



PROP. RADAR DETECTOR



EX. SIGNAL HEAD



NEW SIGNAL HEAD

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013



INSTALL 3-SECTION SIGNAL HEAD #5.
(PAID BY FD04 FUNDS)

INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONE 8.

INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONES 1 & 6.

NEW SIGNAL HEADS




HEAD #
1 & 5

ALL INDICATIONS L.E.D.

NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES, ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.

SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.



INSTALL RADAR PRESENCE DETECTOR ON
POLE D FOR DETECTION ZONES 5 & 2.
INSTALL RADAR PRESENCE DETECTOR ON
POLE D FOR DETECTION ZONES 4A & 4B.
INSTALL 3-SECTION SIGNAL HEAD #1.
(PAID BY FD04 FUNDS)

		LOOP SCHEDULE			# OF TURNS	DIST. FROM STOP BAR
DETECTION ZONE	PHASE	SLOT	CHANNEL	SIZE		
1	1	1	1	6 X 30	RADAR	0'
2	2	2	2	6 X 30	RADAR	0'
4A	4	3	2	6 X 30	RADAR	0'
4B	4	4	2	6 X 30	RADAR	0'
5	5	5	1	6 X 30	RADAR	0'
6	6	5	2	6 X 30	RADAR	0'
8	8	7	2	6 X 30	RADAR	0'

WIRING SCHEDULE

CABLE	ORIGIN	ENDING	CONNECTING
1-14/7C	CONTROLLER	SH 1	SH 1
1-14/7C	CONTROLLER	SH 5	SH 5

FLASHING YELLOW ARROW SIGNAL WIRING AND SPECIAL REQUIREMENTS


7-CONDUCTOR THREE-SECTION FYA HEADS		OUTPUT FILE CONNECTION	
CONNECTION	COLOR	FOR FYA ON PHASE 1	OF FYA ON PHASE 5
RED ARROW	RED	PHASE 1 RED	PHASE 5 RED
STEADY YELLOW ARROW	ORANGE	PHASE 1 YELLOW	PHASE 5 YELLOW
FLASHING YELLOW ARROW	BLACK	PHASE 1 GREEN	PHASE 5 GREEN
NOT USED	BLUE	N/A	N/A
NEUTRAL	WHITE	WHITE	WHITE
EQUIPMENT GROUND	GREEN		
NOT USED	WHITE/TRACER		


THE CONTRACTOR SHALL CONNECT THE CONNECTOR LABELED "2PY 4PY 6PY 8PY" TO CONNECTOR "CMU 13.16.R.U" BEHIND THE OUTPUT PANEL. IF IT IS A SOLID STATE CABINET (SIEMENS) ONLY HAVE 2 CONNECTORS WHICH SIMPLY NEED TO BE CONNECTED TOGETHER.


SCALE: 1"=80'


US 25 MP 11.588 & 11.606
SIGNAL DETAIL SHEET


LEGEND

 EX. POLE-MOUNTED CONTROLLER

 EX. STEEL STRAIN POLE

 EX. MESSENGER CABLE

 PROP. DETECTION ZONE

 PROP. RADAR DETECTOR


COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013



INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONE 8.

INSTALL RADAR PRESENCE DETECTOR ON
POLE D FOR DETECTION ZONE 6.

INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONES 4A & 4B.



INSTALL RADAR PRESENCE DETECTOR ON
POLE A FOR DETECTION ZONES 2 & 7.
INSTALL 2070 SIGNAL CONTROLLER
IN POLE-MOUNTED SIGNAL CABINET.
(PAID BY FE01 FUNDS)

NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES. ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.

RELOCATE EXISTING SIGNAL HEADS AND SPAN MOUNTED SIGNS IF NECESSARY TO ALIGN WITH NEW STRIPING.


SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.


DETECTION ZONE	PHASE	SLOT	LOOP SCHEDULE		# OF TURNS	DIST. FROM STOP BAR
			CHANNEL	SIZE		
2	2	2	1	10 X 48	RADAR	0'
4A	4	4	1	10 X 48	RADAR	0'
4B	4	4	2	10 X 48	RADAR	0'
6	6	6	1	10 X 48	RADAR	0'
7	7	7	1	10 X 48	RADAR	0'
8	8	8	1	10 X 48	RADAR	0'


SCALE: 1"=80'


US 25 MP 12.448
SIGNAL DETAIL SHEET


LEGEND

 EX. POLE-MOUNTED CONTROLLER

 EX. STEEL STRAIN POLE

 EX. MESSENGER CABLE

 PROP. DETECTION ZONE

 PROP. RADAR DETECTOR

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013



INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONES 2A & 2B.
INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONES 6A & 6B.

INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONES 8A & 8B.



NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES, ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.






RELOCATE EXISTING SIGNAL HEADS AND SPAN MOUNTED SIGNS IF NECESSARY TO ALIGN WITH NEW STRIPING.

SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.

LOOP SCHEDULE					# OF TURNS	DIST. FROM STOP BAR
DETECTION ZONE	PHASE	SLOT	CHANNEL	SIZE		
2A	2	2	1	10 X 48	RADAR	0'
2B	2	2	2	10 X 48	RADAR	0'
6A	6	6	1	10 X 48	RADAR	0'
6B	6	6	2	10 X 48	RADAR	0'
8A	8	8	1	10 X 48	RADAR	0'
8B	8	8	2	10 X 48	RADAR	0'

SCALE: 1"=80'

US 25 MP 12.665
SIGNAL DETAIL SHEET

LEGEND	
	EX. BASE-MOUNTED CONTROLLER
	EX. STEEL STRAIN POLE
	EX. MESSENGER CABLE
	PROP. DETECTION ZONE
	PROP. RADAR DETECTOR

COUNTY OF	FUNDING NO.
KENTON	FD05 059 0025 010-013



INSTALL RADAR PRESENCE DETECTOR ON
POLE C FOR DETECTION ZONES 2A & 2B.



NOTES:

INSTALL NEW SIGNAL HEADS ON EXISTING SPAN WIRES, ADJUST POLE COLLARS, AS NEEDED, TO ATTAIN REQUIRED CLEARANCES. ADJUSTMENT OF POLE COLLARS WILL BE INCIDENTAL TO THE PROJECT. IF DIFFERENT POLE COLLARS ARE NEEDED, THEY SHALL BE PROVIDED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE DEPARTMENT. REPLACEMENT POLE COLLARS SHALL MEET KYTC STANDARDS AND SPECIFICATIONS. THE CONTRACTOR SHALL SUBMIT POLE COLLAR MANUFACTURER DIAGRAMS TO THE DIVISION OF TRAFFIC FOR REVIEW. APPROVAL OF REPLACEMENT POLE COLLAR ASSEMBLIES MUST BE OBTAINED PRIOR TO INSTALLATION. IF POLE COLLARS ARE REPLACED, EXISTING COLLARS SHALL BE DELIVERED TO KYTC DISTRICT MAINTENANCE FACILITY.

RELOCATE EXISTING SIGNAL HEADS AND SPAN MOUNTED SIGNS IF NECESSARY TO ALIGN WITH NEW STRIPING.

SIGNAL WORK SHALL BE COMPLETED PRIOR TO THE RESURFACING AND STRIPING. THE EXISTING SIGNAL SHALL REMAIN WITH THE DESIGNED MODIFICATIONS.

INSTALL RADAR PRESENCE DETECTOR ON
POLE B FOR DETECTION ZONES 4A,4B,4C.

INSTALL RADAR PRESENCE DETECTOR ON
POLE A FOR DETECTION ZONES 6A & 6B.

INSTALL 2070 SIGNAL CONTROLLER
IN BASE-MOUNTED SIGNAL CABINET.
(PAID BY FE01 FUNDS)

LOOP SCHEDULE					# OF TURNS	DIST. FROM STOP BAR
DETECTION ZONE	PHASE	SLOT	CHANNEL	SIZE		
2A	2	2	1	10 X 48	RADAR	0'
2B	2	2	2	10 X 48	RADAR	0'
6A	6	6	1	10 X 48	RADAR	0'
6B	6	6	2	10 X 48	RADAR	0'
4A	4	4	1	10 X 48	RADAR	0'
4B	4	4	2	10 X 48	RADAR	0'
4C	4	3	2	10 X 48	RADAR	0'

SCALE: 1"=80'

US 25 MP 12.710
SIGNAL DETAIL SHEET

PART II

SPECIFICATIONS AND STANDARD DRAWINGS

STANDARD SPECIFICATIONS

Any reference in the plans or proposal to previous editions of the *Standard Specifications for Road and Bridge Construction* and *Standard Drawings* are superseded by *Standard Specifications for Road and Bridge Construction, Edition of 2019* and *Standard Drawings, Edition of 2020*.

SUPPLEMENTAL SPECIFICATIONS

The contractor shall use the Supplemental Specifications that are effective at the time of letting. The Supplemental Specifications can be found at the following link:
<http://transportation.ky.gov/Construction/Pages/Kentucky-Standard-Specifications.aspx>

2020 STANDARD DRAWINGS THAT APPLY

ROADWAY

~ GENERAL ~

MISCELLANEOUS STANDARDS

MISCELLANEOUS STANDARDS	RGX-001-06
TYPE D BREAKAWAY SIGN SUPPORT	RGX-065-02

TRAFFIC

~ PERMANENT ~

MARKERS

INLAID PAVEMENT MARKER ARRANGEMENTS MULTI-LANE ROADWAYS	Sepia 006
INLAID PAVEMENT MARKER ARRANGEMENTS TWO-WAY LEFT TURN LANE	Sepia 015
INLAID PAVEMENT MARKER ARRANGEMENT CHANNELIZED INTERSECTION.....	Sepia 016
TYPICAL MARKINGS AT SIGNALIZED INTERSECTIONS	TPM-203
TYPICAL MARKINGS FOR ISLANDS AND MEDIANS	TPM-205
TYPICAL MARKINGS FOR TURN LANES PAGE 1	TPM-206
TYPICAL MARKINGS FOR TURN LANES PAGE 2	TPM-207

~ TEMPORARY ~

TRAFFIC CONTROL

LANE CLOSURE TWO-LANE HIGHWAY	TTC-100-05
LANE CLOSURE MULTI-LANE HIGHWAY CASE I	TTC-115-04
LANE CLOSURE MULTI-LANE HIGHWAY CASE II	TTC-120-04

DEVICES

DOUBLE FINES ZONE SIGNS	TTD-120-03
PAVEMENT CONDITION WARNING SIGNS	TTD-125-03
SPEED ZONE SIGNING FOR WORK ZONES	TTD-130

STRIPING OPERATIONS

MOBILE OPERATION FOR DURABLE STRIPING CASE I.....	TTS-120-02
MOBILE OPERATION FOR DURABLE STRIPING CASE II.....	TTS-125-02
MOBILE OPERATION FOR DURABLE STRIPING CASE III.....	TTS-130-02
MOBILE OPERATION FOR DURABLE STRIPING CASE IV	TTS-135-02

PART III

EMPLOYMENT, WAGE AND RECORD REQUIREMENTS

**TRANSPORTATION CABINET
DEPARTMENT OF HIGHWAYS**

**LABOR AND WAGE REQUIREMENTS
APPLICABLE TO OTHER THAN FEDERAL-AID SYSTEM PROJECTS**

- I. Application
- II. Nondiscrimination of Employees (KRS 344)

I. APPLICATION

1. These contract provisions shall apply to all work performed on the contract by the contractor with his own organization and with the assistance of workmen under his immediate superintendence and to all work performed on the contract by piecework, station work or by subcontract. The contractor's organization shall be construed to include only workmen employed and paid directly by the contractor and equipment owned or rented by him, with or without operators.

2. The contractor shall insert in each of his subcontracts all of the stipulations contained in these Required Provisions and such other stipulations as may be required.

3. A breach of any of the stipulations contained in these Required Provisions may be grounds for termination of the contract.

3. If the contractor is in control of apprenticeship or other training or retraining, including on-the-job training programs, he shall not discriminate against an individual because of his race, color, religion, national origin, sex, disability or age forty (40) and over, in admission to, or employment in any program established to provide apprenticeship or other training.

4. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representative of the contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment. The contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for non-compliance.

Revised: January 25, 2017

II. NONDISCRIMINATION OF EMPLOYEES

**AN ACT OF THE KENTUCKY
GENERAL ASSEMBLY TO PREVENT
DISCRIMINATION IN EMPLOYMENT
KRS CHAPTER 344
EFFECTIVE JUNE 16, 1972**

The contract on this project, in accordance with KRS Chapter 344, provides that during the performance of this contract, the contractor agrees as follows:

1. The contractor shall not fail or refuse to hire, or shall not discharge any individual, or otherwise discriminate against an individual with respect to his compensation, terms, conditions, or privileges of employment, because of such individual's race, color, religion, national origin, sex, disability or age (forty and above); or limit, segregate, or classify his employees in any way which would deprive or tend to deprive an individual of employment opportunities or otherwise adversely affect his status as an employee, because of such individual's race, color, religion, national origin, sex, disability or age forty (40) and over. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

2. The contractor shall not print or publish or cause to be printed or published a notice or advertisement relating to employment by such an employer or membership in or any classification or referral for employment by the employment agency, indicating any preference, limitation, specification, or discrimination, based on race, color, religion, national origin, sex, or age forty (40) and over, or because the person is a qualified individual with a disability, except that such a notice or advertisement may indicate a preference, limitation, or specification based on religion, national origin, sex, or age forty (40) and over, or because the person is a qualified individual with a disability, when religion, national origin, sex, or age forty (40) and over, or because the person is a qualified individual with a disability, is a bona fide occupational qualification for employment.

EXECUTIVE BRANCH CODE OF ETHICS

The Executive Branch Code of Ethics created by Kentucky Revised Statutes (KRS) Chapter 11A, effective July 14, 1992, establishes the ethical standards that govern the conduct of all executive branch employees. The Executive Branch Code of Ethics, which states, in part:

KRS 11A.040 (7) provides:

A present or former public servant listed in KRS 11A.010(9)(a) to (g) shall not, within one (1) year following termination of his or her office or employment, accept employment, compensation, or other economic benefit from any person or business that contracts or does business with, or is regulated by, the state in matters in which he was directly involved during the last thirty-six (36) months of his tenure. This provision shall not prohibit an individual from returning to the same business, firm, occupation, or profession in which he was involved prior to taking office or beginning his term of employment, or for which he received, prior to his state employment, a professional degree or license, provided that, for a period of one (1) year, he or she personally refrains from working on any matter in which he was directly involved during the last thirty-six (36) months of his or her tenure in state government. This subsection shall not prohibit the performance of ministerial functions, including but not limited to filing tax returns, filing applications for permits or licenses, or filing incorporation papers, nor shall it prohibit the former officer or public servant from receiving public funds disbursed through entitlement programs.

KRS 11A.040 (9) states:

A former public servant shall not represent a person or business before a state agency in a matter in which the former public servant was directly involved during the last thirty-six (36) months of his tenure, for a period of one (1) year after the latter of:

- a) The date of leaving office or termination of employment; or
- b) The date the term of office expires to which the public servant was elected.

This law is intended to promote public confidence in the integrity of state government and to declare as public policy the idea that state employees should view their work as a public trust and not to obtain private benefits.

If you have worked for the executive branch of state government within the past year, you may be subject to the law's prohibitions. The law's applicability may be different if you hold elected office or are contemplating representation of another before a state agency.

Also, if you are affiliated with a firm which does business with the state and which employs former state executive-branch employees, you should be aware that the law may apply to them.

In case of doubt, the law permits you to request an advisory opinion from the Executive Branch Ethics Commission, 1025 Capital Center Drive, Suite 105, Frankfort, Kentucky 40601; telephone (502) 564-7954.

Revised: March 11, 2025

Kentucky Equal Employment Opportunity Act of 1978

The requirements of the Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) shall apply to this Contract. The apparent low Bidder will be required to submit EEO forms to the Division of Construction Procurement, which will then forward to the Finance and Administration Cabinet for review and approval. No award will become effective until all forms are submitted and EEO/CC has certified compliance. The required EEO forms are as follows:

- EEO-1: Employer Information Report
- Affidavit of Intent to Comply
- Employee Data Sheet
- Subcontractor Report

These forms are available on the Finance and Administration's web page under ***Vendor Information, Standard Attachments and General Terms*** at the following address:
<https://www.eProcurement.ky.gov>.

Bidders currently certified as being in compliance by the Finance and Administration Cabinet may submit a copy of their approval letter in lieu of the referenced EEO forms.

For questions or assistance please contact the Finance and Administration Cabinet by email at **finance.contractcompliance@ky.gov** or by phone at 502-564-2874.

EMPLOYEE RIGHTS UNDER THE FAIR LABOR STANDARDS ACT

THE UNITED STATES DEPARTMENT OF LABOR WAGE AND HOUR DIVISION

FEDERAL MINIMUM WAGE

\$7.25

 PER HOUR

BEGINNING JULY 24, 2009

OVERTIME PAY

At least $1\frac{1}{2}$ times your regular rate of pay for all hours worked over 40 in a workweek.

CHILD LABOR

An employee must be at least **16** years old to work in most non-farm jobs and at least **18** to work in non-farm jobs declared hazardous by the Secretary of Labor.

Youths **14** and **15** years old may work outside school hours in various non-manufacturing, non-mining, non-hazardous jobs under the following conditions:

No more than

- **3** hours on a school day or **18** hours in a school week;
- **8** hours on a non-school day or **40** hours in a non-school week.

Also, work may not begin before **7 a.m.** or end after **7 p.m.**, except from June 1 through Labor Day, when evening hours are extended to **9 p.m.** Different rules apply in agricultural employment.

TIP CREDIT

Employers of "tipped employees" must pay a cash wage of at least \$2.13 per hour if they claim a tip credit against their minimum wage obligation. If an employee's tips combined with the employer's cash wage of at least \$2.13 per hour do not equal the minimum hourly wage, the employer must make up the difference. Certain other conditions must also be met.

ENFORCEMENT

The Department of Labor may recover back wages either administratively or through court action, for the employees that have been underpaid in violation of the law. Violations may result in civil or criminal action.

Employers may be assessed civil money penalties of up to \$1,100 for each willful or repeated violation of the minimum wage or overtime pay provisions of the law and up to \$11,000 for each employee who is the subject of a violation of the Act's child labor provisions. In addition, a civil money penalty of up to \$50,000 may be assessed for each child labor violation that causes the death or serious injury of any minor employee, and such assessments may be doubled, up to \$100,000, when the violations are determined to be willful or repeated. The law also prohibits discriminating against or discharging workers who file a complaint or participate in any proceeding under the Act.

ADDITIONAL INFORMATION

- Certain occupations and establishments are exempt from the minimum wage and/or overtime pay provisions.
- Special provisions apply to workers in American Samoa and the Commonwealth of the Northern Mariana Islands.
- Some state laws provide greater employee protections; employers must comply with both.
- The law requires employers to display this poster where employees can readily see it.
- Employees under 20 years of age may be paid \$4.25 per hour during their first 90 consecutive calendar days of employment with an employer.
- Certain full-time students, student learners, apprentices, and workers with disabilities may be paid less than the minimum wage under special certificates issued by the Department of Labor.

For additional information:



1-866-4-USWAGE

(1-866-487-9243)

TTY: 1-877-889-5627



WWW.WAGEHOUR.DOL.GOV

PART IV

BID ITEMS

252309

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00190		LEVELING & WEDGING PG64-22	356.00	TON		\$	
0020	00388		CL3 ASPH SURF 0.38B PG64-22	3,559.00	TON		\$	
0030	02562		TEMPORARY SIGNS	370.00	SQFT		\$	
0040	02650		MAINTAIN & CONTROL TRAFFIC (FD05)	1.00	LS		\$	
0050	02671		PORTABLE CHANGEABLE MESSAGE SIGN	3.00	EACH		\$	
0060	02676		MOBILIZATION FOR MILL & TEXT (FD05)	1.00	LS		\$	
0070	02677		ASPHALT PAVE MILLING & TEXTURING	3,559.00	TON		\$	
0080	02775		ARROW PANEL	2.00	EACH		\$	
0090	03240		BASE FAILURE REPAIR	15.00	SQYD		\$	
0100	06510		PAVE STRIPING-TEMP PAINT-4 IN	20,022.00	LF		\$	
0110	06542		PAVE STRIPING-THERMO-6 IN W	19,264.00	LF		\$	
0120	06543		PAVE STRIPING-THERMO-6 IN Y	24,845.00	LF		\$	
0130	06546		PAVE STRIPING-THERMO-12 IN W	300.00	LF		\$	
0140	06565		PAVE MARKING-THERMO X-WALK-6 IN	1,703.00	LF		\$	
0150	06568		PAVE MARKING-THERMO STOP BAR-24IN	479.00	LF		\$	
0160	06569		PAVE MARKING-THERMO CROSS-HATCH	823.00	SQFT		\$	
0170	06573		PAVE MARKING-THERMO STR ARROW	3.00	EACH		\$	
0180	06574		PAVE MARKING-THERMO CURV ARROW	54.00	EACH		\$	
0190	06575		PAVE MARKING-THERMO COMB ARROW	11.00	EACH		\$	
0200	06576		PAVE MARKING-THERMO ONLY	2.00	EACH		\$	
0210	06598		PAVEMENT MARKING REMOVAL	46.00	SQFT		\$	
0220	10020NS		FUEL ADJUSTMENT	6,125.00	DOLL	\$1.00	\$	\$6,125.00
0230	10030NS		ASPHALT ADJUSTMENT	15,384.00	DOLL	\$1.00	\$	\$15,384.00
0240	20099ES842		PAVE MARK TEMP PAINT STOP BAR	479.00	LF		\$	
0250	20100ES842		PAVE MARK TEMP PAINT LINE ARROW	68.00	EACH		\$	
0260	22520EN		PAVE MARKING-THERMO YIELD BAR-36 IN	40.00	LF		\$	
0270	22664EN		WATER BLASTING EXISTING STRIPE	280.00	LF		\$	
0280	23251ES717		PAVE MARK TY 1 TAPE X-WALK-6 IN	134.00	LF		\$	
0290	23253ES717		PAVE MARK TY 1 TAPE CROSS-HATCH	28.00	SQFT		\$	
0300	23255ES717		PAVE MARK TY 1 TAPE-STRAIGHT ARROW	1.00	EACH		\$	
0310	23261EC		PAVE MARK-THERMO-X-WALK-24 IN	441.00	LF		\$	
0320	23265ES717		PAVE MARK TY 1 TAPE STOP BAR-24 IN	23.00	LF		\$	
0330	23270ES717		PAVE MARK TY 1 TAPE-CURV ARROW	1.00	EACH		\$	
0340	23928EC		PAVE MARK-THERMO "BUS" 8 FT	2.00	EACH		\$	
0350	24679ED		PAVE MARK THERMO CHEVRON	138.00	SQFT		\$	
0360	24880EC		REMOVE PAVEMENT MARKER	663.00	EACH		\$	
0370	24970EC		ASPHALT MATERIAL FOR TACK NON-TRACKING	21.00	TON		\$	
0380	26119EC		INSTALL RADAR PRESENCE DETECTOR TYPE A	25.00	EACH		\$	
0390	26186ES717		PAVE MARK TY 1 TAPE CONE CAP-SOLID Y	56.00	SQFT		\$	

Report Date 6/18/25

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0400	02562		TEMPORARY SIGNS	60.00	SQFT		\$	
0410	02650		MAINTAIN & CONTROL TRAFFIC (FD04)	1.00	LS		\$	
0420	02671		PORTABLE CHANGEABLE MESSAGE SIGN	3.00	EACH		\$	

Section: 0003 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0430	20188NS835		INSTALL LED SIGNAL-3 SECTION	7.00	EACH		\$	
0440	20266ES835		INSTALL LED SIGNAL- 4 SECTION	2.00	EACH		\$	
0450	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC (FE01)	2.00	EACH		\$	
0460	24955ED		REMOVE SIGNAL EQUIPMENT	4.00	EACH		\$	
0470	24955ED		REMOVE SIGNAL EQUIPMENT (FE01)	2.00	EACH		\$	

Section: 0004 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0480	02569		DEMOBILIZATION	1.00	LS		\$	