STRIPING NOTES:

1. PAVE STRIPING-THERMO-6 IN W
2. PAVE STRIPING-THERMO-6 IN W (10' LENGTH, 30' GAP)
3. PAVE STRIPING-THERMO-6 IN Y
4. PAVE STRIPING-THERMO-6 IN Y (SOLID/DASHED-10' LENGTH, 30' GAP)
5. PAVE STRIPING THERMO-6 IN Y (DOUBLE YELLOW)
6. PAVE MARKING-THERMO CROSS-HATCH (12 IN W)
7. PAVE MARKING-THERMO CROSS-HATCH (12 IN Y)
8. PAVE MARKING-THERMO X-WALK-6 IN
9. PAVE MARKING-THERMO STOP BAR 24 IN
10. PAVE MARKING-THERMO CURV ARROW
11. PAVE MARKING-THERMO COMB ARROW
12. PAVE MARKING-THERMO CNLY
13. PAVE MARKING-THERMO BUS
14. PAVE MARK-THERMO CONE CAP-SOLID YELLOW
15. PAVE MARKING-THERMO YIELD BAR-36 IN
16. PAVE MARK-THERMO-X-WALK-24 IN
17. PAVE MARKING-THERMO DOTTED LANE EXTEN (WHITE)
18. PAVE MARKING-THERMO DOTTED LANE EXTEN (YELLOW)
19. PAVE MARKING-THERMO CROSS HATCH (24 IN W)
20. PAVE MARKING-THERMO CROSS HATCH (24 IN Y)
21. PAVE MARK-THERMO STRAIGHT ARROW
22. PAVE MARK-THERMO TWLTL ARROW
23. PAVE STRIPING-THERMO-12 IN W (3' LENGTH, 9' GAP)
24. PAVE STRIPING-THERMO-6 IN W (2' LENGTH, 4' GAP)
25. PAVE STRIPING-THERMO-12 IN Y
26. PAVE STRIPING-THERMO-12 IN W
27. PAVE MARKING THERMO-BIKE LANE ARROW
28. PAINT SYMBOL-BICYCLE LANE




LEGEND

- EXISTING PARKING METER (DO NOT DISTURB)
- EXISTING TARC BUS STOP (DO NOT DISTURB)
- EXISTING FIRE HYDRANT (DO NOT DISTURB)

NOTES:

- ALL PARKING/STOPPING SIGNAGE, INCLUDING PEAK HOUR, TO BE REMOVED.
- ALL EXISTING ONE-WAY SIGNAGE TO BE REMOVED AND WILL BE REPLACED AS SHOWN IN THE PLAN.
- REPLACE ALL SNOW EMERGENCY SNOW SIGNAGE AT EXISTING LOCATION UNLESS OTHERWISE NOTED.
- ALL NO LOITERING/LITTERING SIGNAGE TO BE REMOVED.
- ALL OTHER SIGNAGE TO REMAIN UNLESS OTHERWISE NOTED IN THE PLAN.
- REMOVE ALL EXISTING US 150 WAYFINDING SIGNAGE.
- STREET NAME SIGNS TO BE MODIFIED ACCORDING TO THE MUTCD AND LMPW DESIGN SPECIFICATIONS.

COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 101+19.91 TO STA 104+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R5

OpenRoads Designer v10.16.2.287
USER: USNB706409
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 1.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 104+00 TO STA 110+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R6

OpenRoads Designer v10.16.2.267
USER: USTH143857
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 2.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 110+00 TO STA 116+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R7

OpenRoads Designer v10.16.2.267
USER: RiceM
FILE NAME: C:\BMS\WSP-US-PW-WZD\100377\BROADWAY - PLAN 3.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 116+00 TO STA 122+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. RB

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 4.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 122+00 TO STA 128+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R9




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 128+00 TO STA 134+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R10

COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 134+00 TO STA 140+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R11

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D100377\BROADWAY - PLAN 7.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 140+00 TO STA 146+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R12

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN S.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 146+00 TO STA 152+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R13

OpenRoads Designer v10.16.2.267
USER: USNB706409
FILE NAME: C:\BMS\WSP-US-PW-WZD\103377\BROADWAY - PLAN 9.DGN

STRIPING NOTES:

1. PAVE STRIPING-THERMO-6 IN W
2. PAVE STRIPING-THERMO-6 IN W (10' LENGTH, 30' GAP)
3. PAVE STRIPING-THERMO-6 IN Y
4. PAVE STRIPING-THERMO-6 IN Y (SOLID/DASHED-10' LENGTH, 30' GAP)
5. PAVE STRIPING THERMO-6 IN Y (DOUBLE YELLOW)
6. PAVE MARKING-THERMO CROSS-HATCH (12 IN W)
7. PAVE MARKING-THERMO CROSS-HATCH (12 IN Y)
8. PAVE MARKING-THERMO X-WALK-6 IN
9. PAVE MARKING-THERMO STOP BAR 24 IN
10. PAVE MARKING-THERMO CURV ARROW
11. PAVE MARKING-THERMO COMB ARROW
12. PAVE MARKING-THERMO ONLY
13. PAVE MARKING-THERMO BUS
14. PAVE MARK-THERMO CONE CAP-SOLID YELLOW
15. PAVE MARKING-THERMO YIELD BAR-36 IN
16. PAVE MARK-THERMO-K-WALK-24 IN
17. PAVE MARKING-THERMO DOTTED LANE EXTEN (WHITE)
18. PAVE MARKING-THERMO DOTTED LANE EXTEN (YELLOW)
19. PAVE MARKING-THERMO CROSS HATCH (24 IN W)
20. PAVE MARKING-THERMO CROSS HATCH (24 IN Y)
21. PAVE MARK-THERMO STRAIGHT ARROW
22. PAVE MARK-THERMO TWLTL ARROW
23. PAVE STRIPING-THERMO-12 IN W (3' LENGTH, 9' GAP)
24. PAVE STRIPING-THERMO-6 IN W (2' LENGTH, 4' GAP)
25. PAVE STRIPING-THERMO-12 IN Y
26. PAVE STRIPING-THERMO-12 IN W
27. PAVE MARKING THERMO-BIKE LANE ARROW
28. PAINT SYMBOL-BICYCLE LANE




NOTES:

- ALL PARKING/STOPPING SIGNAGE, INCLUDING PEAK HOUR, TO BE REMOVED.
- ALL EXISTING ONE-WAY SIGNAGE TO BE REMOVED AND WILL BE REPLACED AS SHOWN IN THE PLAN.
- REPLACE ALL SNOW EMERGENCY SNOW SIGNAGE AT EXISTING LOCATION UNLESS OTHERWISE NOTED.
- ALL NO LOITERING/LITTERING SIGNAGE TO BE REMOVED.
- ALL OTHER SIGNAGE TO REMAIN UNLESS OTHERWISE NOTED IN THE PLAN.
- REMOVE ALL EXISTING US 150 WAYFINDING SIGNAGE.
- STREET NAME SIGNS TO BE MODIFIED ACCORDING TO THE MUTCD AND LMPW DESIGN SPECIFICATIONS.

LEGEND

- EXISTING PARKING METER (DO NOT DISTURB)
- EXISTING TARC BUS STOP (DO NOT DISTURB)
- EXISTING FIRE HYDRANT (DO NOT DISTURB)

COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 152+00 TO STA 158+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R14




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 158+00 TO STA 164+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R15

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 11.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 164+00 TO STA 170+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R16

OpenRoads Designer v10.16.2.267
USER: USTH143857
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 12.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 170+00 TO STA 176+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R17

OpenRoads Designer v10.16.2.267
USER: USTH143857
FILE NAME: C:\BMS\WSP-US-PW-02\D100377\BROADWAY - PLAN 13.DGN

STRIPING NOTES:

1. PAVE STRIPING-THERMO-6 IN W
2. PAVE STRIPING-THERMO-6 IN W (10' LENGTH, 30' GAP)
3. PAVE STRIPING-THERMO-6 IN Y
4. PAVE STRIPING-THERMO-6 IN Y (SOLID/DASHED-10' LENGTH, 30' GAP)
5. PAVE STRIPING THERMO-6 IN Y (DOUBLE YELLOW)
6. PAVE MARKING-THERMO CROSS-HATCH (12 IN W)
7. PAVE MARKING-THERMO CROSS-HATCH (12 IN Y)
8. PAVE MARKING-THERMO X-WALK-6 IN
9. PAVE MARKING-THERMO STOP BAR 24 IN
10. PAVE MARKING-THERMO CURV ARROW
11. PAVE MARKING-THERMO COMB ARROW
12. PAVE MARKING-THERMO ONLY
13. PAVE MARKING-THERMO BUS
14. PAVE MARK-THERMO CONE CAP-SOLID YELLOW
15. PAVE MARKING-THERMO YIELD BAR-36 IN
16. PAVE MARK-THERMO-K-WALK-24 IN
17. PAVE MARKING-THERMO DOTTED LANE EXTEN (WHITE)
18. PAVE MARKING-THERMO DOTTED LANE EXTEN (YELLOW)
19. PAVE MARKING-THERMO CROSS HATCH (24 IN W)
20. PAVE MARKING-THERMO CROSS HATCH (24 IN Y)
21. PAVE MARK-THERMO STRAIGHT ARROW
22. PAVE MARK-THERMO TWLTL ARROW
23. PAVE STRIPING-THERMO-12 IN W (3' LENGTH, 9' GAP)
24. PAVE STRIPING-THERMO-6 IN W (2' LENGTH, 4' GAP)
25. PAVE STRIPING-THERMO-12 IN Y
26. PAVE STRIPING-THERMO-12 IN W
27. PAVE MARKING THERMO-BIKE LANE ARROW
28. PAINT SYMBOL-BICYCLE LANE




NOTES:

- ALL PARKING/STOPPING SIGNAGE, INCLUDING PEAK HOUR, TO BE REMOVED.
- ALL EXISTING ONE-WAY SIGNAGE TO BE REMOVED AND WILL BE REPLACED AS SHOWN IN THE PLAN.
- REPLACE ALL SNOW EMERGENCY SNOW SIGNAGE AT EXISTING LOCATION UNLESS OTHERWISE NOTED.
- ALL NO LOITERING,LITTERING SIGNAGE TO BE REMOVED.
- ALL OTHER SIGNAGE TO REMAIN UNLESS OTHERWISE NOTED IN THE PLAN.
- REMOVE ALL EXISTING US 150 WAYFINDING SIGNAGE.
- STREET NAME SIGNS TO BE MODIFIED ACCORDING TO THE MUTCD AND LMPW DESIGN SPECIFICATIONS.

LEGEND

- EXISTING PARKING METER (DO NOT DISTURB)
- EXISTING TARC BUS STOP (DO NOT DISTURB)
- EXISTING FIRE HYDRANT (DO NOT DISTURB)

COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 176+00 TO STA 182+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R18

OpenRoads Designer v10.16.2.287
USER: USTH143857
FILE NAME: C:\BMS\WSP-US-PW-WZ\D1003771\BROADWAY - PLAN 14.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 182+00 TO STA 188+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R19

OpenRoads Designer v10.16.2.287
USER: USNS706409
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 15.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 188+00 TO STA 194+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R20

OpenRoads Designer v10.16.2.267
USER: USTH143857
FILE NAME: C:\BMS\WSP-US-PW-02\D100377\BROADWAY - PLAN 16.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 194+00 TO STA 200+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R21

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 17.DGN




LEGEND

- EXISTING PARKING METER (DO NOT DISTURB)
- EXISTING TARC BUS STOP (DO NOT DISTURB)
- EXISTING FIRE HYDRANT (DO NOT DISTURB)

NOTES:

- ALL PARKING/STOPPING SIGNAGE, INCLUDING PEAK HOUR, TO BE REMOVED.
- ALL EXISTING ONE-WAY SIGNAGE TO BE REMOVED AND WILL BE REPLACED AS SHOWN IN THE PLAN.
- REPLACE ALL SNOW EMERGENCY SNOW SIGNAGE AT EXISTING LOCATION UNLESS OTHERWISE NOTED.
- ALL NO LOITERING/LITTERING SIGNAGE TO BE REMOVED.
- ALL OTHER SIGNAGE TO REMAIN UNLESS OTHERWISE NOTED IN THE PLAN.
- REMOVE ALL EXISTING US 150 WAYFINDING SIGNAGE.
- STREET NAME SIGNS TO BE MODIFIED ACCORDING TO THE MUTCD AND LMPW DESIGN SPECIFICATIONS.

STRIPING NOTES:

1. PAVE STRIPING-THERMO-6 IN W
2. PAVE STRIPING-THERMO-6 IN W (10' LENGTH, 30' GAP)
3. PAVE STRIPING-THERMO-6 IN Y
4. PAVE STRIPING-THERMO-6 IN Y (SOLID/DASHED-10' LENGTH, 30' GAP)
5. PAVE STRIPING THERMO-6 IN Y (DOUBLE YELLOW)
6. PAVE MARKING-THERMO CROSS-HATCH (12 IN W)
7. PAVE MARKING-THERMO CROSS-HATCH (12 IN Y)
8. PAVE MARKING-THERMO X-WALK-6 IN
9. PAVE MARKING-THERMO STOP BAR 24 IN
10. PAVE MARKING-THERMO CURV ARROW
11. PAVE MARKING-THERMO COMB ARROW
12. PAVE MARKING-THERMO ONLY
13. PAVE MARKING-THERMO BUS
14. PAVE MARK-THERMO CONE CAP-SOLID YELLOW
15. PAVE MARKING-THERMO YIELD BAR-36 IN
16. PAVE MARK-THERMO-X-WALK-24 IN
17. PAVE MARKING-THERMO DOTTED LANE EXTEN (WHITE)
18. PAVE MARKING-THERMO DOTTED LANE EXTEN (YELLOW)
19. PAVE MARKING-THERMO CROSS HATCH (24 IN W)
20. PAVE MARKING-THERMO CROSS HATCH (24 IN Y)
21. PAVE MARK-THERMO STRAIGHT ARROW
22. PAVE MARK-THERMO TWLTL ARROW
23. PAVE STRIPING-THERMO-12 IN W (3' LENGTH, 9' GAP)
24. PAVE STRIPING-THERMO-6 IN W (2' LENGTH, 4' GAP)
25. PAVE STRIPING-THERMO-12 IN Y
26. PAVE STRIPING-THERMO-12 IN W
27. PAVE MARKING THERMO-BIKE LANE ARROW
28. PAINT SYMBOL-BICYCLE LANE

COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 200+00 TO STA 206+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R22

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D100377\BROADWAY - PLAN 18.DGN




LEGEND

- EXISTING PARKING METER (DO NOT DISTURB)
- EXISTING TARC BUS STOP (DO NOT DISTURB)
- EXISTING FIRE HYDRANT (DO NOT DISTURB)

NOTES:

- ALL PARKING/STOPPING SIGNAGE, INCLUDING PEAK HOUR, TO BE REMOVED.
- ALL EXISTING ONE-WAY SIGNAGE TO BE REMOVED AND WILL BE REPLACED AS SHOWN IN THE PLAN.
- REPLACE ALL SNOW EMERGENCY SNOW SIGNAGE AT EXISTING LOCATION UNLESS OTHERWISE NOTED.
- ALL NO LOITERING/LITTERING SIGNAGE TO BE REMOVED.
- ALL OTHER SIGNAGE TO REMAIN UNLESS OTHERWISE NOTED IN THE PLAN.
- REMOVE ALL EXISTING US 150 WAYFINDING SIGNAGE.
- STREET NAME SIGNS TO BE MODIFIED ACCORDING TO THE MUTCD AND LMPW DESIGN SPECIFICATIONS.

STRIPING NOTES:

1. PAVE STRIPING-THERMO-6 IN W
2. PAVE STRIPING-THERMO-6 IN W (10' LENGTH, 30' GAP)
3. PAVE STRIPING-THERMO-6 IN Y
4. PAVE STRIPING-THERMO-6 IN Y (SOLID/DASHED-10' LENGTH, 30' GAP)
5. PAVE STRIPING THERMO-6 IN Y (DOUBLE YELLOW)
6. PAVE MARKING-THERMO CROSS-HATCH (12 IN W)
7. PAVE MARKING-THERMO CROSS-HATCH (12 IN Y)
8. PAVE MARKING-THERMO X-WALK-6 IN
9. PAVE MARKING-THERMO STOP BAR 24 IN
10. PAVE MARKING-THERMO CURV ARROW
11. PAVE MARKING-THERMO COMB ARROW
12. PAVE MARKING-THERMO ON.Y
13. PAVE MARKING-THERMO BUS
14. PAVE MARK-THERMO CONE CAP-SOLID YELLOW
15. PAVE MARKING-THERMO YIELD BAR-36 IN
16. PAVE MARK-THERMO-X-WALK-24 IN
17. PAVE MARKING-THERMO DOTTED LANE EXTEN (WHITE)
18. PAVE MARKING-THERMO DOTTED LANE EXTEN (YELLOW)
19. PAVE MARKING-THERMO CROSS HATCH (24 IN W)
20. PAVE MARKING-THERMO CROSS HATCH (24 IN Y)
21. PAVE MARK-THERMO STRAIGHT ARROW
22. PAVE MARK-THERMO TWLTL ARROW
23. PAVE STRIPING-THERMO-12 IN W (3' LENGTH, 9' GAP)
24. PAVE STRIPING-THERMO-6 IN W (2' LENGTH, 4' GAP)
25. PAVE STRIPING-THERMO-12 IN Y
26. PAVE STRIPING-THERMO-12 IN W
27. PAVE MARKING THERMO-BIKE LANE ARROW
28. PAINT SYMBOL-BICYCLE LANE

COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'

0' 20' 40' 80'

STA 206+00 TO STA 212+00

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R23

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 19.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS

HORIZONTAL SCALE
SCALE: 1"=20'
0' 20' 40' 80'

STA 212+00 TO STA 216+17.41

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R24

OpenRoads Designer v10.16.2.267
USER: USEN095421
FILE NAME: C:\BMS\WSP-US-PW-02\D1003771\BROADWAY - PLAN 20.DGN




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS
TEAM KENTUCKY

DRAWING TITLE: BROADWAY (US 150) SIGNING AND STRIPING PLANS (S. PRESTON STREET)

HORIZONTAL SCALE
SCALE: 1"=20'
0' 20' 40' 80'

STA 47+96.33 TO STA 52+44.34

ITEM NO. 05-9057.00
COUNTY OF JEFFERSON
SHEET NO. R25

OpenRoads Designer v10.16.2.267
USER: USNB706409
FILE NAME: C:\BMS\WSP-US-PW-02\D100377\BROADWAY - PLAN 21.DGN