

THIRD-ORDER LEVELING
SEA LEVEL DATUM OF 1929

37-084-43
DANVILLE QUADRANGLE
122 KENTUCKY
N3730-W8445/15
DIAGRAM NJ 16-9
WINCHESTER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


Boyle, Casey, Lincoln, and
Mercer Counties

Only the permanent marks
are listed for lines
run more than 25 years
before edition date

Final adjustment of 1973

Edition of 3/9/73

PR: DSW/dt



NGS VERTICAL CONTROL DATA

A. Quadrangle 370844

DANVILLE QUADRANGLE

37-084-43
 N3730-W8445/15
 KENTUCKY

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
747 LEXINGTON	3	24 RC 1950 899	10
806 LEXINGTON	3	25 RC 1950 1004	11
851 LEXINGTON TT STA NO 38 T 1929	13	26 RC 1950 965	12
921 LEXINGTON	3	27 RC 1950 958	12,16
988 LEXINGTON	3	28 RC 1950 924	13
1010 LEXINGTON	3	29 RC 1950 852	13
1035 LEXINGTON	3	30 RC 1950 832	14
TT STA NO 33 T 1926 848	7	31 RC 1950 948	14
10 ADP 1950 908	4	32 RC 1950 821	15
12 ADP 1950 886	4	33 RC 1950 949	15
13 ADP 1950 1017	4	34 RC 1950 993	16
1 RC 1950 918	5	35 RC 1950 963	16
8 RC 1950 871	6,16		
9 RC 1950 869	6	<u>NGS</u>	
10 RC 1950 951	7	U 1	9
15 RC 1950 906	7	DANVILLE MAG 1935 979.752	15
16 RC 1950 988	8	DANVILLE MAG NO 1 1935	
18 RC 1950 1104	8,11	981.193	16
19 RC 1950 1095	9	V 46 1935	4
22 RC 1950 1281	10	L 67 1935	5
23 RC 1950 909	10	P 67 1935	9,12

DANVILLE
Book 9504

122 KENTUCKY

F. A. Frank

1902

	<u>Feet</u>
ISOLATED BENCH MARKS (F. A. Frank, 1902, and W. Goodwin, Jr., 1903; Book 8504)	
Forkland; near SE. corner of Calhouns Store; on iron post; standard cap stamped "806 LEXINGTON"	806.687
Milledgeville; at residence of Moss Russell; in heavy stone in NE. corner of foundation; standard tablet stamped "1035 LEXINGTON"	1035.470
Milledgeville, 1.3 mi W. of; at forks of rd.; 30 ft from junction of rd. forks; 15 ft from centerline of rd. E.; in small rough rock; standard tablet stamped "1010 LEXINGTON"	1010.174
Rose Hill, 1.5 mi W. of, along State Highway 152; on E. side of Bruners Chapel; in masonry; standard tablet stamped "921 LEXINGTON" (Reported not found, 1950)	921.165
Bestonia; in SW. abutment of bridge crossing Chaplin River; standard tablet stamped "747 LEXINGTON" (Reported not found, 1950)	746.789

LINE 1.

A. D. Pretzer, 1950; Book AV 150	
U.E., Danville, 1.5 mi SE. of, along State Highway 52; 150 ft SE. of, and 2 ft higher than centerline of hwy. at junction of U. S. Highway 150; on E. wing-wall of culvert; chiseled square	911.10
Danville; at County Courthouse; in W. end of top step to S. entrance; standard tablet stamped "988 LEXINGTON" (Tied by NGS, 1948)	988.551

LINE 2.

A. D. Pretzer, 1950; Book AV 150	
U.E., Turnersville, 1.2 mi NW. of; 13 ft W. of centerline of rd.; on concrete slab used as foundation for post; chiseled square	984.66

DANVILLE

122 KENTUCKY

LINE 2 (Cont'd.)Feet

Turnersville, 1.8 mi NW. of, along graveled rd.; 300 ft N. of residence of G. L. Lawrence; 14 ft S. of centerline of rd. at junction of Y-rd.; 4 ft E. of fence corner; 2 ft S. of fence; in concrete post; standard tablet stamped "10 ADP 1950 908"	908.352
Reference mark; 136 ft NW. of tablet; in root on E. side of twin elm tree; copper nail and washer	911.98
U.E., Turnersville, 1.8 mi NW. of, thence 1.3 mi N.; 3.6 mi E. of Milledgeville; 55 ft S. and 31 ft W. of centerline of rd. at junction of T-rd.; in E. side of fence post; rail spike	913.41
<u>[/Jogs into Lancaster quadrangle/</u>	
U.E., Shelby City, 0.6 mi S. of, thence 2.2 mi SE., thence 1.8 mi S.; 17 ft S. and 22 ft E. of center- line of rd. at junction of T-rd. S.; in W. side of corner fencepost; rail spike	1052.10
Shelby City, 0.6 mi S. of, along State Highway 35, thence 2.2 mi SE., thence 1.0 mi S.; 14 ft E. of W. end of concrete bridge over Knoblick Creek; 5 ft S. of center of bridge; in S. end of bridge; standard tablet stamped "12 ADP 1950 886"	886.434
Reference mark; 194 ft NW. of tablet; 18 ft W. of centerline of rd.; in E. side of fence post; rail spike	892.23
U.E., Shelby City, 0.6 mi S. of, thence 2.2 mi SE.; 19 ft S. and 46 ft W. of centerline of rd. at junction of T-rd. S.; in N. side of fence post; rail spike	1040.26
Shelby City, 0.6 mi S. of, along State Highway 35, thence 1.1 mi SE.; 54 ft S. and 14 ft W. of centerline of rd. at junction of T-rd. S.; 33 ft S. and 2 ft E. of fence corner; in concrete post; standard tablet stamped "13 ADP 1950 1017"	1017.187
Reference mark; 44 ft S. of tablet; in N. side of telephone pole; rail spike	1017.18
"V 46 1935" (NGS)	999.189

DANVILLE
Book AV 150

122 KENTUCKY

A. D. Pretzer

1950

Feet

LINE 3.

A. D. Pretzer, 1950; Book AV 150

There are no permanent marks on this line in this quadrangle

LINE 4.

R. E. Carey, 1950; Book AV 154

"L 67 1935" (NGS)

1037.485

U.E., Brumfield, 0.4 mi W. of; 10 ft N. of centerline of State Highway 34 at W. end of curve SE.; on W. end of N. concrete headwall of culvert; chiseled square

1010.91

∟Jogs into Springfield quadrangle∟

U.E., Brumfield, 1.2 mi W. of, thence 0.3 mi N.; 12 ft S. of centerline of rd. near sharp curve; 125 ft E. of curve S.; 115 ft W. of curve N.; in root on NW. side of 24-in. ash tree; copper nail and washer

984.93

Brumfield, 1.2 mi W. of, along State Highway 52, thence 0.6 mi NE.; 21 ft SE. and 70 ft NE. of rd. forks; 31 ft N. of NE. corner of barn; in concrete post; standard tablet stamped "1 RC 1950 918"

918.345

Reference mark; 150 ft SW. of tablet; 10 ft SE. of centerline of rd.; on NE. concrete abutment of bridge; chiseled square

914.86

U.E., Brumfield, 1.2 mi W. of, thence 1.0 mi N.; 75 ft S. and 18 ft E. of centerline of rd. at junction of private rd. W.; 40 ft N. of NW. end of bridge; in root on W. side of 24-in. elm tree; copper nail and washer

892.29

∟Jogs into Springfield quadrangle∟

U.E., Brumfield, 1.2 mi W. of, thence 2.4 mi N.; 100 ft S. and 10 ft E. of centerline of rd. at junction of T-rd. E.; in W. side of 24-in. apple tree; rail spike

870.13

∟Jogs into Springfield quadrangle∟

DANVILLE

122 KENTUCKY

LINE 4 (Cont'd.)Feet

U.E., Mackville, 5.0 mi E. of; 15 ft N. and 182 ft W. of centerline of State Highway 152 at junction of T-rd. SW.; on NE. concrete wingwall of bridge over Deep Creek; chiseled square	757.20
Mackville, 5.4 mi E. of, along State Highway 152; 33 ft S. of centerline of hwy. at N.-S. cross road; 26 ft E. of centerline of rd. S.; 22 ft E. of centerline of rd. N.; 3 ft N. and 3 ft E. of fence corner; in concrete post; standard tablet stamped "8 RC 1950 871"	871.064
Reference mark; 70 ft NW. of tablet; 33 ft N. and 15 ft W. of centerline of rd. at junction of rd. N.; in root on W. side of 8-in. cedar tree; copper nail and washer	869.24
U.E., Mackville, 5.9 mi E. of; 36 ft S. and 21 ft E. of centerline of State Highway 152 at junction of private rd. NW. and trail S.; in root on NW. side of 12-in. locust tree; copper nail and washer	769.62
U.E., Mackville, 6.9 mi E. of; 6.9 mi SW. of Harrodsburg; 25 ft S. and 20 ft W. of centerline of State Highway 152 at junction of private rd. SW.; in root on NW. side of 10-in. twin hackberry tree; copper nail and washer	854.83
Harrodsburg, 6.6 mi SW. of, along State Highway 152; 1.1 mi W. of Bruners Chapel; 32 ft S. and 86 ft E. of centerline of hwy. at junction of rd. S.; 11 ft E. of 12-in. walnut tree; 2 ft N. of fenceline; in concrete post; standard tablet stamped "9 RC 1950 869"	869.000
Reference mark; 115 ft W. of tablet; 30 ft S. and 32 ft W. of centerline of State Highway 152 at junction of rd. S.; in root on N. side of 8-in. cedar tree; copper nail and washer	872.48
U.E., Harrodsburg, 5.0 mi SW. of; 20 ft N. and 12 ft E. of centerline of State Highway 152 at junction of trail N.; 78 ft NE. of small garage; in root on N. side of 24-in. walnut tree; copper nail and washer	914.53

DANVILLE

122 KENTUCKY

LINE 4 (Cont'd.)Feet

- Harrodsburg, 4.5 mi SW. of, along State Highway 152; at SE. corner of yard of Rose Hill High School; 60 ft N. and 11 ft W. of centerline of hwy. at junction of drive to school; 1 ft S. and 3 ft W. of W. rock pillar of drive; in concrete post; standard tablet stamped "10 RC 1950 951" 950.708
- Reference mark; 125 ft NW. of tablet; 55 ft N. of centerline of State Highway 152; on NE. corner of lower concrete step of walk to S. entrance of school; chiseled square 952.74
- U.E., Harrodsburg, 3.9 mi SW. of; 20 ft S. and 480 ft W. of centerline of State Highway 152 at junction of T-rd. S.; on lower concrete step of walk to farmhouse of Uniford Ruby; chiseled square 970.37

LINE 5.

R. E. Carey, 1950; Book AV 154

- Gravel Switch, 7.2 mi SE. of, along State Highway 243; at abandoned school; 128 ft S. of, and across Little South Fork from centerline of Highway 243; 32 ft NNE. of N. corner of abandoned school; 21 ft S. of 18-in. locust tree; in concrete post; standard tablet stamped "TT STA NO 33 T 1926 848" (Tied by NGS, 1951) (Reported not found, 1958) 847.564
- Reference mark; 105 ft NW. of tablet; 31 ft S. of centerline of State Highway 243; in root on N. side of 20-in. sycamore tree; copper nail and washer 841.82
- Chilton, 4.4 mi NE. of, along State Highway 243; 0.1 mi NW. of NW. end of 100-ft concrete bridge over Little South Fork; 33 ft NNE. of, and 2 ft higher than centerline of State 243; 53 ft SE. of SE. corner porch of house; 30 ft SW. of power pole and transformer; 17 ft W. of centerline of drive to two-story farmhouse; in concrete post; standard tablet stamped "15 RC 1950 906" (Tied by NGS, 1951) 906.091
- Reference mark; 228 ft SW. of tablet; 12 ft S. of centerline of State Highway 243; on SW. concrete headwall of culvert; chiseled square 900.11

DANVILLE

122 KENTUCKY

LINE 5 (Cont'd.)Feet

U.E., Chilton, 4.3 mi NE. of, along State Highway 243, thence 0.6 mi NE. along graveled rd.; 0.2 mi NW. of Shoehammer School; 16 ft N. and 16 ft W. of centerline of rd. at junction of T-rd. N.; in root on E. side of 10-in. poplar tree; copper nail and washer	918.90
U.E., Chilton, 4.3 mi NE. of, along State Highway 243, thence 1.3 mi E. along graveled rd.; 31 ft S. and 54 ft E. of centerline of rd. at junction of private drive SE.; in root on N. side of 24-in. sycamore tree; copper nail and washer	935.50
U.E., Chilton, 4.3 mi NE. of, along State Highway 243, thence 1.8 mi E. along graveled rd.; 500 ft SW. of Valley Grove Church; 18 ft N. and 29 ft W. of centerline of rd. at junction of private drive N.; in root on S. side of 18-in. locust tree; copper nail and washer	958.01
Chilton, 4.3 mi NE. of, along State Highway 243, thence 2.3 mi E. along graveled rd.; 0.4 mi SE. of Valley Grove Church; at NE. corner of farmyard owned by Ollie Wilson; 65 ft S. of centerline of rd.; 40 ft S. of center of Little South Fork Creek; 22 ft N. of NE. corner of farmhouse; 5 ft W. of 10-in. apple tree; in concrete post; standard tablet stamped "16 RC 1950 988" (Tied by NGS, 1951)	987.570
Reference mark; 50 ft N. of tablet; 15 ft S. of centerline of rd.; in root on NE. side of 14-in. hickory tree; copper nail and washer	985.62
<u>∟Jogs into Hustonville quadrangle∟</u>	
Moreland, 0.7 mi N. of, thence 3.0 mi SW.; 1.4 mi N. of Maxey Valley Church; 30 ft N. of centerline of rd. at junction of T-rd. S.; 11 ft N. and 1 ft W. of fence corner; in concrete post; standard tablet stamped "18 RC 1950 1104"	1103.947
Reference mark; 115 ft SE. of tablet; 13 ft E. of centerline of rd.; in root on SE. side of 12-in. oak tree; copper nail and washer	1101.01
U.E., Moreland, 0.7 mi N. of, thence 2.7 mi SW.; 85 ft S. and 15 ft E. of centerline of rd. at junction of T-rd. W.; in root on N. side of 6-in. oak tree; copper nail and washer	1088.30

DANVILLE

122 KENTUCKY

LINE 5 (Cont'd.)Feet

U.E., Moreland, 0.7 mi N. of, thence 2.2 mi SW.; 12 ft NW. and 6 ft SW. of centerline of rd. at junction of private drive SE.; in root on SE. side of 24-in. oak tree; copper nail and washer	1091.34
U.E., Moreland, 0.7 mi N. of, thence 1.7 mi SW.; 40 ft N. and 16 ft E. of centerline of rd. at junction of private drive N.; in root on S. side of 18-in. oak tree; copper nail and washer	1099.91
Moreland, 0.7 mi N. of, thence 1.3 mi W.; near residence of J. W. Tommbs; 25 ft S. of centerline of rd.; 56 ft SE. of SE. corner of farmyard; 6 ft SE. of fence corner; 3 ft N. of 24-in. oak tree; in concrete post; standard tablet stamped "19 RC 1950 1095"	1094.888
Reference mark; 122 ft NW. of tablet; 13 ft N. of centerline of rd. at junction of private drive N.; in root on S. side of 36-in. oak tree; copper nail and washer	1096.83
U.E., Moreland, 0.7 mi N. of, thence 0.6 mi W.; 20 ft N. and 120 ft E. of centerline of rd. at junction of T-rd. NW.; in root on SW. side of 30-in. sugar tree; copper nail and washer	1094.87
U.E., Moreland, 0.7 mi N. of; 60 ft N. and 72 ft W. of centerline of rd. at junction of T-rd. W.; at SE. corner of yard of Moreland School; in root on W. side of 24-in. oak tree; copper nail and washer	1087.07
Brass bolt (designated U 1) (NGS)	1094.046

LINE 6.

R. E. Carey, 1950; Book AV 154	
"P 67 1935" (NGS)	1080.205
U.E., Parksville, 1.1 mi S. of; 35 ft W. of centerline of rd.; 55 ft NE. of NE. corner of house; 33 ft NW. of mailbox of Clarence Caldwell; in root on W. side of 8-in. oak tree; copper nail and washer	1258.64

DANVILLE

122 KENTUCKY

LINE 6 (Cont'd.)Feet

Parksville, 1.3 mi S. of; 31 ft S. and 33 ft W. of centerline of rd. at junction of T-rd. W. to residence of C. Pikes; 45 ft SW. of mailbox; 17 ft NE. of 24-in. twin oak tree; in concrete post; standard tablet stamped "22 RC 1950 1281" (Tied by NGS, 1951)	1280.726
Reference mark; 65 ft N. of tablet; 35 ft W. of centerline of rd.; in root on N. side of 24-in. oak tree; copper nail and washer	1282.81
U.E., Parksville, 1.8 mi S. of; 10 ft W. of centerline of rd. at curve on S. slope of steep grade; in base on E. side of 24-in. beech tree; rail spike	1098.03
U.E., Parksville, 2.7 mi S. of; 8 ft E. of centerline of rd.; 200 ft S. of house; 25 ft N. and 10 ft W. of fence corner; in root on W. side of 24-in. oak tree; copper nail and washer	955.80
Parksville, 3.3 mi S. of; at Pleasant Run Baptist Church; 233 ft S. and 26 ft E. of crossroads; 37 ft N. of NW. corner of church; 2 ft S. and 5 ft E. of light pole; 1 ft S. and 17 ft E. of fence corner; in concrete post; standard tablet stamped "23 RC 1950 909" (Tied by NGS, 1951)	908.735
Reference mark; 215 ft NW. of tablet; 13 ft S. and 30 ft W. of crossroads; on E. end of S. concrete headwall of culvert; chiseled square (Tied by NGS, 1951)	915.56
U.E., Parksville, 4.5 mi S. of; 30 ft W. of centerline of rd.; at fence corner; in root on E. side of 18-in. twin wild cherry tree; copper nail and washer	950.63
U.E., Parksville, 4.9 mi S. of; 55 ft S. and 25 ft W. of centerline of rd. at junction of rd. NW.; on N. bank of creek; in root in N. side of giant sycamore tree; copper nail and washer	886.02
Parksville, 5.3 mi S. of; near residence of W. B. Daugherty; 42 ft N. and 17 ft W. of centerline of rd. at junction of private drive W.; 11 ft N. and 2 ft E. of fence corner; 4 ft S. and 1 ft W. of power pole; in concrete post; standard tablet stamped "24 RC 1950 899" (Tied by NGS, 1951)	899.043

DANVILLE

122 KENTUCKY

LINE 6 (Cont'd.)Feet

Reference mark; 80 ft SW. of tablet; 85 ft W. of centerline of rd.; in root on E. side of giant elm tree; copper nail and washer	899.83
U.E., Parksville, 6.3 mi S. of; 5 ft E. of centerline of rd.; 24 ft SE. of creek forks; 5 ft S. of SE. corner of wooden bridge; 3 ft N. and 5 ft W. of fence corner; in S. end of log supporting bridge; copper nail and washer	930.41
Parksville, 6.8 mi S. of; 13 ft N. and 25 ft W. of centerline of rd. at junction of rd. NW.; in root on E. side of 12-in. hickory tree; copper nail and washer	990.45
Moreland, 0.7 mi N. of, thence 5.2 mi W.; at Butcher-town School; 22 ft NE. of centerline of rd.; 53 ft NW. of NW. corner of schoolhouse; 3 ft S. and 2 ft E. of fence corner; in concrete post; standard tablet stamped "25 RC 1950 1004"	1003.971
Reference mark; 75 ft SW. of tablet; 15 ft NE. of centerline of rd.; in root on E. side of 30-in. oak tree; copper nail and washer	1004.17
U.E., Moreland, 0.7 mi N. of, thence 4.8 mi W.; 8 ft N. and 60 ft E. of centerline of rd. at junction of drive N. to Friendship Baptist Church; in root on W. side of 24-in. oak tree; copper nail and washer	1050.29
U.E., Moreland, 0.7 mi N. of, thence 4.2 mi W.; 8 ft S. of centerline of rd.; 56 ft W. of NW. corner of barn; 12 ft W. of corner of small shed; in root on N. side of 14-in. walnut tree; copper nail and washer	1105.95
U.E., Moreland, 0.7 mi N. of, thence 3.7 mi W.; 58 ft S. and 15 ft E. of centerline of rd. at junction of rd. N. on hairpin curve near top of ridge; in root on W. side of 14-in. walnut tree; copper nail and washer	1342.65
"18 RC 1950 1104" (Described in line 5)	1103.947

DANVILLE
Book AV 154

122 KENTUCKY

R. E. Carey

37-084-43
12

1950

Feet

LINE 7.

R. E. Carey, 1950; Book AV 154	
"P 67 1935" (NGS) (Also in line 6)	1080.205
U.E., Parksville, 0.9 mi NE. of, thence 0.6 mi N.; 9 ft N. and 12 ft W. of centerline of rd. at junction of drive W.; on S. end of concrete pipe drain; chiseled square	1008.45
Parksville, 0.9 mi NE. of, along State Highway 34, thence 0.8 mi N.; 57 ft S. and 17 ft W. of centerline of rd. at junction of T-rd. W.; 41 ft S. and 1 ft W. of fence corner; in concrete post; standard tablet stamped "26 RC 1950 965"	964.479
Reference mark; 120 ft SE. of tablet; 120 ft SE. of tablet; 10 ft N. and 13 ft E. of centerline of rd. at junction of drive to field; on N. headwall of side drain; chiseled square	965.58
U.E., Needmore, 1.4 mi S. of; 20 ft N. and 20 ft W. of centerline of rd. at junction of T-rd. W.; on S. end of W. concrete headwall of culvert; chiseled square	969.95
Needmore, 4.2 mi E. of Perryville; 51 ft S. and 19 ft E. of centerline of U. S. Highway 150 at junction of T-rd. S.; 61 ft W. of "Shell" gasoline station; 2 ft N. and 4 ft E. of fence corner; in concrete post; standard tablet stamped "27 RC 1950 958" (Reported Destroyed, 1967)	957.851
Reference mark; 140 ft S. of tablet; 20 ft E. of centerline of rd.; in root on SE. side of 30-in. elm tree; copper nail and washer	952.42
U.E., Perryville, 3.7 mi E. of; 12 ft S. and 145 ft W. of centerline of U. S. Highway 150 at junction of T-rd. N.; on S. concrete headwall of culvert; chiseled square	909.29
U.E., Perryville, 3.2 mi E. of; 36 ft S. and 15 ft E. of centerline of U. S. Highway 150 at junction of T-rd. S.; in root on NE. side of 24-in. osage orange tree; copper nail and washer	956.02

DANVILLE

122 KENTUCKY

LINE 7 (Cont'd.)Feet

Perryville, 2.1 mi E. of, along U. S. Highway 150; 20 ft S. and 40 ft W. of centerline of hwy. at junction of T-rd. S.; 2 ft N. of fence; in concrete post; standard tablet stamped "28 RC 1950 924"	924.184
Reference mark; 100 ft E. of tablet; 17 ft N. of centerline of U. S. Highway 150; in S. side of powerline pole; rail spike	917.32
U.E., Perryville, 1.3 mi E. of; 12 ft S. and 55 ft W. of centerline of U. S. Highway 150 at junction of private drive S.; on E. end of S. concrete headwall of culvert; chiseled square	890.40
Perryville; at intersection of U. S. Highways 68 and 150; in foundation under NW. corner of Baptist Church; standard tablet stamped "851 LEXINGTON TT STA NO 38 T 1926"	851.317
Reference mark; 50 ft NE. of tablet; 33 ft S. of centerline of U. S. Highway 150; in root on SE. side of 30-in. ash tree; copper nail and washer	852.63
U.E., Perryville, 0.9 mi W. of; 23 ft S. and 19 ft E. of centerline of U. S. Highway 150 at junction of pasture rd. N.; in root on S. side of 40-in. oak tree; copper nail and washer	872.64
Perryville, 1.2 mi W. of, along U. S. Highway 150; 29 ft N. and 220 ft W. of centerline of hwy. at junction of rd. SW.; 22 ft W. of 30-in. wild cherry tree; 1 ft S. of fenceline; in concrete post; standard tablet stamped "29 RC 1950 852"	851.801
Reference mark; 250 ft SE. of tablet; 12 ft S. and 21 ft SE. of centerline of U. S. Highway 150 at junction of T-rd. SW.; on SW. concrete wingwall of bridge; chiseled square	848.37
U.E., Perryville, 1.8 mi W. of; 22 ft S. and 155 ft E. of centerline of U. S. Highway 150 at junction of private rd. N.; in root on N. side of 10-in. ash tree; copper nail and washer	898.02