

THIRD-ORDER LEVELING  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

36-084-42  
MAYFIELD QUADRANGLE  
24 KY.-218 TENN.  
N3630-W8830/15  
DIAGRAM NJ 16-10  
DYERSBURG


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Graves County, Kentucky; Henry and  
Weakley Counties, Tennessee

Final adjustment of 1973

Edition of 7/18/74

PR: DSW/mid



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 3608 4

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
TT 119 TN 1929 454	3	66 WSM 1950 503	4
TT 121 TN 1929 482	7	67 WSM 1950 529	4
TT 139 TN 1929 471	5,5		
TT 163 TN 1929 447	6	<u>TVA</u>	
205 JDN 1950 552	5		
206 JDN 1950 535	6	466 AMS 1946	4
212 JDN 1950 487	6	448 AMS 1946	5
213 JDN 1950 431	6		
TT 3 TWC 1950 534	3	<u>NGS</u>	
TT 4 TWC 1950 465	3		
TT 5 TWC 1950 522	3,4	L 17 1933	5
TT 13 TWC 1950 502	4	N 17 1933	3,4,5
55 WSM 1950 545	3	C 20 1934	4,7
56 WSM 1950 554	3	F 20 1934	6
57 WSM 1950 430	3	G 20 1934	3,6
58 WSM 1950 442	3	DUKE 1934	6
59 WSM 1950 510	4	DUKE NO 1 1934	7
65 WSM 1950 496	5		

LINE 1.

Feet

W. S. Monk, 1950; Book AV 160	
"G 20 1934" (NGS) (Not found, 1975)	599.398
U. E., Lynnville, 1.0 mi N. of, along State Highway 381; 25 ft S. and 10 ft E. of centerline of crossroads; on concrete headwall of culvert; chiseled square	547.01
Lynnville, 2.1 mi N. of, along State Highway 381; 20 ft S. and 40 ft W. of centerline of crossroads; in concrete post; standard tablet stamped "55 WSM 1950 545"	544.451
Lynnville, 2.1 mi N. of, along State Highway 381, thence 2.0 mi W., thence 0.5 mi S.; 0.5 mi E. of Cuba High School; 20 ft S. of centerline of rd. at junction of T-rd. N.; in concrete post; standard tablet stamped "56 WSM 1950 554" (Reported destroyed, 1975)	553.769
Cuba, 1.3 mi N. of, along State Highway 303; 28 ft S. and 36 ft W. of centerline of hwy. at junction of T-rd. W.; 22 ft NNW. of 22-in. tree; in concrete post; standard tablet stamped "TT 3 TWC 1950 534"	533.799
Cuba, 1.3 mi N. of, along State Highway 303, thence 2.1 mi W. along graveled rd.; 10 ft S. and 40 ft W. of center of bridge; 7 ft NW. of power pole; in bridge seat; standard tablet stamped "TT 4 TWC 1950 465" (Reported not found, 1972)	464.987
Cuba, 1.3 mi N. of, along State Highway 303, thence 3.4 mi W. along graveled rd.; 25 ft N. and 25 ft E. of centerline of crossroads; 1 ft S. of SW. fence corner; in concrete post; standard tablet stamped "TT 5 TWC 1950 522" (Reported not found, 1972)	522.084
Wingo, 3.2 mi S. of; 350 ft W. of Oak Hill School; 45 ft E. of triangle formed by junction of rd. S.; 20 ft S. of plank bridge over small stream; in concrete post; standard tablet stamped "TT 119 TN 1929 454" (Reported not found, 1972)	454.201
<u>LINE 2.</u>	
W. S. Monk, 1950; Book AV 160	
"N 17 1933" (NGS)	416.413
Pryorsburg, 2.2 mi SE. of; 2.2 mi NW. of Stubblefield; 30 ft E. of centerline of rd. at junction of rd. SW.; in concrete post; standard tablet stamped "57 WSM 1950 430"	429.811
Pryorsburg, 4.4 mi SE. of; at Stubblefield; 325 ft S. and 25 ft W. of crossroads; 40 ft NE. of NE. corner of church; in concrete post; standard tablet stamped "58 WSM 1950 442" (Reported disturbed, 1972)	441.882

24 KY.-218 TENN.  
MAYFIELD QUADRANGLE  
Book AV 160

36-084-42

4

LINE 2 (Cont'd.)

Feet

Reference mark; 40 ft SW. of tablet on front concrete steps to church; chiseled square 441.66

"TT 5 TWC 1950 522" (Described in line 1) 522.084

Pilot Oak, 2.1 mi N. of; 260 ft S. and 30 ft W. of centerline of rd. at junction of T-rd. E.; in concrete post; standard tablet stamped "59 WSM 1950 510" (Reported not found, 1972) 509.921

"C 20 1934" (NGS) (Reported destroyed, 1956) 530.967

LINE 3.

W. S. Monk, 1950; Book AV 160

"N 17 1933" (NGS) (See line 2) 416.413

Pryorsburg, 0.8 mi SE. of, thence 1.0 mi NE. along old rd.; 4.0 mi S. of Mayfield Court House, along State Highway 303, thence 3.3 mi W.; 15 ft N. and 25 ft W. of centerline of rd. at junction of rd. SW.; in concrete post; standard tablet stamped "66 WSM 1950 503" 503.129

Mayfield, 4.0 mi S. of courthouse, along State Highway 303, thence 1.0 mi W.; 20 ft S. and 40 ft E. of centerline of crossroads; 3 ft W. of power pole; in concrete post; standard tablet stamped "67 WSM 1950 529" (Reported destroyed, 1972) 528.634

Mayfield, 3.6 mi S. of courthouse, along State Highway 303; 3.5 mi N. of intersection of State Highways 303 and 324; 2.6 mi S. of junction of State Highways 303 and 97; 0.4 mi N. of junction of T-rd. W.; on Highway 303 right-of-way; at top of hill; 27 ft NW. of 1-1/2 story white frame house; at NW. corner of yard; 3 ft W. of corner fencepost; in concrete post; TVA standard disk stamped "~~466 AMS 1946~~"  
"467AMS 1946" 509.177

LINE 4.

W. S. Monk, 1950; Book AV 160

Mayfield, 3.9 mi W. of post office, along State Highway 80, thence 1.1 mi SW. along State Highway 384; 35 ft N. and 14 ft E. of centerline of crossroads; 1 ft W. of wire fence; in concrete post; standard tablet stamped "TT 13 TWC 1950 502" (Reported disturbed, 1972) 501.719

24 KY.-218 TENN.  
MAYFIELD QUADRANGLE  
Book AV 160

36-084-42

5

LINE 4 (Cont'd.)

Feet

Reference mark; 150 ft E. of tablet; on concrete headwall of culvert; chiseled square 493.82

Mayfield, 3.9 mi W. of post office, along State Highway 80; 20 ft S. and 45 ft W. of centerline of hwy. at junction of State Highway 384; in NE. corner of pasture; in concrete post; standard tablet stamped "TT 139 TN 1929 471" (Reported not found, 1972) 470.854

Reference mark; 50 ft W. of tablet; on concrete headwall of culvert; chiseled square 468.90

LINE 5.

W. S. Monk, 1950; Book AV 160

"TT 139 TN 1929 471" (Described in line 4) 470.854

Pryorsburg, 2.7 mi N. of; at Macedonia Church; 400 ft S. of church; 25 ft S. and 50 ft E. of centerline of rd. at junction of T-rd. E.; in concrete post; standard tablet stamped "65 WSM 1950 496" 495.751

"N 17 1933" (NGS) (See line 2) 416.413

LINE 6.

W. S. Monk, 1950; Book AV 160

"L 17 1933" (NGS) 468.437

LINE 7.

J. D. Nikolaus, 1950; Book AV 162

Fairbanks, 1.6 mi S. of, along State Highway 381, thence 0.1 mi E. along State line rd.; 1.1 mi W. of Boydsville; 20 ft N. and 20 ft W. of, and level with centerline of rd. at junction of driveway; 100 ft SW. of one-story brick house; in SW. corner of yard; in concrete post; TVA standard disk stamped "448 AMS 1946" 479.886

Reference mark; 210 ft W. of disk; 21 ft S. and 9 ft W. of centerline of rd. at junction of T-rd. S.; on W. end of concrete pipe culvert; chiseled square 473.03

Fairbanks; 21 ft N. and 31 ft E. of centerline of crossroads; opposite Rhodes Grocery Store; 9 ft NW. of corner fencepost; in concrete post; standard tablet stamped "205 JDN 1950 552" (Not found, 1975) 552.460

LINE 7 (Cont'd.)

Feet

U.E., Fairbanks, 0.7 mi NW. of, along State Highway 381; about 185 ft NE. of frame house; on SE. concrete wingwall of culvert; chiseled square 489.29

Fairbanks, 1.5 mi NW. of, along State Highway 381; 1.4 mi S. of Lynnville; 51 ft S. of, and 4 ft higher than centerline of hwy. at junction of Y-rd. S.; on top of bank; in concrete post; standard tablet stamped "206 JDN 1950 535" (Not found, 1975) 534.861

"G 20 1934" (NGS) (See line 1) (Not found, 1975) 559.398

LINE 8.

J. D. Nikolaus, 1950; Book AV 162

Austin Springs, 1.3 mi N. of, along graveled rd.; 18 ft S. and 27 ft W. of centerline of rd. at junction of T-rd. E.; 48 ft NE. of NE. corner of barn; 11 ft SW. of power pole; in concrete post; standard tablet stamped "212 JDN 1950 487" 487.734

Lynnville, 2.1 mi W. of, along State Highway 94, thence 3.0 mi S.; 2.8 mi N. of Austin Springs; 51 ft S. and 21 ft E. of centerline of rd. at junction of T-rd. E.; 5 ft E. of edge of bank; 4 ft NE. of power pole; in concrete post; standard tablet stamped "213 JDN 1950 431" 431.659

"F 20 1934" (NGS) 574.595

LINE 9.

J. D. Nikolaus, 1950; Book AV 162

Dukedom, 3.1 mi E. of, along State line rd.; 20 ft N. of centerline of rd.; 50 ft W. of center of triangle at junction of rd. N. to Mayfield; in SE. corner of tobacco field; in concrete post; standard tablet stamped "TT 163 TN 1929 447" (Reported destroyed, 1972) 447.213

U.E., Dukedom; centerline of crossroads 487.10

Dukedom, 0.2 mi W. of, along State Highway 116; at Dukedom Methodist Church; 52 ft S. of, and 8 ft higher than centerline of hwy.; 70 ft N. of NW. corner of church; 50 ft ENE. of northernmost of two large red oak trees; 36 ft W. of centerline of driveway to church; in concrete post; NGS standard triangulation station disk stamped "DUKE 1934" 491.434

24 KY.-218 TENN.  
MAYFIELD QUADRANGLE  
Book AV 162

36-084-42  
7

LINE 9 (Cont'd.)

Feet

Reference mark No. 1; 125 ft ESE. of disk; 50 ft E. of rear of church; 45 ft NW. of large red oak tree; in concrete post; NGS standard reference mark disk stamped "DUKE NO 1 1934" 489.001

LINE 10.

J. D. Nikolaus, 1950; Book AV 162

Pilot Oak, 0.8 mi W. of, along State Highway 94, thence 1.6 mi SW.; 30 ft N. and 15 ft E. of centerline of rd. at junction of T-rd. W. to Bethel Church; in SW. corner of field; in concrete post; standard tablet stamped "TT 121 TN 1929 482" (Reported destroyed, 1956) 482.355

"C 20 1934" (NGS) (See line 2) (Destroyed, 1956) 530.967

DISCLAIMER

We no longer attest to the validity of the positions listed for horizontal control established by transit traverse procedures. This control is now considered OBSOLETE and is included in this list for the purpose of identification only.

HORIZONTAL CONTROL  
NORTH AMERICAN DATUM OF 1927

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

36-088-42  
MAYFIELD QUADRANGLE  
24 KY.-218 TENN.  
N3630-W8830/15  
DIAGRAM NJ 16-10  
DYERSBURG

Graves County, Ky.; Henry and  
Weakley Counties, Tenn.


Only the permanent marks are  
listed for control classified  
obsolete and are not shown on  
sketch

Edition of 7/12/76

PR: CRV/rmm

Plane coordinates are based on Lambert  
projection, Kentucky, South Zone, and  
Tennessee Zone

HICKORY  
(52)



WATER VALLEY  
(25 KY.-219 TENN.)

MURRAY  
(23 KY.-217 TENN.)

KENTUCKY

TENNESSEE

36°30'

DRESDEN  
(185)

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>
PTS NO 30 1910 TENN	3
TT 116 TN 1929	3
TT 117 TN 1929	3
TT 118 TN 1929	6
TT 119 TN 1929 454	3
TT 120 TN 1929	3
TT 121 TN 1929 482	3
TT 139 TN 1929 471	3
TT 140 TN 1929	4
TT 141 TN 1929	4
TT 142 TN 1929 RESET 1958	4
TT 143 TN 1929 RESET 1958	4
TT 156 TN 1929	4
TT 157 TN 1929	4
TT 158 TN 1929	4
TT 159 TN 1929	4
TT 160 TN 1929	5
TT 161 TN 1929	5
TT 163 TN 1929 447	5
TT 165 TN 1929	5
TT 166 TN 1929	5
TT 167 TN 1929	5
TT 125 RY 1935	6
TT 1 TWC 1950	5
TT 2 TWC 1950	6
TT 3 TWC 1950	6
TT 4 TWC 1950	6
TT 5 TWC 1950 522 (TT 164 TN 1929)	6
TT 13 TWC 1950 502	6

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	° ' "	° ' "

The following positions are considered OBSOLETE. To be used only to locate permanent marks in the field.

By E. M. Thompson, 1929; Book C9178

Dublin, 4.0 mi SE. of; 2.0 mi NW. of Pryorsburg; 30 ft N. of centerline of rd.; 120 ft W. of center of ford over East Wood Creek; 3 ft W. of SE. corner fencepost; in yard of R. E. Prince; in concrete post; standard tablet stamped "TT 116 TN 1929"

Ky. S.)	X = 1,123,439	Y = 148,598	36 42 12.15	88 44 25.53
---------	---------------	-------------	-------------	-------------

Wingo, 2.1 mi N. of, along U. S. Highway 45; 20 ft S. and 10 ft E. of centerline of hwy. at junction of private entrance E. to residence; 75 ft S. and 25 ft E. of signboard "2 Miles to Modern Tourist Home"; in concrete post; standard tablet stamped "TT 117 TN 1929" (Not found, 1972)

	X = 1,125,623	Y = 136,944	36 40 17.65	88 43 54.20
--	---------------	-------------	-------------	-------------

Wingo, 3.2 mi S. of; 350 ft W. of Oak Hill School; 45 ft E. of triangle formed by junction of rd. S.; 20 ft S. of plank bridge over small stream; in concrete post; standard tablet stamped "TT 119 TN 1929 454" (Not found, 1972)

	X = 1,122,695	Y = 110,418	36 35 54.58	88 44 19.83
--	---------------	-------------	-------------	-------------

Pilot Oak, 1.5 mi N. of; 15 ft N. and 25 ft E. of center of triangle formed by junction of rds. N. and W.; in concrete post; standard tablet stamped "TT 120 TN 1929" (Reported destroyed, 1942)

	X = 1,127,620	Y = 99,194	36 34 05.19	88 43 15.13
--	---------------	------------	-------------	-------------

Pilot Oak, 0.8 mi W. of, along State Highway 94, thence 1.6 mi SW.; 30 ft N. and 15 ft E. of centerline of rd. at junction of T-rd. W. to Bethel Church; in SW. corner of field; in concrete post; standard tablet stamped "TT 121 TN 1929 482" (Reported destroyed, 1956)

	X = 1,120,336	Y = 84,080	36 31 33.54	88 44 38.51
--	---------------	------------	-------------	-------------

Dukedom; 440 ft S. of centerline of Main Street; on E. side of Latham Road opposite blacksmith shop; at corner of property of W. L. Jones and Rural Telephone Company; on iron post; standard cap stamped "PRIM TRAV STA NO 30 1910 TENN" (Reported disturbed, 1972)

	X = 1,128,498	Y = 74,808	36 30 04.45	88 42 55.00
--	---------------	------------	-------------	-------------

By E. M. Thompson, 1929; Books C9225, C9226

Mayfield, 3.9 mi W. of post office, along State Highway 80; 20 ft S. and 45 ft W. of centerline of hwy. at junction of State Highway 384; in NE. corner of pasture; in concrete post; standard tablet stamped "TT 139 TN 1929 471" (Not found, 1972)

	X = 1,134,284	Y = 163,843	36 44 46.16	88 42 18.28
--	---------------	-------------	-------------	-------------

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	° ' "	° ' "

OBSOLETE MARKS (Cont'd.)

Mayfield, 0.7 mi W. of post office, along State Highway 80; 25 ft N. and 15 ft W. of centerline of hwy. at junction of entrance rd. to West Ward School; in SE. corner of schoolyard; in concrete post; standard tablet stamped "TI 140 TN 1929" (Reported disturbed, 1972)

Ky. S.)	X = 1,149,963	Y = 161,778	36 44 30.59	88 39 04.49
---------	---------------	-------------	-------------	-------------

Mayfield, 2.3 mi E. of post office; 0.5 mi SE. of wooden bridge over Mayfield Creek; 625 ft SE. of junction of entrance rd. to farmhouse of Victor Batt; 25 ft S. and 10 ft E. of centerline of rd. at junction. field rd. S.; in concrete post; standard tablet stamped "TI 141 TN 1929" (Not found, 1971)

	X = 1,163,843	Y = 158,508	36 44 02.45	88 36 13.28
--	---------------	-------------	-------------	-------------

Mayfield, 5.4 mi SE. of; 1.0 mi W. of Chapel Hill Baptist Church; 45 ft S. and 25 ft E. of centerline of rd. at junction of I-rd. E.; in concrete post; standard tablet stamped "TI 142 TN 1929 RESET 1958"

	X = 1,176,711	Y = 154,283	36 43 24.50	88 33 33.76
--	---------------	-------------	-------------	-------------

Mayfield, 8.0 mi E. of, on State Highway 464; 3.1 mi N. of Farmington; on State Highway 564; 70 ft S. and 10 ft W. of crossroads; in concrete post; standard tablet stamped "TI 143 TN 1929 RESET 1958"

	X = 1,189,794	Y = 151,639	36 43 02.19	88 30 52.12
--	---------------	-------------	-------------	-------------

Farmington, 0.3 mi E. of, along State Highway 121; 40 ft N. of junction of I-rd. N. to Jones School; in SE. corner of field; in concrete post; standard tablet stamped "TI 156 TN 1929"

	X = 1,187,923	Y = 134,007	36 40 07.37	88 31 08.78
--	---------------	-------------	-------------	-------------

Farmington, 1.2 mi SE. of, along State Highway 121, thence 2.1 mi S.; 15 ft W. of centerline of rd.; 80 ft N. and 90 ft E. of NE. corner of school; in NE. corner of schoolyard; in concrete post; standard tablet stamped "TI 157 TN 1929" (Reported destroyed, 1942)

	X = 1, 191,519	Y = 121,609	36 38 05.87	88 30 28.23
--	----------------	-------------	-------------	-------------

Tri City, 1.5 mi E. of, along State Highway 94; 20 ft S. and 15 ft E. of intersection of Highway 94 and N.-S. crossroads; in concrete post; standard tablet stamped "TI 158 TN 1929" (Reported destroyed, 1952)

	X = 1,191,019	Y = 105,046	36 35 22.02	88 30 20.43
--	---------------	-------------	-------------	-------------

Bell City, 1.3 mi NW. of, along State Highway 97; 40 ft W. of centerline of hwy.; 3 ft W. of NE. corner post of fence around tobacco field; in concrete post; standard tablet stamped "TI 159 TN 1929" (Reported destroyed, 1952)

	X = 1,186,801	Y = 92,279	36 33 14.61	88 31 07.54
--	---------------	------------	-------------	-------------

STATION	DESCRIPTION	LATITUDE	LONGITUDE
PLANE COORDINATES, FEET		° ' "	° ' "

OBSOLETE MARKS (Cont'd.)

Bell City, 1.9 mi SW. of; 1.0 mi NE. of Boydsville; 15 ft W. of centerline of rd. at junction of T-rd. W.; in NW. corner of wooded lot; in concrete post; standard tablet stamped "TI 160 TN 1929"

Ky. S.)	X = 1,185,811	Y = 78,532	36 30 58.46	88 31 14.73
---------	---------------	------------	-------------	-------------

Boydsville, 1.8 mi W. of; 10 ft N. and 10 ft E. of junction of private rd. to residence of Mrs. S. A. Morrison; 200 ft W. of plank bridge over small stream; in concrete post; standard tablet stamped "TI 161 TN 1929"

	X = 1,175,595	Y = 73,697	36 30 07.69	88 33 18.05
--	---------------	------------	-------------	-------------

Dukedom, 3.1 mi E. of, along State line rd.; 20 ft N. of centerline of rd.; 50 ft W. of center of triangle formed by junction of rd. N. to Mayfield; in SE. corner of tobacco field; in concrete post; standard tablet stamped "TI 163 TN 1929 447" (Reported destroyed, 1972)

	X = 1,144,274	Y = 74,711	36 30 08.34	88 39 41.84
--	---------------	------------	-------------	-------------

By E. M. Thompson, 1929; Book C9225

Cuba, 1.3 mi N. of, along State Highway 303; 15 ft E. of centerline of hwy. at junction of T-rd. W.; in concrete post; standard tablet stamped "TI 165 TN 1929" (Reported destroyed, 1950)

	X = 1,153,732	Y = 111,744	36 36 17.22	88 37 59.90
--	---------------	-------------	-------------	-------------

Sedalia, 1.6 mi W. of, along State Highway 324; 20 ft S. and 25 ft E. of centerline of crossroads; in NW. corner of yard of Lebanon Church; in concrete post; standard tablet stamped "TI 166 TN 1929" (Reported destroyed, 1950)

	X = 1,154,312	Y = 125,282	36 38 31.20	88 37 57.86
--	---------------	-------------	-------------	-------------

Sedalia, 2.0 mi SE. of, along State Highway 97; 35 ft S. of centerline of hwy.; 200 ft NW. of red barn; 190 ft E. of residence of E. R. Swann; in concrete post; standard tablet stamped "TI 167 TN 1929"

	X = 1,170,193	Y = 118,224	36 37 26.18	88 34 40.50
--	---------------	-------------	-------------	-------------

By T. W. Cayce, 1950; Book AH 176

Sedalia, 0.5 mi E. of crossroads, along State Highway 97, thence 1.8 mi E., thence 0.5 mi S.; on property of Mr. Fred Canter; 12 ft S. of centerline of rd. at junction of T-rd. N.; 23 ft W. of power line support pole; in concrete post; standard tablet stamped "TI 1 TwC 1950"

	X = 1,173,832	Y = 121,699	36 38 01.60	88 33 57.16
--	---------------	-------------	-------------	-------------

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	° ' "	° ' "

OBSOLETE MARKS (Cont'd.)

Farmington, 2.6 mi S. of, along graveled rd., thence 0.6 mi W.; in E. end of first step at entrance to residence of Mr. Harold Duke; standard tablet stamped "TT 2 TWC 1950"

Ky. S.)	X = 1,182,712	Y = 121,480	36 38 02.04	88 32 08.18
---------	---------------	-------------	-------------	-------------

Tri-Cities, 1.5 mi E. of, along State Highway 94, thence 3.0 mi N.; 0.2 mi W. of Antioch Church; 12 ft S. and 163 ft E. of centerline of crossroads; 4 ft S. of fence on high ground; in concrete post; standard tablet stamped "TT 125 RY 1935" (Position by TVA) (Not found, 1971)

	X = 1,191,672	Y = 120,980	36 37 59.70	88 30 18.13
--	---------------	-------------	-------------	-------------

Cuba, 1.3 mi N. of, along State Highway 303; 28 ft S. and 36 ft W. of centerline of hwy. at junction of E-rd. W.; 22 ft NNW. of 22-in. tree; in concrete post; standard tablet stamped "TT 3 TWC 1950 534"

	X = 1,153,684	Y = 111,748	36 36 17.24	88 38 00.50
--	---------------	-------------	-------------	-------------

Cuba, 1.3 mi N. of, along State Highway 303, thence 2.1 mi W. along graveled rd.; 10 ft S. and 40 ft W. of center of bridge; 7 ft MW. of power pole; in bridge seat; in concrete post; standard tablet stamped "TT 4 TWC 1950 465" (Not found, 1972)

	X = 1,142,783	Y = 111,916	36 36 15.60	88 40 14.18
--	---------------	-------------	-------------	-------------

Cuba, 1.3 mi N. of, along State Highway 303, thence 3.4 mi W. along graveled rd.; 25 ft N. and 25 ft E. of centerline of crossroads; 1 ft S. of SW. fence corner; standard tablet stamped "TT 5 TWC 1950 522" (Replaces "TT 164 TN 1929" ) (Not found, 1972)

	X = 1,136,026	Y = 112,417	36 36 18.47	88 41 37.20
--	---------------	-------------	-------------	-------------

Mayfield, 3.9 mi W. of post office, along State Highway 80, thence 1.1 mi SW. along State Highway 384; 35 ft N. and 14 ft E. of crossroads; 1 ft W. of wire fence; in concrete post; standard tablet stamped "TT 13 TWC 1950 502" (Reported disturbed, 1972)

	X = 1,129,668	Y = 161,192	36 44 18.52	88 43 13.94
--	---------------	-------------	-------------	-------------

MARK TIED BY NGS

By E. M. Thompson, 1929; Book C9178

Wingo, 0.8 mi S. of; 20 ft W. of centerline of rd.; 45 ft N. of large oak tree; 40 ft N. and 60 ft E. of NE. corner of residence of B. R. Sutherland; in concrete post; standard tablet stamped "TT 118 TN 1929" (Reported destroyed, 1950)

	X = 1,124,417.86	Y = 122,706.10	36 37 56.562	88 44 03.469
--	------------------	----------------	--------------	--------------

Graves County, Kentucky (Ortho)  
 CH-3564  
 Swift-Hale-Milaro

GPS  
PP Ties

Station	Description	Plane Coordinates		Latitude	Longitude
		X	Y	° ' "	° ' "
1&	Rd @ Drive East				
	Photo 284-153			Palmersville 7½'	185 TN
	KY-S	1,155,238.497	67,314.841	36 28 58.56116	88 37 24.86891
2&	Centerline X-rds				
	Photo 320-119			Farmington 7½'	24 KY
	KY-S	1,191,506.588	121,015.569	36 38 00.00241	88 30 20.16578
3&	Centerline T-rd North				
	Photo 284-135			Cottage Grove 7½'	184 TN
	KY-S	1,226,383.366	68,591.459	36 29 31.67312	88 22 54.54235
4&	Rd @ Drive East				
	Photo 284-139			Dexter 7½'	51 KY
	KY-S	1,232,595.102	162,417.414	36 45 00.77825	88 22 10.35884
5&	Centerline T-rd South				
	Photo 284-143			Calvert City 7½'	79 KY
	KY-S	1,235,401.585	254,922.765	37 00 15.89588	88 22 07.39003
6&	Centerline T-rd North				
	Photo 272-11			Paducah West 7½'	80 KY
	KY-S	1,129,774.497	261,895.497	37 00 53.86366	88 43 51.65722
7&	Centerline T-rd North				
	Photo 268-227			Heath 7½'	81 KY
	KY-S	1,091,477.313	259,526.181	37 00 18.23919	88 51 42.64327
8&	Centerline T-rd SSE				
	Photo 320-121			West Plains 7½'	52 KY
	KY-S	1,161,947.709	165,388.243	36 45 09.88302	88 36 39.11582
9&	Centerline T-rd South				
	Photo 36-61			Water Valley 7½'	25 KY
	KY-S	1,088,798.963	76,592.589	36 30 09.48626	88 51 01.64575