

THIRD-ORDER LEVELING  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

37-086-33  
DUNMOR QUADRANGLE  
73 KENTUCKY  
N3700-W8645/15  
DIAGRAM NJ 16-8  
EVANSVILLE


Butler, Logan, Muhlenberg and Ohio  
Counties, Kentucky

### Final adjustment of 1972

Edition of 8/13/74

PR: CRV/sws

HARTFORD  
(102)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 370863

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
424 KY	3	173 JDN 1950 593	6
427	3	174 JDN 1950 452	6,6
458 KY	5,9	31 JDN 1951 451	9
464 KY	3	32 JDN 1951 532	9
466 KY	8,9	33 JDN 1951 449	6
497 KY	3	34 JDN 1951 563	6
503 KY	6,8	35 JDN 1951 408	6
546 KY	7	36 JDN 1951 480	7
548 KY	5,8	37 JDN 1951 442	7
554 KY	3	40 JDN 1951 436	7
PTS NO 17 1907 450 KY	5	41 JDN 1951 404	7
PTS NO 8 1908 593 KY	3	47 JDN 564 1951	8
PTS NO 9 1909 496 KY	4	48 JDN 1951 529	8
TT 10 1909 KY RESET 1950 HF	4,6	49 JDN 1951 567	8
TT 11 HF 1950 569	4	50 JDN 1951 610	8
TT 24 HF 1950 646	4	51 JDN 1951 735	8
TT 25 HF 1950 471	4		
637 KY TT HF 1950	4	<u>NGS</u>	
25 JJS 1950 464	3	Y 70 1935	9
26 JJS 1950 674	4	B 71 1935	6
79 JJS 1950 588	9	K 126 1943	7
113 JJS 1950 505	5	DALLUM 1950	6
114 JJS 1950 459	5	DALLUM 1950 (Azi)	7
115 JJS 1950 472	5	DALLUM NO 1 1950	7
170 JDN 1950 399	5	DALLUM NO 2 1950	7
171 JDN 1950 486	5,7		
172 JDN 1950 437	5		

DUNMOR QUADRANGLE

73 KENTUCKY

37-086-33

3

## ISOLATED BENCH MARKS (By E. C. Bibbee, 1911; Books A8719 &amp; A8687)

Feet

Ennis, 2.1 mi E. of; on S. side of rd.; 25 ft E. of Y-rd. S.; 200 ft E. of residence of Quinn Fleming; on iron post; standard cap stamped "464 KY"	464.220
Huntsville, 3.8 mi S. of, at forks of rd.; in NW. corner of yard of Mt. Zion School; on iron post; standard cap stamped "597 KY" (Destroyed, 1951)	596.575
Lewisburg, 3.5 mi ENE. of, along State Highway 106; 800 ft S. (uphill) of white farmhouse on S. side of hwy.; 37 ft E. of old rd. forks; on W. edge of field at wire fence; on iron post; standard cap stamped "497 KY"	497.148
Diamond Springs, 150 ft W. of post office, at rd. crossing; on railroad right-of-way; on iron post; standard cap stamped "424 KY" (Tied by NGS, 1935) (Destroyed, 1951)	423.536
Dunmor, in E. face of NE. corner of Farmer's Bank Building; standard tablet stamped "PRIM TRAV STA NO 8 1908 593 KY" (Tied by NGS, 1935)	592.574
Penrod, 40 ft N. of post office; 25 ft W. of main railroad track; on iron post; standard cap stamped "427" (Tied by NGS, 1935)	426.689
Rochester, 2.9 mi SE. of, along Rochester-Morgantown Road; on S. side of rd.; 200 ft W. of T-rd. N.; 60 ft W. of residence of A. Jenkinson on iron post; standard cap stamped "554 KY"	553.456

LINE 1.

J. W. McLaughlin, 1949; Book AV 96

U.E., Lewisburg, 4.6 mi NW. of; 15 ft SE. of center of rd.; on NE. end of small concrete bridge; chiseled square 428.90

LINE 2.

J. J. Spahr, 1950; Book AV 184

Lewisburg, 3.2 mi ENE. of Louisville and Nashville Railroad Station; 50 ft N. of, and 3 ft higher than T-rd. N.; 24 ft E. of center of rd.; in concrete post; standard tablet stamped "25 JJS 1950 464" 463.874

Reference mark, 25 ft S. of tablet; on NE. corner of L-shaped concrete culvert; chiseled square 460.54

LINE 2 (Cont'd.)Feet

Lewisburg, 5.2 mi NE. of station; 4.8 mi W. of Anderson; on top of hill; 50 ft SSE. of, and 10 ft higher than T-rd. S.; 30 ft E. of centerline of rd.; in concrete post; standard tablet stamped "26 JJS 1950 674"	673.940
Reference mark, 230 ft W. of tablet; 90 ft NE. of and 9 ft higher than junction with Y-drive N.; on rock ledge; chiseled square	668.60
Union Zion School, 0.6 mi NW. of, thence 0.3 mi SW. to top of hill and old rd. NE., thence 950 ft NE. along old rd. to site of old Union Zion Church (church has burned); 2 ft E. of SE. corner of church foundation; 30 ft NW. of white-oak tree in fenceline; standard tablet stamped "TT 10 1909 KY RESET 1950 HF" (Reset in 1950 in same location)	592.927
Union Zion School, 0.7 mi E. of; 33 ft S. of center of rd.; 120 ft N. of old Gum Springs School; in concrete post; standard tablet stamped "TT 25 HF 1950 471"	470.471
Reference mark, 190 ft E. of tablet; in center of and on N. side of concrete bridge over Duncan Creek; chiseled square	461.56
Gupton Grove Baptist Church, 230 ft NW. of; 92 ft SW. of main rd.; 22 ft N. and 35 ft W. of T-rd. SW.; 53 ft N. of large oak tree; in corner of cultivated field; on iron post; standard cap stamped "637 KY TT HF 1950" (As recovered, 1950)	636.552
Gupton Grove Baptist Church, 0.3 mi SE. of; 36 ft SW. of center of rd.; across rd. from old log type house; in concrete post; standard tablet stamped "TT 24 HF 1950 646"	645.343
Chandlers Chapel, 4.5 mi N. of school at junction of State Highways 105 and 103, along Highway 105 to trail rd. E.; 420 ft SE. of concrete bridge over creek; 240 ft E. of hwy.; 46 ft SE. of creek ford; 6 ft S. of fence corner; on iron post; standard cap stamped "PRIM TRAV STA NO 9 1909 KY"	496.139
Reference mark, 440 ft W. of tablet; 25 ft W. and 6 ft higher than junction with T-drive E.; on rock ledge; chiseled square	508.56

LINE 3.

J. J. Spahr, 1950; Book AV 184

Insco School, 2.3 mi N. of; 25 ft SE. of center of rd.; about halfway down long hill going N.; 9 ft NW. of fence; 9 ft SW. of 12-in. red-oak tree; in concrete post; standard tablet stamped "TT 11 HF 1950 569"	569.065
--	---------

DUNMOR QUADRANGLE  
Book AV 216

73 KENTUCKY

J. J. Spahr

37-086-33

5

1950

LINE 4.

Feet

J. J. Spahr, 1950; Book AV 216

Browder, 2.9 mi E. of, along State Highway 70 to T-rd. NE., thence 2.1 mi N.; at intersection of tangents at curve N.; 45 ft SE. of field Y-rd. SE.; 30 ft E. of and 6 ft higher than center of rd.; in concrete post; standard tablet stamped "113 JJS 1950 505"

505.066

Ennis, 1.0 mi W. of; 2.7 mi E. of Browder, along State Highway 70; 41 ft SE. of intersection with N.-S. rd.; 27 ft S. and 3 ft higher than center of Hwy. 70; 3 ft NE. of telephone pole; in concrete post; standard tablet stamped "114 JJS 1950 459"

458.544

Reference mark, 80 ft E. of tablet; on NE. end of 3 ft concrete pipe culvert; chiseled square

450.15

Ennis, in NE. corner of yard of J. Canfield; 61 ft S. of gin store; on iron post; standard cap stamped "458 KY"

457.395

Ennis, 2.1 mi SW. of, along Ennis-Belton Road; 2.4 mi NE. of Belton; 340 ft NE. of E.-W. crossroad; 22 ft SE. of and 1 ft higher than center of rd.; 4 ft E. of corner fencepost; in concrete post; standard tablet stamped "115 JJS 1950 472"

471.763

LINE 5.

J. D. Nikolaus, 1951; Book AV 254

Cool Springs, 4.6 mi S. of, along State Highway 369; 0.9 mi N. of N. bank of Green River; 11 ft N. and 31 ft E. of junction of hwy. and wagon rd. E.; 7 ft W. of edge of bank; 55 ft NW. of gate to field; in concrete post; standard tablet stamped "170 JDN 1950 399"

398.524

Rochester, SE. edge of, along Morgantown-Rochester Road; at crossroads; in NW. corner of front yard of J. A. Marvin; on iron post; standard cap stamped "PRIM TRAV STA NO 17 1907 450 KY"

450.032

Rochester, 1.8 mi SE. of, along State Highway 70; 10 ft N. and 28 ft E. of Y-rd. forks; 3 ft SE. of power pole; 5 ft W. of wooden slat fence; in concrete post; standard tablet stamped "171 JDN 1950 486"

486.339

Huntsville, in SE. corner of front yard of house of Henry Vaughn; in NW. corner of crossroads; on iron post; standard cap stamped "548 KY"

547.713

Huntsville, 1.8 mi SE. of, along graveled rd.; about 200 ft N. of bridge over Deerlick Creek; 28 ft E. of Y-rd. forks; 80 ft NE. of NE. corner of farmhouse; 6 ft W. of edge of bank; in concrete post; standard tablet stamped "172 JDN 1950 437"

436.887

LINE 5 (Cont'd.)Feet

Huntsville, 4.0 mi SE. of, along graveled rd.; at Mt. Zion School; 280 ft NW. of NE. corner of school building; in NE. corner of schoolyard; 70 ft SE. of church; 3 ft W. of power pole; in concrete post; standard tablet stamped "173 JDN 1950 593"	592.689
Quality, 60 ft N. of post office; at T-rd. W.; in NE. corner of front yard of John Harper; on iron post; standard cap stamped "503 KY"	503.124
Quality, 1.8 mi S. of, along graveled rd., about 380 ft S. of county line; in SW. corner of W. headwall of concrete culvert; standard tablet stamped "174 JDN 1950 452"	452.421
Reference mark, 29 ft NE. of tablet; in NE. corner of E. headwall of concrete culvert; chiseled square	451.85
"TT 10 1909 KY RESET 1950 HF" (Described in line 2)	592.927

LINE 6.

J. D. Nikolaus, 1951; Book AV 254

"B 71 1935" (NGS)	432.128
Penrod, about 2.2 mi E. of, along graveled rd.; 32 ft S. and 5 ft E. of and about 2 ft lower than center of rd. at T-rd. SW.; 4 ft S. of mailbox; in concrete post; standard tablet stamped "33 JDN 1951 449"	448.685
Gus, 1.8 mi SW. of post office, along graveled rd.; 4.0 mi E. of Penrod; 15 ft N. and 27 ft W. of crossroads; 15 ft SE. of 14-in. oak tree; in concrete post; standard tablet stamped "34 JDN 1951 563"	562.856

Gus, about 0.6 mi NE. of; 6.5 mi E. of Penrod; 68 ft W. of SW. corner of steel bridge over Mud River; 18 ft SW. of 12-in. hickory tree used as fence corner; in concrete post; standard tablet stamped "35 JDN 1951 408"	407.270
--	---------

LINE 7.

J. D. Nikolaus, 1951; Book AV 254

"174 JDN 452 1950" (Described in line 5)	452.421
Quality, 3.0 mi SW. of; in triangle formed by junction of three rds.; 48 ft NW. of center of main rd.; 29 ft SE. of NE. corner of Sand Spring Methodist Church building; 90 ft NE. of white witness post; in concrete post flush with ground; NGS standard triangulation disk stamped "DALLUM 1950"	728.937

LINE 7 (Cont'd.)Feet

Reference mark No. 1; 82 ft NW. of station; 13 ft N. of NW. corner of church; in concrete post flush with ground; NGS standard reference mark disk stamped "DALLUM NO 1 1950" 730.137

Reference mark No. 2; 91 ft SW. of station; in N. corner of cemetery; 15 N. E. of center of rd.; 5 ft S. of white witness post; in concrete post flush with ground; NGS standard reference mark disk stamped "DALLUM NO 2 1950" 724.960

Azimuth mark, 0.3 mi E. of station; in fenceline; 44 ft SW. of 12-in. oak tree; 23 ft NW. of center of graveled rd.; in concrete post; NGS standard azimuth disk stamped "DALLUM 1950" 676.866

Beechland, 28 ft S. and 3 ft E. of, and about level with center of rd. at main crossroads; about 225 ft SW. of Wagoner's Grocery Store; 3 ft S. of telephone pole; in concrete post; standard tablet stamped "36 JDN 1951 480" 479.949

Beechland, 2.0 mi ESE. of; about 300 ft E. of NE. corner of Coon Range Fish and Game Club House; 40 ft NW. of NW. corner of caretakers house; 1.5 ft NE. of power pole; in concrete post; standard tablet stamped "37 JDN 1951 442" 442.102

"K 126 1943" (NGS) 437.102

LINE 8.

J. D. Nikolaus, 1951; Book AV 254

"171 JDN 1950 486" (Described in line 5) 486.339

South Hill, 1.9 mi W. of, along State Highway 70; 0.3 mi E. of concrete bridge; 28 ft N. and 39 ft E. of junction of hwy. and 2nd class rd. N.; 16 ft NE. of E. end of pipe culvert; 4 ft E. of small oak tree; in SW. corner of field; in concrete post; standard tablet stamped "40 JDN 1951 436" 436.170

South Hill, 100 ft S. of post office, opposite T-rd. S.; on iron post; standard cap stamped "546 KY" (Reported loose and reset in 1950) (Disturbed, 1951) 543.189

Dunbar, 1.3 mi W. of, along State Highway 70; 0.2 mi W. of bridge over Sandy Creek; 28 ft S. of field T-rd. S.; 6 ft N. of telephone pole; in concrete post; standard tablet stamped "41 JDN 1951 404" 403.558

LINE 8 (Cont'd.)Feet

Dunbar, 28 ft W. of post office, near NE. corner of Baptist Church; on iron post; standard cap stamped "466 KY" (Recovered in 1950)

465.854

LINE 9.

J. D. Nikolaus, 1951; Book AV 254

Berrys Lick, 1.1 mi NW. of post office, along old graveled rd.; 22 ft N. and 14 ft E. of T-rd. N.; 9 ft N. of corner fence post; 6 ft S. of 14-in. maple tree; 2 ft E. of fenceline; across rd. from Walnut Grove School; in concrete post; standard tablet stamped "47 JDN 564 1951" (Destroyed, 1959)

563.603

Quality, 2.1 mi E. of, along graveled rd.; 40 ft S. of power lead-in pole; 14 ft S. of center of rd.; 9 ft N.; 60 ft W. and 3 ft lower than center of rd. at Y-rd. S.; in small limestone outcrop; standard tablet stamped "48 JDN 1951 529"

528.593

"503 KY" (Described in line 5)

503.124

LINE 10.

J. D. Nikolaus, 1951; Book AV 254

Townsville, 0.8 mi E. of; 13 ft N.; 22 ft W. and about 3 ft higher than center of rd. at Y-rd. fork N.; 5 ft NE. of fence corner; 6 ft S. of power transformer pole; in concrete post; standard tablet stamped "49 JDN 1951 567"

566.288

Silver City, 1.9 mi SE. of, along graveled rd.; 40 ft N. and 10 ft W. of T-drive way to barn; at top of hill; 30 ft SE. of peach tree; 3 ft higher than rd.; in concrete post; standard tablet stamped "50 JDN 1951 610"

609.841

Silver City, 0.9 mi SW. of, along dirt rd.; 185 ft W. of old house; 16 ft S. and 17 ft W. of woods T-rd. S.; 3 ft S. of edge of bank; about 2 ft higher than rd.; in concrete post; standard tablet stamped "51 JDN 1951 735"

734.387

LINE 11.

J. D. Nikolaus, 1951; Book AV 254

"548 KY" (Described in line 5)

547.713

LINE 11 (Cont'd.)Feet

Ennis, 4.0 mi SE. of; 1.5 mi E. of Nanny School; 0.1 mi W. of abandoned Buchanan Ferry and Mud River; 12 ft S. and level with center of abandoned rd. at field entrance N.; in concrete post; standard tablet stamped "31 JDN 1951 451" 451.294

Ennis, 3.2 mi SE. of; 48 ft S.; 38 ft E. and about 3 ft higher than rd. at abandoned Y-rd. E.; 7 ft W. of 6-in. oak tree; in concrete post; standard tablet stamped "32 JDN 1951 532" 531.617

"458 KY" (Described in line 4) 457.395

LINE 12.

J. J. Spahr, 1950; Book AV 216

4 5 54.39 Dunmor, 2.5 mi SW. of, at village of Agnes; 30 ft N. of, and level with, T-intersection with rd. WNW.; 21 ft NW. of centerline of main rd.; in concrete post; standard tablet, stamped "79 JJS 1950 588" 587.687

4 8 56.47 U.E., E. end of lower step at Dunmor Church of Christ; chiseled square 604.55

4 9 57.27 "Y 70 1935" (NGS) 558.142

LINE 13.

J. J. Spahr, 1950; Book AV 254

"466 KY" (Described in line 8) 465.854

LINE 14.

By J. J. Spahr, 1950; Book AV 184

Reference mark for "PTS 9 1909 KY" (Described in line 2) 508.56

LINE 15.

By J. J. Spahr, 1950; Book AV 184

Reference mark for "PTS 9 1909 KY" 508.56

LINE 16.

By J. D. Nikolaus, 1951, Book AV 254

Reference mark for "PTS 9 1909 KY" 508.56

HORIZONTAL CONTROL  
NORTH AMERICAN DATUM OF 1927

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

37-086-33  
DUNMOR QUADRANGLE  
73 KENTUCKY  
N3700-W8645/15  
DIAGRAM NJ 16-8  
EVANSVILLE

Butler, Logan, Muhlenberg,  
and Ohio Counties

Edition of 6/17/77

PR: CRV/rmm

Plane coordinates are based on Lambert  
projection, Kentucky, South Zone

Only the permanent marks are  
listed for control classified  
obsolete and are not shown on  
sketch

HARTFORD  
(102)

[grid] Ennis

[grid] South  
Hill

DRAKESBORO  
(74)

LITTLE MUDDY  
(72)

[grid] Dunmor

86°45'

RUSSELLVILLE  
(45)

37°00'

DISCLAIMER

We no longer attest to the validity of the positions listed for horizontal control established by transit traverse procedures. This control is now considered OBSOLETE and is included in this list for the purpose of identification only.

73 KENTUCKY  
DUNMOR QUADRANGLE

37-086-33  
N3700-W8645/15

MARK (USGS)

INDEX OF PERMANENT MARKS

PAGE NO.

458 KY TT	4
466 KY TT	4
503 KY	5
548 KY	5
PTS NO 8 1908 KY 593	5
PTS NO 9 1909 KY	3
TT 10 1909 KY RESET 1950 HF	3
PTS NO 17 1909 KY	3
TT 11 HF 1950 569	4
TT 24 HF 1950 646	3
TT 25 HF 1950 471	3
TT 116 HF 1950	3
637 KY TT HF 1950	4
170 JDN 1950 399 TT	3
171 JDN 1950 TT	4
172 JDN 1950 437 TT	5
173 JDN 1950 593 TT	5
174 JDN 1950 452 TT	5
113 JJS 1950 505 TT	5
114 JJS 1950 459 TT	4
115 JJS 1950 472 TT	4

73 KENTUCKY  
DUNMOR QUADRANGLE

37-086-33

3

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	° ' "	° ' "
The following positions are considered OBSOLETE. To be used only to locate permanent marks in the field.			
By F. J. McMaugh, 1908; Book A826	Dunmor; in E. face at NE. corner of Farmers Bank Building; standard tablet stamped "PRIM TRAV STA NO 8 1908 KY 593"	37 04 24.20	86 59 45.00
Dunmor; in E. face at NE. corner of Farmers Bank Building; standard tablet stamped "PRIM TRAV STA NO 8 1908 KY 593"	X = 1,636,541      Y = 271,837	37 04 24.20	86 59 45.00
By H. P. Finch, 1950; Book AH 178	Chandlers Chapel, 4.5 mi N. of school at junction of State Highways 105 and 103, along Highway 105 to trail rd. E.; 420 ft SE. of concrete bridge over creek; 240 ft E. of hwy.; 46 ft SE. of creek ford; 6 ft S. of fence corner; on iron post; standard cap stamped "PRIM TRAV STA NO 9 1909 KY"	37 00 19.59	86 45 45.77
Chandlers Chapel, 4.5 mi N. of school at junction of State Highways 105 and 103, along Highway 105 to trail rd. E.; 420 ft SE. of concrete bridge over creek; 240 ft E. of hwy.; 46 ft SE. of creek ford; 6 ft S. of fence corner; on iron post; standard cap stamped "PRIM TRAV STA NO 9 1909 KY"	X = 1,704,286      Y = 246,283	37 00 19.59	86 45 45.77
Gupton Grove Baptist Church; 0.3 mi SE. of; 36 ft SW. of centerline of rd.; across rd. from old log house; in concrete post; standard tablet stamped "IT 24 HF 1950 646"	X = 1,694,422      Y = 249,742	37 00 52.72	86 47 47.83
Gupton Grove Baptist Church; 230 ft NW. of; 92 ft SW. of main rd.; 53 ft N. of large oak tree; 22 ft N. and 35 ft W. of T-rd. SW.; in corner of cultivated field; on iron post; standard cap stamped "637 KY IT HF 1950"	X = 1,693,409      Y = 251,015	37 01 05.20	86 48 00.51
Union Zion School, 0.7 mi N. of, 120 ft N. of Gum Spring School; 33 ft S. of centerline of rd.; in concrete post; standard tablet stamped "IT 25 HF 1950 471"	X = 1,688,034      Y = 255,963	37 01 53.53	86 49 07.47
Union Zion School, 0.6 mi NW. of, thence 0.3 mi SW. to top of hill, thence about 950 ft NE. to site of old Zion Church (church has burned); 30 ft NW. of white oak tree in fenceline; 2 ft E. of SE. corner of old church foundation; in concrete post; standard tablet stamped "IT 10 1909 KY RESET 1950 HF"	X = 1,682,683      Y = 255,691	37 01 50.23	86 50 13.41
Inasco School, 2.3 mi N. of, 25 ft SE. of centerline of rd. about half-way down long hill; 9 ft NW. of fence; 9 ft SW. of 12-in. red oak tree; in concrete post; standard tablet stamped "IT 11 HF 1950 569"	X = 1,679,934      Y = 247,870	37 00 32.59	86 50 46.20

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	°   '   "	°   '   "

OBSOLETE MARKS (Cont'd.)

By H. P. Finch, 1950; Book AH 202

Browder, 2.9 mi E. of, along State Highway 70 to junction of I-rd. NE., thence 2.1 mi N.; at intersection of tangents of curve N.; 45 ft S. of junction of field rd. SE.; 30 ft E. of, and 6 ft higher than centerline of rd.; in concrete post; standard tablet stamped "113 JJS 1950 505 TT"

X = 1,640,276      Y = 325,661      37 13 16.88      86 59 07.64

Ennis, 1.0 mi W. of; 2.7 mi E. of Browder, along State Highway 70; 41 ft SE. of N.-S. crossroad; 27 ft S. of, and 3 ft higher than centerline of hwy.; 3 ft NE. of telephone pole; in concrete post; standard tablet stamped "114 JJS 1950 459 TT"

X = 1,638,627      Y = 316,124      37 11 42.37      86 59 26.47

Ennis, in NE. corner of yard of J. Canfield; 61 ft S. of gin store; on iron post; standard cap stamped "458 KY TT"

X = 1,643,519      Y = 317,171      37 11 53.35      86 58 26.19

Ennis, 2.1 mi SW. of, along Ennis-Belton Road; 2.4 mi NE. of Belton; 340 ft NE. of E.-W. crossroad; 22 ft SE. of, and 1 ft higher than centerline of rd.; 4 ft E. of corner fence post; in concrete post; standard tablet stamped "115 JJS 1950 472 TT"

X = 1,637,595      Y = 308,262      37 10 24.51      86 59 37.97

Belton, 1.9 mi SE. of, along State Highway 75 to crossroad, thence 1.0 mi E. along graveled rd.; 0.1 mi E. of village of Union Ridge (also known as Mortons Village); 29 ft N. and 15 ft W. of I-rd. N.; 17 ft NE. of powerline pole; 9 ft SE. of large oak tree; in concrete post; standard tablet stamped "YY 116 HF 1950"

X = 1,635,989      Y = 295,255      37 08 15.70      86 59 55.67

By J. R. Harris, 1951; Book AH 222

Cool Springs, 4.6 mi S. of, along State Highway 369; 0.9 mi N. of N. bank of Green River; 55 ft NW. of gate to field; 11 ft N. and 31 ft E. of junction of hwy. and farm rd. E.; 7 ft W. of edge of bank; in concrete post; standard tablet stamped "170 JDW 1950 399 TT"

X = 1,667,460      Y = 328,110      37 13 44.47      86 53 31.92

Rochester; at crossroads at SE. edge of, along Morgantown-Rochester Road; in NW. corner of yard in front of residence of James A. Marion; on iron post; standard cap stamped "PRIM TRAV STA NO 17 1909 KY"

X = 1,667,718      Y = 320,600      37 12 30.25      86 53 27.63

73 KENTUCKY  
DUNMOR QUADRANGLE

37-086-33

5

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	° ′ ″	° ′ ″

OBSOLETE MARKS (Cont'd.)

Rochester, 1.8 mi S. of, along Highway 70; 10 ft N. and 28 ft E. of Y-rd. fork; 5 ft W. of picket fence; 3 ft SE. of power pole; in concrete post; standard tablet stamped "171 JDN 1950 TT"

X = 1,671,997      Y = 312,088      37 11 06.60      86 52 33.47

Huntsville; in SE. corner of frontyard of residence of Henry Vaughn; at NW. corner of crossroads; on iron post; standard cap stamped "548 KV"

X = 1,670,116      Y = 303,862      37 09 45.05      86 52 55.49

Huntsville, 1.8 mi SE. of, along graveled rd.; 200 ft N. of bridge over Deerlick Creek; 80 ft NE. of NE. corner of farmhouse; 28 ft E. of Y-rd. fork; 6 ft W. of edge of bank; in concrete post; standard tablet stamped "172 JDN 1950 437 TT"

X = 1,674,009      Y = 296,385      37 08 31.58      86 52 06.31

Huntsville, 4.0 mi SE. of, along graveled rd.; 280 ft NW. of NE. corner of Mt. Zion School, 70 ft SE. of church; 3 ft W. of power pole; in NE. corner of schoolyard; in concrete post; standard tablet stamped "173 JDN 1950 593 TT"

X = 1,673,944      Y = 284,979      37 06 38.80      86 52 05.45

Quality; 60 ft N. of post office; at I-rd. W.; in NE. corner of frontyard at residence of John Harper; on iron post; standard cap stamped "503 KV"

X = 1,680,137      Y = 272,238      37 04 33.54      86 50 47.17

Quality, 1.8 mi S. of, along graveled rd.; 380 ft S. of county line; in SW. corner of W. headwall of concrete culvert; standard tablet stamped "174 JDN 1950 452 TT"

X = 1,680,353      Y = 263,141      37 03 03.62      86 50 43.21

Dunbar; 28 ft W. of post office; near NE. corner of Baptist Church; on iron pipe; standard tablet stamped "466 KV TT"

X = 1,706,697      Y = 312,700      37 11 16.52      86 45 24.77