



~ NOTES ~

- BID ITEM AND UNIT TO BID
DROP BOX INLET TYPE 7 EACH
- ① RELIANCE STEEL (CAT. NO. H2-12D) AND GARY STEEL (CAT. NO. HW3-D-300) ARE ACCEPTABLE ALTERNATES PROVIDED MATCHED GRATES ARE SUPPLIED.
 - ② THE 2 3/4" BAR SHALL BE NOTCHED TO RECEIVE THE 1" CROSS BAR.
 3. REINFORCEMENT SHALL HAVE A CLEAR DISTANCE OF 2" FROM OUTSIDE FACE UNLESS OTHERWISE SHOWN.
 4. THIS BOX IS TO BE USED PRIMARILY FOR SUMP CONDITIONS WHERE A GRATED INLET IS REQUIRED FOR PIPE SIZES 42" THRU 60".
 5. SEE CURRENT STANDARD DRAWING RDB-008 FOR DIMENSIONS AND STEEL CHARTS.

USE WITH CUR. STD. DWG.
RDB-008

KENTUCKY DEPARTMENT OF HIGHWAYS	
DROP BOX INLET TYPE 7 (LAYOUT AND STEEL PATTERN)	
STANDARD DRAWING NO. RDB-007-03	
SUBMITTED <i>[Signature]</i>	12-01-15
APPROVED <i>[Signature]</i>	12-01-15
STATE HIGHWAY ENGINEER	DATE