

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : PastureGard® HL

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 800-992-5994

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Skin sensitization : Sub-category 1B

Specific target organ toxicity : Category 2 (Kidney)
- repeated exposure

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
 Date of first issue: 03/30/2022

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
 P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves.
Response:
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P314 Get medical advice/ attention if you feel unwell.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P362 Take off contaminated clothing and wash before reuse.
Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards
 None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Triclopyr-2-butoxyethyl ester	64700-56-7	45.07
fluroxypyr-meptyl (ISO)	81406-37-3	15.56
Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts	90194-26-6	>= 1 - < 3
Ethylhexanol	104-76-7	>= 1 - < 3
Balance	Not Assigned	> 30

Actual concentration is withheld as a trade secret

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

SECTION 4. FIRST AID MEASURES

- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area.
- If swallowed : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
Do not allow run-off from firefighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
-

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

- Combustion products may include and are not limited to:
Nitrogen oxides (NOx)
Hydrogen fluoride
Hydrogen chloride gas
Carbon oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
-

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling** : Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Do not breathe vapors/dust.
Do not smoke.
Handle in accordance with good industrial hygiene and safety practice.
Avoid exposure - obtain special instructions before use.
Smoking, eating and drinking should be prohibited in the application area.
Do not get on skin or clothing.
Avoid inhalation of vapor or mist.
Do not swallow.
Avoid contact with skin and eyes.
Avoid contact with eyes.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage** : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store near acids.
Strong oxidizing agents
- Packaging material** : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Triclopyr-2-butoxyethyl ester	64700-56-7	TWA	2 mg/m ³	Dow IHG
fluroxypyr-meptyl (ISO)	81406-37-3	TWA	10 mg/m ³	Dow IHG
Ethylhexanol	104-76-7	TWA	2 ppm	Corteva OEL

- Engineering measures** : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.
Local exhaust ventilation may be necessary for some operations.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Neoprene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use safety glasses (with side shields).

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Color : Yellow

Odor : Sweet

Odor Threshold : No data available

pH : 4.91 (76.5 °F / 24.7 °C)
Concentration: 1 %
Method: pH Electrode

Melting point/range : Not applicable

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 212 °F / > 100 °C

Method: Pensky-Martens Closed Cup ASTM D 93, closed cup

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.11 g/cm³ (68 °F / 20 °C)
Method: Digital density meter

Solubility(ies)
Water solubility : emulsifiable

Autoignition temperature : No data available

Viscosity
Viscosity, kinematic : 15.1 mm²/s (103.8 °F / 39.9 °C)

Explosive properties : No

Oxidizing properties : No significant increase (>5C) in temperature.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.
Decomposition products can include and are not limited to:
Nitrogen oxides (NO_x)
Hydrogen fluoride
Hydrogen chloride gas
Carbon oxides

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat, female): 1,760 mg/kg
Method: OECD 401 or equivalent
GLP: yes
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

Triclopyr-2-butoxyethyl ester:

- Acute oral toxicity : LD50 (Rat, male and female): 803 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 4.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: The LC50 value is greater than the Maximum Attainable Concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

fluroxypyr-meptyl (ISO):

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Maximum attainable concentration.
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Acute oral toxicity : LD50 (Rat, female): 4,445 mg/kg
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Ethylhexanol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Target Organs: Central nervous system
Acute inhalation toxicity : LC50 (Rat): 2.17 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Species : Rabbit
Result : Skin irritation

Components:

Triclopyr-2-butoxyethyl ester:

Species : Rabbit
Result : No skin irritation

fluroxypyr-meptyl (ISO):

Species : Rabbit
Result : No skin irritation

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Result : Skin irritation

Ethylhexanol:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Components:

Triclopyr-2-butoxyethyl ester:

Species : Rabbit
Result : No eye irritation

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Result : Corrosive

Ethylhexanol:

Species : Rabbit
Result : Eye irritation

Respiratory or skin sensitization

Product:

Species : Mouse
Result : The product is a skin sensitizer, sub-category 1B.

Components:

Triclopyr-2-butoxyethyl ester:

Species : Guinea pig
Assessment : The product is a skin sensitizer, sub-category 1B.

fluroxypyr-meptyl (ISO):

Species : Guinea pig
Assessment : Does not cause skin sensitization.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Remarks : For skin sensitization:
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Ethylhexanol:

Test Type : HRIPT (human repeat insult patch test)
Species : human
Assessment : Does not cause skin sensitization.

Germ cell mutagenicity

Components:

Triclopyr-2-butoxyethyl ester:

Germ cell mutagenicity - : In vitro genetic toxicity studies were negative., Animal genetic

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Assessment toxicity studies were negative.

fluroxypyr-meptyl (ISO):

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Ethylhexanol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Carcinogenicity

Components:

Triclopyr-2-butoxyethyl ester:

Carcinogenicity - Assessment : For similar active ingredient(s) , Triclopyr , Did not cause cancer in laboratory animals.

fluroxypyr-meptyl (ISO):

Carcinogenicity - Assessment : For similar active ingredient(s) , Fluroxypyr , Did not cause cancer in laboratory animals.

Ethylhexanol:

Carcinogenicity - Assessment : In laboratory animals, evidence of carcinogenic activity was observed . These is no evidence that these findings are relevant to humans.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

Triclopyr-2-butoxyethyl ester:

Reproductive toxicity - Assessment : For similar active ingredient(s) , Triclopyr , In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Has been toxic to the fetus in laboratory animals at doses toxic to the mother . Did not cause birth defects in laboratory animals.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

fluroxypyr-meptyl (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Did not cause birth defects or any other fetal effects in laboratory animals.

Ethylhexanol:

Reproductive toxicity - Assessment : Has caused birth defects in laboratory animals only at doses toxic to the mother., Has been toxic to the fetus in laboratory animals at doses toxic to the mother., These concentrations exceed relevant human dose levels.

STOT-single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Triclopyr-2-butoxyethyl ester:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Ethylhexanol:

Routes of exposure : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT-repeated exposure

Components:

Triclopyr-2-butoxyethyl ester:

Target Organs : Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Repeated dose toxicity

Components:

Triclopyr-2-butoxyethyl ester:

Remarks : In animals, effects have been reported on the following organs:
Kidney.
Liver.

fluroxypyr-meptyl (ISO):

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Ethylhexanol:

Remarks : In animals, effects have been reported on the following organs:
Blood.
Kidney.
Liver.
Spleen.

Aspiration toxicity

Product:

Based on available information, aspiration hazard could not be determined.

Components:

Triclopyr-2-butoxyethyl ester:

Based on physical properties, not likely to be an aspiration hazard.

fluroxypyr-meptyl (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Based on available information, aspiration hazard could not be determined.

Ethylhexanol:

May be harmful if swallowed and enters airways.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Triclopyr-2-butoxyethyl ester:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.36 mg/l
Exposure time: 96 h
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 3.00 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Method: OECD Test Guideline 201
- ErC50 (Myriophyllum spicatum): 0.0473 mg/l
Exposure time: 14 d
- NOEC (Myriophyllum spicatum): 0.00722 mg/l
Exposure time: 14 d
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Rainbow trout (Oncorhynchus mykiss)): 0.0263 mg/l
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.6 mg/l
End point: number of offspring
Exposure time: 21 d
- LOEC (Daphnia magna (Water flea)): 5.1 mg/l
End point: number of offspring
Exposure time: 21 d
- MATC (Maximum Acceptable Toxicant Level) (Daphnia magna (Water flea)): 2.9 mg/l
End point: number of offspring
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,042 mg/kg
Exposure time: 14 d
- Toxicity to terrestrial organisms : oral LD50 (Colinus virginianus (Bobwhite quail)): 735 mg/kg bodyweight
Exposure time: 21 d

SAFETY DATA SHEET



PastureGard® HL

Version 1.0	Revision Date: 03/30/2022	SDS Number: 800080002610	Date of last issue: - Date of first issue: 03/30/2022
----------------	------------------------------	-----------------------------	--

dietary LC50 (*Colinus virginianus* (Bobwhite quail)): 1890 mg/kg diet
Exposure time: 8 d

oral LD50 (*Apis mellifera* (bees)): > 110 µg/bee
Exposure time: 48 h
End point: mortality

contact LD50 (*Apis mellifera* (bees)): > 100 µg/bee
Exposure time: 48 h
End point: mortality

fluroxypyr-meptyl (ISO):

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 0.225 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 0.183 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (diatom *Navicula* sp.): 0.24 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

EbC50 (alga *Scenedesmus* sp.): > 0.47 mg/l
Exposure time: 72 h

ErC50 (*Selenastrum capricornutum* (green algae)): > 1.410 mg/l
Exposure time: 96 h

ErC50 (*Myriophyllum spicatum*): 0.075 mg/l
Exposure time: 14 d

NOEC (*Myriophyllum spicatum*): 0.031 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Rainbow trout (*Oncorhynchus mykiss*)): 0.32 mg/l

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg

SAFETY DATA SHEET



PastureGard® HL

Version 1.0	Revision Date: 03/30/2022	SDS Number: 800080002610	Date of last issue: - Date of first issue: 03/30/2022
----------------	------------------------------	-----------------------------	--

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg),. Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50 (Colinus virginianus (Bobwhite quail)): > 2000 mg/kg bodyweight.
Exposure time: 5 d

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5000 mg/kg diet.

oral LD50 (Apis mellifera (bees)): > 100 micrograms/bee
Exposure time: 48 h

contact LD50 (Apis mellifera (bees)): > 100 micrograms/bee
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Toxicity to fish : Remarks: Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Remarks: Material is toxic to aquatic organisms (LC50/EC50/IC50 between 1 and 10 mg/L in the most sensitive species).

LC50 (Fish): > 1 - 10 mg/l
Exposure time: 96 h
Test Type: Static

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: Static

Toxicity to algae/aquatic plants : EC50 (Algae): 29 mg/l
Exposure time: 96 h
Test Type: Static

Toxicity to fish (Chronic toxicity) : (Fish): 0.23 mg/l
Exposure time: 72 d
Test Type: flow-through

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
Test Type: flow-through test

Toxicity to microorganisms : EC50 (Bacteria): 550 mg/l
Exposure time: 3 h

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Ethylhexanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 32 - 37 mg/l
Exposure time: 96 h

LC50 (Fathead minnow (Pimephales promelas)): 28.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 35.2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 11.5 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Method: OECD Test Guideline 201 or Equivalent

Toxicity to microorganisms : EC50 (Bacteria): 256 - 320 mg/l
Exposure time: 16 h

Persistence and degradability

Components:

Triclopyr-2-butoxyethyl ester:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 18 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Biochemical Oxygen Demand (BOD) : 0.004 kg/kg
ThOD : 1.39 kg/kg

Stability in water : Test Type: Hydrolysis
Degradation half life (half-life): 8.7 d (25 °C) pH: 7

Photodegradation : Rate constant: 2.3E-11 cm³/s
Method: Estimated.

fluroxypyr-meptyl (ISO):

Biodegradability : Result: Not biodegradable.
Remarks: Material is not readily biodegradable according to OECD/EEC guidelines.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Biodegradation: 32 %
Exposure time: 28 d
Method: OECD Test Guideline 301D or Equivalent
Remarks: 10-day Window. Fail

ThOD : 2.2 kg/kg

Stability in water : Test Type: Hydrolysis
Degradation half life (half-life): 454 d

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Biodegradability : Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window. Pass

Ethylhexanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 95 %
Exposure time: 5 d
Method: OECD Test Guideline 302B or Equivalent
Remarks: 10-day Window. Not applicable

Biodegradation: 68 %
Exposure time: 17 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window. Pass

Biochemical Oxygen Demand (BOD) : 26 - 70 %
Incubation time: 5 d

75 - 81 %
Incubation time: 10 d

86 - 87 %
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 2.70 kg/kg
ThOD : 2.95 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitizer: OH radicals
Rate constant: 1.32E-11 cm³/s
Method: Estimated.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Bioaccumulative potential

Components:

Triclopyr-2-butoxyethyl ester:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 110

Partition coefficient: n-octanol/water : log Pow: 4.62
pH: 7
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

fluroxypyr-meptyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 26
Method: Measured

Partition coefficient: n-octanol/water :
log Pow: 5.04
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Bioaccumulation : Bioconcentration factor (BCF): 2 - 1,000

Partition coefficient: n-octanol/water : log Pow: 2.89
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Ethylhexanol:

Partition coefficient: n-octanol/water : log Pow: 3.1
Method: Measured
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil

Components:

Triclopyr-2-butoxyethyl ester:

Distribution among environmental compartments : Remarks: Calculation of meaningful sorption data was not possible due to very rapid degradation in the soil. For the degradation product Triclopyr. Potential for mobility in soil is very high (Koc between 0 and 50).

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Stability in soil : Test Type: aerobic degradation
Dissipation time: 144 - 1,248 h

fluroxypyr-meptyl (ISO):

Distribution among environmental compartments : Koc: 6200 - 43000
Remarks: Expected to be relatively immobile in soil (Koc > 5000).

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Distribution among environmental compartments : Remarks: No relevant data found.

Ethylhexanol:

Distribution among environmental compartments : Koc: 800
Method: Estimated.
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Components:

Triclopyr-2-butoxyethyl ester:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

fluroxypyr-meptyl (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Benzenesulfonic Acid, 4-C10-14-Alkyl Derivs., Calcium Salts:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Ethylhexanol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Triclopyr, Fluroxypyr)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Triclopyr, Fluroxypyr)
Class : 9
Packing group : III
Labels : Miscellaneous

SAFETY DATA SHEET



PastureGard® HL

Version 1.0 Revision Date: 03/30/2022 SDS Number: 800080002610 Date of last issue: -
Date of first issue: 03/30/2022

Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
IMDG-Code
UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Triclopyr, Fluroxypyr)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Triclopyr-2-butoxyethyl ester 64700-56-7 >= 30 - < 50 %

2-butoxyethanol 111-76-2 >= 0.1 - < 1 %

SAFETY DATA SHEET



PastureGard® HL

Version 1.0	Revision Date: 03/30/2022	SDS Number: 800080002610	Date of last issue: - Date of first issue: 03/30/2022
----------------	------------------------------	-----------------------------	--

2-Butoxyethyl Chloroacetate 5330-17-6 $\geq 0.1 - < 1 \%$

US State Regulations

Pennsylvania Right To Know

Triclopyr-2-butoxyethyl ester	64700-56-7
Ethylhexanol	104-76-7

California Prop. 65

WARNING: This product can expose you to chemicals including N-methyl-2-pyrrolidone, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-637

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation
Harmful if swallowed
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

Corteva OEL	: Corteva Occupational Exposure Limit
Dow IHG	: Dow Industrial Hygiene Guideline
Corteva OEL / TWA	: Time weighted average
Dow IHG / TWA	: Time Weighted Average (TWA):

SAFETY DATA SHEET



PastureGard® HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/30/2022	800080002610	Date of first issue: 03/30/2022

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/30/2022

Product code: GF-2691

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN