| Material Safety Data She | et OIPON |
|---|---|
| DuPont [™] Streamline [™] | " Herbicide |
| Version 2.1 | |
| Revision Date 12/10/2010 | Ref. 13000050624 |
| This SDS adheres to the standarequirements in other countries. | urds and regulatory requirements of the United States and may not meet the regulatory |
| requirements in other countries. | |
| SECTION 1. PRODUCT AND C | OMPANY IDENTIFICATION |
| Product name Tradename/Synonym | DuPont[™] Streamline[™] Herbicide DPX-Q2K13 DPX-Q2K13 WG / DF B12847566 AMINOCYCLOPYRACHLOR: 6-Amino-5-chloro-2-cyclopropyl-4-pyrimidinecarboxylic acid METSULFURON METHYL: Methyl 2-[[[(4-methoxy-6-methyl-1,3,-triazin-2-yl)amino]carbonyl]amino]sulfonyl]benzoate |
| MSDS Number | : 13000050624 |
| Product Use | : Herbicide |
| Manufacturer | : DuPont 1007 Market Street Wilmington, DE 19898 |
| Product Information Medical Emergency Transport Emergency | 1-800-441-7515 (outside the U.S. 1-302-774-1000) 1-800-441-3637 (outside the U.S. 1-302-774-1139) CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887) |
| SECTION 2. HAZARDS IDENT | |
| Emergency Overview Caution Causes moderate eye irr | itation. Do not get in eyes or on clothing. Avoid breathing dust or spray mist. |
| Potential Health Effects This section includes pot the label. | cential acute adverse effects which could occur if this material is not used according to |
| Eyes | : May cause: Irritation with discomfort, pain, redness, or visual impairment. |
| Carcinogenicity | |
| | 1/9 |
| | |
| | |

| Material Safety | Data | Sheet |
|-----------------|------|-------|
|-----------------|------|-------|



DuPont[™] Streamline[™] Herbicide

Version 2.1

| Revision Date 12/10/2010 | R | ef. 130000050624 | | | |
|------------------------------|---------------|------------------|--------|---------------|--|
| Material Titanium dioxide | IARC 2B | NTP | OSHA | | |
| SECTION 3. COMPOSITION/INFO | RMATION ON IN | GREDIENTS | CAS-No | Concentration | |

| Component | CAS-No. | Concentration |
|---------------------|-------------|---------------|
| Aminocyclopyrachlor | 858956-08-8 | 39.5 % |
| Metsulfuron methyl | 74223-64-6 | 12.6 % |
| Other Ingredients | | 47.9 % |
| | | |

| Present as an impurity in the clay component of this | product: | |
|--|----------|------|
| TItanium Dioxide | | <1 % |
| | | |
| | | |

| | Table off all social standards that a second standard in the second |
|--------------|---|
| Skin contact | Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Eye contact | : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Inhalation | : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary. |
| | 2/9 |



| uPont [™] Streamline [™] ŀ | Herbicide |
|--|--|
| uroni Streannine r | |
| ersion 2.1 | |
| evision Date 12/10/2010 | Ref. 13000050624 |
| | |
| Ingestion | : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary. |
| General advice | Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-800-441-3637. See Label for Additional Precautions and Directions for Use. |
| CTION 5. FIRE-FIGHTING ME | ASURES |
| Fire and Explosion Hazard | : Not a fire or explosion hazard. |
| | |
| Suitable extinguishing media | : Water spray, Foam, Dry chemical, Carbon dioxide (CO2) |
| Firefighting Instructions | In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. |
| Firefighting Instructions | : In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. |
| Firefighting Instructions | In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. ASE MEASURES IG MEASURES and HANDLING (PERSONNEL) sections before proceeding with clear |
| Firefighting Instructions CTION 6. ACCIDENTAL RELE NOTE: Review FIRE FIGHTIN up. Use appropriate PERSON/ | In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. ASE MEASURES IG MEASURES and HANDLING (PERSONNEL) sections before proceeding with clear AL PROTECTIVE EQUIPMENT during clean-up. Evacuate personnel, thoroughly ventilate area, use self-contained breathing |
| Firefighting Instructions ECTION 6. ACCIDENTAL RELE NOTE: Review FIRE FIGHTIN up. Use appropriate PERSON/ Safeguards (Personnel) | In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. EASE MEASURES IG MEASURES and HANDLING (PERSONNEL) sections before proceeding with clear AL PROTECTIVE EQUIPMENT during clean-up. Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Wear personal protective equipment. |
| Firefighting Instructions ECTION 6. ACCIDENTAL RELE NOTE: Review FIRE FIGHTIN up. Use appropriate PERSON/ Safeguards (Personnel) Spill Cleanup | In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. CASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clear AL PROTECTIVE EQUIPMENT during clean-up. Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Wear personal protective equipment. Sweep up and shovel into suitable containers for disposal. Prevent material from entering sewers, waterways, or low areas. |
| Firefighting Instructions ECTION 6. ACCIDENTAL RELE NOTE: Review FIRE FIGHTIN up. Use appropriate PERSON/ Safeguards (Personnel) Spill Cleanup Accidental Release Measures | In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment. Do not allow run-off from fire fighting to enter drains or water courses. CASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clear AL PROTECTIVE EQUIPMENT during clean-up. Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Wear personal protective equipment. Sweep up and shovel into suitable containers for disposal. Prevent material from entering sewers, waterways, or low areas. |

| Material Safety D | ata Sheet |
|-------------------|-----------|
|-------------------|-----------|

| Material Safety Data She | et | | | QU POND |
|--|---------------|--------------|-----------------------------------|--|
| DuPont [™] Streamline [™] | Herbicide | | | |
| Version 2.1 | | | | |
| Revision Date 12/10/2010 | | Ref. 1300 | 00050624 | |
| Storage | | | | les, fertilizer, food or feed in storage. bl, dry place. Keep out of the reach of |
| SECTION 8. EXPOSURE CONT | ROLS/PERSON | AL PROTE | CTION | |
| Personal protective equipme Skin and body protection | : Applicator: | ved shirt an | handlers must wea d long pants | ar: |
| Protective measures | instruction | s for washa | | eaning/maintaining PPE. If no such ergent and hot water. Keep and /. |
| Exposure Guidelines Exposure Limit Values Aminocyclopyrachlor AEL * | (DUPONT) | 5 mg/m3 | 8 & 12 hr. TWA | Respirable dust. |
| AEL * | (DUPONT) | 10 mg/m3 | 8 & 12 hr. TWA | Total dust. |
| Metsulfuron methyl AEL * | х <i>У</i> | 10 mg/m3 | 8 & 12 hr. TWA | |
| Titanium dioxide PEL: | (OSHA) | 15 mg/m3 | 8 hr. TWA Tot | tal dust. |
| TLV | (ACGIH) | 10 mg/m3 | TWA | |
| AEL * | (DUPONT) | 10 mg/m3 | 8 & 12 hr. TWA | Total dust. |
| AEL * | (DUPONT) | 5 mg/m3 | 8 & 12 hr. TWA | Respirable dust. |

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

| Material Safety Data Sheet | | QU POND | | |
|---|---|------------------|--|--|
| DuPont [™] Streamline [™] H | erbicide | | | |
| Version 2.1 | | | | |
| Revision Date 12/10/2010 | Ref. 13000050624 | | | |
| SECTION 9. PHYSICAL AND CHE | AICAL PROPERTIES | | | |
| Form Color Odor pH Bulk density Water solubility | granular cream, light tan slight 5.7 0.56 mg/l dispersible | | | |
| SECTION 10. STABILITY AND REA | ACTIVITY | | | |
| Stability | : Stable at normal temperatures and storage conditions. | | | |
| Conditions to avoid | : None reasonably foreseeable. | | | |
| Incompatibility | : No materials to be especially mentioned. | | | |
| SECTION 11. TOXICOLOGICAL IN | FORMATION | | | |
| DuPont [™] Streamline [™] Herbicid Inhalation 4 h LC50 | : > 5.18 mg/l , rat | | | |
| Dermal LD50 | : > 5,000 mg/kg , rat | | | |
| Oral LD50 | : > 5,000 mg/kg , rat | | | |
| Skin irritation | : No skin irritation, rabbit | | | |
| Eye irritation | : Moderate eye irritation, rabbit | | | |
| Sensitisation | : Animal test did not cause sensitization by skin conta | act., guinea pig | | |
| Further information Aminocyclopyrachlor | : Information given is based on data on the component toxicology of similar products. | nts and the | | |
| Carcinogenicity | : Animal testing did not show any carcinogenic effects | 3. | | |
| Mutagenicity | : Evidence suggests this substance does not cause g 5 / 9 | enetic damage in | | |
| | | | | |



| DuPont [™] Streamline [™] Herk | bicide |
|--|---|
| Version 2.1 | |
| Revision Date 12/10/2010 | Ref. 13000050624 |
| | cultured bacterial cells. Evidence suggests this substance does not cause genetic damage in cultured mammalian cells. Evidence suggests this substance does not cause genetic damage in animals. |
| Reproductive toxicity | : No toxicity to reproduction |
| Teratogenicity | : Evidence suggests the substance is not a developmental toxin in animals. |
| Metsulfuron methyl Repeated dose toxicity | : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. |
| | Oral rat Reduced body weight gain, Organ weight changes, Liver Dermal |
| | rabbit Skin irritation |
| Carcinogenicity | : Did not show carcinogenic effects in animal experiments. |
| Mutagenicity | : Did not show mutagenic effects in animal experiments. |
| | Did not cause genetic damage in cultured bacterial cells. |
| | Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others. |
| Reproductive toxicity | : Animal testing did not show any effects on fertility. |
| Teratogenicity | : Animal testing showed no developmental toxicity. |
| TItanium Dioxide Carcinogenicity | : Based upon all available study results, DuPont scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace. |
| | 6 / 9 |
| | |

DuPont[™] Streamline[™] Herbicide

Version 2.1

Revision Date 12/10/2010

Aquatic Toxicity

Ref. 130000050624

SECTION 12. ECOLOGICAL INFORMATION

| Aminocyclopyrachlor 96 h LC50 | : | Oncorhynchus mykiss (rainbow trout) > 122 mg/l |
|--|---|--|
| 96 h LC50 | : | Lepomis macrochirus (Bluegill sunfish) > 120 mg/l |
| 72 h EC50 | : | Pseudokirchneriella subcapitata (green algae) > 122 mg/l |
| 72 h EC50 | : | Anabaena flos-aquae (cyanobacteria) 7.4 mg/l |
| 96 h EC50 | : | Daphnia magna (Water flea) 43 mg/l |
| Metsulfuron methyl 96 h LC50 | : | Oncorhynchus mykiss (rainbow trout) > 150 mg/l |
| 72 h EC50 | : | Anabaena flos-aquae (cyanobacteria) 0.066 mg/l |
| 14 d EC50 | : | Lemna minor 0.00036 mg/l |
| 48 h EC50 | : | Daphnia magna (Water flea) > 120 mg/l |
| Toxicity to other organisms Aminocyclopyrachlor LD50 | : | Colinus virginianus (Bobwhite quail) > 2,075 mg/kg Oral |
| LC50 | : | Colinus virginianus (Bobwhite quail) > 5,620 ppm Dietary |
| LC50 | : | Anas platyrhynchos (Mallard duck) > 5,620 ppm Dietary |
| Metsulfuron methyl LD50 | : | Anas platyrhynchos (Mallard duck) > 2,510 mg/kg |
| LC50 | : | Colinus virginianus (Bobwhite quail) > 5,620 mg/kg |
| Additional ecological information | : | Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean |
| | | 7/9 |
| | | |





| DuPont [™] St | reamline [™] | Herbicide | | | |
|------------------------|--|--------------------|---|------------------------|--|
| | <i>callin</i> | | | | |
| Version 2.1 | | | | | |
| | | | | | |
| Revision Date 12/ | 10/2010 | F | Ref. 130000050624 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | water mark. Do not contaminate water whe | | |
| | | | or disposing of equipment washwaters or rinsate. See product label for additional application instructions relating to environmental precautions. | | |
| | | | | | |
| | | preca | lutions. | | |
| | | | | | |
| | | | | | |
| SECTION 13. DIS | POSAL CON | | | | |
| | | | | | |
| use of | | | minate water, food or feed by disposal. W | | |
| | | | e of this product must be disposed of on site or at an approved waste posal facility. | | |
| | | uisposai laoi | ity. | | |
| Container Dis | oosal | : Refer to the | product label for instructions. | | |
| | | | not transport if this container is damaged or leaking. | | |
| | | | of a major spill, fire or other emergency, ca | all 1-800-441-3637 day | |
| | | or night. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| SECTION 14. TR | ANSPORT INF | ORMATION | | | |
| IATA_C UN numb | | ber | : 3077 | | |
| | | | | | |
| | Proper shipping name Class Packing group | | : Environmentally hazardous substa | ance, solid, n.o.s. | |
| | | | (Metsulfuron methyl) | | |
| | | | : 9 : III | | |
| | Labelling | | : 9MI | | |
| IMDG | UN numb | | : 3077 | | |
| | | nipping name | : Environmentally hazardous substance, solid, n.o.s. | | |
| | | 11 0 | (Metsulfuron methyl) | , , | |
| | Class | | : 9 | | |
| Packing group | | | : 111 | | |
| | Labelling No. | | : 9 | | |
| | Marine p | ollutant | : yes (Metsulfuron methyl) | | |
| | maine p | ulan | | | |
| Not regulator | l as a hazardo | us material by DOT | | | |
| Not regulated | 1 45 4 11424100 | us material by DOT | | | |
| | | | | | |
| | | | | | |
| | | | 8/9 | | |
| | | | 0/3 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

