

Issue Date 16-Jan-2015

Revision Date 11-Mar-2019

Version 4

## 1. Identification

**Product identifier.**

**Product Name** Super Trimec® Broadleaf Herbicide

**Other means of identification**

**Product Code** PBI FP 7851076  
**EPA Pesticide Registration Number** 2217-758  
**Product Size** 4/1 U. S. Gal.

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Herbicide  
**Uses advised against** No information available

**Details of the supplier of the safety data sheet**

**Supplier Address**  
PBI Gordon Corporation  
P.O. Box 860350  
Shawnee, KS 66286

**Company Name**  
PBI Gordon Corporation  
P.O. Box 860350  
Shawnee, KS 66286

**Manufacturer**  
PBI Gordon Corporation  
P.O. Box 860350  
Shawnee, KS 66286

**Emergency telephone number**

**24 Hour Emergency Phone Number** Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2A
Aspiration hazard	Category 1
Acute Aquatic Toxicity	Category 1
Chronic Aquatic Toxicity	Category 1
Flammable liquids	Category 4

**Label elements**

**Emergency Overview**

**Signal word**

Danger

**Hazard statements**

- Harmful if swallowed, in contact with skin or if inhaled
- Causes skin irritation
- Causes serious eye irritation
- May be fatal if swallowed and enters airways
- Very toxic to aquatic life with long lasting effects
- Combustible liquid



Appearance Clear

Physical state Liquid

Odor Esters

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Contaminated work clothing must not be allowed out of the workplace  
 Keep away from flames and hot surfaces. - No smoking  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor  
 IF ON SKIN: Wash with plenty of water and soap  
 Call a POISON CENTER or doctor if you feel unwell  
 Take off contaminated clothing and wash it before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Call a POISON CENTER or doctor if you feel unwell  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor  
 Do NOT induce vomiting  
 Rinse mouth  
 In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

**Other information**

Not applicable

### 3. Composition/information on ingredients

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%
2,4-D, 2-ethylhexyl ester	1928-43-4	32.45
Trade Secret	Trade secret	10-20*
2,4-DP-p, 2-ethylhexyl ester	865363-39-9	15.9
Trade Secret	Trade secret	5-10*
3,6-Dichloro-o-anisic acid (Dicamba)	1918-00-9	5.38
Trade Secret	Trade secret	0-5*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First-aid measures**

Description of first aid measures

<b>General advice</b>	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
<b>Inhalation</b>	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Call a physician if irritation persists.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. <b>ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.</b> If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation. Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
-----------------	---

Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Treat symptomatically. May pose an aspiration pneumonia hazard. Contains petroleum distillates.
---------------------------	---

**5. Fire-fighting measures**

<u>Suitable Extinguishing Media</u>	Dry chemical. Carbon dioxide (CO2). Alcohol resistant foam.
<u>Unsuitable extinguishing media</u>	Water spray.
<u>Specific hazards arising from the chemical</u>	Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.
<u>Explosion data</u>	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
<u>Special protective equipment for fire-fighters</u>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental release measures**

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**7. Handling and storage**

Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Keep out of the reach of children. Store locked up. Store away from other materials. Keep from freezing.

**8. Exposure controls/personal protection**

Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,4-D, 2-ethylhexyl ester 1928-43-4	TWA: 10 mg/m <sup>3</sup> inhalable fraction S*	TWA: 10 mg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup> , TWA: 10 mg/m <sup>3</sup>
Trade Secret	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m <sup>3</sup> (vacated) S* (vacated) Ceiling: 50 ppm (vacated) Ceiling: 150 mg/m <sup>3</sup>	IDLH: 1400 ppm Ceiling: 50 ppm Ceiling: 150 mg/m <sup>3</sup>

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value Skin designation

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Chemical resistant gloves.

**Skin and body protection** Wear long-sleeved shirt, long pants, socks and shoes.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Clear  
**Color** Yellow to Light brown  
**Odor** Esters  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point/freezing point	<35 °F	
Boiling point / boiling range	> 116 °C / 241 °F	
Flash point	88 °C / 190 °F	CC (closed cup)
Evaporation rate	< 1	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	<10 mm Hg	
Vapor density	>1	
Specific Gravity	1.02610	
Water solubility	Emulsifiable	
Solubility in other solvents	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known

### Other Information

**Oxidizing properties** No information available  
**Liquid Density** 8.55 pounds/gallon  
**Bulk density** No information available

## 10. Stability and reactivity

**Reactivity**

No information available

**Stability**

Stable

**Possibility of hazardous reactions**

None under normal processing.

**Hazardous polymerization**

Will not occur.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

Strong acids. Strong bases. Strong oxidizing agents.

**Hazardous decomposition products**

May emit toxic fumes under fire conditions. Hydrogen chloride. Carbon monoxide. Organochlorides.

**11. Toxicological information****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Skin contact</b>	Causes skin irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Redness. Burning. May cause blindness. Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
-----------------	---

**Acute toxicity****Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

**Unknown Toxicity**

99 % of the mixture consists of ingredient(s) of unknown toxicity

82 2395 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98 9395 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

<b>LD50 Oral VALUE (mg/kg)</b>	1141 mg/kg (female rats) (male rats)
<b>LD50 Dermal VALUE</b>	> 2000 mg/kg (rabbit)
<b>LC50 Inhalation (DUST) VALUE</b>	> 4.15 mg/L (rat, 4 hr)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,4-D, 2-ethylhexyl ester	= 300 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.4 mg/L ( Rat ) 4 h

1928-43-4			
Trade Secret	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
Trade Secret	= 1870 µL/kg ( Rat )	= 1110 µL/kg ( Rabbit )	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	= 1039 mg/kg ( Rat )	= 1716 mg/kg ( Rabbit ) > 1 g/kg ( Rat ) > 2 g/kg ( Rabbit )	-
Trade Secret	= 700 mg/kg ( Rat ) = 790 mg/kg ( Rat )	= 3400 mg/kg ( Rabbit ) = 3402 mg/kg ( Rabbit )	> 8000 ppm ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** May cause skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization** Not a skin sensitizer.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2,4-D, 2-ethylhexyl ester 1928-43-4	-	Group 2B	-	X

**Legend**

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**12. Ecological information**

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2,4-D, 2-ethylhexyl ester 1928-43-4	30: 120 h Pseudokirchneriella subcapitata mg/L EC50 30: 120 h Pseudokirchneriella subcapitata mg/L EC50 static	7.8: 96 h Oncorhynchus mykiss mg/L LC50 static 11.5: 96 h Lepomis macrochirus mg/L LC50 static 6 - 8.7: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	-
Trade Secret	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h	-	4720: 96 h Den-dronereides heteropoda mg/L LC50

		Lepomis macrochirus mg/L LC50 static		
Trade Secret	-	1.8 96 h Oncorhynchus mykiss mg/L LC50	-	-
Trade Secret	500 96 h Desmodium subspicatus mg/L EC50 500 72 h Desmodium subspicatus mg/L EC50	1740 96 h Pimephales promelas mg/L LC50 flow-through 1730 - 1910 96 h Pimephales promelas mg/L LC50 static 100000 - 500000 96 h Lepomis macrochirus µg/L LC50 static 1910000 96 h Pimephales promelas µg/L LC50 static	EC50 = 2041.4 mg/L 5 min EC50 = 2186 mg/L 30 min EC50 = 3980 mg/L 24 h EC50 = 4400 mg/L 17 h	1897 - 2072 48 h Daphnia magna mg/L EC50 Static 1983 48 h Daphnia magna mg/L EC50

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

### 13. Disposal considerations

#### Waste treatment methods

**Waste from residues/unused products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse empty containers

**US EPA Waste Number** D001, See Section 2: Hazards not otherwise classified (HNOC)

### 14. Transport information

**Note:** Products under 36 gallons not regulated by DOT. Below are designations for products over 36 gallons. See RQ

#### DOT

UN/ID no.	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard class	9
Packing group	III
Reportable Quantity (RQ)	2,4-D, 2-ethylhexyl ester: RQ (lb)= 308.00= 36 gallons
Special Provisions	8, 146, 173, 335, IB3, T4, TP1, TP29
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III, Marine pollutant

#### TDG

UN/ID no.	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard class	9
Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III

#### MEX

UN/ID no.	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard class	9
Special Provisions	274, 331, 335
Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III



**ICAO (air)**

UN/ID no.	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard class	9
Packing group	III
Special Provisions	A97, A158, A197
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III

**IATA**

	Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	9
Packing group	III
Special Provisions	A97, A158, A197
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III

**IMDG**

	Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	9
Packing group	III
EmS-No.	F-A, S-F
Special Provisions	274, 335, 969
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III, Marine pollutant

**15. Regulatory information**

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** 2217-758

**Federal Insecticide, Fungicide, Rodenticide Act Regulations**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label**

**Warning**

Keep out of the reach of children

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Harmful if inhaled. Avoid breathing spray mist.

**Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**Physical Or Chemical Hazard**

Do not use or store near heat or open flame.

**International Inventories**

<b>TSCA</b>	Not Listed
-------------	------------

DSL/NDL	Not Listed
EINECS/ELINCS	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed
AICS	Not Listed

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
2,4-D, 2-ethylhexyl ester - 1928-43-4	0.1
3,6-Dichloro-o-anisic acid (Dicamba) - 1918-00-9	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
2,4-D, 2-ethylhexyl ester 1928-43-4	100 lb	-	-	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
2,4-D, 2-ethylhexyl ester 1928-43-4	100 lb	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb	-
Trade Secret	5000 lb	-

**US State Regulations****U.S. State Right-to-Know Regulations****US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
2,4-D, 2-ethylhexyl ester 1928-43-4	X	-	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	X	X	X

Trade Secret	X	X	X
--------------	---	---	---

**16. Other information**

<u>NFPA</u>	Health hazards 4	Flammability 2	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 2	Physical hazards 0	Personal protection X

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet

