

TC 59-13 Rev. 02/2021 Page 1 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIEW	N					
АРІ	PLICANT NAME		DOT CRO	SSING #	APPLICATION YEAR	
Paducah & Louisville Railway			296594U		2025	
DOAD N	A N 4 F	ROAD MILE	C	ROSSING LC	CATION	
ROAD NA	AIVIE	POINT	CI	ГΥ	COUNTY	
Hobbs Road		9.2	Paducah		McCraken	
	PROJEC	T TYPE				
Crossing Rehab Full Crossing Renewal (ADT >	Crossing > 1000) Select Or	•		Obstructive V	egetation Removal	
TOTAL PROJECT COST	KRCI FUNDING REQUESTED	APPLICANT	МАТСН		ANT MATCH % % Minimum)	
\$ 165,047.50	\$ 132,038	\$ 33,009.50			20 %	
Does applicant plan to use their competitively bid out all work re		-	the project	(Force Accor	unt) or	
PROJECT DESCRIPTION (Provide and the proposed work to be composed work to be composed work to be composed work: The purpose of this project is to Scope of Work: *Provide traffic control & detou *Remove existing asphalt appra *Excavate fouled ballast to hard *Install new track panel w/ clear *Install new concrete crossing states.	leted. Text is limited to the space upgrade and improve the cr routes ches & track panel pan, create positive drainagen ballast rock	re provided below rossing surface a	.) nd therby, in	ncreasing cro		
	FOR KYTC	USE ONLY				
Date Received:	FRA WBAPS Score:		Secreta	ry Approval:	□ Y □ N	
Application Complete 603 KAR 7:090 Compliant	N Match %:		-	KRCI Award Amount: KRCI Award		
Eligible Applicant	Road ADT:		_	Date:		



TC 59-13 Rev. 02/2021 Page 2 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 2:	APPLICA	NT INFO	RMATION											
Is the applica	ant a rail	road?	□ NO 🖂	YES (Pro	vide KY Sec	cretary	of State in	forma	ation.)					
KY SECRET	ARY OF	STATE (KY SOS) ORG	SANIZAT	ON ID OF	R #		KY S	OS STATUS	KY	SOS STANDING			
0212961						A-Active G-Good								
				PRIMA	RY CONTA	ACT IN	IFORMATI	ION						
		NAME	& TITLE				PHONE			EMAIL				
Floyd Bishop	- VP & (Chief Eng	gineer			812-	270-0551	com						
	ſ	MAILING	ADDRESS					CITY	<u> </u>	STATE	ZIP			
200 Clark St.						Padu	ıcah			KY	42003			
If awarded, will signatory be different from the Primary Co						ntact?	NO NO		YES (Provide sign	natory inf	ormation.)			
	SIGN	IATORY	NAME & TIT	LE			PHONE			EMAIL				
MAILING ADDRESS								CITY	<u> </u>	STATE	ZIP			
SECTION 3:	PERMIT	S AND A	PPROVALS			•				'				
				_	-	•	•	-	rs, US Coast Gu					
Not Appli		Division	of Water, K	entucky	Heritage (Lound	cii, or othe	rs) ae	etermined the n	eea tor p	ermits?			
B. Have all re	equired	permits	been obtain	ed? Not	Applicab	le								
SECTION 4:	CURREN	IT RAILR	OAD CROSSI	NG INFO	ORMATIO	N (Sec	ction 4 mus	t be co	ompleted for ALL	projects.)				
# OF TRAFFIC LANES		SPEED /IIT	AVERAGE (ADT) A	DAILY T		RAILROAD DIVISION								
2	5	5		2051		Kent	ucky							
TYPICAL T SPEED A CROSSII	ΑT		RACKS AT RAIL MILE DSSING POINT					E	BRANCH/LINE N	AME				
10			1	9.20			Maxon District							
AVERAGE MOVEMENT			FRA TRACK		,	тот	ALS FROM	1 PRE	VIOUS 5 YEARS	AT CROS	SSING			
	_			_	CI	RASH	HES FATALITIES		I	NJURIES				
2		Class	1		0			0		0				



TC 59-13 Rev. 02/2021 Page 3 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 5: CROSSING RECONSTRUCTION (Required ONLY for Crossing Reconstruction projects.)										
CURRENT CROSSING										
DATE INSTALLED	WIDTH OF ROAD		SURFACE MAT	ERIAL		WEIG	GHT OF RAIL			
	40 feet		Asphalt				115			
SURFACE CONDITION	VISIBLE TIE CON	NDITION	APPROACH C	ONDITION	DRAII	NAGE (CONDITION			
Poor	Fair		Fair			Fa	ir			
	PI	ROPOSED RE	CONSTRUCTION							
PROJECT IMPACT ON SID PATH, OR RECREAT			CHANGE IN TRAC		LENG	GTH OF	ASPHALT DACH			
No			1 inches		Tape 25 fe		Taper 2 25 feet			
REPLACEMENT CROSSING SURFACE: Full-depth Concrete										
SECTION 6: CROSSING SAFETY EQUIPMENT IMPROVEMENT (Required ONLY for Crossing Safety Equipment Improvement projects.)										
				INSTALL	UPO	RADE	EXISTING			
A. Project Signage Work: Crossing Signs and Markings										
2. Describe in detail signs and markings <u>proposed</u> at crossing as part of the project. (Text is limited.)										
				INSTALL	UPO	GRADE	EXISTING			
B. Project Signal Work: A										
Describe in detail active traffic control devices <u>currently</u> used at crossing. Describe in detail active traffic control devices <u>proposed</u> at crossing as part of the project.										




TC 59-13 Rev. 02/2021 Page 4 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

ECTION	7: SUBMISSION CHECKLIST (See KRCI Guidance	e Document, Section V, for details.)							
\boxtimes	Kentucky Railroad Crossing Improvement Ap	oplication (TC 59-13)							
\boxtimes	Statement of Work								
\boxtimes	Scope of Work								
\boxtimes	Project Schedule/Timeline								
	Detailed engineering assessment report (as a	applicable)							
	Obstructive Vegetation removal projects)								
	Plans, schematics, details, drawings of the proposed project (as applicable)								
\boxtimes	Photographic documentation of the project location and condition								
\boxtimes	Detailed estimate								
\boxtimes	Road authority consultation letter (if applicant is a railroad)								
	Railroad consultation letters (if applicant is a government entity)								
	Public Interest Finding (as applicable)								
	8: RAILROAD COMPLIANCE CERTIFICATION (
he TC 59 not an eli	certify that as an applicant defined as a railroa 9-102 in compliance with the provisions of 603 igible applicant at the time of this submission, ation and returned to me without review.	3 KAR 7:090 at the time of this applicat	tion. If it is determined I am						
		SIGNATURE	DATE						
loyd Bisł	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						
	9: APPLICANT CERTIFICATION (The certification	on below applies to all applicants.)							
vhat is st	have read the Kentucky Railroad Crossing Improvement guidance document, and I understand and agree to abide by hat is stated therein. I also hereby certify, subject to the provisions of KRS 523.100 (unsworn falsification to authorities), hat the above information is true and correct to the best of my knowledge.								
		SIGNATURE	DATE						
loyd Bisl	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						
			,						

Submission Directions: Applicants must combine their completed application and all required attachments into a single PDF and submit it electronically via email to KYTC.ModalPrograms@ky.gov. It is the responsibility of the applicant to ensure delivery of the emailed submission.





296594U - KY 1154 / Hobbs Rd (M 9.2)

Scope of Work

KY 1154 / Hobbs Rd (M 9.2)

Build 80' track panel utilizing 160 LF of NEW head-hardened 115RE rail/OTM and 48 Ea. 10' ties.

Obtain approved encroachment permit from KYTC. Provide traffic control and detour routing as necessary. Close and barricade road. Sawcut and remove existing asphalt and crossing materials. Remove existing track panel. Excavate fouled ballast to hardpan. Install track panel. Furnish and install 4 Ea. sets of 115RE bars, 4 Ea. 115RE to 100RE transition rails, and 4 Ea. sets of 100RE to 85ASCE comp bars. Furnish and install number 4 ballast and DGA. Surface track panel with HARSCO Mark IV HD production tamper. Regulate ballast and broom finish track.

Furnish and install 40.625' track feet of OMNI full depth concrete crossing surface. Furnish and install 4 Ea. weld kits. Furnish and install asphalt base and surface course.

Grand Total \$165,047.50

Notes and Exclusions


Proposal is turnkey and has been determined according to P&L (CSX) and KTC specifications. Asphalt quantities have been determined based on a maximum 25' apron at each approach.

Company Proposal

We, Track Tech, Inc., hereby propose to complete the scope of work above for a lump sum price of \$165,047.50.

Proposal continues on next page...







Cost Analysis

		GUST MIIAIYSIS		
Classification	Units	Quantity	Unit Cost	Total Cost
Track Tech Labor	LS	1	\$19,500.00	\$19,500.00
Track Tech Equipment	LS	1	\$24,500.00	\$24,500.00
P&L Railway Labor	LS	1	\$6,500.00	\$6,500.00
P&L Railway Equipment	LS	1	\$2,000.00	\$2,000.00
Asphalt Labor and Equipment	LS	1	\$10,000.00	\$10,000.00
Detour Routing, Permitting, Striping	LS	1	\$10,000.00	\$10,000.00
Waste Disposal	LS	1	\$4,000.00	\$4,000.00
Mobilization/Hotels/Per Diem	LS	1	\$2,800.00	\$2,800.00
Concrete for 115RE	Track Feet	40.625	\$460.00	\$18,687.50
115RE Rail	80' Sticks	2	\$4,840.00	\$9,680.00
Transition Rails 115RE to 100RE	Ea.	4	\$4,235.00	\$16,940.00
10' Ties	Ea.	48	\$152.00	\$7,296.00
Plates	Ea.	146	\$26.00	\$3,796.00
Comp Bars	Pairs	4	\$1,210.00	\$4,840.00
Straight Bars	Pairs	4	\$218.00	\$872.00
Spikes	Kegs	7	\$152.00	\$1,064.00
Anchors	Ea.	392	\$5.00	\$1,960.00
Bolts	Ea.	32	\$8.00	\$256.00
Ballast	Tons	75	\$43.00	\$3,225.00
DGA	Tons	50	\$31.00	\$1,550.00
Geotextile Fabric	Ea.	1	\$968.00	\$968.00
End Plates	Set	1	\$1,573.00	\$1,573.00
Field Welds	Ea.	4	\$363.00	\$1,452.00
6" CMP	Linear Feet	50	\$34.00	\$1,700.00
Asphalt	Tons Delivered	48	\$206.00	\$9,888.00

5109 Industrial Parkway P.O. Box 5 Calvert City, KY 42029 Phone: 270-395-0770 Fax: 270-395-0771



Proposal

"296594U - KY 1154 / Hobbs Rd (M 9.2)"

Grand Total \$165,047.50



Crossing Schedu	ıle		Week 1								Week 2					
Grossing Contact								5	6	7	8	9	10	11	12	13
TASK START END S							Т	F	S	S	M	Т	W	Т	F	S
Final Material Delivery	1	1														
Distribute Materials and Mobilization	2	2														
Build Track Panel	3	3														
Install Track Panel	8	8														
Install Concrete and Base Asphalt	9	9														
Install Surface Asphalt	10	10														
Demobilization	10	10														
Road Closure	8	10														

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory														
		·			•	•			•	•				
, ,	•	• .		-		-				grade crossings (including				
•	•		-	-				•	, -	ngs, complete the Header, complete the Header, Part				
·						•	, ,	• .	0 /-	section, in addition to the				
updated data fields. Note:		U	U	•		,	•			denotes an optional field.				
A. Revision Date	B. Reporting		1			(Select only				D. DOT Crossing				
(MM/DD/YYYY)	☐ Railroad	☐ Tran		ange in	□ Ne		☐ Closed	□ No Train	☐ Quiet	Inventory Number				
09 / 28 / 2021			Data	J	Crossi	ing		Traffic	Zone Update					
	■ State	☐ Othe	er 🗆 Re-	-Open	☐ Da ⁻	te [☐ Change in Primary	\square Admin.		296594U				
					Chang	ge Only C	Operating RR	Correction						
			Part I: Lo	cation	and C	Classifica	tion Informatio	n						
1. Primary Operating Railre				2.	State			3. County						
Paducah & Louisville Ra	ilway Company	[PAL]		K	ENTUC	KY		MCCRÁCKE	N					
4. City / Municipality			t/Road Nam	e & Bloo	ck Numb	er		6. Highway Ty	pe & No.					
□ In		HOBE	BS RD											
■ Near PADUCAH			/Road Name	•			ck Number)	KY-1154						
7. Do Other Railroads Ope	rate a Separate 1	Frack at Cross	sing? □ Yes	i ⊠ No	1		Railroads Operate O	ver Your Track a	at Crossing?	Yes 🗷 No				
If Yes, Specify RR						If Yes, Spe	ecity RR							
9. Railroad Division or Reg				or Dict		11 Dra	nch or Line Name		12. RR Milepo					
9. Kaliroad Division of Reg	ion	10. Kaliroat	a Subdivision	i or Disti	rict	11. bra	inch of Line Name			9.200				
□ None KENTUCKY		□ None	PADUCA	Н		□ Non	e MAXON DIST	-		nn.nnn) (suffix)				
13. Line Segment	14. Nea	rest RR Time	table	15. P	arent RR	(if applicat		16. Crossin	g Owner (if app	, , , ,,				
*	Station	*				() - - -	,		0 () - -	,				
JP-19	aec			□ N/	/A <u>P</u>	AL		□ N/A	PAL					
17. Crossing Type 18. (Crossing Purpose	19. Cross	ing Position	20.	. Public A	Access	21. Type of Train			22. Average Passenger				
	ighway	🗷 At Gra	ide	(if	Private C	Crossing)	I Freight	☐ Transit Train Count Per Da						
	athway, Ped.	☐ RR Un			Yes		Intercity Passeng	_						
	ation, Ped.	☐ RR Ov	er		No		☐ Commuter	☐ Tourist	:/Other	☐ Number Per Day 0				
23. Type of Land Use ☑ Open Space ☐ Fa		امند مامن	П С			ا ماستما		□ Daamastia	D	D.Va.ad				
■ Open Space ☐ Fa 24. Is there an Adjacent Cr		idential	☐ Comme	rciai		dustrial	☐ Institutional RA provided)	☐ Recreation	onai 🗆 K	R Yard				
24. IS there all Aujacent Ci	ossing with a sep	parate Numb	ei :		25. Qui	iet zone (Fi	na provided)							
☐ Yes ■ No If Yes, P	rovide Crossing N	lumber			ĭ X No	□ 24 Hr	☐ Partial ☐ Chicae	go Excused	Date Establis	shed				
26. HSR Corridor ID		tude in decin	nal degrees				de in decimal degrees			at/Long Source				
			07.0	0044000	,	_	000	0.07000						
X N,	'A (WGS84	1 std: nn.nnn	nnnn) 37.C	841600)	(WGS84 std.	: -nnn.nnnnnnn) ⁻⁰⁸⁸	3.827060	⊠ Ac	tual Estimated				
30.A. Railroad Use *						31.A. S	State Use *							
30.B. Railroad Use *						31.B. S	State Use *							
20 C Deilyand Han *						21.0.0	State Use *							
30.C. Railroad Use *						31.0. 3	state Use "							
30.D. Railroad Use *						31 D 9	State Use *							
30.D. Namoud 03c						31.5.	State Osc							
32.A. Narrative (Railroad	Use) *					32.B. I	Narrative (State Use)	*						
	,						,							
33. Emergency Notification	Telephone No.	(posted)	34. Railr	oad Con	tact (Te	lephone No.,)	35. State Con	tact (Telephone	e No.)				
800-444-2580			270-44	4 4200				502-564-321	0					
								302-304-321						
				Part II	: Railr	oad Info	rmation							
1. Estimated Number of Da	ily Train Moveme	ents												
1.A. Total Day Thru Trains	1.B. T	otal Night Th	ru Trains	1.C. Tot	tal Switch	ning Trains	1.D. Total Transit	Trains	1.E. Check if L	ess Than				
(6 AM to 6 PM)	(6 PM	to 6 AM)		_					One Moveme					
1	1			0			0		How many tra	ins per week? 0				
2. Year of Train Count Data	(YYYY)		3. Speed of T			1	0							
2015			B.A. Maximu					. 10						
		3	3.B. Typical S	реед ка	nge Ove	r Crossing (n	nph) From 5	to _10						
4. Type and Count of Track	5													
Main 1 Siding	0 v:	ard 0	Transit	· 0		ndustry_0								
5. Train Detection (Main Tr		<u> </u>	11011311			ilidusti y								
Constant Warning Ti		Detection	□AFO □ F	ртс 🗆	DC 🗆	Other \square	None							
6. Is Track Signaled?					nt Recor				7.B. Remote	Health Monitoring				
☐ Yes 🗷 No	☐ Yes 🗷 No ☐ Yes 🗷 No													

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (A	A. Revision Date (MM/DD/YYYY) 09/28/2021 PAGE 2 D. Crossing Inventory Number (7 char.) 296594U															
		Par	: III: Hi	ighway o	r Path	way [·]	Traffic (Control De	evice							
1. Are there	2. Types of Pa	ssive Traffic	Control [Devices asso	ciated w	ith the	Crossing									
Signs or Signals?	2.A. Crossbuck Assemblies (co	ount) (cou		gns <i>(R1-1)</i>	(count	U	ns <i>(R1-2)</i>	■ W10-1	2	arning S	igns <i>(Check ali</i> W10-3	·			nt) 🗆 None	ie -
2.E. Low Ground Cl	2 earance Sign	2.F. Pavem	ent Marl	kings	0			□ W10-2 nnelization			☐ W10-4		2.I. ENS	Sigr		
(W10-5) ☐ Yes (count)	■ Stop Lin		,	mic Enve	elope		proaches	□ Me		(R15-3) ☐ Yes		Display Yes	ed		
■ No		RR Xing	•	☐ None	2		□ One A	• •	■ No		■ No		□ No			
2.J. Other MUTCD S Specify Type		☐ Yes Count _					2.K. Priva Signs (if)	ate Crossing orivate)	2.L.	. LED En	hanced Signs	(List types)			
Specify Type Count □ Yes No Specify Type Count □ Yes □ No																
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)																
3.A. Gate Arms (count)	Structures (count)						•		(co		Mounted Flash masts) 2	hing Lights —— LED			. Total Count o shing Light Pair	
Roadway 0 Pedestrian 0	☐ 3 Quad ☐ 4 Quad	Resistance Median 6	,	Not Over T		0 ne 0		candescent ED			hts Included	☐ Side	•	4		
2.F. Installation Dat	a of Comment		120							2111	:-b	- Cianala C			2 L Delle	
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) Me Not Required 3.G. Wayside Horn 3.H. Highway Traffic Signals Controlling Crossing Crossing Pyes No O																
3.J. Non-Train Active Warning																
4.A. Does nearby Hwy Interconnection Interconn									g Devices							
Traffic Signals?		nterconnected	ł					_ 1e3	NO						Recording	
		affic Signals	I	Simultaneou	ıs			Storage Dista						Prese	ence Detection	ı
☐ Yes 🗷 No	☐ For W	arning Signs		Advance		nl		Stop Line Dis		*		■ None				
1 Troffic Laure Cur.	naine Deilanna		r ft: -		Is Road			3. Does T		Da	C++2	4 la Cua	: 111.		ited? (Street	
Traffic Lanes Cross Number of Lanes		□ One-way■ Two-way□ Divided T	Traffic		is Road aved? ■ Ye	•	□ No		Tack Ki □ Yes				thin app	rox. 5	0 feet from	
5. Crossing Surface													Length *	27		_
☐ 1 Timber ■☐ 8 Unconsolidate	•	•			ncrete	□ 5 	Concrete	and Rubber	□ 6	Rubbe	r 🗆 7 Me	tal				
6. Intersecting Roa	dway within 500) feet?					7. Smalle	est Crossing A	ngle			8. Is Co	mmercia	l Pov	ver Available? '	*
☐ Yes 🗷 No	If Yes, Approxim	nate Distance	(feet) _				□ 0° - 2	9° □ 30°	– 59°	X	60° - 90°		■ Yes	5	□ No	
				Part	V: Pul	blic H	ighway	Informat	ion							
1. Highway System	tate Highway Sy	stem		ctional Classi (Image: Interstate		I 🗆 (:	1) Urban	ng r Collector	Sy	Is Cross stem? Yes	ing on State F	Highway	_55	5	vay Speed Limi MPH ed Statutor	
	Nat Hwy Systen			Other Freew	ays and I			Concetor	5.	Linear I	Referencing Sv	ystem (LRS			d - Statutor	1 у
☐ (03) Feder ॼ (08) Non-F	al AID, Not NHS ederal Aid			Other Princip Minor Arteri			(6) Mino (7) Local	Collector	07	3 KY-1	154 epost * 1.27					
7. Annual Average Year 2015 AA	Daily Traffic <i>(AA</i> DT 2051	ADT) 8. E 0	stimate	d Percent Tru	ucks %	9. Reg	•	d by School B Average Nu		per Day	6	_ 10.	_	ncy S] No	ervices Route	
Submission Information - This information is used for administrative purposes and is not available on the public website.																
Submitted by				Organizat	ion						Phone		г	ate		
Public reporting but	rden for this info	ormation coll	ection is			- 30 mi	nutes ner	response inc	luding	the tim		g instructi			g existing data	
sources, gathering a agency may not cor displays a currently other aspect of this	sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.															




RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 01/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

							early A	ccide	nt Cou	ınt								
PRED ACC RANK	AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	23	22	21	20	19	DATE CHG	W D	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.000775	296594U	PAL	PADUCAH, KY (MCCRACKEN)	HOBBS RD	0	0	0	0	0		FL	2	1	10	Yes	2	2051
TTL:	0.000775					0	0	0	0	0								





Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM

Fee receipt: \$15.00

Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov

Annual Report Online Filing For the Year 2025

ARP

Company: PADUCAH & LOUISVILLE RAILWAY, INC.

Company ID: 0212961 State of origin: Kentucky

Formation date: 3/17/1986 12:00:00 AM Date filed: 1/10/2025 9:59:56 AM

Fee: \$15.00

Principal Office 200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

Current Officers

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

Directors

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Director	John P Patelli	500 Water St., Jacksonville FL 32202
Director	Joe Forkum	500 Water St., Jacksonville FL 32202
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003

County: MCCRACKEN

Business size: Large

Business type: Railroad Transportation

Signatures

Signature Thomas A Greene Title President & CEO

Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

Certificate of Existence

Authentication number: 327839

Visit https://web.sos.ky.gov/ftshow/certvalidate.aspx to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30th day of January, 2025, in the 233rd year of the Commonwealth.



Michael G. adams

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961



COMMONWEALTH OF KENTUCKY TRANSPORTATION CABINET

Andy Beshear GOVERNOR

Department of Highways, District 1 Office 5501 Kentucky Dam Road Paducah, KY 42003 270-898-2431

Jim Gray SECRETARY

Crossing Improvement Letter

Re:

Consultation Letter for P&L Railway

Crossing Improvements In McCracken Co, KY

To whom it may concern:

KYTC – D1 has been contacted by Paducah & Louisville Railway Inc. regarding crossing surface improvements. P&L is seeking funding through the KYTC-KRCI. KYTC – D1 supports the proposed improvements at DOT# 296594U - Hobbs Road. KYTC will work with P&L to execute these improvements.

Sincerely,

Everett Wilson, PE

PD&P Branch Manager