

TC 59-13 Rev. 02/2021 Page 1 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIEW	V				
АРІ	PLICANT NAME		DOT CRC	SSING #	APPLICATION YEAR
Paducah & Louisville Railway			296793W		2025
BOADN	A N 4 E	ROAD MILE	C	ROSSING LO	CATION
ROAD NA	AIVIE	POINT	CI	TY	COUNTY
Tucker Road		0.8	Louisville		Jefferson
	PROJEC	T TYPE			
Crossing Rehab Full Crossing Renewal (ADT >	Crossing > 1000) Select Or	•		Obstructive V	egetation Removal
TOTAL PROJECT COST	KRCI FUNDING REQUESTED	APPLICANT	МАТСН		ANT MATCH % % Minimum)
\$ 144,155.50	\$ 115,324.40	\$ 28,831.10			20 %
Does applicant plan to use their competitively bid out all work re			the project	(Force Acco	unt) or
PROJECT DESCRIPTION (Provide and the proposed work to be composed work to be composed work to be composed work to be composed work: The purpose of this project is to Scope of Work: *Provide traffic control & detou *Remove existing asphalt appra *Excavate fouled ballast to hard *Install new track panel w/ clear *Install new concrete crossing so	upgrade and improve the cr r routes ches & track panel pan, create positive drainag n ballast rock	e provided below. Tossing surface a	nd therby, in	ncreasing cro	
	FOR KYTC	USE ONLY			
Date Received:	FRA WBAPS Score:		Secretai	ry Approval:	□ Y □ N
Application Complete 603 KAR 7:090 Compliant	N Match %:			KRCI Award Amount:	
Eligible Applicant	Road ADT:			Date:	



TC 59-13 Rev. 02/2021 Page 2 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 2: APPLICANT INFORMATION															
Is the applica	ant a rai	Iroad?	□ NO 🖂	YES (Pro	vide KY Sec	retary	of State in	forma	ation.)						
KY SECRET	TARY OF	STATE (KY SOS) ORG	SANIZAT	ION ID OF	R #		KY S	OS STATUS	КҮ	SOS STANDING				
0212961							A-Active			G-	Good				
				PRIMA	RY CONTA	ITACT INFORMATION									
		NAME	& TITLE				PHONE			EMAIL					
Floyd Bishop) - VP & (Chief Eng	gineer			812-	270-0551		fbishop@palrr.	rr.com					
	l	MAILING	ADDRESS					CITY	<u> </u>	STATE	ZIP				
200 Clark St.	,					Padu	ıcah			KY	42003				
If awarded, will signatory be different from the Primary Co							? ⊠ NO		YES (Provide sign	natory inf	ormation.)				
SIGNATORY NAME & TITLE							PHONE			EMAIL					
MAILING ADDRESS								CITY	<u> </u> 	STATE	ZIP				
SECTION 3:				al ageno	ies (US Ar	mv C	orps of Eng	ginee	rs, US Coast Gua	ard. US F	ish and Wildlife				
				_	=	•	•	-	etermined the n						
Not Appli	cable														
B. Have all r	equired	permits	been obtain	ed? Not	Applicabl	e									
SECTION 4:	CURREN	IT RAILR	OAD CROSS	NG INFO	ORMATIO	N (Sed	ction 4 mus	t be co	ompleted for ALL	projects.)					
# OF TRAFFIC LANES		SPEED VIIT	AVERAGE (ADT) A	DAILY T		RAILROAD DIVISION									
2	1	.0		2000		Kent	ucky								
TYPICAL T SPEED A CROSSI	AT		TRACKS AT RAIL MILE POINT					E	BRANCH/LINE N	AME					
10	10 1 0.8			Standard Oil Lead											
AVERAGE MOVEMENT			FRA TRACK			тот	ALS FROM	1 PRE	S AT CROSSING						
	4		C 1	4	CF	RASH	ES	ı	FATALITIES	ı	NJURIES				
4 Class 1				0 0 0					0						



TC 59-13 Rev. 02/2021 Page 3 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 5: CROSSING RECONSTRUCTION (Required ONLY for Crossing Reconstruction projects.)										
CURRENT CROSSING										
DATE INSTALLED	WIDTH OF ROAD		SURFACE MAT	ERIAL		WEIG	GHT OF RAIL			
	33 feet		Asphalt				131			
SURFACE CONDITION	VISIBLE TIE CON	NDITION	APPROACH CO	ONDITION	DRAII	NAGE (CONDITION			
Poor	Fair		Poor	r		Ро	or			
	Pl	ROPOSED RE	CONSTRUCTION							
PROJECT IMPACT ON SID PATH, OR RECREAT			CHANGE IN TRAC		LENG	GTH OF	ASPHALT DACH			
No			1 inches		Tape 25 fe		Taper 2 25 feet			
REPLACEMENT CROSSING SURFACE: Full-depth Concrete										
SECTION 6: CROSSING SAFETY EQUIPMENT IMPROVEMENT (Required ONLY for Crossing Safety Equipment Improvement projects.)										
				INSTALL	UPO	RADE	EXISTING			
A. Project Signage Work: Crossing Signs and Markings										
2. Describe in detail signs and markings <u>proposed</u> at crossing as part of the project. (Text is limited.)										
				INSTALL	UPO	GRADE	EXISTING			
B. Project Signal Work: A										
Describe in detail active traffic control devices <u>currently</u> used at crossing. Describe in detail active traffic control devices <u>proposed</u> at crossing as part of the project.										




TC 59-13 Rev. 02/2021 Page 4 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

ECTION	CTION 7: SUBMISSION CHECKLIST (See KRCI Guidance Document, Section V, for details.)								
\boxtimes	Kentucky Railroad Crossing Improvement Ap	oplication (TC 59-13)							
	Statement of Work								
	Scope of Work								
	Project Schedule/Timeline								
	Detailed engineering assessment report (as	applicable)							
	Aerial Photographs and photographic docum Obstructive Vegetation removal projects)	nentation of crossing location and conditio	n (especially for						
	Plans, schematics, details, drawings of the proposed project (as applicable)								
	Photographic documentation of the project location and condition								
	Detailed estimate								
	Road authority consultation letter (if applicant is a railroad)								
	Railroad consultation letters (if applicant is a government entity)								
	Public Interest Finding (as applicable)								
	8: RAILROAD COMPLIANCE CERTIFICATION								
he TC 59 not an eli	certify that as an applicant defined as a railroa 9-102 in compliance with the provisions of 603 igible applicant at the time of this submission, ation and returned to me without review.	3 KAR 7:090 at the time of this application.	. If it is determined I am						
RINTED	NAME AND TITLE	SIGNATURE	DATE						
loyd Bisł	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						
	9: APPLICANT CERTIFICATION (The certification								
what is st	have read the Kentucky Railroad Crossing Improvement guidance document, and I understand and agree to abide by hat is stated therein. I also hereby certify, subject to the provisions of KRS 523.100 (unsworn falsification to authorities), hat the above information is true and correct to the best of my knowledge.								
RINTED	NAME AND TITLE	SIGNATURE	DATE						
loyd Bisl	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						

Submission Directions: Applicants must combine their completed application and all required attachments into a single PDF and submit it electronically via email to KYTC.ModalPrograms@ky.gov. It is the responsibility of the applicant to ensure delivery of the emailed submission.





296793W - CS 2085 / Tucker Rd (S 0.8)

Scope of Work

CS 2085 / Tucker Rd (S 0.8)

Build 80' track panel utilizing 160 LF of NEW head-hardened 115RE rail/OTM and 48 Ea. 10' ties.

Obtain approved encroachment permit from KYTC. Provide traffic control and detour routing as necessary. Close and barricade road. Sawcut and remove existing asphalt and crossing materials. Remove existing track panel. Excavate fouled ballast to hardpan. Install track panel. Furnish and install 4 Ea. sets of 112RE to 115RE comp bars. Furnish and install number 4 ballast and DGA. Surface track panel with HARSCO Mark IV HD production tamper. Regulate ballast and broom finish track.

Furnish and install 40.625' track feet of OMNI full depth concrete crossing surface. Furnish and install 4 Ea. weld kits. Furnish and install asphalt base and surface course.

Grand Total \$144,155.50

Notes and Exclusions

Proposal is turnkey and has been determined according to P&L (CSX) and KTC specifications. Asphalt quantities have been determined based on a maximum 25' apron at each approach.

Company Proposal

We, Track Tech, Inc., hereby propose to complete the scope of work above for a lump sum price of \$144,155.50.

Proposal continues on next page...





"296793W - CS 2085 / Tucker Rd (S 0.8)"

Cost Analysis

Classification	Units	Quantity	Unit Cost	Total Cost
Track Tech Labor	LS	1	\$19,500.00	\$19,500.00
Track Tech Equipment	LS	1	\$24,500.00	\$24,500.00
P&L Railway Labor	LS	1	\$6,500.00	\$6,500.00
P&L Railway Equipment	LS	1	\$2,000.00	\$2,000.00
Asphalt Labor and Equipment	LS	1	\$10,000.00	\$10,000.00
Detour Routing, Permitting, Striping	LS	1	\$5,000.00	\$5,000.00
Waste Disposal	LS	1	\$4,000.00	\$4,000.00
Mobilization/Hotels/Per Diem	LS	1	\$6,800.00	\$6,800.00
Concrete for 115RE	Track Feet	40.625	\$460.00	\$18,687.50
115RE Rail	80' Sticks	2	\$4,840.00	\$9,680.00
10' Ties	Ea.	48	\$152.00	\$7,296.00
Plates	Ea.	96	\$26.00	\$2,496.00
Comp Bars	Pairs	4	\$1,210.00	\$4,840.00
Spikes	Kegs	6	\$152.00	\$912.00
Anchors	Ea.	292	\$5.00	\$1,460.00
Bolts	Ea.	16	\$8.00	\$128.00
Ballast	Tons	75	\$43.00	\$3,225.00
DGA	Tons	50	\$31.00	\$1,550.00
Geotextile Fabric	Ea.	1	\$968.00	\$968.00
End Plates	Set	1	\$1,573.00	\$1,573.00
Field Welds	Ea.	4	\$363.00	\$1,452.00
6" CMP	Linear Feet	50	\$34.00	\$1,700.00
Asphalt	Tons Delivered	48	\$206.00	\$9,888.00
			Grand Total	\$144,155.50



Crossing Schedule Week 1								Week 2								
Grocering Gerrodate							4	5	6	7	8	9	10	11	12	13
TASK START END							Т	F	S	S	M	Т	W	Т	F	S
Final Material Delivery	1	1														
Distribute Materials and Mobilization	2	2														
Build Track Panel	3	3														
Install Track Panel	8	8														
Install Concrete and Base Asphalt	9	9														
Install Surface Asphalt	10	10														
Demobilization	10	10														
Road Closure	8	10														

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION OMB No. 2130-0017

Instructions for the initial r		• ,,			•				• • •		•		
Form. For private highway- pedestrian station grade cr	•	• .		-						-	• •		
Parts I and II, and the Subm			-	-				•	, -	• .			
I, and the Submission Infor				_	•	•		• •	•	•			
updated data fields. Note: F		U	J	, ,		,	,			•	optional field.		
A. Revision Date	B. Reporting		1	on for Upda						D. DOT	Crossing		
(MM/DD/YYYY)	☐ Railroad	☐ Transi		-	New	,	Closed	☐ No Train	☐ Quiet		ory Number		
08 / 02 / 2024			Data	-	ssing			Traffic	Zone Update		·		
	■ State	☐ Other	☐ Re-O	pen 🗆 I	Date		Change in Primary	\square Admin.		296793	3W		
				Cha	ange On	ıly Op	erating RR	Correction					
		Р	art I: Loca	ation and	l Class	sificati	on Information	า					
1. Primary Operating Railro				2. State				3. County					
Paducah & Louisville Rai	lway Company	[PAL]		KENTU	JCKY			JEFFERSON	J				
4. City / Municipality			Road Name	& Block Nur	nber			6. Highway Ty	pe & No.				
□ In		TUCKE	R RD		I								
■ Near LOUISVILLE			Road Name)	_			Number)	CS-2085					
7. Do Other Railroads Oper	ate a Separate T	rack at Crossii	ng? □ Yes	™ No			ailroads Operate Ov	er Your Track a	t Crossing? \Box	Yes 🗷 No)		
If Yes, Specify RR					If Y	es, Spec	ity RR						
9. Railroad Division or Regi		10. Railroad S		n District	<u> </u>	11 Duan	ch or Line Name		12. RR Milepos				
9. Kaliroad Division of Regi	on	10. Kaliroad S	subalvision (or District	-	II. Bran	cn or Line Name			τ).800 ι			
□ None KENTUCKY		☐ None	LOUISVILL	E	1	□ None	STD OIL LEAD			n.nnn)	 (suffix)		
13. Line Segment	14. Nea	rest RR Timeta	ble	15. Parent				16. Crossin	g Owner (if appl		1 (Suffix)		
*	Station	*			(1)	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-,		Bearing (i) app.	,			
SO-4	SHIVE	LY		□ N/A	PAL			□ N/A	PAL				
17. Crossing Type 18. C	rossing Purpose	19. Crossir	ng Position	20. Publi	c Acces	s	21. Type of Train			22. Averag	ge Passenger		
I Hi	ghway	🗷 At Grad	e	(if Privat	e Crossir	ng)	■ Freight	□ Transit	-	Train Cour	nt Per Day		
	thway, Ped.	☐ RR Und		☐ Yes			☐ Intercity Passenge	- I					
□ Private □ Station, Ped. □ RR Over □ No □ Commuter □ Tourist/Other □ Number Per Day 0										r Per Day <u> 0</u>			
23. Type of Land Use													
☐ Open Space ☐ Far		idential	Commerc		Industri		☐ Institutional	☐ Recreatio	nal 🗆 RR	Yard			
24. Is there an Adjacent Crossing with a Separate Number? 25. Quiet Zone (FRA provided)													
☐ Yes ■ No If Yes, Pr	ovide Crossing N	lumher		[XI Ni	0 🗆 2	'4 Hr Г	☐ Partial ☐ Chicag	o Excused	Date Establish	ned			
26. HSR Corridor ID		tude in decima	l degrees		_		in decimal degrees	o Excuseu		Long Sou	ırce		
201 11011 00111001 12			•			_	•			, ,			
🗷 N/	4 <i>(WGS84</i>	std: nn.nnnn	_{nnn)} 38.20	86600	(WGS	84 std:	-nnn.nnnnnnn) -85.8	3110280	ጃ Act	ual 🗆 I	Estimated		
30.A. Railroad Use *							ate Use *						
30.B. Railroad Use *					3	31.B. St	ate Use *						
30.C. Railroad Use *					3	31.C. St	ate Use *						
30.D. Railroad Use *						21 D C4	ate Use *						
30.D. Kaliroad Ose						31.D. 3	ate use						
32.A. Narrative (Railroad L	Ise) *					32 R N	arrative (State Use) *	*					
JEIA: Harrative (Hamoua e	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				`	J2.D. 14	arrative (State OSe)						
33. Emergency Notification	Telephone No.	(posted)	34. Railroa	d Contact (Telepho	ne No.)		35. State Con	tact (Telephone	No.)			
,	•	,			•	,				,			
800-444-2580			270-444-	4300 				502-564-321	0				
			P	art II: Rai	Iroad	Infor	mation						
1. Estimated Number of Dai	ly Train Moveme	ents											
1.A. Total Day Thru Trains	•	otal Night Thru	Trains 1	.C. Total Swi	tching T	rains	1.D. Total Transit 1	Trains	1.E. Check if Le	ss Than			
(6 AM to 6 PM)		to 6 AM)			Ü				One Movemen	t Per Day			
2	2		()			0		How many trai	ns per wee	ek? <u>0</u>		
2. Year of Train Count Data	(YYYY)		Speed of Tra										
0045			A. Maximum					40					
2015		3.1	B. Typical Spe	eed Range O	ver Cros	ssing (m	oh) From <u>5</u>	to_10					
4. Type and Count of Tracks													
Maria 1 Cidina) v.	ard 0	Transit	n	Indust	· 0							
Main 1 Siding 6 5. Train Detection (Main Tra		ard <u> </u>	Transit_		indust	try <u> </u>							
☐ Constant Warning Tir	• • •	Detection []AFO □ PT	C 🗆 DC	☐ Oth	or 🕱	None						
Constant Warning III		Detection L				E1 124	None						
6. Is Track Signaled?			7.	A. Event Red	order				7.B. Remote	Health Mo	nitoring		

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (A 08/02/2024	MM/DD/YYYY)					P	AGE 2			D .	Crossing Inve	ntory Nun	n ber (7 c	har.)		
		Par	t III: Hi	ghway o	r Path	way [·]	Traffic (Control De	evice							
1. Are there	2. Types of Pa	ssive Traffic	Control D	Devices asso	ciated w	ith the	Crossing									
Signs or Signals?	2.A. Crossbuck Assemblies (co	ount) (co	•	gns <i>(R1-1)</i>	(count	_	ns <i>(R1-2)</i>	□ W10-1	1	arning S		· · · · · ·	_ \ \	/10-11		None
2.E. Low Ground Cl	2 earance Sign	2.F. Pavem	ent Mark	kings	2			□ W10-2 nnelization			☐ W10-4		2.I. EN	• •	-13)	
(W10-5) ☐ Yes (count)	☐ Stop Lin		,	mic Enve	elope	•	proaches	□ Ме		(R15-3) □ Yes		Display Yes	red		
■ No		☐ RR Xing	•	■ None	e		☐ One A	• •	ION 🗷		■ No		□ No			
2.J. Other MUTCD S	_	☐ Yes					2.K. Priva Signs (if p	nte Crossing Orivate)	2.L.	. LED En	hanced Signs	(List types)			
Specify Type Specify Type		Count _ Count _		_			□ Yes	□ No	no							
Specify Type Count																
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply) 3.A. Gate Arms 3.B. Gate Configuration 3.C. Cantilevered (or Bridged) Flashing Light 3.D. Mast Mounted Flashing Lights 3.E. Total Count of																
3.A. Gate Arms (count)	3.B. Gate Con	figuration		Structures		or Briag	<i>ied)</i> Flashii	ng Light			viounted Flasi _{nasts)} 0	ning Lights	i			ount of nt Pairs
(county	☐ 2 Quad	☐ Full (Barr	ier)	Over Traffi	. ,	0	☐ In	candescent		Incande		 □ LED		1 103111	661	icrans
Roadway 0	☐ 3 Quad	Resistance	ŕ							Back Lig	hts Included	☐ Side	Lights	0		
Pedestrian 0	☐ 4 Quad	☐ Median (Not Over T		ne <u>0</u>		D				Include				
3.F. Installation Dat		a)	3.G	. Wayside H	orn						lighway Traffi	c Signals C	ontrollin	_	.I. Bells	i
Active Warning Dev		•		Yes Insta	alled on ((MM/Y	YYY)	_/		Cross					count)	
No																
3.J. Non-Train Active Warning □ Flagging/Flagman □Manually Operated Signals □ Watchman □ Floodlighting □ None 3.K. Other Flashing Lights or Warning Devices Count 0 Specify type																
4.A. Does nearby Hwy 4.B. Hwy Traffic Signal 4.C. Hwy Traffic Signal Preemption 5. Highway Traffic Pre-Signals 6. Highway Monitoring Devices																
Intersection have Interconnection ☐ Yes ☑ No (Check all that apply) Traffic Signals? ☐ Not Interconnected ☐ Yes ☑ No (Check all that apply) ☐ Yes - Photo/Video Recording																
Traffic Signals?		nterconnecter raffic Signals		Simultaneou	ıc			Storage Dista	nco *			□ Yes -				
☐ Yes IX No		arning Signs		Advance	15			Stop Line Dis				■ None		i resent	e Dete	Ction
				Pa	rt IV: I	Physi		racteristic								
1. Traffic Lanes Cros	ssing Railroad	☐ One-way	Traffic		. Is Road					un Dow	n a Street?	4. Is Cro	ssing Illu	ıminate	d? (Sti	reet
Number of Lanes	_	■ Two-way□ Divided T		Pa	aved? ⊠ Ye	es [□ No	[□ Yes	X 1	No	lights wi nearest i			feet fra □ No	om
5. Crossing Surface					ation Dat	te * (MI	M/YYYY) _			_ Wid	th * 12		Length *	* 33		
☐ 1 Timber 🗷 ☐ 8 Unconsolidate	•	•			oncrete	□ 5 ———	Concrete	and Rubber	□ 6	Rubbe	r 🗆 7 Me	tal -				
6. Intersecting Roa	dway within 500) feet?					7. Smalle	st Crossing A	ngle			8. Is Co	mmercia	ıl Powe	r Availa	ıble? *
☐ Yes 🗷 No	If Yes, Approxin	nate Distance	(feet)				□ 0° − 29	9° ∡ 30°	– 59°		60° - 90°		■ Yes	s 🗆	No	
				Part	V: Pul	blic H	ighway	Informat	ion							
1. Highway System			2. Func	tional Classi	fication o	of Road	at Crossir	ıg	3.	Is Cross	sing on State I	Highway	4.1	Highway	y Speed	Limit
_					(0) Rural		1) Urban		,	stem?	_		10		MI	
	tate Highway Sy			nterstate			(5) Majo	Collector		Yes				Posted	I Sta	atutory
	Nat Hwy Syster al AID, Not NHS		٠,	Other Freew Other Princip	,	•	,	Collector	05	Linear I 6 CS-2	Referencing S [.] 085F	ystem (LRS	Route II	D) *		
■ (08) Non-F	•			Minor Arteri			(7) Local	•	6.	LRS Mil	epost * 0.14	27				
7. Annual Average Year 1987 AA	Daily Traffic <i>(A</i> DT <u>002000</u>	ADT) 8. I 20		d Percent Tru	ucks %	9. Reg □ Yes		d by School B Average Nu		per Day		_ 10. _ □ Y	Emerge 'es [ncy Ser	vices R	oute
Submi	Submission Information - This information is used for administrative purposes and is not available on the public website.															
Submitted by				Organizat							Phone			Date		
Public reporting bu sources, gathering a					_		-	•	_			-		_	_	
agency may not cor	_					_										
displays a currently	valid OMB cont	rol number.	The valid	OMB contro	ol numbe	er for ir	nformation	collection is	2130-0	0017. S	end commen	ts regardin	g this bu	ırden es	stimate	
other aspect of this		ıding for redu	icing this	burden to:	Informat	tion Co	llection Of	ficer, Federal	Railro	ad Adm	inistration, 12	200 New Je	ersey Ave	e. SE, M	IS-25	
Washington, DC 20	590.															


U.S. Department of Transportation RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 01/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

						Υe	arly A	ccide	nt Cou	int								
PRED ACC RANK	AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	23	22	21	20	19	DATE CHG	W D	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.002022	296793W	PAL	LOUISVILLE, KY (JEFFERSON)	TUCKER RD	0	0	0	0	0		ХВ	4	3	10	Yes	2	2000
TTL:	0.002022					0	0	0	0	0								





Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM

Fee receipt: \$15.00

Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov

Annual Report Online Filing For the Year 2025

ARP

Company: PADUCAH & LOUISVILLE RAILWAY, INC.

Company ID: 0212961 State of origin: Kentucky

Formation date: 3/17/1986 12:00:00 AM Date filed: 1/10/2025 9:59:56 AM

Fee: \$15.00

Principal Office 200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

Current Officers

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

Directors

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Director	John P Patelli	500 Water St., Jacksonville FL 32202
Director	Joe Forkum	500 Water St., Jacksonville FL 32202
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003

County: MCCRACKEN

Business size: Large

Business type: Railroad Transportation

Signatures

Signature Thomas A Greene Title President & CEO

Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

Certificate of Existence

Authentication number: 327839

Visit https://web.sos.ky.gov/ftshow/certvalidate.aspx to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30th day of January, 2025, in the 233rd year of the Commonwealth.



Michael G. adams

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961



PUBLIC WORKS & ASSETS LOUISVILLE, KENTUCKY

CRAIG GREENBERG
MAYOR

JENNIFER CAUMMISAR-KERN, PE
DIRECTOR

February 6, 2025

Re: Consultation Letter for P&L Railway

Crossing Improvements in Jefferson County, KY

DOT# 296793W Tucker Road DOT# 296804G Kramers Ln

To whom it may concern:

Louisville Metro Public Works & Assets has been contacted regarding crossing signal improvements for the Paducah and Louisville Railway (P&L). P&L is seeking funding for these improvements through the KYTC-KRCI grant program. Louisville Metro Public Works & Assets supports the proposed improvements and will coordinate with P&L to execute these improvements.

Sincerely,

all andrews

Al Andrews, P.E.

Engineering Manager

Division of Permits & Licenses

Louisville Metro Public Works & Assets

502-574-3958