

TC 59-13 Rev. 02/2021 Page 1 of 4

#### KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIEW	V								
АРІ	PLICANT NAME		DOT CRC	SSING #	APPLICATION YEAR				
Paducah & Louisville Railway			296950M		2025				
BOADN	A N 4 E	ROAD MILE	C	ROSSING LC	CATION				
ROAD NA	AIVIE	POINT	CI	ΓΥ	COUNTY				
KY-2192/ Millwood		77.9	Leitchfield		Grayson				
	PROJEC	T TYPE							
Crossing Rehab Full Crossing Renewal (ADT <	Crossing < 400) Select Or	•		Obstructive V	egetation Removal				
TOTAL PROJECT COST	KRCI FUNDING REQUESTED	APPLICANT	ANT MATCH % % Minimum)						
\$ 216,477.00	<b>\$</b> 173,181.60	<b>\$</b> 43,295.40			20 %				
Does applicant plan to use their competitively hid out all work re			the project	(Force Acco	unt) or				
competitively bid out all work related to the project? Combination  PROJECT DESCRIPTION (Provide a brief project description. Include why the crossing was selected, project purpose and benefits, and the proposed work to be completed. Text is limited to the space provided below.)  Statement of Work:  The purpose of this project is to upgrade and improve the crossing surface and therby, increasing crossing safety.  Scope of Work:  *Provide traffic control & detour routes  *Remove existing asphalt appraches & track panel  *Excavate fouled ballast to hard pan, create positive drainage away from crossing surface  *Install new track panel w/ clean ballast rock  *Install new concrete crossing surface with asphalt approaches									
	FOR KYTC	USE ONLY							
Date Received:	FRA WBAPS Score:		Secretai	ry Approval:	□ Y □ N				
Application Complete   603 KAR 7:090 Compliant	N Match %:			KRCI Award Amount:					
Eligible Applicant	Road ADT:		Date:						



TC 59-13 Rev. 02/2021 Page 2 of 4

#### KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 2:	SECTION 2: APPLICANT INFORMATION												
Is the applica	ant a rai	Iroad?	□ NO 🖂	YES (Pro	vide KY Sec	retary	of State in	form	ation.)				
KY SECRET	TARY OF	STATE (	KY SOS) ORG	SANIZAT	ION ID OF	R #		KY S	OS STATUS	KY	SOS STANDING		
0212961						A-Active G-Good							
				PRIMA	RY CONTA	CT IN	NFORMATI	ION					
		NAME	& TITLE				PHONE		EMAIL				
Floyd Bishop	o - VP & (	Chief Eng	gineer			812-	270-0551		fbishop@palrr.	.com			
	l	MAILING	ADDRESS					CITY	<u> </u>	STATE	ZIP		
200 Clark St.						Padu	ıcah			KY	42003		
If awarded, will signatory be different from the Primary Co							? ⊠ NO		YES (Provide sign	natory inf	ormation.)		
SIGNATORY NAME & TITLE							PHONE			EMAIL			
MAILING ADDRESS								CITY	<u> </u> 	STATE	ZIP		
	252141												
SECTION 3:				al agenc	ies (US Ar	mv C	orps of Eng	ginee	rs, US Coast Gua	ard. US F	ish and Wildlife		
				_	=	•	•	-	etermined the n				
Not Appli	icable												
B. Have all r	equired	permits	been obtain	ed? Not	Applicabl	е							
SECTION 4:	CURREN	IT RAILR	OAD CROSS	ING INFO	ORMATIO	<b>V</b> (Sed	ction 4 mus	t be co	ompleted for <b>ALL</b>	projects.)			
# OF TRAFFIC LANES		SPEED VIIT	AVERAGE (ADT) A	DAILY T		RAILROAD DIVISION							
2	3	5		343		Kent	ucky						
TYPICAL T SPEED A CROSSI	AT		RACKS AT DSSING					E	BRANCH/LINE N	AME			
30			3	77	'.99	Main							
AVERAGE MOVEMENT			FRA TRACK		1	TOTALS FROM PREVIOUS 5 YEARS AT CROSS					OSSING		
	10		61	2	CF	RASH	ES	ı	FATALITIES	I	NJURIES		
10 Class 3				0			0	0					



TC 59-13 Rev. 02/2021 Page 3 of 4

#### KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 5: CROSSING RECONSTRUCTION (Required ONLY for Crossing Reconstruction projects.)												
CURRENT CROSSING												
DATE INSTALLED	WIDTH OF ROAD		SURFACE MAT	TERIAL		WEIG	GHT OF RAIL					
	27 feet		Timber				115					
SURFACE CONDITION	VISIBLE TIE CON	NDITION	APPROACH C	ONDITION	DRAINAGE CONDITION							
Poor	Fair		Fair			Fa	ir					
	P	ROPOSED RE	CONSTRUCTION									
PROJECT IMPACT ON SID PATH, OR RECREAT			CHANGE IN TRAC		LENG	GTH OF	ASPHALT DACH					
No			1 inches		Tape 25 fe		Taper 2 25 feet					
REPLACEMENT CROSSING SURFACE: Full-depth Concrete												
SECTION 6: CROSSING SAFETY EQUIPMENT IMPROVEMENT (Required ONLY for Crossing Safety Equipment Improvement projects.)												
				INSTALL	UPO	RADE	EXISTING					
A. Project Signage Work:	Crossing Signs and N	/larkings										
2. Describe in detail signs and markings <u>proposed</u> at crossing as part of the project. <i>(Text is limited.)</i>												
	INSTALL UPGRADE EXISTING											
B. Project Signal Work: A												
Describe in detail active traffic control devices <u>currently</u> used at crossing.      Describe in detail active traffic control devices <u>proposed</u> at crossing as part of the project.												




TC 59-13 Rev. 02/2021 Page 4 of 4

#### KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

ECTION	7: SUBMISSION CHECKLIST (See KRCI Guidance	e Document, Section V, for details.)							
	Kentucky Railroad Crossing Improvement Ap	oplication (TC 59-13)							
	Statement of Work								
	Scope of Work								
	Project Schedule/Timeline								
	Detailed engineering assessment report (as applicable)								
$\boxtimes$	Aerial Photographs and photographic documentation of crossing location and condition (especially for Obstructive Vegetation removal projects)								
	Plans, schematics, details, drawings of the pr	roposed project (as applicable)							
	Photographic documentation of the project	location and condition							
	Detailed estimate								
	Road authority consultation letter (if applica	ant is a railroad)							
	Railroad consultation letters (if applicant is a government entity)								
	Public Interest Finding (as applicable)								
ECTION	8: RAILROAD COMPLIANCE CERTIFICATION (	(Required <u>ONLY</u> if applicant is a railroad.)							
he TC 59 not an eli	certify that as an applicant defined as a railroa 0-102 in compliance with the provisions of 603 igible applicant at the time of this submission, ation and returned to me without review.	3 KAR 7:090 at the time of this application. I	If it is determined I am						
		SIGNATURE	DATE						
loyd Bisl	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						
	9: APPLICANT CERTIFICATION (The certification								
what is st	ave read the Kentucky Railroad Crossing Improvement guidance document, and I understand and agree to abide by at is stated therein. I also hereby certify, subject to the provisions of KRS 523.100 (unsworn falsification to authorities), t the above information is true and correct to the best of my knowledge.								
	I	SIGNATURE	DATE						
loyd Bisl	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						
			'						

**Submission Directions:** Applicants must combine their completed application and all required attachments into a single PDF and submit it electronically via email to <a href="mailto:KYTC.ModalPrograms@ky.gov">KYTC.ModalPrograms@ky.gov</a>. It is the responsibility of the applicant to ensure delivery of the emailed submission.





### 296950M - KY 2193 / Millwood (77.99)

#### **Scope of Work**

#### **KY 2193 / Millwood (77.99)**

Build 2 Ea. 80' track panels utilizing the following materials: 320 LF of NEW head-hardened 115RE rail/OTM and 86 Ea. 10' ties.

Obtain approved encroachment permit from KYTC. Provide traffic control and detour routing as necessary. Close and barricade road. Sawcut and remove existing asphalt and crossing materials. Remove existing track panels. Excavate fouled ballast to hardpan. Install track panels. Furnish and install 4 Ea. sets of 115RE bars and 4 Ea. sets of 112RE to 115RE comp bars. Furnish and install number 4 ballast and DGA. Surface track panels with HARSCO Mark IV HD production tamper. Regulate ballast and broom finish track.

Furnish and install 65' track feet of OMNI full depth concrete crossing surface for 115RE across both tracks (32.5' per track). Furnish and install 8 Ea. weld kits. Furnish and install asphalt base and surface course.

Grand Total \$216,477.00

#### **Notes and Exclusions**


Proposal is turnkey and has been determined according to P&L (CSX) and KTC specifications. Asphalt quantities have been determined based on a maximum 25' apron at each approach.

#### **Company Proposal**

We, Track Tech, Inc., hereby propose to complete the scope of work above for a lump sum price of \$216,477.00.

Proposal continues on next page...







#### **Cost Analysis**

01 15 11	11.24	GUST WHATASIS	11 " 2 1	7.410
Classification	Units	Quantity	Unit Cost	Total Cost
Track Tech Labor	LS	1	\$29,700.00	\$29,700.00
Track Tech Equipment	LS	1	\$37,400.00	\$37,400.00
P&L Railway Labor	LS	1	\$7,300.00	\$7,300.00
P&L Railway Equipment	LS	1	\$2,200.00	\$2,200.00
Asphalt Labor and Equipment	LS	1	\$15,000.00	\$15,000.00
Detour Routing, Permitting, Striping	LS	1	\$5,000.00	\$5,000.00
Waste Disposal	LS	1	\$6,000.00	\$6,000.00
Mobilization/Hotels/Per Diem	LS	1	\$7,500.00	\$7,500.00
Concrete for 115RE	Track Feet	65	\$460.00	\$29,900.00
115RE Rail	80' Sticks	4	\$4,840.00	\$19,360.00
10' Ties	Ea.	86	\$152.00	\$13,072.00
Plates	Ea.	172	\$26.00	\$4,472.00
Comp Bars	Pairs	4	\$1,210.00	\$4,840.00
Straight Bars	Pairs	4	\$218.00	\$872.00
Spikes	Kegs	8	\$152.00	\$1,216.00
Anchors	Ea.	444	\$5.00	\$2,220.00
Bolts	Ea.	32	\$8.00	\$256.00
Ballast	Tons	75	\$43.00	\$3,225.00
DGA	Tons	50	\$31.00	\$1,550.00
Geotextile Fabric	Ea.	1	\$968.00	\$968.00
End Plates	Set	2	\$1,573.00	\$3,146.00
Field Welds	Ea.	8	\$363.00	\$2,904.00
6" CMP	Linear Feet	80	\$34.00	\$2,720.00
Asphalt	Tons Delivered	76	\$206.00	\$15,656.00
			Grand Total	\$216,477.00



Crossing Schedule						eek	c 1			Week 2						
Orosonig Gonodalo						3	4	5	6	7	8	9	10	11	12	13
TASK	START	END	s	М	т	W	Т	F	S	S	M	Т	W	Т	F	S
Final Material Delivery	1	1														
Distribute Materials and Mobilization	2	2														
Build Track Panels	3	4														
Install Track Panel	8	9														
Install Concrete and Base Asphalt	10	10														
Surface Asphalt Installation	11	11														
Demobilization	11	11														
Road Closure	8	11														

#### **U. S. DOT CROSSING INVENTORY FORM**

#### **DEPARTMENT OF TRANSPORTATION**

FEDERAL RAILROAD ADMINISTRATION OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted.  A. Revision Date  B. Reporting Agency  C. Reason for Update (Select only one)  D. DOT Crossing																
A. Revision Date		B. Reporting A	· .			•	•	,	,					•		
( <i>MM/DD/YYYY</i> ) 07 / 12 / 2024		☐ Railroad	☐ Tra	ansit LM C	Change i ta		New ssing		Closed	☐ No Train Traffic	☐ Quiet Zone Update		Invent	ory Number		
		<b>I</b> State	□ Otl		□ Re-Open □ Date Change C				Change in Primary	☐ Admin. Correction	20110 01	Judic	296950	MC		
				Part I: I	ocati				ion Information							
1. Primary Operating Paducah & Louisvi			[PAL]			2. State KENTU		(		3. County GRAYSON						
4. City / Municipality			KY	eet/Road Na 2193/MILL\	WOOD		nber	_1		6. Highway Ty	pe & No.					
Near LEITCH				et/Road Nar		No	0.		k Number)	KY-2193	t Crossina	2	os V			
7. Do Other Railroads Operate a Separate Track at Crossing?																
9. Railroad Division o	r Region		10. Railro	pad Subdivisi	ion or D	District		11. Brar	nch or Line Name		12. RR M	ilepost 0077.				
□ None KENTU	JCKY		☐ None	LOUISV				☐ None			(prefix)			(suffix)		
13. Line Segment *		14. Near Station	rest RR Tim	netable	15	5. Parent l	RR (ij	f applicab	e)	16. Crossin	g Owner (	if applic	cable)			
J-154		MILLW	/OOD		_   _	N/A	PAL			□ N/A	PAL					
17. Crossing Type		ssing Purpose		ossing Position		20. Public			21. Type of Train				•	ge Passenger		
■ Public	■ High	way way, Ped.	I At G □ RR U			(if Private  ☐ Yes	? Cros	ssing)	▼ Freight     □ Intercity Passeng	☐ Transit	: I Use Trans			<b>nt Per Day</b> an One Per Day		
☐ Private	□ Statio	• •	□ RR C			□ No			☐ Commuter	Tourist				er Per Day 0		
23. Type of Land Use											-	•		·		
☐ Open Space  24. Is there an Adjace	☐ Farm		idential	☐ Comr	nercial		Indus		Institutional A provided)	☐ Recreation	nal	☐ RR \	Yard			
24. Is there an majus.	2111 C1 035	ilig with a Jep	diate itu	IDCI i		25. 🤇	uice.	ZONE (77.	4 provided)							
	Yes, Provi	ide Crossing N				■ No	1	24 Hr [		go Excused	Date Es					
26. HSR Corridor ID		27. Latit	ude in dec	cimal degree			28.	Longitua	e in decimal degrees		[ '	29. Lat/	Long Sou	ırce		
	_X N/A	(WGS84	std: nn.nı	nnnnnn) 37	7.45150	)70	(W		-111111.1111111111111111111111111111111	5.388281	[	<b>X</b> Actua	al 🗆	Estimated		
30.A. Railroad Use	*								tate Use *							
30.B. Railroad Use									ate Use *							
30.C. Railroad Use							ļ		ate Use *							
30.D. Railroad Use								31.D. S	tate Use *							
32.A. Narrative (Rai	Iroad Use	* KY 2192	& MILLW	OOD- CRO	OSSING	G SURF	4CE	32.B. N	arrative (State Use)	* KY 2192 & M	IILLWOO	D- CR	OSSING	G SURFACE W		
<b>33. Emergency Notifi</b> 800-444-2580	cation Te	lephone No. (	posted)		ilroad C 444-430	Contact (7	ГеІері	hone No.)		<b>35. State Con</b> 502-564-321		ohone N	Vo.)			
000-444-2000				210-				1								
4 Estimated Number	of Daily.	Train Moveme	- ata		Part	: II: Kan	iroa	d Infor	mation							
1. Estimated Number 1.A. Total Day Thru T				Thru Trains	1.C.	Total Swit	tching	o Trains	1.D. Total Transit	Trains	1.E. Chec	k if Les	s Than			
(6 AM to 6 PM) 5	10		to 6 AM)		0			,	0	114	One Mov	ement/	Per Day	ek? <u>0</u>		
2. Year of Train Coun	t Data (YY	YY)		3. Speed of		•	_	·····51 3(	1							
2015			]	3.A. Maxim 3.B. Typica					ph) From 25	to _30						
4. Type and Count of	Tracks				· - r			<u>, 0.2.2. 0 ,                            </u>								
	Siding 2		ard 0	Trar	nsit 0		Indu	ustry 0								
5. Train Detection (M  Constant Warr		,,	Dotoction	□AFO□	¬ DTC	□ DC	п <b>о</b>	ther $\square$	None							
6. Is Track Signaled?		IVIOLIOII	Detection	AIO L		Event Rec			None		7.B. Re	mote H	lealth Mo	 onitoring		
Yes □ No																

#### **U. S. DOT CROSSING INVENTORY FORM**

<b>A. Revision Date</b> (NO7/12/2024	/M/DD/YYYY)					P/	AGE 2			<b>D.</b> 296	Crossing Inve	ntory Num	<b>iber</b> (7 c	har.)	
		Pa	rt III: H	ighway o	r Pathv	way 1	Traffic (	Control De	evice	Infor	mation				
1. Are there	2. Types of Pa	assive Traffi	c Control	Devices asso	ciated wi	th the	Crossing								
Signs or Signals?	2.A. Crossbuc			igns <i>(R1-1)</i>		_	ns <i>(R1-2)</i>				igns <i>(Check al</i>				
■ Yes □ No	Assemblies (c	ount) (c	ount)		(count) 0			■ W10-1				l	•	/10-1 /10-1	1
2.E. Low Ground Cl	earance Sign	2.F. Pave	ment Mai	rkings				nnelization			2.H. EXEMP		2.I. ENS	Sign	
(W10-5) $\square$ Yes (count	)	☐ Stop L	inoc	□Dyna	mic Envel	lone		Medians proaches	☐ Med	dian	(R15-3) □ Yes	Displayed			
■ No	/		g Symbols	,		юре	☐ One A	•	■ Non		I No		□ No		
2.J. Other MUTCD S	Signs	☐ Yes	<b>■</b> No					ate Crossing	2.L.	LED En	hanced Signs	(List types,	)		
Specify Type Count 2 Signs (if private)															
Specify Type		Count					☐ Yes	□ No	no						
Specify Type Count Specify Type Count Specify Count of each device for all that apply Specify Count of e															
3.A. Gate Arms										Total Count of					
(count)		□ <b>5</b> 11 / 5		Structures		0				•	nasts) 2			Flas	hing Light Pairs
Roadway 0	☐ 2 Quad ☐ 3 Quad	☐ Full (Ba	•	Over Traffi	c Lane	0	_ ⊔ In	candescent		ncande Jack Lig	scent hts Included	I LED I Side	Lights	_	
Pedestrian 0	☐ 4 Quad	☐ Mediar		Not Over T	raffic Lan	e <u>0</u>	_ 🗆 LE	D				Include	0	6	
3.F. Installation Dat	e of Current		3.0	<u> </u> G. Wayside H	orn				1	3.H. F	lighway Traffi	c Signals Co	ontrollin	g	3.I. Bells
Active Warning Devices: (MM/YYYY)  Crossing (count)										` '					
No I les la No															
3.J. Non-Train Active Warning □ Flagging/Flagman □Manually Operated Signals □ Watchman □ Floodlighting ■ None  3.K. Other Flashing Lights or Warning Devices Count 0 Specify type															
4.A. Does nearby Hwy 4.B. Hwy Traffic Signal 4.C. Hwy Traffic Signal Preemption 5. Highway Traffic Pre-Signals 6. Highway Monitoring Devices										Devices					
Intersection have Traffic Signals?	Intercon	nection nterconnect	ed					□ Yes 🗷	No			(Check al ☐ Yes - I			Recording
J	Simultaneou	us			Storage Dista				□ Yes –	Vehicle I		nce Detection			
☐ Yes 🗷 No	☐ For V	/arning Sign	s 🗆	Advance				Stop Line Dis		* 5		■ None			
1 Traffic Lance Cra	ssing Dailraad		Troffic		. Is Roady			racteristic		n Dow	n a Street?	4 Is Cro	ssing Illu	mina	ted? <i>(Street</i>
1. Traffic Lanes Cros		<b>▼</b> Two-wa	ay Traffic		aved?	•	·					lights wit	thin appi	rox. 5	0 feet from
Number of Lanes		☐ Divided		red) Installa	¥ Yes ation Date		□ No M/YYYY)		□ Yes		No <sub>Jth</sub> * 20	nearest r			■ No
■ 1 Timber □ □ 8 Unconsolidate	2 Asphalt $\square$	3 Asphalt	and Timb	er 🗆 4 Co						_	r 🗆 7 Me		- 0-		
6. Intersecting Roa	dway within 50	0 feet?					7. Smalle	est Crossing A	ngle			8. Is Co	mmercia	l Pow	er Available? *
✓ Yes   ✓ No	If Yes, Approxir	nate Distan	re (feet) '	120			□ 0° – 29	9° □ 30°	– 59°	T¥	60° - 90°		¥ Yes	:	□ No
			<del>, c () c c () _</del>		V: Pub	lic H		Informat			00 30				
1. Highway System			2. Fun	ctional Classi						ls Cross	sing on State H	Highway	4. H	lighw	ray Speed Limit
☐ (01) Interes	+-+-				(0) Rural	•	•	. Callantan		stem?			35		MPH
	tate Highway Sy Nat Hwy Systei			Interstate Other Freew	avs and E			r Collector		Yes Linear I	☐ No Referencing Sy	ustem (IRS			d   Statutory
☐ (03) Feder	al AID, Not NHS		□ (3)	Other Princip	oal Arteria	al 🗆	(6) Minor	Collector	043	<u> 3 KY-2</u>	193		noute n		
<ul><li>(08) Non-F</li><li>7. Annual Average</li></ul>		ADT) 8		Minor Arteri			(7) Local	d by School B		LK2 IVIII	epost * 0.21		Emorgo	ncy S	ervices Route
	DT 000343	AD1) 8.			_	¥ Yes	•	Average Nu		er Day	2	_	_	□ No	ervices Route
Submi	ission Infor	mation -	This inf	ormation i	s used f	or ad	ministra	itive purpo	ses an	nd is n	ot availabl	e on the	public	web	site.
Submitted by				_ Organizat	ion						Phone		0	oate _	
Public reporting bu															
sources, gathering a	-					_									
displays a currently	valid OMB con	trol number	. The vali	d OMB contr	ol numbe	r for in	formation	collection is	2130-0	017. S	end comment	s regardin	g this bu	rden	estimate or any
other aspect of this Washington, DC 20		uding for re	ducing thi	s burden to:	Informati	ion Col	lection Of	ficer, Federal	Railroa	ad Adm	inistration, 12	200 New Je	ersey Ave	e. SE,	MS-25



### RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 01/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

								Yearly Accident Count										
PRED ACC RANK	AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	23	22	21	20	19	DATE CHG	W	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.001796	296950M	PAL	LEITCHFIELD, KY (GRAYSON)	KY 2193/ MILLWOOD	0	0	0	0	0		FL	10	5	30	Yes	2	343
TTL:	0.001796					0	0	0	0	0								





### Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM

Fee receipt: \$15.00

Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov

# Annual Report Online Filing For the Year 2025

**ARP** 

Company: PADUCAH & LOUISVILLE RAILWAY, INC.

Company ID: 0212961 State of origin: Kentucky

Formation date: 3/17/1986 12:00:00 AM Date filed: 1/10/2025 9:59:56 AM

Fee: \$15.00

Principal Office 200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

#### **Current Officers**

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

#### **Directors**

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Director	John P Patelli	500 Water St., Jacksonville FL 32202
Director	Joe Forkum	500 Water St., Jacksonville FL 32202
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003

County: MCCRACKEN

Business size: Large

Business type: Railroad Transportation

Signatures

Signature Thomas A Greene Title President & CEO

### Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

#### **Certificate of Existence**

Authentication number: 327839

Visit <a href="https://web.sos.ky.gov/ftshow/certvalidate.aspx">https://web.sos.ky.gov/ftshow/certvalidate.aspx</a> to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

#### PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30<sup>th</sup> day of January, 2025, in the 233<sup>rd</sup> year of the Commonwealth.



Michael G. adams

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961



Andy Beshear
GOVERNOR

Jim Gray

Department of Highways, District 4 Office 634 East Dixie Elizabethtown, KY 42702 270-766-5066

February 5, 2025

Re: Consultation Letter for P&L Railway
Track and Crossing Safety Improvements in Grayson County, KY
Kefauver Road, KY 2193 - 296950M
Spring Lick Road, KY 736 - 296965C
North Main Street, KY 79 - 296960T

To whom it may concern:

The Kentucky Transportation Cabinet - District 4 (KYTC-D4) has been contacted regarding track and crossing safety improvements for the Paducah and Louisville Railway (P&L) on the three referenced State maintained roadways. P&L is seeking funding through the KYTC-KRCI grant program. This letter is to confirm KYTC-D4's support of the proposed improvements. Please feel free to reach out it anything else is needed.

Sincerely,

Chris Hampton

Chris Hampton, P.E. Transportation Engineer Supervisor KYTC-D4 Permits 502-764-0744

