

TC 59-13 Rev. 02/2021 Page 1 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIEW	N				
АР	PLICANT NAME		DOT CRO	SSING #	APPLICATION YEAR
Paducah & Louisville Railway			297183S		2025
BOADN	ANAF	ROAD MILE	C	CROSSING LOCATION	
ROAD N	AIVIE	POINT	CIT	ГҮ	COUNTY
North Main Street		209.1	Calvert City		Marshall
	PROJEC	T TYPE			
Crossing Rehab Select One	igotimes Crossing Upgrade	Safety Obstructive Vegetation Res			
TOTAL PROJECT COST	KRCI FUNDING REQUESTED	APPLICANT	МАТСН		ANT MATCH % % Minimum)
\$ 306,978.16	\$ 245,582.53	\$ 61,395.63			20 %
Does applicant plan to use their competitively bid out all work re			the project	(Force Acco	unt) or
PROJECT DESCRIPTION (Provide and the proposed work to be comp. Statement of Work: The purpose of this project is to railroad crossing. Scope of Work: *Replace crossing controls and v*Install 2 S-60 gate combos *Install LED lighting *Install 6x6 house *Install GCP 3000 plus with 40 a	leted. Text is limited to the space upgrade and improve signal warning equipment	e provided below	.)		
	FOR KYTC	USE ONLY			
Date Received:	FRA WBAPS Score:		Secretar	y Approval:	□ Y □ N
Application Complete 603 KAR 7:090 Compliant	N Match %:		-	KRCI Award Amount:	
Eligible Applicant	Road ADT:		Date		



TC 59-13 Rev. 02/2021 Page 2 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 2:	APPLICA	ANT INFO	DRMATION									
Is the applica	ant a rail	lroad?	□ NO 🖂	YES (Pro	vide KY Seci	retary	of State in	form	ation.)			
KY SECRET	KY SECRETARY OF STATE (KY SOS) ORGANIZATION ID OI								R # KY SOS STATUS			
0212961						A-Active G-Good					Good	
				PRIMA	RY CONTA	CT IN	IFORMAT	ION				
		NAME	& TITLE			PHONE EMAIL						
Floyd Bishop - VP & Chief Engineer							270-0551		fbishop@palrr.	com		
	ſ	MAILING	ADDRESS					CIT	Y	STATE	ZIP	
200 Clark St.						Padu	ıcah			KY	42003	
If awarded, v	will signa	atory be	different fro	m the Pi	rimary Con	itact?	P ⊠ NO		YES (Provide sign	natory inf	ormation.)	
	IATORY	NAME & TIT	LE			PHONE			EMAIL			
	MAILING	ADDRESS			CITY			STATE	ZIP			
SECTION 3:										•	•	
				_	-	•	•	-	ers, US Coast Gua			
Not Appli		DIVISION	i Oi Water, N	епциску	пентаде С	Journ	ii, or othe	15) ut	etermined the n	eeu ioi p	emiisi	
B. Have all re	equired	permits	been obtain	ed? Not	t Applicable	e						
SECTION 4:	CURREN	IT RAILR	OAD CROSSI	NG INFO	ORMATION	N (Sed	ction 4 mus	t be co	ompleted for ALL	projects.)		
# OF TRAFFIC LANES	ROAD	SPEED //IT	AVERAGE		RAFFIC	RAILROAD DIVISION						
2	3	5		3672		Kent	ucky					
TYPICAL T SPEED A CROSSII	AT		RACKS AT DSSING		. MILE DINT			E	BRANCH/LINE N	AME		
35			2	20	9.1	Mair	1					
AVERAGE MOVEMENT			FRA TRACK			тот	ALS FROM	1 PRE	VIOUS 5 YEARS	AT CROS	SING	
	20		61	2	CR	RASH	ES	1	FATALITIES	l	NJURIES	
	20		Class	3		0			0		0	



TC 59-13 Rev. 02/2021 Page 3 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 5: CROSSING RE	CONSTRUCTION (Re	equired <u>ONLY</u> j	or Crossing	Reconstruct	tion projects.)						
		CURRENT	CROSSING	ì								
DATE INSTALLED	WIDTH OF ROAD		SURFA	CE MATER	IAL		WEIG	SHT OF RAIL				
	feet											
SURFACE CONDITION	VISIBLE TIE CON	NDITION	APPRO	ACH CON	DITION	DRAINAGE CONDITION						
Select One	Select Or	ie		Select One	!	Select One						
	P	ROPOSED RE	CONSTRUC	CTION								
PROJECT IMPACT ON SIDEWALK, MULTI-USE MAXIMUM CHANGE IN TRACK ELEVATION LENGTH OF ASPHALT PATH, OR RECREATIONAL TRAIL ABOVE/BELOW EXISTING ROADWAY APPROACH												
Select O	20			nches		Tape	er 1	Taper 2				
Select Of	nie		'	ncnes			feet	feet				
REPLACEMENT C	ROSSING SURFACE:	Select One										
SECTION 6: CROSSING SA projects.)	FETY EQUIPMENT IN	MPROVEMEN	IT (Required	d <u>ONLY</u> for C	Crossing Safet	ty Equipn	nent Im	provement				
				INS	TALL	UPO	GRADE	EXISTING				
A. Project Signage Work:	Crossing Signs and N	/larkings]				
2. Describe in detail sig	 Describe in detail signs and markings <u>currently</u> used at crossing. (Text is limited.) Describe in detail signs and markings <u>proposed</u> at crossing as part of the project. (Text is limited.) 											
				INS	TALL	UPC	_	EXISTING				
B. Project Signal Work: Ac 1. Describe in detail act MS 590			:ly used at	crossing.			<u>×</u>					
2. Describe in detail act GCP 3000 plus with 40					of the proje	ect.						



TC 59-13 Rev. 02/2021 Page 4 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

ECTION	7: SUBMISSION CHECKLIST (See KRCI Guidance	e Document, Section V, for details.)							
	Kentucky Railroad Crossing Improvement Application (TC 59-13)								
	Statement of Work								
	Scope of Work								
	Project Schedule/Timeline								
	Detailed engineering assessment report (as a	applicable)							
\boxtimes	Aerial Photographs and photographic docum Obstructive Vegetation removal projects)	mentation of crossing location and condition ((especially for						
	Plans, schematics, details, drawings of the pr	roposed project (as applicable)							
	Photographic documentation of the project	location and condition							
	Detailed estimate								
	Road authority consultation letter (if applicant is a railroad)								
	Railroad consultation letters (if applicant is a government entity)								
	Public Interest Finding (as applicable)								
ECTION	8: RAILROAD COMPLIANCE CERTIFICATION	(Required <u>ONLY</u> if applicant is a railroad.)							
he TC 59 not an eli	certify that as an applicant defined as a railroa 0-102 in compliance with the provisions of 603 igible applicant at the time of this submission, ation and returned to me without review.	3 KAR 7:090 at the time of this application. If	it is determined I am						
		SIGNATURE	DATE						
loyd Bisl	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						
	9: APPLICANT CERTIFICATION (The certification								
what is st	ad the Kentucky Railroad Crossing Improveme tated therein. I also hereby certify, subject to tl above information is true and correct to the b	the provisions of KRS 523.100 (unsworn falsific	•						
		SIGNATURE	DATE						
loyd Bisl	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025						

Submission Directions: Applicants must combine their completed application and all required attachments into a single PDF and submit it electronically via email to KYTC.ModalPrograms@ky.gov. It is the responsibility of the applicant to ensure delivery of the emailed submission.

P&L	_
Calvert (City
LIST OF MATER	RIALS-SHOP
EFF. DATE:1-21-2025	DOT# 297 183S
STATE PROJECT #:	MILE POST:J209.10
OP #:	CONTRACTOR: INTERRAIL
LOCATION NAME:KY 95 Main Street	ESTIMATE #: 1

LOCATION DESCRIPTION: INSTALL 2 Gate Combo's , 6X6 House, 3000 Plus with 40 amp controller

QTY	ITEM NUMBER	DESCRIPTION	UM	PRICE	COST			
1	IRS-H4X4	HOUSE, 6'X6' ALUMINUM, UNIVERSAL 1/2 INSULATION 3 SHELVES	EA	22500.00	\$22,500.00			
20	0750090	NUT, INSULATED SAFETRAN 023-408-1X	EA	3.33	\$66.60			
1	1940055	CONTAINER, CIRCUIT PRINT 24"	EA	8.00	\$8.00			
32	4200340	LINK, TEST, OFFSET LINK 1"CENTERS	EA	1.75	\$56.00			
6	4200360	LINK, INSULATED TEST, 2-3/8" CENTERS	EA	3.84	\$23.04			
1	520434	CRAGG RAILCHARGER 20 AMP / MODEL 20ETC-12V	EA	950.00	\$950.00			
1	520740	520740 CHARGER, BATTERY, CRAGG 40ETC-12V CRAGG P/N 520740						
0	8000-80466-0001	2-Track Redundant Casee w/ECD, W/o Modules	EA	4255.00	\$0.00			
0	8000-80403-0001	CPU-II+ PROCESSOR MODULE	EA	3921.00	\$0.00			
0	800-80405-0001	SSCCIIIi 40A CROSSING CONTROL MODULE	EA	4981.00	\$0.00			
0	8000-80407-0001	DISPLAY MODULE	EA	2283.00	\$0.00			
0	8000-80410-0001	SEAR III INTERNAL RECORDER MODULE	EA	3914.00	\$0.00			
0	8000-80418-0001	TRACK MODULE	EA	5518.00	\$0.00			
0	8000-80468-0001	TRANSFER MODULE FOR 2 TRACK REDUNDANT SYSTEM	EA	350.00	\$0.00			
0	80288	ELECTONIC BELL WITH BUILT IN BELL SENSOR	EA	625.00	\$0.00			
0	80281	GATE TIP TRANSMITTER	EA	138.00	\$0.00			
0	8027-001	INTELLIGENT CURENT SENSOR (IIod)	EA	666.00	\$0.00			
0	80160-111-IPI	3000ND2 crossing predictor	EA	39000.00	\$0.00			
0		3000D2 crossing predictor	EA	55295.00	\$0.00			
0		GCP 4000 Dual 2 Track Chasis	EA	41000.00	\$0.00			
0		GCP 3000 Plus	EA	35869.00	\$0.00			
1		GCP 300 Plus 2 track	EA	41394.00	\$41,394.00			
0		SCX 1 style c crossing	EA	9500.00	\$0.00			
1	91160-0011	SSCCIII 40 AMP CROSSING CONTROLLER PN/91160	EA	7400.00	\$7,400.00			
1	91170-01	BATTERY/LIGHTING SURGE PANEL / RACK / SAFETRAN	EA	3500.00	\$3,500.00			
1	91170-02	LIGHTING SURGE PANEL / RACK / SAFETRAN	EA	2100.00	\$2,100.00			
0	80026-38	Surge panel Track	EA	750.00				
0	80026-36	Surge panel track	EA	750.00				
0	80026-41A	AC SURGE PANEL / SAFETRAN	EA	850.00	\$0.00			
0	400003	Relay Type ST Neutral 900 Ohms	EA	900.00	\$0.00			
0	420000-78x	Socket plugboard Kit	EA	165.00	\$0.00			
1	80026-31	BATTERY TRACK SURGE PANEL	EA	1200.00	\$1,200.00			
0	80726	VHF Comunicator	EA	1872.00	\$0.00			
0	91042-19	Jct. Panel	EA.	338.00	\$0.00			
0	80078	Echlon Termination Unit	EA	92.00	\$92.00			
1		Digi 8 recorder North American Signal	EA	1800.00	\$1,800.00			
2		Potter Brumfield Power Off relay and base	EA	90.00	\$180.00			
1		Power off Light	EA	200.00	\$200.00			
0		Rail Fusion Monitoring Kit with Dual Cameras	EA	10597.40	\$0.00			
0		SEAR Recorder	EA	3328.00	\$0.00			
0	80297-2	Ground Fault Tester	EA	878.00	\$0.00			
0		SHOP MATERIAL		-	\$82,869.64			

F	P&L
Calv	vert City
LIST OF MATERIA	ALS-CONSUMABLES
EFF. DATE:1-21-2025	DOT# 297 183S
STATE PROJECT #:	MILE POST:J209.10
OP #:	CONTRACTOR: INTERRAIL
LOCATION NAME:Ky 95	ESTIMATE #: 1
LOCATION DESCRIPTION: INSTALL 2 Gate Combo's , 6X6 House	, 3000 Plus 2 track with 40 amp controller

QTY	ITEM NUMBER	DESCRIPTION	UM	PRICE	COST
800	0017605	WIRE, CASE NO.10 AWG FLEX	FT	0.60	\$480.00
150	0017607	WIRE, CASE, TW. PR. NO. 10 AWG	FT	1.00	\$150.00
200	0017625	WIRE, CASE, TW. PR. NO. 14 AWG	FT	0.45	\$90.00
250	0017620	WIRE, CASE NO.14 AWG FLEX OKONITE 112-11-3024	FT	0.66	\$165.00
150	0017635	WIRE, OKONITE, DEL. 0018 AWG #6	FT	1.25	\$187.50
100	GBAR	TERMINAL, RING, AMP 35628, YELLOW #16-#14	EA	0.90	\$90.00
3	LS5-HS5	PANDUIT HEAT SHRINK TAGS	EA	90.00	\$270.00
50	GBAR	TERMINAL, RING, AMP 35627 BLACK #12-#10	EA	0.95	\$47.50
8	GBAR	TERMINAL, RING, AMP 322051, BLUE FOR #6 WIRE AND 1/4" STUD	EA	1.25	\$10.00
8	GBAR	TERMINAL, WIRE, AMP 322007 BLUE FOR #6 WIRE AND 3/8" STUD	EA	1.25	\$10.00
1	9999992	HOUSE, SIGNAL, HANDLING CHARGE	EA	100.00	\$100.00
1	N/A	ELECTRICAL SERVICE INSPECTION FEE	EA	150.00	\$150.00
1	LOT	MISC. SCREWS,BOLTS,NUTS,WASHERS,SILICONE,SEALANT.ETC	LT	300.00	\$300.00
		CONSUMABLES MATERIAL TO	TAL:		\$2,050.00

P&L Calvert City LIST OF MATERIALS-FIELD EFF. DATE:1-21-2025 DOT# 297 183S STATE PROJECT #: MILE POST:J209.10 OP #: CONTRACTOR: INTERRAIL LOCATION NAMEKY 95 Main Street ESTIMATE #: 1

LOCATION DESCRIPTION: INSTALL 2 Gate Combo's , 6X6 House, 3000 Plus 2 Track with 40 amp controller

QTY	ITEM NUMBER	DESCRIPTION	UM	PRICE	COST
6	0010442	ROD, 5/8" X 8' SECTIONAL GROUND	EΑ	30.00	\$180.00
0	0010443	COUPLING 5/8" SECTIONAL GROUND ROD	EA	2.46	\$0.00
6	0014335	CONNECTOR, ONE SHOT 2-WAY TYPE GT	EA	19.00	\$114.00
50	4600170	WIRE, #6 SOFT DRAWN BARE COPPER	FT	1.25	\$62.50
10	0013686	BOOTLEG, RAIL CONN. KIT FOR 2 CONNECTIONS	EA	65.00	\$650.00
500	206-11-6245	CABLE, UG 5 COND NO 6 AWG FOR SIGNALS, OKONITE	FT	8.50	\$4,250.00
500	206-11-6927	CABLE UG 7 COND NO 9 AWG FOR SIGNALS, OKONITE	FT	7.25	\$3,625.00
200	206-11-6243	CABLE UG 3 COND NO 6 FOR AC POWER, OKONITE	FT	7.75	\$1,550.00
100	4XX3597UG	4" INTERDUCT FIBER 500' ROLLS	FT	6.00	\$600.00
10	0015558	COMPOUND, DUCT SEAL, 5 LB PACKAGE	LB	1.54	\$15.40
500	0017605	WIRE, CASE NO.10 AWG FLEX	FT	0.95	\$475.00
30	GBAR	TERMINAL, RING, AMP 35628, YELLOW #16-#14	EA	0.50	\$15.00
150	0017620	WIRE, CASE NO.14 AWG FLEX OKONITE 112-11-3024	FT	0.40	\$60.00
0	0056822	TAPE, UG CABLE MARKER IMPRINT 500'/ROLL	RL	24.37	\$0.00
500	0057275	WIRE, UG TRK TWIST PAIR #6 AWG, OKONITE	FT	3.25	\$1,625.00
0	805971	BATTERY, EMF240R 320AH	EA	360.00	\$0.00
13	805972	BATTERY, EMF340R 425AH	EA	820.00	\$10,660.00
3	1040550	TRAY, PVC BATT. FIBER CO. 82687-3-P	EA	36.25	\$108.75
2	1710040	CONDUIT, PVC 4 INCH SCHEDULE 40 HEAVY WALL	LN	40.00	\$80.00
20	4200340	LINK, TEST, OFFSET LINK 1IN CENTERS	EA	0.90	\$18.00
50	GBAR	TERMINAL, RING, AMP 35627, BLACK FOR #10 WIRE	EA	0.65	\$32.50
8	GBAR	TERMINAL, RING, AMP 322051, BLUE FOR #6 WIRE AND 1/4" STUD	EA	0.60	\$4.80
8	8000067	P&L RR Lock	EA	30.00	\$240.00
12	6850686	TAPE, ELECTRICAL 3/4" 3M33	RL	3.50	\$42.00
1	1360103	METER POLE, PRE-ASSEMBLED LOAD CENTER	EA	3000.00	\$3,000.00
2	0054075	GATE SK-1000-C KEEPER, NORMAL MOVEMENT, RIGHT OF TRAFFIC DIR	EA	2724.00	\$5,448.00
0		36 foot Cantilever and Lights and Bell	EA	21500.00	\$0.00
0		22 foot Cantilever/Gate combo with S60 gates, 2 way Tip and 2 Way mast lights, 24 fo	EA	36000.00	\$0.00
0		14 Feet cantilever/gate combo with S60	EA	48600.00	\$0.00
2		2 way Sidelight for gate mast	EA	5000.00	\$10,000.00
0		Pour in place foundations	EA	2600.00	\$0.00
0		Back to Back flahers	EA	3507.00	\$0.00
		GATE S-60 ASSEMBLY WITH 2 WAY LIGHTS LED LIGHTS ALUMINUM MAST WITH JUNCTIONBOX BASE, HIGHWIND SUPPORT, RAILROAD CROSSING SIGN			
2	EM-3415-G32B	&BELL	EA	23000.00	\$46,000.00
2		S2 Prefab concrete foundations	EA	700.00	\$1,400.00
0		Ring 10	EA	175.00	\$0.00
2		Narrow Band Shunt	EA	1550.00	\$3,100.00
2		Shunt enclosure, with concrete post	EA	1600.00	\$3,200.00
0		Coupler TJC	EA	1250.00	\$0.00
0		136RE Insulated Joint	EA	385.00	\$0.00
50		Rail Head Bonds	EA	6.50	\$325.00
0		4000 PSI Concrete	YD	100.00	\$0.00
50		STONE, CRUSHER RUN FIELD MATERIAL TO	ΤΝ ται · Ι	40.00	\$2,000.00 \$98,880.95

				P&L		
				Calvert City		
				FORCE ACCOUNT ESTIMATE		
EFFEC	TIVE DA	ATE:1-2	1-2025	TOROL AGGGGIT LOTHINATE	297 183S	
СТАТГ		OT 4.			MILE DOCT: 1200	10
SIAIE	PROJE	.CT#:			MILE POST: J209.	10
OP #:					CONTRACTOR: IN	NTERRAIL
Locatio	n KY 95	Main S	treet		ESTIMATE #: 1	
LOCAT	ION DE	SCRIP1	ΓΙΟΝ: IN	ISTALLATION OF 2 gate combos,6X6 house, GCP3000 2 track Plus 40 amp control	ler	
QTY	/ ITEM DESCRIPTION					ST
1	MATER	RIAL		SHOP MATERIAL		\$82,869.64
	MATER			CONSUMABLES MATERIAL		\$2,050.00
	MATER			FIELD MATERIAL SUB TOTAL MATERIAL		\$98,880.95
	TAX	NAL		SALES TAX		\$183,800.59 \$11,487.54
	FREIGI	HT		5% OF MATERIAL		\$9,190.03
				ODAND TOTAL MATERIAL		\$004 470 40
				GRAND TOTAL MATERIAL	-	\$204,478.16
DAYS		LABOR	₹	DESCRIPTION	СО	ST
100	CONST	ructi	ON	1 MANDAY = 10 HOUR WORKDAY PER MAN = \$500.00 PER MANDAY		\$50,000.00
12	SHOP			1 MANDAY = 10 HOUR WORKDAY PER MAN = \$500.00 PER MANDAY		\$6,000.00
105	MEALS	& LOD	GING	SUBSISTENCE FOR CONSTRUCTION FORCES - \$200.00 PER DAY		\$21,000.00
5	SUPER	RVISION	<u>l</u>	INTERRAIL IN SERVICE TESTING AND SUPERVISION @ \$90.00 PER HOUR		\$4,500.00
	BORING-FT 100			@ \$50 PER FOOT		\$5,000.00
				TOTAL MANPOWER	8	\$86,500.00
DAYS	T	ITEM		DESCRIPTION	СО	
	BACKH			4 WHEEL DRIVE		\$1,500.00
	DUMP			2-1/2 TON		\$0.00
	TRUCK			Utility Truck with tools		\$1,500.00
	BOOM 60 HP			75' HYDRO-BOOM HERTZ/VERMEER		\$1,500.00 \$0.00
	TRUCK			EQUIPMENT TRUCK AND TRAILOR		\$0.00 \$1,500.00
	AIR CC			350 CFM COMPRESSOR W/PAVEMENT BREAKER JACKHAMMER		\$1,500.00
	DUMPS		30011	REFUSE CONTAINER AND DISPOSAL FEE PER MONTH		\$0.00
	PORT-			PORTABLE REST ROOM PER MONTH		\$0.00
						Ψ0.00
				TOTAL EQUIPMENT	Г	\$6,000.00
				LID TO DATE DI AM	<u> </u>	A4 E00 00
				UP-TO-DATE PLANS CONTRACT ENGINEERING		\$1,500.00 \$8,500.00
				EVWR- CROSSING TOTAL ESTIMATED Signal COST		\$8,500.00 \$306,978.16
				LVVIX- ONOSSING TOTAL ESTIMATED SIGNAL COST	1	φυυσ, <i>σ1</i> ο. 16
				S INCLUDE INSTALLATION OF POWER SERVICE, PLACING SYSTEM IN		
		s not ind	clude ar	ny aid to construction for A.C.power. Included 10 yards of concrete for sidewalk		
around						
				E SHOULD BE CONSIDERED VOID ONE YEAR FROM THE DATE OF ESTIMATE		
III DOE	S NOT	LABOR	K AND N	MATERIAL FOR AC POWER OR ANY OTHER UTILITY AID TO CONSTRUCTION.		

PROJECT WOULD BE COMPLETED WITHIN 160 DAYS OF NOTIFICATION TO PROCEED.		

KY 95 MAIN STREET

Unassigned Med risk High risk **Interrail Signal** On track Low risk Legend: Mike Hutson **February** This date TBD by NTP March Project Start Date: 2/3/2025 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 0 Scrolling Increment: Days M T W T F S S M Milestone description Category Assigned to Start Progress **Project Phases** Design On Track 2/3/2025 30 Engineering 0% **Material Procurement** Low Risk 2/3/2025 150 Signal 0% 7/3/2025 Signal 0% 30 **Equipment Wiring** Low Risk Med Risk 8/3/2025 28 Installation Signal Signal 9/1/2025 2 Med Risk Cutover To add more data, Insert new rows ABOVE this one

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.													
A. Revision Date		B. Reporting A	· ·			for Update	•	′_	. *	□ No Tools			Crossing
(<i>MM/DD/YYYY</i>) 01 / 29 / 2025		■ Railroad	☐ Tra	nsit 🔳 Cr Data	nange i		iew ssing	L	Closed	☐ No Train Traffic	☐ Quiet Zone Update		ry Number
		☐ State	☐ Oth	ier 🗆 Re	e-Oper				Change in Primary perating RR	☐ Admin. Correction		297183	S
Change Only Operating RR Correction Part I: Location and Classification Information													
1. Primary Operating Paducah & Louisvi	Railroa Ile Railv	d vay Company	[PAL]			2. State KENTU	ICKY			3. County MARSHALL			_
4. City / Municipality	/			et/Road Nar AIN ST	ne & E	Block Num	ber			6. Highway Ty	pe & No.		
□ Near CALVE	RT CITY			t/Road Nam	e)			<u></u> * (Bloci	k Number)	KY-95			
7. Do Other Railroad If Yes, Specify RR	s Operat	e a Separate T	rack at Cro	ssing? □ Ye	s 🕱	No		o Other I Yes, Spec	Railroads Operate O	ver Your Track a	it Crossing?	Yes IX No	
9. Railroad Division	or Region	1	10. Railro	d Subdivisio	n or D	istrict		11. Brai	nch or Line Name		12. RR Milepo	ost 09.100	
□ None KENTU	JCKY		☐ None	PADUCA				□ None			(prefix) (nn		(suffix)
13. Line Segment *		14. Near	est RR Tim	etable	15	. Parent F	RR (if	applicab	le)	16. Crossin	g Owner (if app	olicable)	
J-362			RT CITY				PAL			□ N/A	PAL		
17. Crossing Type	18. Cro ■ High	ossing Purpose	19. Cro ■ At G	ssing Position ade		20. Public (if Private			21. Type of Train	☐ Transit		22. Average	e Passenger t Per Dav
■ Public	☐ Path	nway, Ped.	☐ RR U	nder		☐ Yes		97	☐ Intercity Passeng	ger 🗆 Shared	Use Transit	\square Less Tha	n One Per Day
☐ Private 23. Type of Land Use		ion, Ped.	☐ RR O	ver		□ No			☐ Commuter	☐ Tourist	/Other	□ Number	Per Day U
☐ Open Space	☐ Farm			■ Comm	ercial		ndust		☐ Institutional	☐ Recreation	nal 🗆 R	R Yard	
24. Is there an Adjac	ent Cros	sing with a Sep	arate Num	ber?		25. Q	uiet Z	one (FR	A provided)				
☐ Yes 🗷 No If	Yes, Prov	vide Crossing N	umber			■ No		☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established					
26. HSR Corridor ID		27. Latit	ude in deci	mal degrees	28. Longitude in decimal degrees			;	29. Lat/Long Source				
	_ X N/A	(WGS84	std: nn.nr	nnnnn) 37.	03211	100	(WG	SS84 std:	-nnn.nnnnnnn) -088	3.350500	X Ac	tual 🗆 E	stimated
30.A. Railroad Use	*							31.A. S	tate Use *				
30.B. Railroad Use	*							31.B. S	ate Use *				
30.C. Railroad Use	*							31.C. S	ate Use *				
30.D. Railroad Use	*							31.D. S	tate Use *				
32.A. Narrative (Ra	ilroad Us	e) *						32.B. N	arrative (State Use)	*			
33. Emergency Notif	ication T	elephone No. (posted)			Contact (T	eleph	one No.)			tact (Telephon	e No.)	
800-444-2580				270-44						502-564-321	<u> </u>		
1 Estimated Number	of Daily	Train Mayama	nto		Part	: II: Rail	roac	d Infor	mation				
1. Estimated Number 1.A. Total Day Thru			otal Night T	hru Trains	1.C.	Total Swit	ching	Trains	1.D. Total Transit	Trains	1.E. Check if L	ess Than	
(6 AM to 6 PM) 4		(6 PM 6	to 6 AM)		10		J		0		One Moveme	•	□ k?
2. Year of Train Coun	t Data <i>(Y</i>	YYY)		3. Speed of		_	,	mnt 25		•	·		
2015				3.A. Maximu 3.B. Typical 3					ph) From 30	to _35			
4. Type and Count of	Tracks								-				
	Siding 0		ord 0	Trans	it <u>0</u>		Indu	stry 0					
5. Train Detection (N ■ Constant Warr		,,	Detection	□AFO □	PTC	□ DC	□ Ot	her □	None				
6. Is Track Signaled?		IVIULIUII	Detection.			Event Reco		cı ⊔	HOHE		7.B. Remote	Health Mor	nitoring
¥ Yes □ No						Yes 🗷	No				☐ Yes	■ No	

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 01/29/2025							PAGE 2 D. Crossing Inventory Number (7 char.) 297183S									
Part III: Highway or Pathway Traffic Control Device Information																
1. Are there 2. Types of Passive Traffic Control Devices associated with the Crossing																
Signs or Signals?	2.A. Crossbuck	OP Signs (R1-1					nce Warning Signs (Check all that apply; include count)									
■ Yes □ No	Assemblies (count) (count) 2				(count)				2							
2.E. Low Ground Clearance Sign 2.F. Pavement Markings (W10-5)								nnelization Medians		2.H. EXEMPT Sign (R15-3)			2.I. ENS Sign (I-13) Displayed			
☐ Yes (count)					namic En	☐ All Ap	□ Me		☐ Yes ´	¥ Yes □ No						
■ No 2.J. Other MUTCD S	Signs		Xing Sym		one	☐ One Approach 2.K. Private Crossing				Mathematical No						
S .						Signs (if private)				LLD LI	maneca signs	(List types	,			
Specify Type Count Specify Type Count					☐ Yes ☐ No				no							
Specify Type Count Yes \(\text{No} \)																
3. Types of Train A																
3.A. Gate Arms (count)	3.B. Gate Conf	figuratio	n		ntilevered (or Bridged) Flashing Light res (count)				3.D. Mast Mounted Flashing Light (count of masts) 6						E. Total Count of shing Light Pairs	
,	■ 2 Quad	☐ Full	(Barrier)		affic Lane	•	🗆 Ir	candescent	(count of masts)					riasining Light rains		
Roadway 2	☐ 3 Quad	Resista				0		IX €	Back Lig	hts Included	☐ Side Lights		6	6		
Pedestrian 0	☐ 4 Quad	⊔ Med	dian Gate		er Traffic L	ane <u>U</u>	🗆 LI	:D				Include				
3.F. Installation Dat		4)		3.G. Waysid	e Horn						lighway Traffi	c Signals C	ontrollin	g	3.I. Bells	
Active Warning Dev	, , _	7 Not Req	uired		nstalled o	n <i>(MM/Y</i>	YYY)	_/	_	Cross ☐ Ye	ing s ⊠ No				(count) 1	
3.J. Non-Train Activ	re Warning			■ No					3.K	Other	Flashing Light	s or Warni	ing Devic	es.	•	
3.J. Non-Train Active Warning □ Flagging/Flagman □Manually Operated Signals □ Watchman □ Floodlighting ■ None 3.K. Other Flashing Lights or Warning Devices Count 0 Specify type																
4.A. Does nearby H Intersection have	4.A. Does nearby Hwy 4.B. Hwy Traffic Signal 4.C. Hwy Traffic Signal Preemption 5. Highway Traffic Pre-Signals 6. Highway Monitoring Devices Intersection have Interconnection □ Yes No (Check all that apply)									g Devices						
Traffic Signals?	■ Not Ir		nected					□ res ட	INU			•			Recording	
☐ For Traffic Signals ☐ Simultaneous ☐ Storage Distance * ☐							☐ Yes – Vehicle Presence Detection									
☐ Yes ☑ No ☐ For Warning Signs ☐ Advance Stop Line Distance * ☑ None																
Part IV: Physical Characteristics																
1. Traffic Lanes Crossing Railroad One-way Traffic								•								
Crossing Surface											dth * 21					
☐ 1 Timber ☐ ☐ 8 Unconsolidate						= 5	Concrete	and Rubber	□ 6	Rubbe	er 🗆 7 Me	tal -				
6. Intersecting Roadway within 500 feet?						7. Smallest Crossing Ar						8. Is Co	mmercia	l Po	wer Available? *	
☐ Yes ☐ No If Yes, Approximate Distance (feet) 58 ☐ 0° - 2						□ 0°-2	-29° □ 30°-59°					5	□ No			
				Pa	rt V: P	ublic H	lighway	Informat	ion							
1. Highway System			2.	Functional Cla				ng			sing on State I	Highway			way Speed Limit	
☐ (01) Inters	tate Highway Sy	stem		(1) Interstate			1) Urban	r Collector		stem?	□ No		35		MPH ed □ Statutory	
	Nat Hwy Systen			(2) Other Fre			. , ,	Concetor	5.	Linear	Referencing S	ystem (LRS			<u> </u>	
■ (03) Federal AID, Not NHS																
☐ (08) Non-Federal Aid ☐ (4) Minor Arterial ☐ (7) Local ☐ 6. LRS Milepost * 6.0095 7. Annual Average Daily Traffic (AADT) 8. Estimated Percent Trucks 9. Regularly Used by School Buses? 10. Emergency Services Route																
Year 2015 AADT 3672 10 ✓ Yes ■ No Average Number per Day ☐ Yes ☐ No																
Submission Information - This information is used for administrative purposes and is not available on the public website.																
Submitted by				Organ							Phone			Date		
Public reporting bu sources, gathering																
agency may not cor	_			•	-	_										
displays a currently												_	-		•	
other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.																




RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 01/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

						Yearly Accident Count												
PRED ACC RANK	AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	23	22	21	20	19	DATE CHG	D M	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.003603	297183S	PAL	CALVERT CITY, KY (MARSHALL)	N MAIN ST	0	0	0	0	0		GT	20	2	35	Yes	2	3672
TTL:	0.003603					0	0	0	0	0								





Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM

Fee receipt: \$15.00

Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov

Annual Report Online Filing For the Year 2025

ARP

Company: PADUCAH & LOUISVILLE RAILWAY, INC.

Company ID: 0212961 State of origin: Kentucky

Formation date: 3/17/1986 12:00:00 AM Date filed: 1/10/2025 9:59:56 AM

Fee: \$15.00

Principal Office 200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

Current Officers

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

Directors

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Director	John P Patelli	500 Water St., Jacksonville FL 32202
Director	Joe Forkum	500 Water St., Jacksonville FL 32202
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003

County: MCCRACKEN

Business size: Large

Business type: Railroad Transportation

Signatures

Signature Thomas A Greene Title President & CEO

Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

Certificate of Existence

Authentication number: 327839

Visit https://web.sos.ky.gov/ftshow/certvalidate.aspx to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30th day of January, 2025, in the 233rd year of the Commonwealth.



Michael G. adams

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961



COMMONWEALTH OF KENTUCKY TRANSPORTATION CABINET

Andy Beshear Governor Department of Highways, District 1 Office 5501 Kentucky Dam Road Paducah, KY 42003 270-898-2431 Jim Gray Secretary

Crossing Improvement Letter

Re: Consultation Letter for P&L Railway

Crossing Improvements In Marshall Co, KY

To whom it may concern:

KYTC – D1 has been contacted by Paducah & Louisville Railway Inc. regarding crossing signal improvements. P&L is seeking funding through the KYTC-KRCI. KYTC – D1 supports the proposed crossing warning devices at DOT# 297183S – North Main Street (KY 95).

Sincerely,

Everett Wilson, PE

PD&P Branch Manager