

KENTUCKY TRANSPORTATION CABINET Department of Highways **DIVISION OF PLANNING**

TC 59-13 Rev. 02/2021 Page 1 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIE	W										
AP	PPLICANT NAME		DOT CRC	DSSING #	APPLICATION YEAR						
Paducah & Louisville Railway			297273R		2025						
ROAD N		ROAD MILE	(OCATION						
		POINT	CI	TY	COUNTY						
State Route 408 East		240	Calvert City		Marshall						
	PROJEC	СТ ТҮРЕ									
Crossing Rehab Full Crossing Renewal (ADT	400 – 1000) Crossing Select Or	•		Obstructive \	/egetation Removal						
TOTAL PROJECT COST	KRCI FUNDING REQUESTED	APPLICANT	МАТСН		C ANT MATCH % % Minimum)						
\$ 121,726.50	\$ 97,381.20	\$ 24,345.30			20 %						
			1 the project	(Force Acco	unt) or						
and the proposed work to be comp Statement of Work: The purpose of this project is to Scope of Work: *Provide traffic control & detou *Remove existing asphalt appra *Excavate fouled ballast to hard *Install new track panel w/ clear	The purpose of this project is to upgrade and improve the crossing surface and therby, increasing crossing safety.										
	FOR KYTC	USE ONLY									
Date Received:	FRA WBAPS Score:		Secreta	ry Approval:	□ Y □ N						
Y Application Complete 603 KAR 7:090 Compliant	N Match %:		-	KRCI Award Amount: KRCI Award							
Eligible Applicant	Road ADT:		-	Date:							

		2		KENTUCKY TRANSPORTATION CABINETTC 59-1Department of HighwaysRev. 02/202DIVISION OF PLANNINGPage 2 of								
	KI	ENTUCH	(Y RAILRO	AD CRO	DSSING I	MPR	OVEME	NT (F	(RCI) APPLICA	TION		
SECTION 2:	APPLICA	ANT INFO	ORMATION									
Is the applica	ant a rai	Iroad?	NO 🛛	YES (Pro	ovide KY Sec	retary	y of State in	form	ation.)			
KY SECRET	FARY OF	STATE (KY SOS) ORC	GANIZAT	FION ID OF	R #		KY SO	OS STATUS	К	Y SOS STANDING	
0212961							A-Active			G	6-Good	
				PRIMA	RY CONTA		NFORMATI	ON				
		NAME	& TITLE				PHONE			EMAI	L	
Floyd Bishop - VP & Chief Engineer							270-0551		fbishop@palrr.	com		
MAILING ADDRESS								CITY	(STAT	E ZIP	
200 Clark St.						Padu	ucah			KY	42003	
If awarded, will signatory be different from the Primary Contact? 🛛 NO 🗌 YES (Provide signatory information.)									nformation.)			
SIGNATORY NAME & TITLE							PHONE		EMAIL			
		MAILING	ADDRESS					CITY	(STAT	E ZIP	
SECTION 3:		-										
	entucky			-	-	•	•	-	rs, US Coast Gua etermined the no		Fish and Wildlife permits?	
B. Have all r	equired	permits	been obtain	ed? No	t Applicabl	le						
SECTION 4:	CURREN		OAD CROSS		ORMATIO	N (Sei	ction 4 mus	t he ci	ompleted for ALL	nroiects)	
# OF TRAFFIC LANES	ROAD	SPEED VIIT	AVERAGE		RAFFIC					-	7	
2	3	5		593		Kent	ucky					
TYPICAL T SPEED CROSSI	AT	-	RACKS AT DSSING		. MILE DINT			E	BRANCH/LINE N	AME		
25			1	24	40.1	May	field					
AVERAGE MOVEMENT			FRA TRACK AT CROS			тот	ALS FROM	OM PREVIOUS 5 YEARS AT CROSSING				
С					CI	CRASHES FATALITIES				INJURIES		
2 Class 2 0 0 0												



KENTUCKY TRANSPORTATION CABINET Department of Highways **DIVISION OF PLANNING**

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

	CONSTRUCTION (Re	equired <u>ONLY</u>	for Crossing Reconstruction p	rojects.)		
		CURREN	T CROSSING			
DATE INSTALLED	WIDTH OF ROAD		SURFACE MATERIAL		WEIG	HT OF RAIL
	24 feet		Asphalt			115
SURFACE CONDITION	VISIBLE TIE CON	NDITION	APPROACH CONDITIC	DN DRA	INAGE C	ONDITION
Poor	Fair		Fair		Faiı	r
	P	ROPOSED RE	CONSTRUCTION			
PROJECT IMPACT ON SID PATH, OR RECREAT			I CHANGE IN TRACK ELEVA BELOW EXISTING ROADW		GTH OF APPRO	ASPHALT ACH
No			1 inches	Тар	er 1	Taper 2
				25 f	eet	25 feet
REPLACEMENT C	CROSSING SURFACE:	Full-depth	Concrete			
SECTION 6: CROSSING SA	FETY EQUIPMENT IN	MPROVEME	NT (Required <u>ONLY</u> for Crossir	ng Safety Equip	ment Imp	rovement
			INSTALL	. UP	GRADE E	XISTING
A. Project Signage Work:	Crossing Signs and N	Markings				
2. Describe in detail sig	ns and markings <u>pro</u>	<u>posed</u> at cro	ssing as part of the project	. (Text is limite	rd.)	
1						
			INSTALL	. UP	GRADE E	XISTING
B. Project Signal Work: A 1. Describe in detail act				. UP	GRADE E	XISTING

		KENTUCKY TRANSPORTATION CABINET Department of Highways DIVISION OF PLANNING	TC 59-13 Rev. 02/2021 Page 4 of 4
		D CROSSING IMPROVEMENT (KRCI)	APPLICATION
	· · · · · · · · · · · · · · · · · · ·	KRCI Guidance Document, Section V, for details.)	
	Kentucky Railroad Crossing Impr	rovement Application (TC 59-13)	
	Statement of Work		
	Scope of Work		
\square	Project Schedule/Timeline		
	Detailed engineering assessmen		
	Aerial Photographs and photogra Obstructive Vegetation removal	aphic documentation of crossing location an projects)	d condition (especially for
	Plans, schematics, details, drawi	ngs of the proposed project (as applicable)	
\square	Photographic documentation of	the project location and condition	
\square	Detailed estimate		
\square	Road authority consultation lette	er (if applicant is a railroad)	
	Railroad consultation letters (if a	applicant is a government entity)	
	Public Interest Finding (as applic	able)	
the TC 59 not an el consider	9-102 in compliance with the provigible applicant at the time of this ation and returned to me without		pplication. If it is determined I am I be immediately rejected without
PRINTED	NAME AND TITLE	SIGNATURE	DATE
	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025
		The certification below applies to all applicants.)	understand and envice to abide bu
what is s	tated therein. I also hereby certify,	g Improvement guidance document, and I u , subject to the provisions of KRS 523.100 (un rect to the best of my knowledge.	
	NAME AND TITLE	SIGNATURE	DATE
Floyd Bis	hop - VP & Chief Engineer	Floyd C. Bishop	2/7/2025
a sing		t combine their completed application and a via email to <u>KYTC.ModalPrograms@ky.gov</u> . iled submission.	



297273R - KY 408E (240.19)

Scope of Work

<u>KY 408E (240.19)</u>

Build 80' track panel utilizing 160 LF of NEW head-hardened 115RE rail/OTM and 38 Ea. 10' ties.

Obtain approved encroachment permit from KYTC. Provide traffic control and detour routing as necessary. Close and barricade road. Sawcut and remove existing asphalt and crossing materials. Remove existing track panel. Excavate fouled ballast to hardpan. Install track panel. Furnish and install 4 Ea. sets of 115RE bars. Furnish and install number 4 ballast and DGA. Surface track panel with HARSCO Mark IV HD production tamper. Regulate ballast and broom finish track.

Furnish and install 24.375' track feet of OMNI full depth concrete crossing surface. Furnish and install 4 Ea. weld kits. Furnish and install asphalt base and surface course.

Grand Total

\$121,726.50

Notes and Exclusions

Proposal is turnkey and has been determined according to P&L (CSX) and KTC specifications. Asphalt quantities have been determined based on a maximum 25' apron at each approach.

Company Proposal

We, Track Tech, Inc., hereby propose to complete the scope of work above for a lump sum price of \$121,726.50.

Proposal continues on next page...



Cost Analysis

Classification	Units	Quantity	Unit Cost	Total Cost
Track Tech Labor	LS	1	\$19,500.00	\$19,500.00
Track Tech Equipment	LS	1	\$24,500.00	\$24,500.00
P&L Railway Labor	LS	1	\$6,500.00	\$6,500.00
P&L Railway Equipment	LS	1	\$2,000.00	\$2,000.00
Asphalt Labor and Equipment	LS	1	\$10,000.00	\$10,000.00
Detour Routing, Permitting, Striping	LS	1	\$5,000.00	\$5,000.00
Waste Disposal	LS	1	\$4,000.00	\$4,000.00
Mobilization/Hotels/Per Diem	LS	1	\$2,800.00	\$2,800.00
Concrete for 115RE	Track Feet	24.375	\$460.00	\$11,212.50
115RE Rail	80' Sticks	2	\$4,840.00	\$9,680.00
10' Ties	Ea.	38	\$152.00	\$5,776.00
Plates	Ea.	76	\$26.00	\$1,976.00
Straight Bars	Pairs	4	\$218.00	\$872.00
Spikes	Kegs	5	\$152.00	\$760.00
Anchors	Ea.	252	\$5.00	\$1,260.00
Bolts	Ea.	16	\$8.00	\$128.00
Ballast	Tons	75	\$43.00	\$3,225.00
DGA	Tons	50	\$31.00	\$1,550.00
Geotextile Fabric	Ea.	1	\$968.00	\$968.00
End Plates	Set	1	\$1,573.00	\$1,573.00
Field Welds	Ea.	4	\$363.00	\$1,452.00
6" CMP	Linear Feet	30	\$34.00	\$1,020.00
Asphalt	Tons Delivered	29	\$206.00	\$5,974.00
			Grand Total	\$121,726.50



Crossing Schedule				Week 1							Week 2					
				1	2	3	4	5	6	7	8	9	10	11	12	13
TASK	START	END	S	М	т	w	т	F	s	s	М	т	w	т	F	s
Final Material Delivery	1	1														
Distribute Materials and Mobilization	2	2														
Build Track Panel	3	3														
Install Track Panel	8	8														
Install Concrete and Base Asphalt	9	9														
Install Surface Asphalt	10	10														
Demobilization	10	10														
Road Closure	8	10														

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

Form. For private hip pedestrian station gr Parts I and II, and the	ghway-i ade cro Submi n Infori	rail grade cross ossings), comple ssion Information mation section.	ings, comp ete the Hea on section. For chang	lete the H Ider, Parts For grade- es to exis	leader, s I and I -separat ting dat	Parts I and I, and the ed highwa a, complet	d II, ar Submi y-rail d e the	nd the S ission Inf or pathw Header,	ubmission Informatic ormation section. Fc ay crossings (includin Part I Items 1-3, an	on section. For or Private pathw og pedestrian sta od the Submissio	public pathway vay grade crossi ation crossings), on Information	pplete the entire inventory grade crossings (including ngs, complete the Header, complete the Header, Part section, in addition to the denotes an optional field.
A. Revision Date		B. Reporting	Agency	C	. Reasor	n for Upda	t e (Sel	ect only	one)			D. DOT Crossing
(<i>MM/DD/YYYY</i>) 01 / 24 / 2025		🗆 Railroad	🗆 Tra		Change		New		Closed	No Train	Quiet	Inventory Number
		🗷 State	□ Ot		ata] Re-Ope	en 🗆 I	issing Date ange C		Change in Primary Derating RR	Traffic Admin. Correction	Zone Update	297273R
				Part I:	Locat				tion Informatio			
1. Primary Operating Paducah & Louisvi			[PAL]			2. State KENTI				3. County GRAVES		
4. City / Municipality	/					Block Nur	nber			6. Highway Ty	/pe & No.	
□ In ⊠ Near BOAZ				TE ROU		E			k Number)	KY-408		
7. Do Other Railroad	s Opera	te a Separate 1		,	/	No	8. D		Railroads Operate O		at Crossing?	Yes 🛛 No
If Yes, Specify RR	•	·	,		,			Yes, Spe			,	
9. Railroad Division o		on	10. Railro			District		11. Bra	nch or Line Name		12. RR Milepo j024	st .0.190
□ None KENTU	JCKY		□ None	PADU				□ Non	-			nn.nnn) (suffix)
13. Line Segment		14. Nea Station	rest RR Tin *	netable	1	15. Parent	RR (if	applicat	ole)	16. Crossin	n g Owner (if app	olicable)
J-406		VIOLA			[□ N/A	PAL			□ N/A	pal	
17. Crossing Type		ossing Purpose		ssing Posi	ition	20. Publi			21. Type of Train			22. Average Passenger
🗷 Public	-	shway shway, Ped.	🗷 At G			(if Privat □ Yes	e Cros	sing)	Freight Intercity Passens	Transi	t d Use Transit	Train Count Per Day
Private		tion, Ped.										\Box Number Per Day 0
23. Type of Land Use			•								•	
Open Space	Farr		idential		nmercia		Indust			Recreation	onal 🗆 R	R Yard
24. Is there an Adjac	ent Cro	ssing with a Se	arate Nun	iber?		25.0	luiet 2	Lone (Fr	RA provided)			
🗆 Yes 🗷 No 🛛 If	Yes, Pro	ovide Crossing N	umber			2 N	o 🗆	24 Hr	🗆 Partial 🛛 🗆 Chica	go Excused	Date Establis	hed
26. HSR Corridor ID		27. Lati	ude in dec	imal degre	ees		28.	Longitud	le in decimal degrees	5	29. La	at/Long Source
	🕱 N/A	(WGS84	std: nn.n	nnnnn)	36.8553	3900	(WO	3584 std	-nnn.nnnnnnn) ⁻⁰⁸	8.641180	Ac	tual 🛛 Estimated
30.A. Railroad Use	*								itate Use *			
30.B. Railroad Use	*							31.B. S	itate Use *			
30.C. Railroad Use	*							31.C. S	tate Use *			
30.D. Railroad Use	*							31.D. 9	State Use *			
32.A. Narrative (Rai	ilroad U	'se) *						32.B. M	Narrative (State Use)	*		
33. Emergency Notif	ication	Telephone No.	(posted)	34. F	Railroad	Contact (Teleph	none No.,		35. State Cor	ntact (Telephone	e No.)
800-444-2580				270)-444-4;	300				502-564-32	10	
					Pa	rt II: Rai	Iroa	d Infoi	mation			
1. Estimated Number	of Dail	y Train Moveme	ents		-							
1.A. Total Day Thru T	Trains		otal Night	Thru Trains	s 1.C	. Total Swi	tching	Trains	1.D. Total Transit	Trains	1.E. Check if L	
(6 AM to 6 PM) 1		(6 PM 1	to 6 AM)		0				0		One Moveme	nt Per Day \Box sins per week? <u>0</u>
2. Year of Train Coun	t Data (YYYY)		3. Speed		at Crossin	g				now many tra	
2015						imetable S				. 25		
2015 4. Type and Count of	Tracks			3.В. Турі	cal Spee	d Kange O	ver Cr	ossing (n	nph) From 20			
	Siding	v	ard 0	Tr	ansit 0		Indi	_{istry_} 0				
5. Train Detection (M				///								
Constant Warr	<u> </u>	ne 🗌 Motion	Detection			🗆 DC			None		1	
6. Is Track Signaled? □ Yes ☑ No						Event Rec					7.B. Remote	Health Monitoring
						IC3 (A						

A. Revision Date (A 01/24/2025	/M/DD/YYYY)					Р	AGE 2			D. 29	Crossing Inve 7273R	ntory Nu	mber (7 cl	har.)		
			Part II	I: Highw	ay or P	athway	Traffic	Control De	evice							
1. Are there	2. Types of P	assive Tr	raffic Con	trol Device	s associat	ed with the	e Crossing									
Signs or Signals?	2.A. Crossbuc			OP Signs (R.		.C. YIELD Si	gns <i>(R1-2)</i>		-		igns (Check al					
🖬 Yes 🗌 No	Assemblies (a 0	count)	(count) 0		0	count)		₩ W10-1			□ W10-3 □ W10-4		_ ⊔w _ □w		1 2	
2.E. Low Ground Cl (W10-5)	earance Sign	2.F. P	avement	Markings	1arkings 2.G. Channelization Devices/Medians					0				2.I. ENS Sign <i>(I-13)</i> Displayed		
\Box Yes (count)	🗷 Sto	op Lines		Dynamic	Envelope	-	□ All Approaches □ Median □ Yes					Yes	eu		
🗷 No			Xing Syn] None				🕱 Nor		🖿 No		🗆 No			
2.J. Other MUTCD S	Signs		Yes 🕱 🕅				2.K. Priv Signs (if	ate Crossing	2.L.	LED Er	nhanced Signs	(List type	s)			
Specify Type Count 2																
Specify Type Specify Type		Co	unt unt				□ Yes	🗆 No								
3. Types of Train A					ssing (spe	cify count o	f each dev	ice for all tha	t apply)						
3.A. Gate Arms	3.B. Gate Cor			3.C.	Cantilever	red (or Brid			3.D	. Mast	Mounted Flas	hing Light	:S		Total Count of	
(count)	🗆 2 Quad		(Barrier)		ctures <i>(co</i> Traffic La	,	🗆 Ir	ncandescent			nasts)_2 escent			Flas	shing Light Pairs	
Roadway 0	□ 2 Quad □ 3 Quad	Resista	• •	000		ine <u> </u>		icanuescent			scent ts Included		e Lights	4		
Pedestrian 0	🗆 4 Quad	□ Me	dian Gate	s Not	Over Traff	fic Lane 0	DL	ED		-		Includ	led	7		
3.F. Installation Dat	e of Current			3.G. Way	side Horn					3.H. H	Highway Traffi	c Signals	Controlling	3	3.I. Bells	
Active Warning Dev		,		🗆 Yes	Installer	d on <i>(MM/</i>)	(YYY)	_/		Cross	0				(count)	
/		Not Rec	quired	No No	motanet	a on (<i>mn</i>) .	,			⊔ Ye	s 🖿 No				1	
3.J. Non-Train Activ		Operated	d Signals	Watchm	nan 🗆 Flo	odlighting	🛾 None			. Other Int _0	Flashing Light S					
4.A. Does nearby H	wy 4.B. Hwy	/ Traffic S	Signal	4.C. Hwy	Traffic Sig	gnal Preemp	otion	5. Highway T		Pre-Sig	nals	6. Highv	way Monit	oring	g Devices	
Intersection have	Intercon		aastad					🗆 Yes 🕱	No			•	all that app - Photo/Vie		Decording	
Traffic Signals?	🔳 Not I	raffic Sig		🗆 Simult	taneous			Storage Dista	ance *				-		nce Detection	
🗆 Yes 🛛 No	🗆 For V	Varning	, Signs	🗌 Advar	nce			Stop Line Dis				🛾 Non	е			
					Part	IV: Phys	ical Cha	racteristic	s							
1. Traffic Lanes Cros	ssing Railroad					Roadway/F	athway	3. Does T	rack Ru	ın Dow	n a Street?		•		ted? (Street	
Number of Lanes		🗆 Divi	o-way Tra ided Traff	ic		🛾 Yes	🗆 No		□ Yes		No	nearest	rail) 🗆 Ye	es	0 feet from Mo	
5. Crossing Surface								/			dth * <u>25</u>		Length *	48		
□ 1 Timber IM □ 8 Unconsolidate						rete 🗆 5	Concrete	and Rubber	□ 6	Rubbe	er 🗌 7 Me	tal -				
6. Intersecting Roa	dway within 50	0 feet?					7. Smalle	est Crossing A	ngle			8. Is C	ommercial	Pow	ver Available? *	
🗆 Yes 🔳 No	If Yes, Approxi	mate Dis	tance (fe	et)			□ 0° – 2	9° 🗆 30°	– 59°	X	60° - 90°		🗶 Yes		🗆 No	
					Part V:	Public H	lighway	<pre>Informat</pre>	ion							
1. Highway System			2.	Functional		tion of Roa		ng			sing on State	Highway	4. H 35		vay Speed Limit	
🗌 (01) Inters	tate Highway S	ystem		(1) Interst		Rural 🗌		r Collector		stem? Yes	🗆 No				MPH d □ Statutory	
🗌 (02) Other	Nat Hwy Syste	m (NHS)		• •	,	and Expres	sways		5.	Linear	Referencing S	ystem (LR	S Route ID) *		
L≝ (03) Feder □ (08) Non-F	al AID, Not NHS ederal Aid	5		(3) Other (4) Minor		Arterial	」(6) Mino 【 (7) Local	r Collector		<u>2 KY-4</u> LRS Mi	lepost * 9.52	64				
7. Annual Average	Daily Traffic (A	ADT)	L	nated Perce	ent Trucks	9. Re	gularly Use	d by School B	uses?			10	-	-	ervices Route	
	DT 593	matio		informa	%	Sed for a		Average Nu		,		_] No	site	
300111		matio	11 - 11115	mjornu		seu joi ui	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ses ui			e on the	e public	web	5112.	
Submitted by				Ora	anization						Phone		П	ate		
Public reporting bu	rden for this inf	ormatio	n collecti				inutes per	response, inc	uding	the tim		ng instruct		-	existing data	
sources, gathering a	and maintainin	g the dat	a needed	and comp	leting and	l reviewing	the collect	ion of informa	ition.	Accord	ing to the Pap	erwork Re	eduction A	ct of	1995, a federal	
agency may not cor displays a currently			-				-	-	-							
other aspect of this												-	-			
Washington, DC 20																

U. S. DOT CROSSING INVENTORY FORM

FORM FRA F 6180.71 (Rev. 3/15)




RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 01/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

Yearly Accident Count																		
PRED ACC RANK	AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	23	22	21	20	19	DATE CHG	W D	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.000965	297273R	PAL	BOAZ, KY (GRAVES)	STATE ROUTE 408 E	0	0	0	0	0		FL	2	1	25	Yes	2	593
TTL:	0.000965					0	0	0	0	0								





Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM Fee receipt: \$15.00

ĩ		ree lecelpt.	\$15.00
Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov	Annual Report Online Filing For the Year 2025		ARP

PADUCAH & LOUISVILLE RAILWAY, INC.

0212961

Kentucky

\$15.00

3/17/1986 12:00:00 AM

1/10/2025 9:59:56 AM

Company: Company ID: State of origin: Formation date: Date filed: Fee: Principal Office

200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

Current Officers

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

Directors

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207	
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701	
Director	John P Patelli	500 Water St., Jacksonville FL 32202	
Director	Joe Forkum	500 Water St., Jacksonville FL 32202	
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202	
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003	
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003	

County: Business size:	MCCRACKEN Large	
Business type:	Railroad Transportation	

orginatareo	
Signature	
Title	

Thomas A Greene President & CEO

Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

Certificate of Existence

Authentication number: 327839 Visit <u>https://web.sos.ky.gov/ftshow/certvalidate.aspx</u> to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30th day of January, 2025, in the 233rd year of the Commonwealth.



michael & adam

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961



COMMONWEALTH OF KENTUCKY TRANSPORTATION CABINET

Andy Beshear GOVERNOR Department of Highways, District 1 Office 5501 Kentucky Dam Road Paducah, KY 42003 270-898-2431

Jim Gray Secretary

Crossing Improvement Letter

Re: Consultation Letter for P&L Railway Crossing Improvements In Graves Co, KY

To whom it may concern:

KYTC – D1 has been contacted by Paducah & Louisville Railway Inc. regarding crossing surface improvements. P&L is seeking funding through the KYTC-KRCI. KYTC – D1 supports the proposed improvements at DOT# 297273R – State Route 408 East. KYTC will work with P&L to execute these improvements.

Sincerely,

Everett Wilson, PE PD&P Branch Manager