

TC 59-13 Rev. 02/2021 Page 1 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIEN	N							
АР	PLICANT NAME		DOT CRO	SSING #	APPLICATION YEAR			
Paducah & Louisville Railway			296594U		2026			
DOAD N	A B 4 F	ROAD MILE	(ROSSING LO	OCATION			
ROAD N	AIVIE	POINT	CI	ГΥ	COUNTY			
Hobbs Rd		9.2	Paducah		McCraken			
	PROJE	CT TYPE						
Crossing Rehab Select One	Crossing Select O	•		Obstructive V	egetation Removal			
TOTAL PROJECT COST	KRCI FUNDING REQUESTED		APPLICANT MATCH % (20% Minimum)					
\$ 167,531.5	\$ 134,025.20	\$ 33,506.30			20 %			
Does applicant plan to use their competitively bid out all work re			the project	(Force Acco	unt) or			
PROJECT DESCRIPTION (Provide and the proposed work to be comp Statement of work:	leted. Text is limited to the spac	ce provided below.)					
The purpose of this project is to upgrade and improve crossing surface and thereby, increasing crossing safety. Scope of work: *Provide traffic control & detour routes *Remove existing asphalt approaches & track panel *Excavate fouled ballast to hard pan, create positive drainage away from crossing surface *Install new track panel w/ clean ballast rock *Install new concrete crossing surface with asphalt approaches								
	FOR KYTC	USE ONLY	-					
Date Received:	FRA WBAPS Score:		Secreta	ry Approval:	□ Y □ N			
Application Complete 603 KAR 7:090 Compliant	N Match %:	·		KRCI Award Amount:				
Eligible Applicant	Eligible Applicant Road ADT: KRCI Award Date:							



TC 59-13 Rev. 02/2021 Page 2 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 2: AP	PLICA	NT INFO	RMATION											
Is the applicant	t a rail	road?	⊠ NO □	YES (Pro	vide KY Sec	retary	of State in	form	ation.)					
KY SECRETAI	RY OF	STATE (KY SOS) ORG	GANIZAT	ION ID OF	R #		KY S	OS STATUS	K	SOS STANDING			
0212960						A-Active G-Good								
				PRIMA	RY CONTA	CT IN	NFORMATI	ON						
		NAME	& TITLE				PHONE	EMAIL	AIL					
Blake Poole - Head of Maintenance of Way						812-	270-2201		bpoole@palrr.o	com				
MAILING ADDRESS								CIT	Υ	STAT	ZIP			
200 Clark St						Padu	ıcah			KY	42003			
If awarded, wil	tory be	different fro	m the Pr	imary Cor	ntactî	?		YES (Provide sign	natory in	formation.)				
SIGNATORY NAME & TITLE							PHONE			EMAIL	-			
	N	/AILING	ADDRESS					CIT	Υ	STATI	ZIP			
SECTION 3: PE	RMITS	S AND A	PPROVALS			•				'	•			
	itucky			_	-			_	ers, US Coast Gu etermined the n		Fish and Wildlife permits?			
B. Have all req	uired	permits	been obtain	ed? Not	Applicabl	е								
SECTION 4: CU	JRREN	T RAILR	OAD CROSSI	NG INFO	ORMATIO	N (Sed	ction 4 must	t be c	ompleted for ALL	projects.)			
# OF TRAFFIC LANES	ROAD	SPEED 11T	AVERAGE (ADT) A	DAILY T		RAILROAD DIVISION								
2	5.	5		2051		Kentucky								
TYPICAL TRA SPEED AT CROSSING		_	RACKS AT DSSING		MILE	BRANCH/LINE NAME								
10			1	9.2			Maxon Dist							
AVERAGE DA			FRA TRACK CLASS AT CROSSING			TOTALS FROM PREVIOUS 5 YEARS AT CROSSING								
2		CI			CRASHES			FATALITIES		INJURIES				
2 Class 1				0 0 0				0						



TC 59-13 Rev. 02/2021 Page 3 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 5: CROSSING RE	CONSTRUCTION (Re	equired <u>ONLY j</u>	for Crossing Recons	truction projects.)				
CURRENT CROSSING									
DATE INSTALLED	WIDTH OF ROAD		SURFACE MA	TERIAL		WEIG	GHT OF RAIL		
n/a	36 feet	Aspahlt 115							
SURFACE CONDITION	VISIBLE TIE CON	NDITION APPROACH CONDITION DRAINAGE CONDITIO							
Fair	Fair	Fair Poor Poor							
	Pl	ROPOSED RE	CONSTRUCTION						
PROJECT IMPACT ON SID PATH, OR RECREAT			CHANGE IN TRAC		LENG	GTH OF	ASPHALT DACH		
No 0 inches Taper 1 25 feet									
REPLACEMENT C	ROSSING SURFACE:	Full-depth (Concrete				25 feet		
SECTION 6: CROSSING SA projects.)	FETY EQUIPMENT IN	MPROVEMEN	IT (Required <u>ONLY</u>	for Crossing Safe	ty Equipn	nent Im	provement		
				INSTALL	UPO	RADE	EXISTING		
A. Project Signage Work:	Crossing Signs and N	/larkings							
2. Describe in detail signs and markings <u>proposed</u> at crossing as part of the project. (Text is limited.)									
				INSTALL	UPO	RADE	EXISTING		
B. Project Signal Work: A									
Describe in detail active traffic control devices <u>currently</u> used at crossing. Describe in detail active traffic control devices <u>proposed</u> at crossing as part of the project.									



TC 59-13 Rev. 02/2021 Page 4 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

ECTION	7: SUBMISSION CHECKLIST (See KRCI Guidance	e Document, Section V, for details.)								
\boxtimes	Kentucky Railroad Crossing Improvement Ap	pplication (TC 59-13)								
\boxtimes	Statement of Work									
\boxtimes	Scope of Work									
	Project Schedule/Timeline									
	Detailed engineering assessment report (as	applicable)								
	· · · · · · · · · · · · · · · · · · ·									
	Plans, schematics, details, drawings of the pr	roposed project (as applicable)								
\boxtimes	Photographic documentation of the project	location and condition								
\boxtimes	Detailed estimate									
	Road authority consultation letter (if applica	int is a railroad)								
	Railroad consultation letters (if applicant is a government entity)									
	Public Interest Finding (as applicable)									
TCTION		(Demind ONLY if similarities walked)								
	8: RAILROAD COMPLIANCE CERTIFICATION (certify that as an applicant defined as a railroa		naniated and submitted							
•	9-102 in compliance with the provisions of 603		•							
	igible applicant at the time of this submission,	• •								
	ation and returned to me without review.	-0	, , , , , , , , , , , , , , , , , , , ,							
		SIGNATURE	DATE							
Blake Poo	ole - Head of Maintenance of Way	Blake Pools	10/31/2025							
ECTION	9: APPLICANT CERTIFICATION (The certification	on below applies to all applicants.)								
	ad the Kentucky Railroad Crossing Improvem									
	tated therein. I also hereby certify, subject to t	·	sification to authorities),							
	above information is true and correct to the b	I Total Control of the Control of th								
PRINTED	NAME AND TITLE	SIGNATURE	DATE							
Blake Poo	ole - Head of Maintenance of Way	Blake Poole	10/31/2025							

Submission Directions: Applicants must combine their completed application and all required attachments into a single PDF and submit it electronically via email to KYTC.ModalPrograms@ky.gov. It is the responsibility of the applicant to ensure delivery of the emailed submission.

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION OMB No. 2130-0017


Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.																
A. Revision Date		B. Reporting A	• ,			on for Update	•	′_	_ ′					Crossing		
(<i>MM/DD/YYYY</i>) 02 / 27 / 2025		Railroad	□ Tra		ៃ Chang ata	o .	lew ssing	L	Closed	☐ No Train Traffic	☐ Quiet Zone Update		Invento	ory Number		
		I State	□ Ot		☐ Re-Open ☐ Date Change (Change in Primary perating RR	☐ Admin. Correction		,,,,,,,	296594	lU		
				Part I:	Loca	tion and	Clas	ssificat	ion Informatio	n			•			
Paducah & Louisville Railway Company [PAL]											nty RACKEN					
4. City / Municipality	-			eet/Road I BBS RD	Name 8	& Block Num	ıber	.1		6. Highway Ty	rpe & No.					
Near PADUC		Ct- 7		et/Road N		- I	0.5		k Number)	KY-1154	-t Ci	-3 DV	'aa 🖼 Na			
7. Do Other Railroads Operate a Separate Track at Crossing?																
9. Railroad Division o	or Region	1	10. Railro	ad Subdivi	ision o	r District		11. Bra	nch or Line Name		12. RR M	lilepost				
□ None KENTU	JCKY		□ None	PADU				☐ None			(prefix)			(suffix)		
13. Line Segment *		14. Near	rest RR Tin *	netable		15. Parent R	₹R (if	applicab	le)	16. Crossir	ng Owner (if appli	cable)			
JP-19		aec				<u> </u>	PAL			□ N/A	PAL					
17. Crossing Type	18. Cro ■ High	ssing Purpose	19. Cro ■ At G	ossing Posit	tion	20. Public			21. Type of Train ✓ Freight	☐ Transit			_	ge Passenger nt Per Dav		
■ Public		iway iway, Ped.	□ RR U			☐ Yes	Cross	siriy)	☐ Intercity Passens		ւ d Use Trans			an One Per Day		
☐ Private		ion, Ped.	□ RR C	Over		□ No		☐ Commuter ☐ Tourist/Other ☐ Number Per Day 0								
23. Type of Land Use																
▼ Open Space □ Farm □ Residential □ Commercial □ Industrial □ Institutional □ Recreational □ RR Yard 24. Is there an Adjacent Crossing with a Separate Number? 25. Quiet Zone (FRA provided)																
24. 15 there an Adjuc	ciit cios.	mig with a sep	rarate Hun	iber.		25. Q	uict 2	LOTIC (77)	Aprovidedy							
	Yes, Prov	vide Crossing N				No				go Excused	Date Es					
26. HSR Corridor ID		27. Latit	tude in dec	imal degre	es			·	e in decimal degrees		1	29. Lat,	/Long Sou	irce		
	_ X N/A	(WGS84	std: nn.n	nnnnnn) 🤄	37.084	11600	(WC	GS84 std:	-nnn.nnnnnnn) -088	8.827060	1	■ Actu	ıal 🗆 I	Estimated		
30.A. Railroad Use	*							31.A. State Use *								
30.B. Railroad Use									tate Use *							
30.C. Railroad Use	*								tate Use *							
30.D. Railroad Use	*								tate Use *							
32.A. Narrative (Rai	ilroad Us	e) *						32.B. N	larrative (State Use)							
33. Emergency Notifi 800-444-2580	ication T	elephone No.	(posted)		Railroa 1-444-4	d Contact (T	eleph	hone No.)		35. State Cor 502-564-32	` '	phone I	No.)			
000 111 2000								d lofe.		002 001 02						
1. Estimated Number	r of Daily	Train Moveme	nts		Pa	art II: Rail	roa	a intor	mation							
1.A. Total Day Thru T			otal Night	Thru Trains	s 1.	.C. Total Swit	ching	Trains	1.D. Total Transit	Trains	1.E. Ched	ck if Les	s Than			
(6 AM to 6 PM)			to 6 AM)		0		6	,	0		One Mov	vement	Per Day	□ ek? 0		
2. Year of Train Coun	t Data (Y	YYY)		•		in at Crossing	-	(t) 1	`							
2015						Timetable Sp eed Range Ov			ph) From 5	to_10						
4. Type and Count of	Tracks			/				01	<u> </u>							
	Siding 0		ard <u>0</u>	Tra	ansit <u>C</u>)	Indu	ıstry 0								
5. Train Detection (M		,,	Dotoction	□AFO	□ DT/	C 🗆 DC [□ Ot	thor \square	None							
6. Is Track Signaled?		: LIVIOLIOII	Detection	AIO		A. Event Reco			None		7.B. Re	mote F	lealth Mo	nitoring		
☐ Yes 🗷 No										res 🛚						

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (A 02/27/2025	/M/DD/YYYY)					P	AGE 2			D .	Crossing Inve	ntory Nun	n ber (7 c	har.)		
		Par	: III: Hi	ighway o	r Path	way [·]	Traffic (Control De	evice							
1. Are there	2. Types of Pa	ssive Traffic	Control [Devices asso	ciated w	ith the	Crossing									
Signs or Signals?	2.A. Crossbuck Assemblies (co	ount) (cou		gns <i>(R1-1)</i>	(count	U	ns <i>(R1-2)</i>	■ W10-1	2	arning S	igns <i>(Check ali</i> W10-3	· · · · ·	_ \ \	/10-1	1	ne -
2.E. Low Ground Cl	0 earance Sign	2.F. Pavem	ent Marl	kings	0		□ W10-2 □ W10- 2.G. Channelization 2.H. EXEMI					PT Sign 2.I. ENS Sign (<i>I-13</i>)				_
(W10-5) ☐ Yes (count)	■ Stop Lin	es	□Dyna	mic Enve	elope	•	,			(<i>R15-3</i>) □ Yes	es Yes				
™ No		I RR Xing Symbols □ One Approach I None I No														
2.J. Other MUTCD S	Signs	☐ Yes	X No				2.K. Priva Signs (if)	ate Crossing orivate)	2.L.	. LED En	hanced Signs	(List types)			
Specify Type Specify Type		Count _ Count _						¬	no							
Specify Type		Count _		_			☐ Yes	⊔ No								
3. Types of Train A	ctivated Warnin	g Devices at	the Grad	le Crossing (specify c	ount of	f each dev	ice for all tha	t apply	y)						
3.A. Gate Arms	3.B. Gate Conf	figuration		3.C. Cantile		or Bridg	<i>ed)</i> Flashir	ng Light			Mounted Flash Masts) 2	hing Lights	;		. Total Count o	
(count)	☐ 2 Quad	☐ Full (Barr	ier)	Structures Over Traffi		0	□ In	candescent	٠,	unt oj n Incande	/	 LED		Fia	shing Light Pai	irs
Roadway 0	☐ 3 Quad	Resistance	,				- 		IX €	Back Lig	hts Included	☐ Side	•	4		
Pedestrian 0	☐ 4 Quad	☐ Median G	iates	Not Over T	raffic Lai	ne <u>U</u>	🗆 LE	D				Include	ed			
3.F. Installation Dat		/)	3.G	i. Wayside H	orn						lighway Traffi	c Signals C	ontrollin	g	3.I. Bells	
Active Warning Dev		7) Not Required			alled on ((MM/Y	YYY)	_/	_	Cross	ng s I≅ No				(count) 0	
3.J. Non-Train Active Warning Stagging/Flagman Manually Operated Signals Watchman Floodlighting None Specify type Specify type																
4.A. Does nearby H	4.A. Does nearby Hwy 4.B. Hwy Traffic Signal 4.C. Hwy Traffic Signal Preemption 5. Highway Traffic Pre-Signals 6. Highway Monitoring Devices									g Devices						
Intersection have								□ Yes 🗷	No			(Check a			Recording	
Traffic Signals:	Traffic Signals? ■ Not Interconnected □ For Traffic Signals □ Simultaneous							Storage Dista	ance *						nce Detection	า
☐ Yes 🗷 No	☐ For W	arning Signs		Advance				Stop Line Dis	tance	*		■ None				
				Pa	rt IV: I	Physi	cal Cha	racteristic	S							
Traffic Lanes Cros Number of Lanes	_	□ One-way■ Two-way□ Divided T	Traffic		. Is Road aved? ■ Ye	•	athway □ No	3. Does T	rack Ru ⊐ Yes				thin app	rox. 5	ited? (Street 50 feet from Mary No	
Crossing Surface				ed) Installa								Heurest				
☐ 1 Timber 🗷 ☐ 8 Unconsolidate	2 Asphalt \square	3 Asphalt ar	nd Timbe	er 🗆 4 Co							r 🗆 7 Me		J			_
6. Intersecting Roa	dway within 500) feet?					7. Smalle	est Crossing A	ngle			8. Is Co	mmercia	l Pov	ver Available?	*
☐ Yes 🗷 No	If Yes, Approxin	nate Distance	(feet)				□ 0° − 25	9° □ 30°	– 59°	×	60° - 90°		■ Yes	6	□ No	
				Part	V: Pul	blic H	ighway	Informat	ion							
1. Highway System			2. Fund	ctional Classi				ng			sing on State I	Highway	4. I 55		vay Speed Lim	nit
☐ (01) Inters	tate Highway Sy	stem	□ (1) l	⊥ ≖ (Interstate	(U) Kurai		1) Urban (5) Majoı	r Collector	,	vstem? Yes	□ No				MPH ed □ Statuto	ory
☐ (02) Other	Nat Hwy Systen		☐ (2) (Other Freew	,	Express	sways		5.	Linear I	Referencing Sv	ystem <i>(LRS</i>				•
□ (03) Feder ☑ (08) Non-F	al AID, Not NHS ederal Aid			Other Princip Minor Arteri			(6) Minoi (7) Local	r Collector		3 KY-1 LRS Mil	epost * 1.27	24				
7. Annual Average		ADT) 8. E		d Percent Tru			ularly Use	d by School B Average Nu		per Day	6	_ 10. _ □ Y	_	ncy S No	ervices Route	
Submi	ission Infori	mation - 7	his info	ormation i	s used j	for ad	lministra	itive purpo	ses ai	nd is n	ot availabl	e on the	public	wek	site.	
Submitted by				Organizat	ion						Phono		_)ata		
Submitted by Public reporting but	rden for this info	ormation coll	ection is	Organizat		e 30 mi	nutes ner	resnonse inc	luding	the tim	Phone e for reviewin	g instructi		Oate rchin	g existing data	
sources, gathering a agency may not cor displays a currently other aspect of this Washington, DC 20	and maintaining nduct or sponsor valid OMB cont collection, inclu	the data nee r, and a perso rol number.	ded and n is not i The valid	completing required to, do not control of the contr	and revie nor shall ol numbe	ewing t I a perso er for ir	he collecti on be subj nformation	on of informa ect to a pena collection is	ation. Ity for 2130-0	Accordi failure t 0017. S	ng to the Papo to comply with end comment	erwork Re h, a collect ts regardin	duction a tion of in g this bu	Act o form irden	f 1995, a feder ation unless it estimate or a	ral t









296594U - KY 1154 / Hobbs Rd (M 9.2)

Scope of Work

KY 1154 / Hobbs Rd (M 9.2)

Build 80' track panel utilizing 160 LF of NEW head-hardened 115RE rail/OTM and 48 Ea. 10' ties.

Obtain approved encroachment permit from KYTC. Provide traffic control and detour routing as necessary. Close and barricade road. Sawcut and remove existing asphalt and crossing materials. Remove existing track panel. Excavate fouled ballast to hardpan. Install track panel. Furnish and install 4 Ea. sets of 115RE bars, 4 Ea. 115RE to 100RE transition rails, and 4 Ea. sets of 100RE to 85ASCE comp bars. Furnish and install number 4 ballast and DGA. Surface track panel with HARSCO Mark IV HD production tamper. Regulate ballast and broom finish track.

Furnish and install 40.625' track feet of OMNI full depth concrete crossing surface. Furnish and install 4 Ea. weld kits. Furnish and install asphalt base and surface course.

Grand Total \$167,531.50

Notes and Exclusions


Proposal is turnkey and has been determined according to P&L (CSX) and KTC specifications. Asphalt quantities have been determined based on a maximum 25' apron at each approach.

Company Proposal

We, Track Tech, Inc., hereby propose to complete the scope of work above for a lump sum price of \$167,531.50.

Proposal continues on next page...







Cost Analysis

		GUƏL MIIAIYƏIƏ		
Classification	Units	Quantity	Unit Cost	Total Cost
Track Tech Labor	LS	1	\$20,500.00	\$20,500.00
Track Tech Equipment	LS	1	\$25,500.00	\$25,500.00
P&L Railway Labor	LS	1	\$6,500.00	\$6,500.00
P&L Railway Equipment	LS	1	\$2,000.00	\$2,000.00
Asphalt Labor and Equipment	LS	1	\$10,000.00	\$10,000.00
Detour Routing, Permitting, Striping	LS	1	\$10,000.00	\$10,000.00
Waste Disposal	LS	1	\$4,000.00	\$4,000.00
Mobilization/Hotels/Per Diem	LS	1	\$2,800.00	\$2,800.00
Concrete for 115RE	Track Feet	40.625	\$460.00	\$18,687.50
115RE Rail	80' Sticks	2	\$5,082.00	\$10,164.00
Transition Rails 115RE to 100RE	Ea.	4	\$4,235.00	\$16,940.00
10' Ties	Ea.	48	\$152.00	\$7,296.00
Plates	Ea.	146	\$26.00	\$3,796.00
Comp Bars	Pairs	4	\$1,210.00	\$4,840.00
Straight Bars	Pairs	4	\$218.00	\$872.00
Spikes	Kegs	7	\$152.00	\$1,064.00
Anchors	Ea.	392	\$5.00	\$1,960.00
Bolts	Ea.	32	\$8.00	\$256.00
Ballast	Tons	75	\$43.00	\$3,225.00
DGA	Tons	50	\$31.00	\$1,550.00
Geotextile Fabric	Ea.	1	\$968.00	\$968.00
End Plates	Set	1	\$1,573.00	\$1,573.00
Field Welds	Ea.	4	\$363.00	\$1,452.00
6" CMP	Linear Feet	50	\$34.00	\$1,700.00
Asphalt	Tons Delivered	48	\$206.00	\$9,888.00

5109 Industrial Parkway P.O. Box 5 Calvert City, KY 42029 Phone: 270-395-0770 Fax: 270-395-0771



Proposal

"296594U - KY 1154 / Hobbs Rd (M 9.2)"

Grand Total \$167,531.50



Crossing Schedule						Week 1								Week 2						
	Grocering Gericadie				2	3	4	5	6	7	8	9	10	11	12	13				
TASK	START	END	S	М	Т	W	Т	F	S	S	М	Т	W	Т	F	S				
Final Material Delivery	1	1																		
Distribute Materials and Mobilization	2	2																		
Build Track Panel	3	3																		
Install Track Panel	8	8																		
Install Concrete and Base Asphalt	9	9																		
Install Surface Asphalt	10	10																		
Demobilization	10	10																		
Road Closure	8	10																		



RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 10/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

						Ye	early A	ccide	nt Cou	nt								
PRED ACC RANK	ANNU AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	24	23	22	21	20	DATE CHG	W D	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.000775	296594U	PAL	PADUCAH, KY (MCCRACKEN)	HOBBS RD	0	0	0	0	0		FL	2	1	10	Yes	2	2051
TTL:	0.000775					0	0	0	0	0								



Commonwealth of Kentucky Transportation Cabinet

Andy Beshear Governor Department of Highways, District 1 Office 5501 Kentucky Dam Road Paducah, KY 42003 270-898-2431 Jim Gray Secretary

Crossing Improvement Letter

Re: Consultation Letter for P&L Railway

Crossing Improvements In McCracken Co, KY

To whom it may concern:

KYTC – D1 has been contacted by Paducah & Louisville Railway Inc. regarding crossing surface improvements. P&L is seeking funding through the KYTC-KRCI. KYTC – D1 supports the proposed improvements at DOT# 296594U – Hobbs Road. KYTC will work with P&L to execute these improvements.

Sincerely,

Everett Wilson, PE

PD&P Branch Manager

Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM

Fee receipt: \$15.00

Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov

Annual Report Online Filing For the Year 2025

ARP

Company: PADUCAH & LOUISVILLE RAILWAY, INC.

Company ID: 0212961 State of origin: Kentucky

Formation date: 3/17/1986 12:00:00 AM Date filed: 1/10/2025 9:59:56 AM

Fee: \$15.00

Principal Office 200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

Current Officers

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

Directors

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Director	John P Patelli	500 Water St., Jacksonville FL 32202
Director	Joe Forkum	500 Water St., Jacksonville FL 32202
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003

County: MCCRACKEN Business size: Large

Business type: Railroad Transportation

Signatures

Signature Thomas A Greene
Title President & CEO

Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

Certificate of Existence

Authentication number: 327839

Visit https://web.sos.ky.gov/ftshow/certvalidate.aspx to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30th day of January, 2025, in the 233rd year of the Commonwealth.



Michael G. adams

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961