

TC 59-13 Rev. 02/2021 Page 1 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 1: PROJECT OVERVIEN	N								
АР	PLICANT NAME		DOT CRO	OSSING #	APPLICATION YEAR				
Paducah & Louisville Railway			925644J		2026				
20424	4.845	ROAD MILE	C	CROSSING LO	CATION				
ROAD N	AIVIE	POINT	CI.	TY	COUNTY				
Air Products		211.0	Calvert City		Marshall				
	PROJEC	T TYPE							
Crossing Rehab Select One	Crossing Select Or	•		Obstructive V	egetation Removal				
TOTAL PROJECT COST	KRCI FUNDING REQUESTED	APPLICANT	MATCH		CANT MATCH % % Minimum)				
\$ 231,387.00	\$ 185,109.60	\$ 46,277.40			20 %				
Does applicant plan to use their competitively bid out all work re			the project	(Force Acco	unt) or				
PROJECT DESCRIPTION (Provide a brief project description. Include why the crossing was selected, project purpose and benefits, and the proposed work to be completed. Text is limited to the space provided below.) Statement of work: The purpose of this project is to upgrade and improve crossing surface and thereby, increasing crossing safety. Scope of work: *Provide traffic control & detour routes *Remove existing asphalt approaches & track panel *Excavate fouled ballast to hard pan, create positive drainage away from crossing surface *Install new track panel w/ clean ballast rock *Install new concrete crossing surface with asphalt approaches									
	FOR KYTC	USE ONLY							
Date Received:	FRA WBAPS Score:		Secreta	ry Approval:	□ Y □ N				
Application Complete 603 KAR 7:090 Compliant	N Match %:		-	KRCI Award Amount:					
Eligible Applicant	Road ADT:		-	Date:					



TC 59-13 Rev. 02/2021 Page 2 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 2: A	PPLICA	NT INFO	DRMATION											
Is the applicar	nt a rail	road?	NO 🗌	YES (Pro	vide KY Sed	cretary	y of State in	form	ation.)					
KY SECRETA	ARY OF	STATE (KY SOS) ORG	GANIZAT	ION ID O	R #		KY S	OS STATUS	К	Y SOS STANDING			
0212960						A-Active G-Good								
				PRIMA	RY CONTA	ACT II	NFORMATI	ION						
		NAME	& TITLE			PHONE				EMAIL				
Blake Poole -	Head o	f Mainte	enance of Wa	ау		812-270-2201 bpoole@palrr.			.com					
MAILING ADDRESS								CIT	Υ	STAT	E ZIP			
200 Clark St						Padı	ucah			KY	42003			
If awarded, will signatory be different from the Primary Co							?		YES (Provide sign	natory ii	nformation.)			
SIGNATORY NAME & TITLE							PHONE			EMAI	L			
MAILING ADDRESS								E ZIP						
SECTION 3: P														
	ntucky			_	-	•		_	ers, US Coast Gue etermined the n		Fish and Wildlife permits?			
B. Have all re	quired	permits	been obtain	ed? Not	Applicab	le								
SECTION 4: C	URREN	IT RAILR	OAD CROSSI	NG INFO	ORMATIO	N (Se	ction 4 must	t be c	ompleted for ALL	projects	.)			
# OF TRAFFIC LANES	ROAD LIN		AVERAGE (ADT) A	DAILY T	_	RAII ROAD DIVISION								
2	4	5		1530		Kent	ucky							
TYPICAL TR SPEED A CROSSIN	Т	# OF T	MILE DINT			l	BRANCH/LINE N	AME						
10			2 211			P&L								
AVERAGE I			FRA TRACK			TOTALS FROM PREVIOUS 5 YEARS AT CROSSING								
	12		С			CRASHES FATALITIES				INJURIES				
12 Class 1			1		0			0		0				



TC 59-13 Rev. 02/2021 Page 3 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

SECTION 5: CROSSING RECONSTRUCTION (Required ONLY for Crossing Reconstruction projects.)											
CURRENT CROSSING											
DATE INSTALLED	WIDTH OF ROAD		SURFACE MA	TERIAL		WEIG	GHT OF RAIL				
n/a	33 feet		Aspahl	t			115				
SURFACE CONDITION	VISIBLE TIE CON	NDITION	APPROACH (CONDITION	DRAI	NAGE (CONDITION				
Poor	Fair		Poo	or		Po	or				
	PI	ROPOSED RE	CONSTRUCTION								
PROJECT IMPACT ON SID PATH, OR RECREAT			CHANGE IN TRAC		LENG	GTH OF	ASPHALT DACH				
No			0 inches		Tape 25 fe		Taper 2 25 feet				
REPLACEMENT CROSSING SURFACE: Full-depth Concrete											
SECTION 6: CROSSING SAFETY EQUIPMENT IMPROVEMENT (Required ONLY for Crossing Safety Equipment Improvement projects.)											
				INSTALL	UPO	RADE	EXISTING				
A. Project Signage Work:	Crossing Signs and N	/larkings									
2. Describe in detail signs and markings <u>proposed</u> at crossing as part of the project. (Text is limited.)											
				INSTALL	UPO	SRADE	EXISTING				
B. Project Signal Work: A											
 Describe in detail active traffic control devices <u>currently</u> used at crossing. Describe in detail active traffic control devices <u>proposed</u> at crossing as part of the project. 											



TC 59-13 Rev. 02/2021 Page 4 of 4

KENTUCKY RAILROAD CROSSING IMPROVEMENT (KRCI) APPLICATION

ECTION	CTION 7: SUBMISSION CHECKLIST (See KRCI Guidance Document, Section V, for details.)								
\boxtimes	Kentucky Railroad Crossing Improvement Ap	oplication (TC 59-13)							
\boxtimes	Statement of Work								
\boxtimes	Scope of Work								
\boxtimes	Project Schedule/Timeline								
	Detailed engineering assessment report (as applicable)								
	· · · · · · · · · · · · · · · · · · ·								
	Plans, schematics, details, drawings of the proposed project (as applicable)								
\boxtimes	Photographic documentation of the project	location and condition							
	Detailed estimate								
	Road authority consultation letter (if applica	ant is a railroad)							
	Railroad consultation letters (if applicant is a government entity)								
	Public Interest Finding (as applicable)								
	8: RAILROAD COMPLIANCE CERTIFICATION								
he TC 59 not an eli	certify that as an applicant defined as a railroa 9-102 in compliance with the provisions of 603 igible applicant at the time of this submission, ation and returned to me without review.	3 KAR 7:090 at the time of this applicati	ion. If it is determined I am						
RINTED	NAME AND TITLE	SIGNATURE	DATE						
Blake Poo	ole - Head of Maintenance of Way	Blake Pools	10/31/2025						
	9: APPLICANT CERTIFICATION (The certification								
have read the Kentucky Railroad Crossing Improvement guidance document, and I understand and agree to abide by what is stated therein. I also hereby certify, subject to the provisions of KRS 523.100 (unsworn falsification to authorities), that the above information is true and correct to the best of my knowledge.									
RINTED	NAME AND TITLE	SIGNATURE	DATE						
Blake Poo	ole - Head of Maintenance of Way	Blake Pools	10/31/2025						

Submission Directions: Applicants must combine their completed application and all required attachments into a single PDF and submit it electronically via email to KYTC.ModalPrograms@ky.gov. It is the responsibility of the applicant to ensure delivery of the emailed submission.

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION OMB No. 2130-0017


Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. A. Revision Date B. Reporting Agency C. Reason for Update (Select only one) D. DOT Crossing																
A. Revision Date		B. Reporting A	• •			•	•	′_	_ ′					Crossing		
(<i>MM/DD/YYYY</i>) 02 / 27 / 2025		☐ Railroad	☐ Tra		☑ Chang Data	J	lew ssing		Closed	☐ No Train Traffic	☐ Quie Zone U		Invento	ory Number		
		I State	□ Ot		☐ Re-Op	pen 🗆 D	_		Change in Primary perating RR	☐ Admin. Correction		P	925644	.J		
				Part I:	Loca	ation and	Cla	ssificat	ion Informatio	n						
1. Primary Operating Paducah & Louisvi	Railroad	ay Company				2. State 3. Cc KENTUCKY MA										
4. City / Municipality			AIR	PRODUC	CTs	& Block Num	ıber	_		6. Highway Ty KY-95	pe & No.					
Image: No of the Railroads Operate a Separate Track at Crossing? Yes I* (Block Number) KY-95 7. Do Other Railroads Operate a Separate Track at Crossing? Yes Image: No I * (Block Number) KY-95 8. Do Other Railroads Operate Over Your Track at Crossing? Yes Image: No										<u> </u>						
7. Do Other Railroads Operate a Separate Track at Crossing? Yes No If Yes, Specify RR If Yes, Specify RR																
9. Railroad Division o	Ū		10. Railro	oad Subdivi		r District		11. Bran	nch or Line Name		12. RR M	1ilepost 0211.				
□ None KENTU	JCKY		□ None	PADU	CAH			□ None			(prefix)	<u> </u>		(suffix)		
13. Line Segment *		14. Near Station	rest RR Tim *	netable		15. Parent R	₹R (I)	f applicab	le)	16. Crossin	ig Owner (if applic	cable)			
		CALVE	RT CITY			<u> </u>	PAL			□ N/A	PAL					
17. Crossing Type	18. Cros ■ Highv	ssing Purpose	Purpose 19. Crossing Position 20. Public Access 21. Type of Train 22. Average Passenger													
■ Public		way way, Ped.	□ RR U			☐ Yes	Cius	Sirigi	☐ Intercity Passeng							
☐ Private										Per Day 0						
23. Type of Land Use ☐ Open Space ☐ Farm ☐ Residential ☐ Commercial ☑ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard																
U Open Space ☐ Farm ☐ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard 24. Is there an Adjacent Crossing with a Separate Number? 25. Quiet Zone (FRA provided)																
•								,								
☐ Yes ■ No If	Yes, Provi	ide Crossing N		cimal degre		No		24 Hr [☐ Partial ☐ Chicage in decimal degrees	go Excused		stablishe				
26. HSK COTHUUI ID		Z/. Ldlitt	Jae III uec	·		= 1222		Ū	ū			29. Lal/	/Long Sou	irce		
	_ X N/A	(WGS84	std: nn.ni	nnnnnn) `	37.045	54900	(W		-nnn.nnnnnnn) -088	8.354870		X Actu	al 🗆 🛭	Estimated		
30.A. Railroad Use	*							31.A. S	tate Use *							
30.B. Railroad Use									tate Use *							
30.C. Railroad Use	*							31.C. Si	tate Use *							
30.D. Railroad Use	*							31.D. S	tate Use *							
32.A. Narrative (Rai	Iroad Use	MARSH1	6 IN DAT	ABASE				32.B. N	larrative (State Use)	* MARSH16 II	N DATAB	ASE				
33. Emergency Notifi	cation Te	lephone No. (posted)	34. R	₹ailroa	ad Contact (T	elepl	hone No.)		35. State Con	tact (Tele	phone I	Vo.)			
800-444-2580				270)-444-4	4300				502-564-321	10					
					Pa	art II: Rail	roa	d Infor	mation							
1. Estimated Number																
1.A. Total Day Thru T	rains		•	Thru Trains	s 1.	.C. Total Swite	ching	g Trains	1.D. Total Transit	Trains	1.E. Che					
(6 AM to 6 PM) 4		2	to 6 AM)		_6	ა			0				: Per Day is per wee			
2. Year of Train Coun	t Data (YY	YY)				in at Crossing Timetable Sp	-	(mnh) 1()							
2015						eed Range Ov				to_10						
4. Type and Count of	Tracks															
	Siding 0		ard 1	Tr	ansit <u>C</u>)	Indu	ustry 1								
5. Train Detection (M Constant Warr		,,	Detection	□AFO	□ DT :	C DC [п о	ther \square	None							
6. Is Track Signaled?		IVIOLIOII	Detection	AFO		A. Event Reco			None		7.B. Re	mote H	lealth Mo	nitoring		
☐ Yes 🗷 No						□ Yes 🗷						Yes 🗷				

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (A 02/27/2025	/M/DD/YYYY)	A. Revision Date (MM/DD/YYYY) 02/27/2025 PAGE 2 D. Crossing Inventory Number (7 char.) 925644J											1ber (7 c	har.)	
			Part III	: Highway o	or Path	hway	Traffic	Control D	evice						
1. Are there	2. Types of P	assive Tra	ffic Cont	rol Devices asso	ociated v	with the	Crossing								
Signs or Signals?	2.A. Crossbuc			P Signs (R1-1)		_	ns <i>(R1-2)</i>		_		igns <i>(Check al</i>				
■ Yes □ No	Assemblies (a		(count) 0		(coun	it)		■ W10-1			□ W10-3	}	_		.1
2.E. Low Ground Cl	earance Sign	2.F. Pa	vement I	Markings	Į		2.G. Cha	nnelization			2.H. EXEMP		2.I. ENS		
(W10-5) \square Yes (count)	l S+o	p Lines	□ Dum:	amic Env	rolono.	Devices/Medians ☐ All Approaches ☐ Median				, ,			played Yes	
■ No	/		y Lines Xing Syml			reiope		Approach	■ No		I No		□ No		
2.J. Other MUTCD S	Signs	□ Y	es 🗷 N	0				ate Crossing	2.L	LED En	hanced Signs	(List types)		
Specify Type Count Signs (if private)															
Specify Type Count															
Specify Type Count 3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)															
3.A. Gate Arms											. Total Count o				
(count)		J		Structures	(count	i	•		(co	ount of n	nasts) 2			Fla	shing Light Pair
Roadway 2	■ 2 Quad □ 3 Quad	☐ Full (Resista	Barrier)	Over Traff	ic Lane	0	_	ncandescent		Incande	scent hts Included	I LED I Side	Lights	_	
Pedestrian 0	☐ 4 Quad		ian Gates	Not Over	Traffic La	ane 0	_ 🗆 L	ED		Dack Lig	ints included	Include	•	5	
3.F. Installation Dat	e of Current			3.G. Wayside H	lorn					3.H. F	lighway Traffi	c Signals C	ontrollin	g	3.I. Bells
Active Warning Dev	vices: (MM/YYY	•		•		(1/1/1//	VVV)			Cross	ing				(count)
/	🗶	Not Req	uired	■ No	aneu on	i (iviivi) i	'''/	/		☐ Ye	s I No				2
3.J. Non-Train Active Warning □ Flagging/Flagman □ Manually Operated Signals □ Watchman □ Floodlighting ■ None 3.K. Other Flashing Lights or Warning Devices Count 6 Specify type Lights on Arms															
4.A. Does nearby Hwy 4.B. Hwy Traffic Signal 4.C. Hwy Traffic Signal Preemption 5. Highway Traffic Pre-Signals 6. Highway Monitoring Devices															
Intersection have Traffic Signals?	Intercon	nection	actad					□ Yes 🗷	No			(Check al			Recording
Trume Signais:		raffic Sign		☐ Simultaneo	us			Storage Dist					-		nce Detection
☐ Yes 🗷 No	☐ For V	Varning S	igns	☐ Advance				Stop Line Di		*		■ None		_	
								racteristi				T			
1. Traffic Lanes Cros		■ Two	-way Traf	fic F	aved?	•	athway				n a Street?	lights wi	thin app	rox. 5	ited? (Street 50 feet from
Number of Lanes		☐ Divid			■ Y ation Da		□ No M/YYYY)		☐ Yes		No dth * 33	nearest i			■ No
☐ 1 Timber 🗷 ☐ 8 Unconsolidate	2 Asphalt \square	3 Asph	alt and Ti	mber 🗆 4 C							er 🗆 7 Me				
6. Intersecting Roa	dway within 50	0 feet?					7. Small	est Crossing A	ngle			8. Is Co	mmercia	ıl Pov	ver Available?
¥ Yes □ No	If Yes, Approxi	mate Dist	ance <i>lfee</i>	+) 92			□ 0° – 2	.9° □ 30°	° – 59°	Tæ	60° - 90°		≅ Yes	2	□ No
163 1110	птез, дрргохи	mate Dist	unce hee		t V: Pu	ıblic H		/ Informat			00 30		<u> </u>	,	
1. Highway System			2.1	unctional Class						. Is Cross	sing on State I	Highway	4. I	High	vay Speed Limi
_					(0) Rura	•	1) Urban		Sy	ystem?			45	5	MPH
_ ` `	tate Highway S Nat Hwy Syste	-		(1) Interstate(2) Other Freev	vavs and			r Collector		Yes		ustom /I BS			ed 🗆 Statutor
	al AID, Not NHS			(3) Other Princi	•	•	•	r Collector	07	79 KY-9			Koute II) ·	
☐ (08) Non-F		1		(4) Minor Arter			(7) Local				lepost * 7.00				
7. Annual Average Year <u>2010</u> AA	Daily Traffic <i>(A</i> DT 1530	ADT) 	8. Estim	ated Percent Tr	ucks %	9. Reg □ Yes		ed by School E Average Nu				_ 10. _ □ Y	•	ncy S ∃ No	ervices Route
Submi	ission Infor	mation	1 - This	information	is used	for ac	lministro	ative purpo	ses a	ınd is r	ot availabl	e on the	public	wel	osite.
Submitted by				Organiza	tion						Phone		0	Date	
Public reporting bu	rden for this in	formation	collectio			ge 30 mi	nutes per	response, inc	luding	the tim		g instructi			g existing data
sources, gathering a		_				_									
agency may not cor displays a currently	•			•					•			-			
other aspect of this Washington, DC 20		uding for	reducing	this burden to:	Informa	ation Co	llection O	fficer, Federa	l Railro	oad Adm	inistration, 12	200 New Je	ersey Ave	e. SE,	MS-25









925644J - KY 95 / Air Products (211)

Scope of Work

KY 95 / Air Products (211)

Build 2 Ea. 80' track panels utilizing the following materials: 320 LF of NEW head-hardened 115RE rail/OTM and 96 Ea. 10' ties.

Obtain approved encroachment permit from KYTC. Provide traffic control and detour routing as necessary. Close and barricade road. Sawcut and remove existing asphalt and crossing materials. Remove existing track panels. Excavate fouled ballast to hardpan. Install track panels. Furnish and install 6 Ea. sets of 115RE bars and 2 Ea. sets of 112RE to 115RE comp bars. Furnish and install number 4 ballast and DGA. Surface track panels with HARSCO Mark IV HD production tamper. Regulate ballast and broom finish track.

Furnish and install 81.25' track feet of OMNI full depth concrete crossing surface for 115RE across both tracks (40.625' per track). Furnish and install 8 Ea. weld kits. Furnish and install asphalt base and surface course.

Grand Total \$231,387.00

Notes and Exclusions


Proposal is turnkey and has been determined according to P&L (CSX) and KTC specifications. Asphalt quantities have been determined based on a maximum 25' apron at each approach.

Company Proposal

We, Track Tech, Inc., hereby propose to complete the scope of work above for a lump sum price of \$231,387.00.

Proposal continues on next page...







Cost Analysis

Classification	Units	Quantity	Unit Cost	Total Cost
Track Tech Labor	LS	1	\$29,700.00	\$29,700.00
Track Tech Equipment	LS	1	\$37,400.00	\$37,400.00
P&L Railway Labor	LS	1	\$7,300.00	\$7,300.00
P&L Railway Equipment	LS	1	\$2,200.00	\$2,200.00
Asphalt Labor and Equipment	LS	1	\$15,000.00	\$15,000.00
Detour Routing, Permitting, Striping	LS	1	\$10,000.00	\$10,000.00
Waste Disposal	LS	1	\$6,000.00	\$6,000.00
Mobilization/Hotels/Per Diem	LS	1	\$2,800.00	\$2,800.00
Concrete for 115RE	Track Feet	81.25	\$460.00	\$37,375.00
115RE Rail	80' Sticks	4	\$5,082.00	\$20,328.00
10' Ties	Ea.	96	\$152.00	\$14,592.00
Plates	Ea.	192	\$26.00	\$4,992.00
Comp Bars	Pairs	2	\$1,210.00	\$2,420.00
Straight Bars	Pairs	6	\$218.00	\$1,308.00
Spikes	Kegs	9	\$152.00	\$1,368.00
Anchors	Ea.	484	\$5.00	\$2,420.00
Bolts	Ea.	32	\$8.00	\$256.00
Ballast	Tons	150	\$43.00	\$6,450.00
DGA	Tons	50	\$31.00	\$1,550.00
Geotextile Fabric	Ea.	1	\$968.00	\$968.00
End Plates	Set	2	\$1,573.00	\$3,146.00
Field Welds	Ea.	8	\$363.00	\$2,904.00
6" CMP	Linear Feet	100	\$34.00	\$3,400.00
Asphalt	Tons Delivered	85	\$206.00	\$17,510.00
			Grand Total	\$231,387.00



Crossing Schedule						eek	1			Week 2						
Grossing Ganada	0 1 2 3 4 5 6 7 8 9 10										11	12	13			
TASK	S	М	Т	W	Т	F	S	S	М	Т	W	Т	F	S		
Final Material Delivery	1	1														
Distribute Materials and Mobilization	2	2														
Build Track Panels	3	4														
Install Track Panel	8	9														
Install Concrete and Base Asphalt	10	10														
Surface Asphalt Installation	11	11														
Demobilization	11	11														
Road Closure	8	11														



RANKED PUBLIC HIGHWAY-RAIL CROSSINGS FIVE YEAR TOTAL ACCIDENT HISTORY

Yearly accident count includes only complete calendar year data. If interested in partial year data, run the cyclic report option.

Date generated: 10/29/2025. Source: https://safetydata.fra.dot.gov/gxaps-app/#/

							early A	ccide	nt Cou	nt								
PRED ACC RANK	ANNU AVG PRED ACC	GX ID	RR	CITY, STATE (COUNTY)	STREET	24	23	22	21	20	DATE CHG	D	TOT TRN	TOT TRK	TTBL SPD	HWY PVD	HWY LNS	AADT
1	0.00139	925644J	PAL	CALVERT CITY, KY (MARSHALL)	AIR PRODUCTs	0	0	0	0	0		GT	12	3	10	Yes	2	1530
TTL:	0.00139					0	0	0	0	0								



COMMONWEALTH OF KENTUCKY TRANSPORTATION CABINET

Andy Beshear Governor Department of Highways, District 1 Office 5501 Kentucky Dam Road Paducah, KY 42003 270-898-2431 Jim Gray Secretary

Crossing Improvement Letter

Re: Consultation Letter for P&L Railway

Crossing Improvements In Marshall Co, KY

To whom it may concern:

KYTC – D1 has been contacted by Paducah & Louisville Railway Inc. regarding crossing surface improvements. P&L is seeking funding through the KYTC-KRCI. KYTC – D1 supports the proposed improvements at:

DOT# 913168R - KY 1523

DOT# 297186M - KY 1523

DOT# 925644J - KY 95

KYTC will work with P&L to execute these improvements.

Sincerely,

Everett Wilson, PE

PD&P Branch Manager

Commonwealth of Kentucky Michael G. Adams, Secretary of St

0212961 Michael G. Adams KY Secretary of State Received and Filed 1/10/2025 10:01:55 AM

Fee receipt: \$15.00

Michael G. Adams Secretary of State P. O. Box 1150 Frankfort, KY 40602-1150 (502) 564-3490 http://www.sos.ky.gov

Annual Report Online Filing For the Year 2025

ARP

Company: PADUCAH & LOUISVILLE RAILWAY, INC.

Company ID: 0212961 State of origin: Kentucky

Formation date: 3/17/1986 12:00:00 AM Date filed: 1/10/2025 9:59:56 AM

Fee: \$15.00

Principal Office 200 CLARK STREET PADUCAH, KY 42003

Registered Agent Name/Address

Paducah & Louisville Railway 200 Clark St Paducah, KY 42003

Current Officers

President	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Secretary	Tim R Wyatt	200 Clark Street Paducah KY 42003
Treasurer	Jennifer M Hrdlicka	200 Clark Street Paducah KY 42003

Directors

Director	William D Donan	505 Tiffany Lane, Louisville KY 40207
Director	Thomas A Greene	200 Clark Street, Paducah, KY 42003-1701
Director	John P Patelli	500 Water St., Jacksonville FL 32202
Director	Joe Forkum	500 Water St., Jacksonville FL 32202
Director	Chantel Goutcher	500 Water St., Jacksonville FL 32202
Director	Tim R Wyatt	200 Clark Street, Paducah KY 42003
Director	Jennifer M Hrdlicka	200 Clark Street, Paducah KY 42003

County: MCCRACKEN

Business size: Large

Business type: Railroad Transportation

Signatures

Signature Thomas A Greene Title President & CEO

Commonwealth of Kentucky Michael G. Adams, Secretary of State

Michael G. Adams Secretary of State P. O. Box 718 Frankfort, KY 40602-0718 (502) 564-3490 http://www.sos.ky.gov

Certificate of Existence

Authentication number: 327839

Visit https://web.sos.ky.gov/ftshow/certvalidate.aspx to authenticate this certificate.

I, Michael G. Adams, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,

PADUCAH & LOUISVILLE RAILWAY, INC.

PADUCAH & LOUISVILLE RAILWAY, INC. is a corporation duly incorporated and existing under KRS Chapter 14A and KRS Chapter 271B, whose date of incorporation is March 17, 1986 and whose period of duration is perpetual.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that Articles of Dissolution have not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 30th day of January, 2025, in the 233rd year of the Commonwealth.



Michael G. adams

Michael G. Adams Secretary of State Commonwealth of Kentucky 327839/0212961