

KENTUCKY PUBLIC RIVERPORT CONSTRUCTION AND MAINTENANCE (KPRCM) APPLICATION

INSTRUCTIONS: A guidance document is provided to assist in completing the application packet and may be accessed at <https://transportation.ky.gov/MultimodalFreight/Pages/KPRCM.aspx>
See the guidance document for required attachments and acceptable methods of submittal.

SECTION 1: APPLICANT INFORMATION

PUBLIC RIVERPORT NAME		TOTAL PROJECT COST	KPRCM FUND REQUEST
Owensboro Riverport Authority		\$801,800.00	\$801,800.00
STREET ADDRESS	CITY	STATE	ZIP
1771 River Road	Owensboro	KY	42301
CONTACT NAME & TITLE	PHONE	EMAIL	
Brian Wright, President & CEO	270-663-4034	bwright@owensbororiverport.com	

SECTION 2: PROJECT DESCRIPTION

PROJECT TITLE	DURATION
Forklift Package- four units	12 months weeks

FACILITIES AFFECTED BY THE PROPOSED PROJECT

☒ Owned by Riverport Authority ☐ Leased to:

DESCRIPTION OF THE PROPOSED PROJECT (Provide a brief project description and the proposed work to be completed. Text is limited to the space provided below.)

This project will modernize and expand the terminal's forklift fleet to support current and anticipated commodity-handling requirements. The investment includes the addition of a second 10,000 lb. lift to support increased indoor metal commodity storage and outbound loading, two 25,000 lb lifts with high-mast capability to support potential growth in commodities requiring greater reach and height capabilities, and the replacement of one aging 6,000–8,000 lb. forklift. The project will improve operational capacity, equipment reliability, and the terminal's ability to accommodate a broader range of customer and commodity requirements.

Select ONE: ☐ Applicant plans to use their own manpower, equipment, or materials on the project (Force Account).
☒ Applicant plans to competitively bid out all work related to the project.

TRAFFIC	CURRENT	AFTER PROJECT
Trucks per day	200-225	215-240
Train cars per week	50-60	54-64
Barges per week	11-12	11-12

SECTION 3: PERMITS AND APPROVALS

	YES	NO
Has the applicant consulted with state and federal agencies (US Army Corps of Engineers, US Coast Guard, US Fish & Wildlife Service, KY Division of Water, KY Heritage Council, etc.)?	☐	☒
Has state and federal agency consultation determined permits are needed?	☐	☒
Have all required permits (environmental, encroachment, etc.) been obtained?	☐	☒

FOR KYTC USE ONLY

Date Received: Application Complete? ☐ Yes ☐ No Eligible Applicant? ☐ Yes ☐ No Permits Needed? ☐ Yes ☐ No	WTAB Approval ☐ Yes ☐ No Sec. Approval ☐ Yes ☐ No Award Amount: _____ Award Date: _____	Notification of Award: _____ MOA #: _____ Notice to Proceed: _____
--	--	---

KENTUCKY PUBLIC RIVERPORT CONSTRUCTION AND MAINTENANCE (KPRCM) APPLICATION

SECTION 4: PROJECT EVALUATION

A. DESCRIPTION OF THE PROPOSED PROJECT'S CRITICALITY AND TRANSPORTATION IMPACT ON RIVERPORT OPERATIONS AND KENTUCKY'S MULTIMODAL FREIGHT NETWORK *(Text is limited to the space provided below.)*

Forklifts are critical to ORA's ability to efficiently transfer, store, and load commodities moving through the multimodal freight network. Modernizing the forklift fleet will improve reliability and handling capacity, reduce the risk of equipment-related downtime, and support the efficient movement of commodities between barge, rail, truck, and storage.

B. DESCRIPTION OF THE PROPOSED PROJECT'S ECONOMIC DEVELOPMENT IMPACT AND ABILITY TO SUPPORT ECONOMIC GROWTH, JOBS, INDUSTRY, AND PRIVATE INVESTMENT *(Text is limited to the space provided below.)*

The project will increase the capacity of ORA to handle a broader range of commodities. Modern, reliable forklifts will support existing customers, enable new business and increased freight volumes, and help sustain and invest in jobs associated with operations. The project will also support industrial development by providing the infrastructure needed to move, store, and distribute commodities throughout the region.

C. DESCRIPTION OF THE PROPOSED PROJECT'S ABILITY TO IMPROVE SAFETY, PRESERVE INFRASTRUCTURE, AND IMPROVE RESILIENCY *(Text is limited to the space provided below.)*

The project will improve safety and operational resiliency by replacing aging equipment, reduce the risk of equipment-related failures and downtime, and provide for a reliable fleet of forklifts for critical terminal operations. This investment will strengthen the overall reliability of the multimodal freight network by building necessary redundancy for daily handling services provided.

D. DESCRIPTION OF THE PROPOSED PROJECT'S READINESS & DELIVERABILITY AND LIKELIHOOD THE PROJECT CAN PROCEED EFFICIENTLY AND SUCCESSFULLY *(Text is limited to the space provided below.)*

The project does not require major construction, permitting, or changes to the riverport's existing transportation infrastructure, which significantly reduces implementation risk and allows the project to move forward efficiently. The four forklift units will be integrated into the riverport's current operations and used by existing personnel.

E. DESCRIPTION OF THE PROPOSED PROJECT'S FINANCIAL LEVERAGE & PARTNERSHIP AND WHETHER THE PROJECT LEVERAGES OUTSIDE INVESTMENT OR PARTNERSHIPS *(Text is limited to the space provided below.)*

The proposed project will be funded through the requested grant assistance. At this time, no additional outside funding sources or formal financial partnerships are being considered for funding the equipment purchase. Although the project does not include additional financial investment from outside partners, it directly supports the riverport's existing and future customer base and the private-sector businesses that depend on the facility for efficient and reliable freight handling.

F. DESCRIPTION OF THE PROPOSED PROJECT'S STRATEGIC IMPORTANCE TO KENTUCKY AND BROADER STATEWIDE TRANSPORTATION AND ECONOMIC SIGNIFICANCE *(Text is limited to the space provided below.)*

The investment in this handling equipment will strengthen multimodal freight capabilities and provide local manufacturers and other industries with greater access to efficient, flexible transportation options. Providing the adequate handling equipment to fully utilize the existing and developing river and rail infrastructure is a valuable piece to the larger framework of port infrastructure to support continued economic growth across Kentucky.

KENTUCKY PUBLIC RIVERPORT CONSTRUCTION AND MAINTENANCE (KPRCM) APPLICATION

SECTION 5: SUBMISSION CHECKLIST *(See guidance document for details.)*

- ☒ Kentucky Public Riverport Construction and Maintenance (KPRCM) Application (TC 59-113)
- ☒ Statement of Work
- ☒ Scope of Work
- ☒ Purchase quote or cost estimate for the project
- ☒ Project Schedule/Timeline
- ☒ Maps, aerial photos, drawings, and photographs, as needed
- ☐ Engineering plans, schematics, details, drawings of the proposed project, as needed
- ☐ Copies of all correspondence or evidence of consultation that has occurred with state and federal agencies, if applicable
- ☒ Required Affidavit for Bidders, Offerors and Contractors from applicant

SECTION 6: CERTIFICATION

I have read the Kentucky Public Riverport Construction and Maintenance Project Guidance Document and understand and agree to abide by what is stated therein. I agree that incomplete applications, applications missing any of the above required supporting documents, or applications received after the deadline, will be deemed ineligible by Division staff without consideration for KPRCM funds and returned to applicant. I also hereby certify, subject to the provision of KRS 523.100 (unsworn falsification to authorities), that the above information is true and correct to the best of my knowledge.

PRINTED NAME & TITLE	SIGNATURE	DATE
Brian Wright, President & CEO		9-30-26

Completed applications and all required attachments must be submitted electronically in PDF format. Paper copies will not be accepted. Emailed applications must be received by the Division by date indicated in call for projects. PDF copies shall be sent via email to the address indicated in the call for projects.



KPRCM Application

Applicant Name: Owensboro Riverport Authority

Project Title: Forklift Package- four units

Date Submitted: September 30, 2026

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



September 30, 2026

RE: Forklift Package- four units

Dear Sir or Madam:

The Owensboro Riverport Authority (ORA) is proud to be one of Kentucky's leading public riverports, moving nearly 1 million tons of cargo in fiscal year 2026 through integrated river, rail, and road operations. We are respectfully submitting our application for funding through the Kentucky Public Riverport Construction and Maintenance (KPRCM) program to support critical infrastructure improvements.

Your consideration of this request is vital to ensuring ORA can continue to meet the evolving transportation demands of our region and support statewide economic growth.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian Wright", with a stylized flourish at the end.

Brian Wright
President/CEO

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



Statement of Work

In FY 2026, ORA facilitated the movement of 943,000 tons of commodities inbound via barge, rail, and truck. Approximately 35% of these commodities require forklift handling for placement into storage and outbound handling. ORA has also expanded its portfolio of commodities handled across the 340-acre facility with varying capacity and mast-height requirements to meet customer needs. Forklifts are a critical component of the services provided to our customers and the regional industrial base.

Under current operations, the terminal fleet includes one high-mast lift and one 10,000 lb. lift. With the recent addition of metal commodities being stored indoors and loaded onto van trailers, ORA has an immediate need for a second 10,000 lb. lift to support outbound loading operations. Additionally, ORA is pursuing new business that could potentially double the volume requiring high-mast lift capabilities. Finally, the existing terminal fleet includes eight 6,000-8,000 lb. lifts that are more than 13 years old and are targeted for phased replacement over the next several years.

This project represents an investment in modernizing and advancing the terminal forklift fleet to support current handling services, replace aging equipment, and expand ORA's capabilities to handle increasing volumes of commodities with varying height and weight requirements.

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



Scope of Work

The Owensboro Riverport Authority (ORA) will procure four forklift units of varying lifting capacity to support port operations for loading and unloading services provided. The project will follow a competitive bidding process in accordance with procurement policies. Upon receipt and evaluation of bids, ORA will award the contracts and place the order for the new equipment. The four forklift units will be integrated into daily operations upon delivery to immediately improve handling efficiency and safety within operations.

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



Detailed Budget

Forklift Package- four units

Line Item	Amount
25,000-30,000 lb forklifts (2)	\$ 564,600
10,000 lb forklift	\$ 124,700
8,000 lb forklift	\$ 112,500
Grand Total	\$ 801,800

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



Sales Quote

Taylor Machine Works, Inc

Telephone: (270)339-6161

Ship To: OWENSBORO RIVERPORT AUTHORITY
1771 RIVER ROAD
OWENSBORO, KY 42301-9279

Date: July 31, 2026
Quote Number: TMW-26468
Salesman: Paul Parker

Attn: Ben Walker

We respectfully submit this quote for the following Taylor Product. Our team at Taylor consists of the most knowledgeable and responsive experts in the material handling industry. We value the opportunity to be your trusted partner. Let me know if you need any additional information. You Can Depend On Big Red! BUDGETARY QUOTE FOR X250S YARD TRUCK

At your service,

Paul Parker

Cell: (270)339-6161

Email: pmparker@taylorbigred.com

C-30863

X250S STANDARD FEATURES:

BASIC CAPACITY: 25,000lbs at 24.00in Load Center, 110.00in Wheelbase (11,339kg at 609.60mm Load Center, 2,794.00mm Wheelbase)

DRIVETRAIN:

- Emissions (Tier) Compliant Diesel Engine (Turbocharged)
- Donaldson dry-type air cleaner with raised air intake, safety element & restriction indicator
- Powershift Transmission - 3 Speed, Modulated, Electric Shift Control, Air/Oil Cooling with Automatic Powershift Control (Direction controls are actuated with joystick mounted push buttons)
- Powertrain protection system for engine and transmission
- Planetary Drive Axle with Wet Disc Brakes
- Taylor Welded Steel Steer Axle (single hydraulic cylinder design with heavy-duty links from the cylinder ram directly to tapered roller bearing mounted spindles)
- Auxiliary drive line mounted Parking Brake

CHASSIS:

- All-welded steel frame with 4 Lifting Eyes (lifting eyes not designed for level pick)
- Replaceable bolt-on steps and handrails
- Lockable Fuel Cap with Strainer
- Chassis D-Ring Tie Downs near Rear Wheel Well
- Engine hood, side service doors and removable floor panels open to expose drive train for ease of maintenance

LIFTING:

- Hydraulic gear type pumps, fittings and hoses
- Full Flow Wire Mesh Suction Strainers & Full Flow 10-Micron Return Filter in Tank

CAB:

- Operator Platform conforms to ANSI B56.1 standards
- Orange, anti-cinch seat belt with starting sequence neutral lock
- Operator Presence System with timed idle and neutral shutdown (5 minute default, password adjustable from 1-120 minutes by end user)
- Taylor Integrated Control System (TICS) with 7-in touch screen color display
- TaylorTrak Pro - Advanced Fleet Telematics hardware with 3-year subscription
- Rear View Mirrors

ELECTRICAL:

- Dual heavy-duty batteries with battery disconnect/lockout switch
- 1 A-Type USB Port and 1 C-Type USB Port
- Circuit breakers with reset switches and heavy duty connectors (no automotive type fuses)
- Electric horns
- Forward and reverse-actuated warning alarms

FINAL CONFIGURATION WITH INCLUDED OPTIONS:

- ENGINE:**
- Standard Main Hydraulic System
 - Cummins QSB 6.7 C173 HP - Tier 4 Final
 - Horton Clutch & Fan 26in Blower
 - Hydraulic Tank Plugs
 - Standard Oil Filter
 - Standard Oil Drain

- AIR INTAKE/EXHAUST:**
- Taylor-Max Style Air Intake Pre-Cleaner (Centrifugal Air Flow)
 - Standard Exhaust with Blanket

- OPERATOR BASE:**
- Dream Enclosed Operator Base - Temp Glass
 - Standard Front Glass - Wiper
 - Standard Rear Glass - Wiper
 - Skylight - No Wiper
 - Heater and Defrost
 - Air Conditioning
 - Sears - Black Vinyl - Air Suspension - Adjustable
 - Single Cab Fan
 - Single 5 lbs Fire Extinguisher - Cab
 - Washer Bottle
 - Steer Wheel Spinner Knob
 - Remote Steer Axle Pivot Grease

- ELECTRICAL:**
- FIAMM High/Low Horns
 - Forward/Reverse Alarms
 - 24 to 12 Volt Converter
 - AM/FM/Bluetooth Radio
 - Keyed Ignition
 - TaylorTrak Pro Remote Telematics 3 Years Subscription
 - Enclosed Electrical under Operator Base
 - 2 LED Lights - Rear AFrame
 - 4 LED Front Cab Lights
 - 2 LED Mast Lights - 1 High / 1 Low

- TRANSMISSION:**
- 3 Speed - Nonlockup 13.5 FTE Trans
 - Transmission Remote Breather

- BRAKES:**
- Dual Brake Pedals

- HYDRAULICS:**
- Standard Hydraulic Tank Breather
 - Standard Hydraulic Fluid
 - Lift Accumulator

- CHASSIS/BODY HULL:**
- Standard Chassis
 - Drive Axle Remote Breather

- TIRES & RIMS:**
- 10.00 X 20 - 18PR Tires

- MAST:**
- 13ft Ultra View Mast - Hidden Chains, 150.5in OALH, 228.5in OARH, 9in UNC
 - Composite Bearing - Mast Mount

- CARRIAGE:**
- 100in C Type Carriage with 10in Side Shift
 - Fork Position
 - Standard Roller Hose Locations

- FORKS:**
- 3 X 7 X 96 Fork

- HYDRAULIC/TRANSMISSION CONTROLS:**
- Taylor Custom Joystick
 - Joystick Shifter - 3 Speed

- MISCELLANEOUS:**
- Single Light Switch
 - Counterweight - Standard
 - Taylor Red and Black Paint
 - English Decals
 - Factory Prep - US & Canada
 - TICS 5 Minutes Idle Shutdown
 - TICS Seatbelt Neutral Lock
 - TICS Power On Demand

ESTIMATED CAPACITY AS EQUIPPED:

RATED CAPACITY:	22300 lbs	10120 kg	@ Center of Load:	24-in.	610 mm
	18400 lbs	8350 kg	@ Center of Load:	36-in.	914 mm
	15600 lbs	7080 kg	@ Center of Load:	48-in.	1219 mm

TERMS AND CONDITIONS:

PAYMENT TERMS: Net 30

ESTIMATED DELIVERY: 7 mos. ARO

DELIVERY TERMS: Prepay and Add

F.O.B.: Factory

- OTHER:**
- Performance and specifications stated are based on specific testing and operating conditions
 - Actual performance and specifications may vary based on application, option configuration, operating conditions and environmental conditions
 - Your signature on this proposal constitutes an order

WARRANTY:

STANDARD WARRANTY: • W1 - 12 Months or 2000 Hours, whichever occurs first (see full warranty statement for details)

**EXTENSION OF
STANDARD
WARRANTY:**

- Parts & Labor - 2 Yrs or 4,000 Hrs
Runs concurrently with Standard Warranty (Not in addition to Standard Warranty)

TOTAL INVESTMENT:

Taylor X250S as specified above	Current Surcharge (per Truck):	\$ 10,681.16
	Net Sales Price (Each):	\$ 282,300.00
	Quantity:	1
	*TOTAL Net Price:	\$ 282,300.00

(Plus Applicable Tax and Tariff Surcharge at the Time of Invoicing)

*Taylor is committed to serving your demanding material handling needs with the best, most reliable equipment in the industry. The ongoing instability throughout the global supply chain and freight services have created unprecedented production challenges. To preserve the Quality and Craftsmanship that you expect from Taylor, we reserve the right to apply a surcharge for unforeseen increased cost in raw materials and major components, pass-through any incurred cost due to new tariffs, and/or adjust any freight quotes to this order at time of delivery.

LIMITED WARRANTY

Products manufactured by Taylor Machine Works, Inc. (Taylor) and sold are warranted by Taylor to be free from defects in material and workmanship, under normal use and service, when Taylor products are operated at or below rated capacity* in accordance with operating instructions.

This warranty is limited to repair or replacement, (as Taylor may elect, and at an establishment authorized by Taylor) of such parts as shall appear to Taylor upon inspection to have been defective in material or workmanship.

This warranty period shall begin on the delivery date of the product to the purchaser and end on whichever occurs first of the warranty period, twelve (12) months or two-thousand (2,000) hours. During this period, Taylor will provide genuine Taylor parts, labor, and travel time to replace or repair any part furnished by Taylor and found to be defective in material and workmanship. If a defect in material and workmanship is found during the twelve (12) months and/or two-thousand (2,000) hours whichever occurs first of the warranty period, Taylor will replace lubricating oil, filters, antifreeze, and other service items made unusable by the defect. Only genuine Taylor parts provided by Taylor's Sudden Service, Inc. shall be used during the warranty period.

THE FOLLOWING ITEMS ARE NOT COVERED BY THIS WARRANTY:

1. Normal maintenance services and parts or supplies used therein including, without limitation, engine tune-up, wheel alignment, brake and linkage adjustment, lubrication services, tightening and adjusting such as bolts, screws, hoses, fittings, etc., Replacement of fuses, bulbs, filters, tune-up parts, fluids and brake and clutch linings, glass; shop supplies such as rags, oil dry, hand soaps, degreasers, cleaning solutions including brake clean, etc.; And adjustments which are a part of the required or recommended predelivery inspection and periodic inspections in accordance with operator's manual.
2. Leaks due to o-ring failures and fittings are covered up to one-thousand (1,000) hours or six (6) months (whichever comes first) from the date in service. *Must fill out O-Ring & Fitting Leak Report (Form SSI-201-1) to submit with claim.*
3. Normal deterioration of appearance due to use and exposure; or conditions resulting from misuse, negligence, or accident.
4. Any product on which any of the required or recommended periodic inspections or services have not been made.
5. Any parts or accessories, installed on the product which were not manufactured or installed by Taylor whether or not such parts or accessories were selected, recommended or installed by Taylor (including without limitation, engines, tires, batteries, air conditioners, air dryers, etc.). Such parts or accessories shall be covered by the warranties given by the manufacturers thereof and any claim thereof shall be made to such manufacturers.
6. Loss of time, inconvenience, loss of equipment use, other consequential damages or other matters not specifically included.

Taylor parts and assemblies which are furnished and installed under this warranty are themselves within the coverage of the machine warranty and are covered only for the duration of the original machine warranty period.

NOTE: All international warranty parts shipments are Freight On Board (F.O.B.) point of debarkation, duties, tariffs, or local taxes excluded.

This warranty is expressly in lieu of any other warranties, expressed or implied, including any warranty of merchantability or fitness for a particular purpose.

Taylor Machine Works, Inc. does not authorize any person to create (for Taylor) any other obligation or liability in connection with Taylor products.

*For example, a machine rated capacity at only standard load center is the rated lift capacity at less than load center. That is, a machine rated at 20,000 pounds at 24-inch load center implies 20,000 pounds is the maximum lift capacity even though the load center may be less than 24-inches. Subjecting Taylor products to conditions or loads exceeding those stipulated is justification for immediate cancellation of warranty for products involved.

TAYLOR MACHINE WORKS, INC.

3690 North Church Avenue
Louisville, Mississippi 39339
(662) 773-3421

TMW-057-10 (3/19)

TAYLOR EXTENSION OF STANDARD WARRANTY

Parts & Labor - 2 Yrs or 4,000 Hrs

This warranty is limited to the repair or replacement, whichever Taylor elects, of any part which is found upon Taylor's inspection to be defective in material or workmanship of such new or repaired parts. Such parts will be provided to the user during normal working hours at Taylor's place of business or other establishment authorized by Taylor; but, this warranty does not include any cost for transporting the machine to such place of business or establishment.

EXCLUSIONS:

- This warranty does not cover normal maintenance service and parts described in the maintenance guide for your vehicle. Other normal maintenance services and parts not covered are engine tune-ups, wheel alignment, brake and linkage adjustments, lubrication services, engine coolants, fluids, and failures due to contaminated fuel and oil systems; component adjustments; tightening and adjusting such as bolts, screws, hoses, fittings, etc., replacement of fuses, bulbs, filters, tune-up parts, fluids and brake and clutch linings; shop supplies such as rags, oil dry, hand soaps, degreasers, cleaning solutions including brake clean, etc.; and adjustments which are a part of the required or recommended pre-delivery inspection and periodic inspections in accordance with operator's manual. Wear items such as brake pads, linings and shoes, brake drums and rotors, tires, paint, exhaust system, glass, belts, hoses, injectors, carburetors, control cables, leaf chains, seals, gaskets, all electrical components including wiring, and accessories such as air conditioners, air dryers, etc., are not covered.
- This warranty does not cover after-treatment or emissions components associated with the engine (on trucks with an in-service date after 10-11-18). Only major engine components, including engine cylinder block, camshaft, crankshaft and connecting rods shall be covered during any extended warranty period that includes engine or powertrain.
- Repairs to your machine will not be covered if the hour-meter is altered, broken, or repaired/replaced so that actual service hours can not be determined.
- Repairs needed for a warranted part(s) caused by the failure of non-warranted part(s) will not be covered.
- No travel time or mileage will be covered under this warranty.

THIS EXTENDED WARRANTY COVERAGE IS SUBJECT TO THE FOLLOWING CONDITIONS AND LIMITATIONS beginning after twelve (12) months and/or two-thousand (2,000) hours, parts only:

1. Repairs made by Taylor or an authorized Taylor dealer pursuant to this warranty coverage shall not extend the stated warranty period.
2. The machine may not be altered or modified in any manner affecting the mechanical operation of the machine without written approval from the manufacturer.
3. Taylor shall not be obligated to make any repairs necessitated by fire, theft, freezing, vandalism, riot, explosion, misuse, abuse, accident, negligence, use of the machine beyond its rated capacities, acts of nature, or operation of the machine not in accordance with any Taylor publication(s).
4. Taylor shall not be liable for any economic loss including loss of time use, replacement rental, inconvenience, lodging, food, or other incidental or consequential loss or damage that may result from a failure.
5. Owner shall be responsible for prompt shutdown of equipment following failure to avoid consequential damage.
6. Owner shall be responsible for giving timely notice of warrantable failure and promptly making machine available for repair.
7. Owner shall be responsible for compliance with all recommendations included in the manufacturer's lubrication and maintenance guide for the model covered.
8. Owner shall make the machine available for inspection during the warranty period on reasonable notice from Taylor.
9. Owner shall be responsible for using only Genuine Taylor Parts.
10. Only trained and responsible operators shall be permitted to operate loads with the equipment.

NOTE: All international warranty parts shipments are F.O.B. point of debarkation, duties, tariffs, or local taxes excluded.

CONDITIONS AND LIMITATIONS

Remedies under the extended warranty are expressly limited to the free parts and labor specifically provided. Taylor shall in no event be liable for any other losses, damages, costs or expenses claimed by you including - without limitation, loss from failure of the machine to operate for any period of time, and all other direct, indirect, special incidental or consequential damages including all personal injury and property damage due to alleged negligence or strict liability of Taylor.

THE EXTENDED WARRANTY SET FORTH ABOVE IS IN LIEU OF ALL OTHER WARRANTIES BY TAYLOR, EXPRESSED OR IMPLIED BY LAW, WITHOUT LIMITING THE GENERALITY OF THE FOREGOING. TAYLOR MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE MACHINE FOR ANY PARTICULAR PURPOSE. THIS WARRANTY IS TRANSFERABLE.



Sales Quote

Taylor Machine Works, Inc

Telephone: (270)339-6161

Taylor Machine Works, Inc.

An American Manufacturer of Heavy Industrial Lift Trucks

Bill To: OWENSBORO RIVERPORT AUTHORITY

Date: July 31, 2026

P.O. BOX 21955

Quote Number: TMW-26468

OWENSBORO, KY 42304-1955

Salesman: Paul Parker

Attn: Ben Walker

We propose to furnish the equipment described herein and in accordance with the specifications, terms, and conditions outlined. Seller certifies this powered industrial truck to meet or exceed the requirements of ASME/ANSI B56.1 currently in effect and as codified in 29 CFR 1910.178. Purchaser agrees to allow only trained and authorized operators to operate a truck and is aware of the operating requirements of the Occupational Safety and Health Administration as codified in 29 CFR 1910.178, the current ASME/ANSI B56.1 instructions For The User, and Taylor Operating Instructions. For construction equipment, Seller certifies this equipment to meet or exceed applicable ASME/ANSI standard and OSHA regulations for construction equipment in North America currently in effect. Purchaser agrees to allow only trained and authorized operators to operate the equipment and is aware of the applicable ASME/ANSI standard and OSHA regulations and the manufacturer's operating instructions. Purchaser shall determine if the operating conditions require additional sound producing or visual safety devices and be responsible for providing and maintaining such devices. **The purchaser has been provided with a copy of the standard Taylor warranty and the terms thereof are incorporated herein by reference.**

Legal title to equipment sold shall remain with Seller until fully paid by Purchaser. Taylor Machine Works, Inc. shall have a purchase money security interest in any and all products, together with all proceeds and replacements, sold or provided to Customer pursuant to each order under this Agreement until all charges, including installation charges set forth on that order are paid in full. All shipments subject to unforeseen contingencies or delays occasioned by strikes or unfavorable occurrences beyond our control. Notwithstanding any terms to the contrary in any purchase order, order confirmation or other similar document, Customer consents to Seller's filing of a UCC-1 in the event the product selling price is not pre-paid prior to delivery.

A signed quotation is a binding agreement to purchase quoted product(s). Quote is valid for 7 days. Prices are F.O.B. Factory unless otherwise stated and are subject to any changes in current list prices at time of shipment caused by force majeure including but not limited to acts of God, strikes, civil violence, tariffs, pandemic and supply chain interruptions. The prices shown on the order are subject to applicable sales and use taxes, whether shown separately or not, on the order. Orders for special goods not subject to cancellation after order has been accepted by the Taylor Home Office. It is agreed that no oral agreements relating to this order are binding. This order is not binding upon the Seller until approved and accepted by the Taylor Home Office. All orders are Subject to the approval of our Credit Department. Net due on delivery or as previously arranged.

The ongoing instability throughout the global supply chain due to potential tariffs, duties, import tax, retaliatory measure, or any other government-imposed cost (collectively, "Tariffs"), whether imposed directly on the goods covered by this Quote or Order, or indirectly affecting the cost of raw materials, components, or manufacturing processes used by Taylor or its vendors, subcontractors, or manufacturers, has created un-precedented production and delivery challenges. If any such tariffs are enacted, modified, or increased after the acceptance of any Quote or Order, we reserve the right to adjust pricing accordingly to reflect the increased costs to be incurred. Any potential adjustments would be a true pass-through cost (no markups on tariffs or freight) and we will provide reasonable notice of any such changes prior to delivery and invoicing. Purchaser agrees to accept and pay any required tariff adjustment.

ENTIRE AGREEMENT. This Quote/ Sales Order for a lease or direct sale together with the applicable purchase order, lease agreement or supply agreement executed in writing by both parties, if any (collectively, the "Purchase Agreement"), constitutes the entire agreement between Purchaser/ Lessee named in the Order and Seller/Lessor. If Purchaser/ Lessee issues its own form of acknowledgement to this Order, such act shall constitute Purchaser/ Lessor unqualified acceptance of this Order, and any different or additional terms and conditions contained in such acknowledgement are hereby objected to by Seller/Lessor and shall not in any way be incorporated into the agreement between the parties, unless specifically agreed to in writing by Seller/Lessor. Purchaser/Lessee's commencement of performance hereunder with the consent of Seller/ Lessor shall in all cases constitute Purchaser/ Lessee's unqualified acceptance of the Terms and Conditions herein.

Net Sale Price: \$ 282,300.00

Plus Applicable Tax

ORDER ACCEPTED

TMW-26468

Purchaser:

Company: OWENSBORO RIVERPORT AUTHORITY

Signature:

Date:

Title:

P.O. No.:

This quotation is good for 7 days only.

Taylor is committed to serving your demanding material handling needs with the best, most reliable equipment in the industry. The ongoing instability throughout the global supply chain and freight services have created un-precedented production challenges. To preserve the Quality and Craftsmanship that you expect from Taylor, we reserve the right to apply a surcharge, and/or adjust any freight quotes to this order at time of delivery.

Thank you for your past and future support of Taylor Tough Products!



Sales Quote

Taylor Machine Works, Inc

Telephone: (270)339-6161

Ship To: OWENSBORO RIVERPORT AUTHORITY
1771 RIVER ROAD
OWENSBORO, KY 42301-9279

Date: July 31, 2026
Quote Number: TMW-26467
Salesman: Paul Parker

Attn: Ben Walker

We respectfully submit this quote for the following Taylor Product. Our team at Taylor consists of the most knowledgeable and responsive experts in the material handling industry. We value the opportunity to be your trusted partner. Let me know if you need any additional information. You Can Depend On Big Red! BUDGETARY QUOTE FOR GTR-100D YARD TRUCK

At your service,

Paul Parker

Cell: (270)339-6161

Email: pmparker@taylorbigred.com

C-30862

GTR100 STANDARD FEATURES:

BASIC CAPACITY: 10,000lbs at 24.00in Load Center, 82.70in Wheelbase ()

DRIVETRAIN:

- Emissions (Tier) Compliant Engine
- Air cleaner(Donaldson style dry-type) w/safety element & restriction indicator
- Air intake with Pre-cleaner
- 2-speed automatic powershift transmission
- Powertrain protection system for engine and transmission
- Square fin radiator with high capacity cooling system
- Planetary Drive Axle with hydraulically actuated wet disc brakes
- Welded Steel Steer Axle (fully boxed design) with single hydraulic steer cylinder
- SAPB (Self-Activating Parking Brake) disengages transmission when activated

CHASSIS:

- Single piece all-welded FEA verified steel frame with Heavy Duty fenders
- Integral counterweight
- Anti-skid steps
- Easy access clam shell hood
- Recessed Tow Pin
- Rubber Elastomeric Axle Dampening Blocks (improves lateral stability)

LIFTING:

- Nested interlocking I-Beam Mast Rails
- Hook type (ISO) carriage with shimmable, sealed and canted load rollers

OPERATOR PLATFORM:

- Operator Platform conforms to ANSI B56.1 standards
- Ingress/Egress Handrails (OHG mounted on each post)
- Operator Presence System (traction disable seat switch)
- Interior and Exterior adjustable convex Rear View Mirrors
- Tilt steering wheel (power steer) with spinner knob
- Two pedal brake with inching
- Interactive dash display (CAN) with On-Board diagnostics

ELECTRICAL:

- Electrical system: 12 Volt
- Electric Horn
- Keyswitch-actuated strobe light
- Reverse-actuated warning alarms
- Trucks conform to ANSI B56.1 standard, UL Classified Type D and LP

FINAL CONFIGURATION WITH INCLUDED OPTIONS:

- ENGINE:**
- HDI D34, T4 Diesel Engine
 - Centrifugal (Centri) Pre-Cleaner
 - Extended Height Pre-Cleaner
 - Horizontal Exhaust
 - Engine Fan Guard
 - Secondary Transmission Cooling System
 - Removable Radiator Screen

- MAST:**
- 130in (Max Fork Height) HiLo Mast, 95.8in OAHL, 178in OAHR, 66.8in FL, 10B/8F

- CARRIAGE:**
- 53in Wide / Hook Type / ITA Class IV
 - Side-Shift and Fork Positioner

- FORK OPTIONS:**
- 2 X 6 X 54

- HYDRAULICS:**
- (Lever) Double Auxiliary Valve for 4 Hoses
 - Double Hose Adaptation - Four Hoses Internal
 - High Termination - 2 Hoses LH
 - Quick Disconnect Couplings - One Set for 2 Hoses
 - One Liter/Quart Accumulator on Upright
 - Sump Tank Breather with Filter

- CAB OPTIONS:**
- Operator Cab with Radio - Heat, Defrost Rear Mounted AC
 - Full Suspension Vinyl Seat with Adj backrest
 - Orange Seatbelt
 - LH & RH Hip Restraints
 - AM/FM Radio Stereo/ CD Player / Bluetooth
 - Fan in Operator Compartment

- TIRES & RIMS:**
- Solid - Single Drive 300 x 15
 - Solid - Steer 7 x 12

- ELECTRICAL:**
- Blue Floor Spot Front LED Light - Directional (FWD) Activated
 - Blue Floor Spot Rear LED Light - Directional (REV) Activated
 - Rear LED Work Light
 - LED Headlights
 - LED Rear Combo Light (Brake, Tail, Backup)
 - Front Turn Signal Lights (LED)
 - Yellow/Amber LED Strobe Light
 - 12V Aux Device Power Supply

- MISCELLANEOUS:**
- Taylor Red
 - Lift Eyes on Upright and Rear Frame
 - 48in High Backrest

- MISC:**
- Factory Prep and Setup - Direct

ESTIMATED CAPACITY AS EQUIPPED:

TERMS AND CONDITIONS:

PAYMENT TERMS: Net 30

ESTIMATED DELIVERY: 27 weeks ARO

DELIVERY TERMS: Prepay and Add

F.O.B.: Factory

- OTHER:**
- Performance and specifications stated are based on specific testing and operating conditions
 - Actual performance and specifications may vary based on application, option configuration, operating conditions and environmental conditions
 - Your signature on this proposal constitutes an order

WARRANTY:

STANDARD WARRANTY: • W1 - 12 Months or 2000 Hours, whichever occurs first (see full warranty statement for details)

**EXTENSION OF
STANDARD
WARRANTY:**

- Parts & Labor - 2 Yrs or 4,000 Hrs
Runs concurrently with Standard Warranty (Not in addition to Standard Warranty)

TOTAL INVESTMENT:

Taylor GTR100 HiLo Mast as specified above	Current Surcharge:	\$ 6,300.00
	Net Sales Price (Each):	\$ 124,700.00
	Quantity:	1
	*TOTAL Net Price:	\$ 124,700.00

(Plus Applicable Tax and Tariff Surcharge
at the Time of Invoicing)

*Taylor is committed to serving your demanding material handling needs with the best, most reliable equipment in the industry. The ongoing instability throughout the global supply chain and freight services have created unprecedented production challenges. To preserve the Quality and Craftsmanship that you expect from Taylor, we reserve the right to apply a surcharge for unforeseen increased cost in raw materials and major components, pass-through any incurred cost due to new tariffs, and/or adjust any freight quotes to this order at time of delivery.

LIMITED WARRANTY

Products manufactured by Taylor Machine Works, Inc. (Taylor) and sold are warranted by Taylor to be free from defects in material and workmanship, under normal use and service, when Taylor products are operated at or below rated capacity* in accordance with operating instructions.

This warranty is limited to repair or replacement, (as Taylor may elect, and at an establishment authorized by Taylor) of such parts as shall appear to Taylor upon inspection to have been defective in material or workmanship.

This warranty period shall begin on the delivery date of the product to the purchaser and end on whichever occurs first of the warranty period, twelve (12) months or two-thousand (2,000) hours. During this period, Taylor will provide genuine Taylor parts, labor, and travel time to replace or repair any part furnished by Taylor and found to be defective in material and workmanship. If a defect in material and workmanship is found during the twelve (12) months and/or two-thousand (2,000) hours whichever occurs first of the warranty period, Taylor will replace lubricating oil, filters, antifreeze, and other service items made unusable by the defect. Only genuine Taylor parts provided by Taylor's Sudden Service, Inc. shall be used during the warranty period.

THE FOLLOWING ITEMS ARE NOT COVERED BY THIS WARRANTY:

1. Normal maintenance services and parts or supplies used therein including, without limitation, engine tune-up, wheel alignment, brake and linkage adjustment, lubrication services, tightening and adjusting such as bolts, screws, hoses, fittings, etc., Replacement of fuses, bulbs, filters, tune-up parts, fluids and brake and clutch linings, glass; shop supplies such as rags, oil dry, hand soaps, degreasers, cleaning solutions including brake clean, etc.; And adjustments which are a part of the required or recommended predelivery inspection and periodic inspections in accordance with operator's manual.
2. Leaks due to o-ring failures and fittings are covered up to one-thousand (1,000) hours or six (6) months (whichever comes first) from the date in service. *Must fill out O-Ring & Fitting Leak Report (Form SSI-201-1) to submit with claim.*
3. Normal deterioration of appearance due to use and exposure; or conditions resulting from misuse, negligence, or accident.
4. Any product on which any of the required or recommended periodic inspections or services have not been made.
5. Any parts or accessories, installed on the product which were not manufactured or installed by Taylor whether or not such parts or accessories were selected, recommended or installed by Taylor (including without limitation, engines, tires, batteries, air conditioners, air dryers, etc.). Such parts or accessories shall be covered by the warranties given by the manufacturers thereof and any claim thereof shall be made to such manufacturers.
6. Loss of time, inconvenience, loss of equipment use, other consequential damages or other matters not specifically included.

Taylor parts and assemblies which are furnished and installed under this warranty are themselves within the coverage of the machine warranty and are covered only for the duration of the original machine warranty period.

NOTE: All international warranty parts shipments are Freight On Board (F.O.B.) point of debarkation, duties, tariffs, or local taxes excluded.

This warranty is expressly in lieu of any other warranties, expressed or implied, including any warranty of merchantability or fitness for a particular purpose.

Taylor Machine Works, Inc. does not authorize any person to create (for Taylor) any other obligation or liability in connection with Taylor products.

*For example, a machine rated capacity at only standard load center is the rated lift capacity at less than load center. That is, a machine rated at 20,000 pounds at 24-inch load center implies 20,000 pounds is the maximum lift capacity even though the load center may be less than 24-inches. Subjecting Taylor products to conditions or loads exceeding those stipulated is justification for immediate cancellation of warranty for products involved.

TAYLOR MACHINE WORKS, INC.

3690 North Church Avenue
Louisville, Mississippi 39339
(662) 773-3421

TMW-057-10 (3/19)

TAYLOR EXTENSION OF STANDARD WARRANTY

Parts & Labor - 2 Yrs or 4,000 Hrs

This warranty is limited to the repair or replacement, whichever Taylor elects, of any part which is found upon Taylor's inspection to be defective in material or workmanship of such new or repaired parts. Such parts will be provided to the user during normal working hours at Taylor's place of business or other establishment authorized by Taylor; but, this warranty does not include any cost for transporting the machine to such place of business or establishment.

EXCLUSIONS:

- This warranty does not cover normal maintenance service and parts described in the maintenance guide for your vehicle. Other normal maintenance services and parts not covered are engine tune-ups, wheel alignment, brake and linkage adjustments, lubrication services, engine coolants, fluids, and failures due to contaminated fuel and oil systems; component adjustments; tightening and adjusting such as bolts, screws, hoses, fittings, etc., replacement of fuses, bulbs, filters, tune-up parts, fluids and brake and clutch linings; shop supplies such as rags, oil dry, hand soaps, degreasers, cleaning solutions including brake clean, etc.; and adjustments which are a part of the required or recommended pre-delivery inspection and periodic inspections in accordance with operator's manual. Wear items such as brake pads, linings and shoes, brake drums and rotors, tires, paint, exhaust system, glass, belts, hoses, injectors, carburetors, control cables, leaf chains, seals, gaskets, all electrical components including wiring, and accessories such as air conditioners, air dryers, etc., are not covered.
- This warranty does not cover after-treatment or emissions components associated with the engine (on trucks with an in-service date after 10-11-18). Only major engine components, including engine cylinder block, camshaft, crankshaft and connecting rods shall be covered during any extended warranty period that includes engine or powertrain.
- Repairs to your machine will not be covered if the hour-meter is altered, broken, or repaired/replaced so that actual service hours can not be determined.
- Repairs needed for a warranted part(s) caused by the failure of non-warranted part(s) will not be covered.
- No travel time or mileage will be covered under this warranty.

THIS EXTENDED WARRANTY COVERAGE IS SUBJECT TO THE FOLLOWING CONDITIONS AND LIMITATIONS beginning after twelve (12) months and/or two-thousand (2,000) hours, parts only:

1. Repairs made by Taylor or an authorized Taylor dealer pursuant to this warranty coverage shall not extend the stated warranty period.
2. The machine may not be altered or modified in any manner affecting the mechanical operation of the machine without written approval from the manufacturer.
3. Taylor shall not be obligated to make any repairs necessitated by fire, theft, freezing, vandalism, riot, explosion, misuse, abuse, accident, negligence, use of the machine beyond its rated capacities, acts of nature, or operation of the machine not in accordance with any Taylor publication(s).
4. Taylor shall not be liable for any economic loss including loss of time use, replacement rental, inconvenience, lodging, food, or other incidental or consequential loss or damage that may result from a failure.
5. Owner shall be responsible for prompt shutdown of equipment following failure to avoid consequential damage.
6. Owner shall be responsible for giving timely notice of warrantable failure and promptly making machine available for repair.
7. Owner shall be responsible for compliance with all recommendations included in the manufacturer's lubrication and maintenance guide for the model covered.
8. Owner shall make the machine available for inspection during the warranty period on reasonable notice from Taylor.
9. Owner shall be responsible for using only Genuine Taylor Parts.
10. Only trained and responsible operators shall be permitted to operate loads with the equipment.

NOTE: All international warranty parts shipments are F.O.B. point of debarkation, duties, tariffs, or local taxes excluded.

CONDITIONS AND LIMITATIONS

Remedies under the extended warranty are expressly limited to the free parts and labor specifically provided. Taylor shall in no event be liable for any other losses, damages, costs or expenses claimed by you including - without limitation, loss from failure of the machine to operate for any period of time, and all other direct, indirect, special incidental or consequential damages including all personal injury and property damage due to alleged negligence or strict liability of Taylor.

THE EXTENDED WARRANTY SET FORTH ABOVE IS IN LIEU OF ALL OTHER WARRANTIES BY TAYLOR, EXPRESSED OR IMPLIED BY LAW, WITHOUT LIMITING THE GENERALITY OF THE FOREGOING. TAYLOR MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE MACHINE FOR ANY PARTICULAR PURPOSE. THIS WARRANTY IS TRANSFERABLE.



Sales Quote

Taylor Machine Works, Inc

Telephone: (270)339-6161

Taylor Machine Works, Inc.

An American Manufacturer of Heavy Industrial Lift Trucks

Bill To: OWENSBORO RIVERPORT AUTHORITY

Date: July 31, 2026

P.O. BOX 21955

Quote Number: TMW-26467

OWENSBORO, KY 42304-1955

Salesman: Paul Parker

Attn: Ben Walker

We propose to furnish the equipment described herein and in accordance with the specifications, terms, and conditions outlined. Seller certifies this powered industrial truck to meet or exceed the requirements of ASME/ANSI B56.1 currently in effect and as codified in 29 CFR 1910.178. Purchaser agrees to allow only trained and authorized operators to operate a truck and is aware of the operating requirements of the Occupational Safety and Health Administration as codified in 29 CFR 1910.178, the current ASME/ANSI B56.1 instructions For The User, and Taylor Operating Instructions. For construction equipment, Seller certifies this equipment to meet or exceed applicable ASME/ANSI standard and OSHA regulations for construction equipment in North America currently in effect. Purchaser agrees to allow only trained and authorized operators to operate the equipment and is aware of the applicable ASME/ANSI standard and OSHA regulations and the manufacturer's operating instructions. Purchaser shall determine if the operating conditions require additional sound producing or visual safety devices and be responsible for providing and maintaining such devices. **The purchaser has been provided with a copy of the standard Taylor warranty and the terms thereof are incorporated herein by reference.**

Legal title to equipment sold shall remain with Seller until fully paid by Purchaser. Taylor Machine Works, Inc. shall have a purchase money security interest in any and all products, together with all proceeds and replacements, sold or provided to Customer pursuant to each order under this Agreement until all charges, including installation charges set forth on that order are paid in full. All shipments subject to unforeseen contingencies or delays occasioned by strikes or unfavorable occurrences beyond our control. Notwithstanding any terms to the contrary in any purchase order, order confirmation or other similar document, Customer consents to Seller's filing of a UCC-1 in the event the product selling price is not pre-paid prior to delivery.

A signed quotation is a binding agreement to purchase quoted product(s). Quote is valid for 7 days. Prices are F.O.B. Factory unless otherwise stated and are subject to any changes in current list prices at time of shipment caused by force majeure including but not limited to acts of God, strikes, civil violence, tariffs, pandemic and supply chain interruptions. The prices shown on the order are subject to applicable sales and use taxes, whether shown separately or not, on the order. Orders for special goods not subject to cancellation after order has been accepted by the Taylor Home Office. It is agreed that no oral agreements relating to this order are binding. This order is not binding upon the Seller until approved and accepted by the Taylor Home Office. All orders are Subject to the approval of our Credit Department. Net due on delivery or as previously arranged.

The ongoing instability throughout the global supply chain due to potential tariffs, duties, import tax, retaliatory measure, or any other government-imposed cost (collectively, "Tariffs"), whether imposed directly on the goods covered by this Quote or Order, or indirectly affecting the cost of raw materials, components, or manufacturing processes used by Taylor or its vendors, subcontractors, or manufacturers, has created un-precedented production and delivery challenges. If any such tariffs are enacted, modified, or increased after the acceptance of any Quote or Order, we reserve the right to adjust pricing accordingly to reflect the increased costs to be incurred. Any potential adjustments would be a true pass-through cost (no markups on tariffs or freight) and we will provide reasonable notice of any such changes prior to delivery and invoicing. Purchaser agrees to accept and pay any required tariff adjustment.

ENTIRE AGREEMENT. This Quote/ Sales Order for a lease or direct sale together with the applicable purchase order, lease agreement or supply agreement executed in writing by both parties, if any (collectively, the "Purchase Agreement"), constitutes the entire agreement between Purchaser/ Lessee named in the Order and Seller/Lessor. If Purchaser/ Lessee issues its own form of acknowledgement to this Order, such act shall constitute Purchaser/ Lessor unqualified acceptance of this Order, and any different or additional terms and conditions contained in such acknowledgement are hereby objected to by Seller/Lessor and shall not in any way be incorporated into the agreement between the parties, unless specifically agreed to in writing by Seller/Lessor. Purchaser/Lessee's commencement of performance hereunder with the consent of Seller/ Lessor shall in all cases constitute Purchaser/ Lessee's unqualified acceptance of the Terms and Conditions herein.

Net Sale Price: \$ 124,700.00

Plus Applicable Tax

ORDER ACCEPTED

TMW-26467

Purchaser:

Company: OWENSBORO RIVERPORT AUTHORITY

Signature:

Date:

Title:

P.O. No.:

This quotation is good for 7 days only.

Taylor is committed to serving your demanding material handling needs with the best, most reliable equipment in the industry. The ongoing instability throughout the global supply chain and freight services have created un-precedented production challenges. To preserve the Quality and Craftsmanship that you expect from Taylor, we reserve the right to apply a surcharge, and/or adjust any freight quotes to this order at time of delivery.

Thank you for your past and future support of Taylor Tough Products!



Sales Quote

Taylor Machine Works, Inc

Telephone: (270)339-6161

Ship To: OWENSBORO RIVERPORT AUTHORITY
1771 RIVER ROAD
OWENSBORO, KY 42301-9279

Date: July 31, 2026
Quote Number: TMW-26465
Salesman: Paul Parker

Attn: Ben Walker

We respectfully submit this quote for the following Taylor Product. Our team at Taylor consists of the most knowledgeable and responsive experts in the material handling industry. We value the opportunity to be your trusted partner. Let me know if you need any additional information. You Can Depend On Big Red! BUDGETARY QUOTE FOR GTR-80 YARD TRUCK

At your service,

Paul Parker

Cell: (270)339-6161

Email: pmparker@taylorbigred.com

C-30860

GTR80 STANDARD FEATURES:

BASIC CAPACITY: 8,000lbs at 24.00in Load Center, 76.80in Wheelbase ()

DRIVETRAIN:

- Emissions (Tier) Compliant Engine
- Air cleaner(Donaldson style dry-type) w/safety element & restriction indicator
- Air intake with Pre-cleaner
- 2-speed automatic powershift transmission
- Powertrain protection system for engine and transmission
- Square fin radiator with high capacity cooling system
- Planetary Drive Axle with hydraulically actuated wet disc brakes
- Welded Steel Steer Axle (fully boxed design) with single hydraulic steer cylinder
- SAPB (Self-Activating Parking Brake) disengages transmission when activated

CHASSIS:

- Single piece all-welded FEA verified steel frame with Heavy Duty fenders
- Integral counterweight
- Anti-skid steps
- Easy access clam shell hood
- Recessed Tow Pin
- Rubber Elastomeric Axle Dampening Blocks (improves lateral stability)

LIFTING:

- Nested interlocking I-Beam Mast Rails
- Hook type (ISO) carriage with shimmable, sealed and canted load rollers

OPERATOR PLATFORM:

- Operator Platform conforms to ANSI B56.1 standards
- Ingress/Egress Handrails (OHG mounted on each post)
- Operator Presence System (traction disable seat switch)
- Interior and Exterior adjustable convex Rear View Mirrors
- Tilt steering wheel (power steer) with spinner knob
- Two pedal brake with inching
- Interactive dash display (CAN) with On-Board diagnostics

ELECTRICAL:

- Electrical system: 12 Volt
- Electric Horn
- Keyswitch-actuated strobe light
- Reverse-actuated warning alarms
- Trucks conform to ANSI B56.1 standard, UL Classified Type D and LP

FINAL CONFIGURATION WITH INCLUDED OPTIONS:

- ENGINE:**
- HDI D34, T4 Diesel Engine
 - Centrifugal (Centri) Pre-Cleaner
 - Extended Height Pre-Cleaner
 - Vertical Exhaust
 - Engine Fan Guard
 - Secondary Transmission Cooling System
 - Removable Radiator Screen

- MAST:**
- 146in (Max Fork Height) Standard Mast, 101.7in OAHL, 194in OAHR, 6.1in FL, 10B/8F

- CARRIAGE:**
- 53in Wide / Hook Type / ITA Class III
 - Side-Shift and Fork Positioner

- FORK OPTIONS:**
- 2 X 5 X 54

- HYDRAULICS:**
- (Lever) Double Auxiliary Valve for 4 Hoses
 - Double Hose Adaptation - Four Hoses Internal
 - High Termination - 4 hoses LH & RH
 - Quick Disconnect Couplings - Two Sets for 4 Hoses
 - One Liter/Quart Accumulator on Upright
 - Sump Tank Breather with Filter

- CAB OPTIONS:**
- Operator Cab with Radio - Heat, Defrost Rear Mounted AC
 - Full Suspension Vinyl Seat with Adj backrest
 - Orange Seatbelt
 - LH & RH Hip Restraints
 - AM/FM Radio Stereo/ CD Player / Bluetooth
 - Fan in Operator Compartment

- TIRES & RIMS:**
- Solid - Single Drive 8.25 x 15
 - Solid - Steer 7 x 12

- ELECTRICAL:**
- Blue Floor Spot Front LED Light - Directional (FWD) Activated
 - Blue Floor Spot Rear LED Light - Directional (REV) Activated
 - Rear LED Work Light
 - LED Headlights
 - LED Rear Combo Light (Brake, Tail, Backup)
 - Front Turn Signal Lights (LED)
 - Yellow/Amber LED Strobe Light
 - 12V Aux Device Power Supply

- MISCELLANEOUS:**
- Taylor Red
 - Lift Eyes on Upright and Rear Frame
 - 48in High Backrest

- MISC:**
- Factory Prep and Setup - Direct

ESTIMATED CAPACITY AS EQUIPPED:

RATED CAPACITY: 6825 lbs 3100 kg @ Center of Load: 24-in. 610 mm

TERMS AND CONDITIONS:

PAYMENT TERMS: Net 30

ESTIMATED DELIVERY: 27 weeks ARO

DELIVERY TERMS: Prepay and Add

F.O.B.: Factory

- OTHER:**
- Performance and specifications stated are based on specific testing and operating conditions
 - Actual performance and specifications may vary based on application, option configuration, operating conditions and environmental conditions
 - Your signature on this proposal constitutes an order

WARRANTY:

STANDARD WARRANTY: • W1 - 12 Months or 2000 Hours, whichever occurs first (see full warranty statement for details)

**EXTENSION OF
STANDARD
WARRANTY:**

- Parts & Labor - 2 Yrs or 4,000 Hrs
Runs concurrently with Standard Warranty (Not in addition to Standard Warranty)

TOTAL INVESTMENT:

Taylor GTR80 Standard Mast as specified above	Current Surcharge:	\$ 6,300.00
	Net Sales Price (Each):	\$ 112,500.00
	Quantity:	1
	*TOTAL Net Price:	\$ 112,500.00

(Plus Applicable Tax and Tariff Surcharge at the Time of Invoicing)

*Taylor is committed to serving your demanding material handling needs with the best, most reliable equipment in the industry. The ongoing instability throughout the global supply chain and freight services have created unprecedented production challenges. To preserve the Quality and Craftsmanship that you expect from Taylor, we reserve the right to apply a surcharge for unforeseen increased cost in raw materials and major components, pass-through any incurred cost due to new tariffs, and/or adjust any freight quotes to this order at time of delivery.

LIMITED WARRANTY

Products manufactured by Taylor Machine Works, Inc. (Taylor) and sold are warranted by Taylor to be free from defects in material and workmanship, under normal use and service, when Taylor products are operated at or below rated capacity* in accordance with operating instructions.

This warranty is limited to repair or replacement, (as Taylor may elect, and at an establishment authorized by Taylor) of such parts as shall appear to Taylor upon inspection to have been defective in material or workmanship.

This warranty period shall begin on the delivery date of the product to the purchaser and end on whichever occurs first of the warranty period, twelve (12) months or two-thousand (2,000) hours. During this period, Taylor will provide genuine Taylor parts, labor, and travel time to replace or repair any part furnished by Taylor and found to be defective in material and workmanship. If a defect in material and workmanship is found during the twelve (12) months and/or two-thousand (2,000) hours whichever occurs first of the warranty period, Taylor will replace lubricating oil, filters, antifreeze, and other service items made unusable by the defect. Only genuine Taylor parts provided by Taylor's Sudden Service, Inc. shall be used during the warranty period.

THE FOLLOWING ITEMS ARE NOT COVERED BY THIS WARRANTY:

1. Normal maintenance services and parts or supplies used therein including, without limitation, engine tune-up, wheel alignment, brake and linkage adjustment, lubrication services, tightening and adjusting such as bolts, screws, hoses, fittings, etc., Replacement of fuses, bulbs, filters, tune-up parts, fluids and brake and clutch linings, glass; shop supplies such as rags, oil dry, hand soaps, degreasers, cleaning solutions including brake clean, etc.; And adjustments which are a part of the required or recommended predelivery inspection and periodic inspections in accordance with operator's manual.
2. Leaks due to o-ring failures and fittings are covered up to one-thousand (1,000) hours or six (6) months (whichever comes first) from the date in service. *Must fill out O-Ring & Fitting Leak Report (Form SSI-201-1) to submit with claim.*
3. Normal deterioration of appearance due to use and exposure; or conditions resulting from misuse, negligence, or accident.
4. Any product on which any of the required or recommended periodic inspections or services have not been made.
5. Any parts or accessories, installed on the product which were not manufactured or installed by Taylor whether or not such parts or accessories were selected, recommended or installed by Taylor (including without limitation, engines, tires, batteries, air conditioners, air dryers, etc.). Such parts or accessories shall be covered by the warranties given by the manufacturers thereof and any claim thereof shall be made to such manufacturers.
6. Loss of time, inconvenience, loss of equipment use, other consequential damages or other matters not specifically included.

Taylor parts and assemblies which are furnished and installed under this warranty are themselves within the coverage of the machine warranty and are covered only for the duration of the original machine warranty period.

NOTE: All international warranty parts shipments are Freight On Board (F.O.B.) point of debarkation, duties, tariffs, or local taxes excluded.

This warranty is expressly in lieu of any other warranties, expressed or implied, including any warranty of merchantability or fitness for a particular purpose.

Taylor Machine Works, Inc. does not authorize any person to create (for Taylor) any other obligation or liability in connection with Taylor products.

*For example, a machine rated capacity at only standard load center is the rated lift capacity at less than load center. That is, a machine rated at 20,000 pounds at 24-inch load center implies 20,000 pounds is the maximum lift capacity even though the load center may be less than 24-inches. Subjecting Taylor products to conditions or loads exceeding those stipulated is justification for immediate cancellation of warranty for products involved.

TAYLOR MACHINE WORKS, INC.

3690 North Church Avenue
Louisville, Mississippi 39339
(662) 773-3421

TMW-057-10 (3/19)

TAYLOR EXTENSION OF STANDARD WARRANTY

Parts & Labor - 2 Yrs or 4,000 Hrs

This warranty is limited to the repair or replacement, whichever Taylor elects, of any part which is found upon Taylor's inspection to be defective in material or workmanship of such new or repaired parts. Such parts will be provided to the user during normal working hours at Taylor's place of business or other establishment authorized by Taylor; but, this warranty does not include any cost for transporting the machine to such place of business or establishment.

EXCLUSIONS:

- This warranty does not cover normal maintenance service and parts described in the maintenance guide for your vehicle. Other normal maintenance services and parts not covered are engine tune-ups, wheel alignment, brake and linkage adjustments, lubrication services, engine coolants, fluids, and failures due to contaminated fuel and oil systems; component adjustments; tightening and adjusting such as bolts, screws, hoses, fittings, etc., replacement of fuses, bulbs, filters, tune-up parts, fluids and brake and clutch linings; shop supplies such as rags, oil dry, hand soaps, degreasers, cleaning solutions including brake clean, etc.; and adjustments which are a part of the required or recommended pre-delivery inspection and periodic inspections in accordance with operator's manual. Wear items such as brake pads, linings and shoes, brake drums and rotors, tires, paint, exhaust system, glass, belts, hoses, injectors, carburetors, control cables, leaf chains, seals, gaskets, all electrical components including wiring, and accessories such as air conditioners, air dryers, etc., are not covered.
- This warranty does not cover after-treatment or emissions components associated with the engine (on trucks with an in-service date after 10-11-18). Only major engine components, including engine cylinder block, camshaft, crankshaft and connecting rods shall be covered during any extended warranty period that includes engine or powertrain.
- Repairs to your machine will not be covered if the hour-meter is altered, broken, or repaired/replaced so that actual service hours can not be determined.
- Repairs needed for a warranted part(s) caused by the failure of non-warranted part(s) will not be covered.
- No travel time or mileage will be covered under this warranty.

THIS EXTENDED WARRANTY COVERAGE IS SUBJECT TO THE FOLLOWING CONDITIONS AND LIMITATIONS beginning after twelve (12) months and/or two-thousand (2,000) hours, parts only:

1. Repairs made by Taylor or an authorized Taylor dealer pursuant to this warranty coverage shall not extend the stated warranty period.
2. The machine may not be altered or modified in any manner affecting the mechanical operation of the machine without written approval from the manufacturer.
3. Taylor shall not be obligated to make any repairs necessitated by fire, theft, freezing, vandalism, riot, explosion, misuse, abuse, accident, negligence, use of the machine beyond its rated capacities, acts of nature, or operation of the machine not in accordance with any Taylor publication(s).
4. Taylor shall not be liable for any economic loss including loss of time use, replacement rental, inconvenience, lodging, food, or other incidental or consequential loss or damage that may result from a failure.
5. Owner shall be responsible for prompt shutdown of equipment following failure to avoid consequential damage.
6. Owner shall be responsible for giving timely notice of warrantable failure and promptly making machine available for repair.
7. Owner shall be responsible for compliance with all recommendations included in the manufacturer's lubrication and maintenance guide for the model covered.
8. Owner shall make the machine available for inspection during the warranty period on reasonable notice from Taylor.
9. Owner shall be responsible for using only Genuine Taylor Parts.
10. Only trained and responsible operators shall be permitted to operate loads with the equipment.

NOTE: All international warranty parts shipments are F.O.B. point of debarkation, duties, tariffs, or local taxes excluded.

CONDITIONS AND LIMITATIONS

Remedies under the extended warranty are expressly limited to the free parts and labor specifically provided. Taylor shall in no event be liable for any other losses, damages, costs or expenses claimed by you including - without limitation, loss from failure of the machine to operate for any period of time, and all other direct, indirect, special incidental or consequential damages including all personal injury and property damage due to alleged negligence or strict liability of Taylor.

THE EXTENDED WARRANTY SET FORTH ABOVE IS IN LIEU OF ALL OTHER WARRANTIES BY TAYLOR, EXPRESSED OR IMPLIED BY LAW, WITHOUT LIMITING THE GENERALITY OF THE FOREGOING. TAYLOR MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE MACHINE FOR ANY PARTICULAR PURPOSE. THIS WARRANTY IS TRANSFERABLE.



Sales Quote

Taylor Machine Works, Inc

Telephone: (270)339-6161

Taylor Machine Works, Inc.

An American Manufacturer of Heavy Industrial Lift Trucks

Bill To: OWENSBORO RIVERPORT AUTHORITY

Date: July 31, 2026

P.O. BOX 21955

Quote Number: TMW-26465

OWENSBORO, KY 42304-1955

Salesman: Paul Parker

Attn: Ben Walker

We propose to furnish the equipment described herein and in accordance with the specifications, terms, and conditions outlined. Seller certifies this powered industrial truck to meet or exceed the requirements of ASME/ANSI B56.1 currently in effect and as codified in 29 CFR 1910.178. Purchaser agrees to allow only trained and authorized operators to operate a truck and is aware of the operating requirements of the Occupational Safety and Health Administration as codified in 29 CFR 1910.178, the current ASME/ANSI B56.1 instructions For The User, and Taylor Operating Instructions. For construction equipment, Seller certifies this equipment to meet or exceed applicable ASME/ANSI standard and OSHA regulations for construction equipment in North America currently in effect. Purchaser agrees to allow only trained and authorized operators to operate the equipment and is aware of the applicable ASME/ANSI standard and OSHA regulations and the manufacturer's operating instructions. Purchaser shall determine if the operating conditions require additional sound producing or visual safety devices and be responsible for providing and maintaining such devices. **The purchaser has been provided with a copy of the standard Taylor warranty and the terms thereof are incorporated herein by reference.**

Legal title to equipment sold shall remain with Seller until fully paid by Purchaser. Taylor Machine Works, Inc. shall have a purchase money security interest in any and all products, together with all proceeds and replacements, sold or provided to Customer pursuant to each order under this Agreement until all charges, including installation charges set forth on that order are paid in full. All shipments subject to unforeseen contingencies or delays occasioned by strikes or unfavorable occurrences beyond our control. Notwithstanding any terms to the contrary in any purchase order, order confirmation or other similar document, Customer consents to Seller's filing of a UCC-1 in the event the product selling price is not pre-paid prior to delivery.

A signed quotation is a binding agreement to purchase quoted product(s). Quote is valid for 7 days. Prices are F.O.B. Factory unless otherwise stated and are subject to any changes in current list prices at time of shipment caused by force majeure including but not limited to acts of God, strikes, civil violence, tariffs, pandemic and supply chain interruptions. The prices shown on the order are subject to applicable sales and use taxes, whether shown separately or not, on the order. Orders for special goods not subject to cancellation after order has been accepted by the Taylor Home Office. It is agreed that no oral agreements relating to this order are binding. This order is not binding upon the Seller until approved and accepted by the Taylor Home Office. All orders are Subject to the approval of our Credit Department. Net due on delivery or as previously arranged.

The ongoing instability throughout the global supply chain due to potential tariffs, duties, import tax, retaliatory measure, or any other government-imposed cost (collectively, "Tariffs"), whether imposed directly on the goods covered by this Quote or Order, or indirectly affecting the cost of raw materials, components, or manufacturing processes used by Taylor or its vendors, subcontractors, or manufacturers, has created un-precedented production and delivery challenges. If any such tariffs are enacted, modified, or increased after the acceptance of any Quote or Order, we reserve the right to adjust pricing accordingly to reflect the increased costs to be incurred. Any potential adjustments would be a true pass-through cost (no markups on tariffs or freight) and we will provide reasonable notice of any such changes prior to delivery and invoicing. Purchaser agrees to accept and pay any required tariff adjustment.

ENTIRE AGREEMENT. This Quote/ Sales Order for a lease or direct sale together with the applicable purchase order, lease agreement or supply agreement executed in writing by both parties, if any (collectively, the "Purchase Agreement"), constitutes the entire agreement between Purchaser/ Lessee named in the Order and Seller/Lessor. If Purchaser/ Lessee issues its own form of acknowledgement to this Order, such act shall constitute Purchaser/ Lessor unqualified acceptance of this Order, and any different or additional terms and conditions contained in such acknowledgement are hereby objected to by Seller/Lessor and shall not in any way be incorporated into the agreement between the parties, unless specifically agreed to in writing by Seller/Lessor. Purchaser/Lessee's commencement of performance hereunder with the consent of Seller/ Lessor shall in all cases constitute Purchaser/ Lessee's unqualified acceptance of the Terms and Conditions herein.

Net Sale Price: \$ 112,500.00

Plus Applicable Tax

ORDER ACCEPTED

TMW-26465

Purchaser:

Company: OWENSBORO RIVERPORT AUTHORITY

Signature:

Date:

Title:

P.O. No.:

This quotation is good for 7 days only.

Taylor is committed to serving your demanding material handling needs with the best, most reliable equipment in the industry. The ongoing instability throughout the global supply chain and freight services have created un-precedented production challenges. To preserve the Quality and Craftsmanship that you expect from Taylor, we reserve the right to apply a surcharge, and/or adjust any freight quotes to this order at time of delivery.

Thank you for your past and future support of Taylor Tough Products!



Project Schedule and Timeline

Forklift Package- four units

January 2027 – Put equipment out for bid

February 2027 – Review bids

February 2027 – Place orders

December 2027 – Receive Equipment

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



Project Photos Forklift Package- four units



Example of high-mast lift requirement application



Example of 10,000 forklift requirement application



6,000-8,000 lb lift for replacement

Engineering plans, schematics, details, drawings of the proposed project: Not Applicable

Copies of correspondence or consultation with state and federal agencies: Not Applicable

Experience. Performance. Excellence.

1771 River Road ♦ P.O. Box 21955 ♦ Owensboro, KY ♦ 42304-1955

1 877 599-7929 ♦ (270) 926-4238 ♦ FAX (270) 683-3711

www.OwensboroRiverport.com



**Required Affidavit for Bidders, Offerors
and Contractors**
(KRS 45A.110 & 45A.115)

Affidavit Effective for One (1) Year from Date of Execution

Instructions: Pursuant to KRS 45A.110 and 45A.115, a bidder, offeror, or contractor ("Contractor") is required to submit a Required Affidavit for Bidders, Offerors, and Contractors to be awarded a contract, or for the renewal of a contract. An authorized representative of the contracting party must complete the attestation below, have the attestation notarized, and return the completed affidavit to the Commonwealth.

Attestation

As a duly authorized representative for the Contractor, I swear and affirm under penalty of perjury, that that the Contractor has not knowingly violated campaign finance laws of the Commonwealth of Kentucky and that the award of a contract will not violate any provision of the campaign finance laws of the Commonwealth. For purposes of this attestation, "Knowingly" means that the bidder or offeror is aware or should have been aware of the existence of a violation. The bidder or offer understands that the Commonwealth retains the right to request an updated affidavit at any time.

Brian Wright
Signature
President
Title

Brian Wright
Printed Name
9-30-26
Date

Bidder or Offeror Name:

Address:

Owensboro Riverport Authority
1771 River Rd.
Owensboro, Ky 42301

Commonwealth of Kentucky Vendor Code (If known): _____

Subscribed and sworn to before me this 30 day of September, 2026.

State of: Kentucky

Notary: Carol Ruff KYNP 70213

County of: Darress

My Commission Expires: May 21, 2027