

## Appendix E: Bridge Element Condition State Quantities

---

Bridge ID	Element 12 - Reinforced Concrete Deck								
	Quantity (sq.ft)	CS 1 (sq.ft)	CS 1 %	CS 2 (sq.ft)	CS 2 %	CS 3 (sq.ft)	CS 3 %	CS 4 (sq.ft)	CS 4 %
056B00209N	18700	6230	33.3%	1270	6.8%	11200	59.9%	0	0.0%
056B00210N	18772	8052	42.9%	720	3.8%	10000	53.3%	0	0.0%
056B00211N	18877	16510	87.5%	1800	9.5%	567	3.0%	0	0.0%
056B00212N	16139	4841	30.0%	7263	45.0%	4035	25.0%	0	0.0%
056B00213N	23156	21072	91.0%	1621	7.0%	463	2.0%	0	0.0%
056B00205N	42000	37380	89.0%	4200	10.0%	420	1.0%	0	0.0%
056B00180N	25946	18161	70.0%	5190	20.0%	2595	10.0%	0	0.0%
056B00181N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00182N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00179N	39597	34877	88.1%	4704	11.9%	16	0.0%	0	0.0%
056B00208N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00207N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00206N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00187N	17684	15208	86.0%	2299	13.0%	177	1.0%	0	0.0%
056B00186N	20662	17463	84.5%	3099	15.0%	100	0.5%	0	0.0%
056B00185N	29820	24750	83.0%	4473	15.0%	597	2.0%	0	0.0%
056B00184N	17634	16376	92.9%	1234	7.0%	24	0.1%	0	0.0%
056B00183N	53393	40045	75.0%	8009	15.0%	5339	10.0%	0	0.0%
056B00190N	18359	14687	80.0%	2754	15.0%	918	5.0%	0	0.0%
056B00189N	17882	16788	93.9%	909	5.1%	200	1.1%	0	0.0%
056B00188N	25638	24100	94.0%	769	3.0%	769	3.0%	0	0.0%
056B00191N	143883	125108	87.0%	18705	13.0%	70	0.0%	0	0.0%
056B00192N	45707	44791	98.0%	900	2.0%	16	0.0%	0	0.0%
056B00193N	34775	31257	89.9%	3478	10.0%	40	0.1%	0	0.0%
056B00194N	1759	1524	86.6%	175	9.9%	60	3.4%	0	0.0%
056B00196N	2318	2038	87.9%	30	1.3%	250	10.8%	0	0.0%
056B00195R	5306	5296	99.8%	10	0.2%	0	0.0%	0	0.0%
056B00197R	5375	4210	78.3%	269	5.0%	896	16.7%	0	0.0%



Bridge ID	Element 510 - Wearing Surface								
	Quantity (sq.ft)	CS 1 (sq.ft)	CS 1 %	CS 2 (sq.ft)	CS 2 %	CS 3 (sq.ft)	CS 3 %	CS 4 (sq.ft)	CS 4 %
056B00209N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00210N	17852	8926	50.0%	8926	50.0%	0	0.0%	0	0.0%
056B00211N	18002	9001	50.0%	9001	50.0%	0	0.0%	0	0.0%
056B00212N	15312	7656	50.0%	7656	50.0%	0	0.0%	0	0.0%
056B00213N	21832	10916	50.0%	10916	50.0%	0	0.0%	0	0.0%
056B00205N	39000	19500	50.0%	19500	50.0%	0	0.0%	0	0.0%
056B00180N	24509	12255	50.0%	12254	50.0%	0	0.0%	0	0.0%
056B00181N	12343	6172	50.0%	6171	50.0%	0	0.0%	0	0.0%
056B00182N	13102	13102	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00179N	37642	37542	99.7%	0	0.0%	100	0.3%	0	0.0%
056B00208N	2512	2512	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00207N	13198	13198	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00206N	12160	12160	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00187N	16769	16769	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00186N	19745	19745	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00185N	28182	28182	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00184N	16664	16664	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00183N	49909	49859	99.9%	50	0.1%	0	0.0%	0	0.0%
056B00190N	17443	17443	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00189N	16967	16967	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00188N	24721	24721	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00191N	159413	159387	100.0%	26	0.0%	0	0.0%	0	0.0%
056B00192N	43186	43186	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00193N	32774	27569	84.1%	4905	15.0%	300	0.9%	0	0.0%
056B00194N	1547	1537	99.4%	10	0.6%	0	0.0%	0	0.0%
056B00196N	4365	4039	92.5%	318	7.3%	8	0.2%	0	0.0%
056B00195R	5074	4916	96.9%	158	3.1%	0	0.0%	0	0.0%
056B00197R	5092	4494	88.3%	510	10.0%	88	1.7%	0	0.0%



Bridge ID	Element 107 - Steel Open Girders/Beams								
	Quantity (ft)	CS 1 (ft)	CS 1 %	CS 2 (ft)	CS 2 %	CS 3 (ft)	CS 3 %	CS 4 (ft)	CS 4 %
056B00209N	3480	3174	91.2%	200	5.7%	100	2.9%	6	0.2%
056B00210N	2592	2054	79.2%	308	11.9%	230	8.9%	0	0.0%
056B00211N	3319	3148	94.8%	100	3.0%	71	2.1%	0	0.0%
056B00212N	2441	2344	96.0%	73	3.0%	24	1.0%	0	0.0%
056B00213N	4115	3949	96.0%	124	3.0%	42	1.0%	0	0.0%
056B00205N	7224	6791	94.0%	361	5.0%	72	1.0%	0	0.0%
056B00180N	3852	3467	90.0%	0	0.0%	385	10.0%	0	0.0%
056B00181N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00182N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00179N	6752	0	0.0%	1688	25.0%	5064	75.0%	0	0.0%
056B00208N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00207N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00206N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00187N	2368	2225	94.0%	119	5.0%	24	1.0%	0	0.0%
056B00186N	2544	2319	91.2%	213	8.4%	12	0.5%	0	0.0%
056B00185N	3965	3560	89.8%	390	9.8%	15	0.4%	0	0.0%
056B00184N	2345	2110	90.0%	235	10.0%	0	0.0%	0	0.0%
056B00183N	8549	4268	49.9%	3420	40.0%	855	10.0%	6	0.1%
056B00190N	2370	2232	94.2%	98	4.1%	40	1.7%	0	0.0%
056B00189N	2367	1929	81.5%	431	18.2%	7	0.3%	0	0.0%
056B00188N	3234	2887	89.3%	286	8.8%	21	0.6%	40	1.2%
056B00191N	5723	5434	95.0%	286	5.0%	3	0.1%	0	0.0%
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	5088	3776	74.2%	1178	23.2%	134	2.6%	0	0.0%
056B00194N	257	226	87.9%	31	12.1%	0	0.0%	0	0.0%
056B00196N	310	279	90.0%	31	10.0%	0	0.0%	0	0.0%
056B00195R	800	720	90.0%	80	10.0%	0	0.0%	0	0.0%
056B00197R	784	0	0.0%	784	100.0%	0	0.0%	0	0.0%

Bridge ID	Element 515 - Steel Protective Coating (Beams)								
	Quantity (sq.ft)	CS 1 (sq.ft)	CS 1 %	CS 2 (sq.ft)	CS 2 %	CS 3 (sq.ft)	CS 3 %	CS 4 (sq.ft)	CS 4 %
056B00209N	24360	22167	91.0%	0	0.0%	1462	6.0%	731	3.0%
056B00210N	20736	0	0.0%	16382	79.0%	2488	12.0%	1866	9.0%
056B00211N	26552	25224	95.0%	0	0.0%	797	3.0%	531	2.0%
056B00212N	17087	11960	70.0%	3418	20.0%	1709	10.0%	0	0.0%
056B00213N	35775	34343	96.0%	0	0.0%	1074	3.0%	0	0.0%
056B00205N	72240	67890	94.0%	3612	5.0%	722	1.0%	16	0.0%
056B00180N	30816	27734	90.0%	0	0.0%	3082	10.0%	0	0.0%
056B00181N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00182N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00179N	77660	0	0.0%	69580	89.6%	7080	9.1%	1000	1.3%
056B00208N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00207N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00206N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00187N	17365	16704	96.2%	521	3.0%	120	0.7%	20	0.1%
056B00186N	21630	16132	74.6%	5408	25.0%	80	0.4%	10	0.0%
056B00185N	58565	40994	70.0%	14642	25.0%	2929	5.0%	0	0.0%
056B00184N	18760	0	0.0%	18573	99.0%	187	1.0%	0	0.0%
056B00183N	76912	37686	49.0%	30765	40.0%	7691	10.0%	770	1.0%
056B00190N	19086	0	0.0%	18460	96.7%	196	1.0%	430	2.3%
056B00189N	7452	0	0.0%	6247	83.8%	994	13.3%	211	2.8%
056B00188N	27245	0	0.0%	25710	94.4%	1430	5.2%	105	0.4%
056B00191N	43175	0	0.0%	42308	98.0%	864	2.0%	0	0.0%
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	85425	0	0.0%	79737	93.3%	5037	5.9%	651	0.8%
056B00194N	2492	0	0.0%	2461	98.8%	31	1.2%	0	0.0%
056B00196N	2991	0	0.0%	2991	100.0%	0	0.0%	0	0.0%
056B00195R	4055	3649	90.0%	406	10.0%	0	0.0%	0	0.0%
056B00197R	7840	0	0.0%	7840	100.0%	0	0.0%	0	0.0%



















Bridge ID	Element 215 - Reinforced Concrete Abutment								
	Quantity (sq.ft)	CS 1 (sq.ft)	CS 1 %	CS 2 (sq.ft)	CS 2 %	CS 3 (sq.ft)	CS 3 %	CS 4 (sq.ft)	CS 4 %
056B00209N	304	72	23.7%	166	54.6%	66	21.7%	0	0.0%
056B00210N	251	112	44.6%	7	2.8%	132	52.6%	0	0.0%
056B00211N	252	142	56.3%	24	9.5%	86	34.1%	0	0.0%
056B00212N	299	142	47.5%	37	12.4%	120	40.1%	0	0.0%
056B00213N	260	171	65.8%	45	17.3%	44	16.9%	0	0.0%
056B00205N	323	156	48.3%	85	26.3%	82	25.4%	0	0.0%
056B00180N	359	257	71.6%	75	20.9%	27	7.5%	0	0.0%
056B00181N	202	0	0.0%	160	79.2%	42	20.8%	0	0.0%
056B00182N	203	120	59.1%	20	9.9%	63	31.0%	0	0.0%
056B00179N	246	111	45.1%	25	10.2%	101	41.1%	9	3.7%
056B00208N	64	45	70.3%	15	23.4%	4	6.3%	0	0.0%
056B00207N	203	149	73.4%	54	26.6%	0	0.0%	0	0.0%
056B00206N	203	159	78.3%	38	18.7%	6	3.0%	0	0.0%
056B00187N	224	143	63.8%	59	26.3%	22	9.8%	0	0.0%
056B00186N	278	196	70.5%	45	16.2%	37	13.3%	0	0.0%
056B00185N	408	335	82.1%	60	14.7%	13	3.2%	0	0.0%
056B00184N	244	153	62.7%	52	21.3%	39	16.0%	0	0.0%
056B00183N	343	130	37.9%	86	25.1%	127	37.0%	0	0.0%
056B00190N	232	124	53.4%	50	21.6%	58	25.0%	0	0.0%
056B00189N	227	166	73.1%	47	20.7%	24	10.6%	0	0.0%
056B00188N	378	275	72.8%	73	19.3%	30	7.9%	0	0.0%
056B00191N	188	141	75.0%	30	16.0%	17	9.0%	0	0.0%
056B00192N	126	117	92.9%	9	7.1%	0	0.0%	0	0.0%
056B00193N	507	262	51.7%	66	13.0%	179	35.3%	0	0.0%
056B00194N	55	45	81.8%	10	18.2%	0	0.0%	0	0.0%
056B00196N	75	71	94.7%	4	5.3%	0	0.0%	0	0.0%
056B00195R	153	132	86.3%	15	9.8%	6	3.9%	0	0.0%
056B00197R	130	75	57.7%	12	9.2%	43	33.1%	0	0.0%







Bridge ID	Element 301 - Pourable Joint Seal								
	Quantity (ft)	CS 1 (ft)	CS 1 %	CS 2 (ft)	CS 2 %	CS 3 (ft)	CS 3 %	CS 4 (ft)	CS 4 %
056B00209N	140	0	0.00%	46	32.86%	70	50.00%	24	17.14%
056B00210N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00211N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00212N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00213N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00205N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00180N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00181N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00182N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00179N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00208N	9	0	0.0%	0	0.0%	9	100.0%	0	0.0%
056B00207N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00206N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00187N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00186N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00185N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00184N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00183N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00190N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00189N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00188N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00191N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	569	84	14.8%	192	33.7%	67	11.8%	226	39.7%
056B00194N	54	0	0.0%	19	35.2%	8	14.8%	27	50.0%
056B00196N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00195R	182	0	0.0%	0	0.0%	0	0.0%	182	100.0%
056B00197R	130	0	0.0%	0	0.0%	0	0.0%	130	100.0%







Bridge ID	Element 311 - Moveable Bearing								
	Quantity (each)	CS 1 (each)	CS 1 %	CS 2 (each)	CS 2 %	CS 3 (each)	CS 3 %	CS 4 (each)	CS 4 %
056B00209N	72	24	33.3%	0	0.0%	48	66.7%	0	0.0%
056B00210N	66	22	33.3%	0	0.0%	44	66.7%	0	0.0%
056B00211N	66	0	0.0%	36	54.5%	30	45.5%	0	0.0%
056B00212N	54	18	33.3%	18	33.3%	17	31.5%	1	1.9%
056B00213N	54	18	33.3%	34	63.0%	2	3.7%	0	0.0%
056B00205N	84	0	0.0%	54	64.3%	30	35.7%	0	0.0%
056B00180N	54	0	0.0%	0	0.0%	54	100.0%	0	0.0%
056B00181N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00182N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00179N	100	0	0.0%	50	50.0%	50	50.0%	0	0.0%
056B00208N	4	0	0.0%	4	100.0%	0	0.0%	0	0.0%
056B00207N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00206N	18	8	44.4%	10	55.6%	0	0.0%	0	0.0%
056B00187N	45	14	31.1%	16	35.6%	15	33.3%	0	0.0%
056B00186N	48	15	31.3%	31	64.6%	2	4.2%	0	0.0%
056B00185N	42	9	21.4%	26	61.9%	7	16.7%	0	0.0%
056B00184N	42	13	31.0%	23	54.8%	6	14.3%	0	0.0%
056B00183N	56	2	3.6%	14	25.0%	39	69.6%	1	1.8%
056B00190N	45	30	66.7%	15	33.3%	0	0.0%	0	0.0%
056B00189N	45	0	0.0%	45	100.0%	0	0.0%	0	0.0%
056B00188N	63	0	0.0%	63	100.0%	0	0.0%	0	0.0%
056B00191N	153	19	12.4%	105	68.6%	29	19.0%	0	0.0%
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	57	0	0.0%	57	100.0%	0	0.0%	0	0.0%
056B00194N	4	0	0.0%	4	100.0%	0	0.0%	0	0.0%
056B00196N	5	0	0.0%	5	100.0%	0	0.0%	0	0.0%
056B00195R	10	6	60.0%	4	40.0%	0	0.0%	0	0.0%
056B00197R	8	0	0.0%	8	100.0%	0	0.0%	0	0.0%

Bridge ID	Element 515 - Steel Protective Coating (Moveable Bearing)								
	Quantity (sq.ft)	CS 1 (sq.ft)	CS 1 %	CS 2 (sq.ft)	CS 2 %	CS 3 (sq.ft)	CS 3 %	CS 4 (sq.ft)	CS 4 %
056B00209N	180	60	33.3%	0	0.0%	0	0.0%	120	66.7%
056B00210N	330	110	33.3%	0	0.0%	0	0.0%	220	66.7%
056B00211N	330	110	33.3%	0	0.0%	180	54.5%	40	12.1%
056B00212N	270	0	0.0%	216	80.0%	54	20.0%	0	0.0%
056B00213N	162	54	33.3%	0	0.0%	66	40.7%	42	25.9%
056B00205N	420	0	0.0%	310	73.8%	100	23.8%	10	2.4%
056B00180N	135	0	0.0%	0	0.0%	135	100.0%	0	0.0%
056B00181N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00182N	90	0	0.0%	90	100.0%	0	0.0%	0	0.0%
056B00179N	685	0	0.0%	136	19.9%	343	50.1%	206	30.1%
056B00208N	12	0	0.0%	12	100.0%	0	0.0%	0	0.0%
056B00207N	54	0	0.0%	54	100.0%	0	0.0%	0	0.0%
056B00206N	54	0	0.0%	54	100.0%	0	0.0%	0	0.0%
056B00187N	255	46	18.0%	140	54.9%	64	25.1%	5	2.0%
056B00186N	235	98	41.7%	49	20.9%	78	33.2%	10	4.3%
056B00185N	465	290	62.4%	125	26.9%	50	10.8%	0	0.0%
056B00184N	210	103	49.0%	45	21.4%	60	28.6%	2	1.0%
056B00183N	56	0	0.0%	26	46.4%	24	42.9%	6	10.7%
056B00190N	225	150	66.7%	75	33.3%	0	0.0%	0	0.0%
056B00189N	225	0	0.0%	205	91.1%	0	0.0%	20	8.9%
056B00188N	315	0	0.0%	315	100.0%	0	0.0%	0	0.0%
056B00191N	1196	0	0.0%	152	12.7%	860	71.9%	184	15.4%
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	285	0	0.0%	143	50.2%	142	49.8%	0	0.0%
056B00194N	5	0	0.0%	3	60.0%	2	40.0%	0	0.0%
056B00196N	5	0	0.0%	5	100.0%	0	0.0%	0	0.0%
056B00195R	41	0	0.0%	25	61.0%	16	39.0%	0	0.0%
056B00197R	16	0	0.0%	16	100.0%	0	0.0%	0	0.0%



Bridge ID	Element 313 - Fixed Bearing								
	Quantity (each)	CS 1 (each)	CS 1 %	CS 2 (each)	CS 2 %	CS 3 (each)	CS 3 %	CS 4 (each)	CS 4 %
056B00209N	24	24	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00210N	22	22	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00211N	22	22	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00212N	18	18	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00213N	18	16	88.9%	2	11.1%	0	0.0%	0	0.0%
056B00205N	20	20	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00180N	54	28	51.9%	26	48.1%	0	0.0%	0	0.0%
056B00181N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00182N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00179N	100	0	0.0%	50	50.0%	50	50.0%	0	0.0%
056B00208N	4	0	0.0%	4	100.0%	0	0.0%	0	0.0%
056B00207N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00206N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00187N	15	15	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00186N	16	4	25.0%	12	75.0%	0	0.0%	0	0.0%
056B00185N	14	10	71.4%	4	28.6%	0	0.0%	0	0.0%
056B00184N	14	12	85.7%	2	14.3%	0	0.0%	0	0.0%
056B00183N	70	1	1.4%	20	28.6%	48	68.6%	1	1.4%
056B00190N	15	0	0.0%	15	100.0%	0	0.0%	0	0.0%
056B00189N	15	0	0.0%	15	100.0%	0	0.0%	0	0.0%
056B00188N	21	0	0.0%	21	100.0%	0	0.0%	0	0.0%
056B00191N	51	0	0.0%	51	100.0%	0	0.0%	0	0.0%
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	57	0	0.0%	57	100.0%	0	0.0%	0	0.0%
056B00194N	4	0	0.0%	4	100.0%	0	0.0%	0	0.0%
056B00196N	5	0	0.0%	5	100.0%	0	0.0%	0	0.0%
056B00195R	10	7	70.0%	3	30.0%	0	0.0%	0	0.0%
056B00197R	8	0	0.0%	8	100.0%	0	0.0%	0	0.0%

Bridge ID	Element 515 - Steel Protective Coating (Fixed Bearing)								
	Quantity (sq.ft)	CS 1 (sq.ft)	CS 1 %	CS 2 (sq.ft)	CS 2 %	CS 3 (sq.ft)	CS 3 %	CS 4 (sq.ft)	CS 4 %
056B00209N	48	48	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00210N	44	44	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00211N	110	108	98.2%	2	1.8%	0	0.0%	0	0.0%
056B00212N	72	72	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00213N	27	25	92.6%	2	7.4%	0	0.0%	0	0.0%
056B00205N	100	100	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00180N	81	0	0.0%	81	100.0%	0	0.0%	0	0.0%
056B00181N	18	0	0.0%	18	100.0%	0	0.0%	0	0.0%
056B00182N	90	0	0.0%	90	100.0%	0	0.0%	0	0.0%
056B00179N	720	0	0.0%	144	20.0%	360	50.0%	216	30.0%
056B00208N	12	0	0.0%	12	100.0%	0	0.0%	0	0.0%
056B00207N	54	0	0.0%	54	100.0%	0	0.0%	0	0.0%
056B00206N	54	0	0.0%	54	100.0%	0	0.0%	0	0.0%
056B00187N	45	0	0.0%	45	100.0%	0	0.0%	0	0.0%
056B00186N	45	0	0.0%	11	24.4%	34	75.6%	0	0.0%
056B00185N	285	185	64.9%	86	30.2%	14	4.9%	0	0.0%
056B00184N	70	0	0.0%	68	97.1%	2	2.9%	0	0.0%
056B00183N	70	4	5.7%	33	47.1%	26	37.1%	7	10.0%
056B00190N	75	0	0.0%	75	100.0%	0	0.0%	0	0.0%
056B00189N	75	0	0.0%	75	100.0%	0	0.0%	0	0.0%
056B00188N	105	0	0.0%	105	100.0%	0	0.0%	0	0.0%
056B00191N	404	0	0.0%	0	0.0%	404	100.0%	0	0.0%
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	228	0	0.0%	114	50.0%	114	50.0%	0	0.0%
056B00194N	5	0	0.0%	3	60.0%	2	40.0%	0	0.0%
056B00196N	5	0	0.0%	5	100.0%	0	0.0%	0	0.0%
056B00195R	41	0	0.0%	29	70.7%	12	29.3%	0	0.0%
056B00197R	16	0	0.0%	16	100.0%	0	0.0%	0	0.0%



Bridge ID	Element 331 - Reinforced Concrete Bridge Rail								
	Quantity (ft)	CS 1 (ft)	CS 1 %	CS 2 (ft)	CS 2 %	CS 3 (ft)	CS 3 %	CS 4 (ft)	CS 4 %
056B00209N	581	432	74.4%	149	25.6%	0	0.0%	0	0.0%
056B00210N	599	380	63.4%	97	16.2%	122	20.4%	0	0.0%
056B00211N	453	298	65.8%	115	25.4%	40	8.8%	0	0.0%
056B00212N	407	284	69.8%	113	27.8%	10	2.5%	0	0.0%
056B00213N	686	496	72.3%	159	23.2%	31	4.5%	0	0.0%
056B00205N	1101	864	78.5%	210	19.1%	21	1.9%	6	0.5%
056B00180N	856	672	78.5%	176	20.6%	8	0.9%	0	0.0%
056B00181N	390	325	83.3%	65	16.7%	0	0.0%	0	0.0%
056B00182N	414	279	67.4%	97	23.4%	38	9.2%	0	0.0%
056B00179N	1014	669	66.0%	345	34.0%	0	0.0%	0	0.0%
056B00208N	279	0	0.0%	257	92.1%	22	7.9%	0	0.0%
056B00207N	556	388	69.8%	128	23.0%	40	7.2%	0	0.0%
056B00206N	512	374	73.0%	83	16.2%	55	10.7%	0	0.0%
056B00187N	632	468	74.1%	139	22.0%	25	4.0%	0	0.0%
056B00186N	636	476	74.8%	140	22.0%	20	3.1%	0	0.0%
056B00185N	1133	909	80.2%	209	18.4%	15	1.3%	0	0.0%
056B00184N	670	376	56.1%	294	43.9%	0	0.0%	0	0.0%
056B00183N	2124	1019	48.0%	1062	50.0%	43	2.0%	0	0.0%
056B00190N	632	476	75.3%	141	22.3%	15	2.4%	0	0.0%
056B00189N	632	566	89.6%	59	9.3%	7	1.1%	0	0.0%
056B00188N	732	628	85.8%	86	11.7%	18	2.5%	0	0.0%
056B00191N	5353	5162	96.4%	189	3.5%	2	0.0%	0	0.0%
056B00192N	1741	1667	95.7%	70	4.0%	4	0.2%	0	0.0%
056B00193N	1380	435	31.5%	800	58.0%	145	10.5%	0	0.0%
056B00194N	128	49	38.3%	79	61.7%	0	0.0%	0	0.0%
056B00196N	254	254	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00195R	160	144	90.0%	16	10.0%	0	0.0%	0	0.0%
056B00197R	195	172	88.2%	21	10.8%	2	1.0%	0	0.0%







Bridge ID	Element 850 - Second Element								
	Quantity (1)	CS 1 (1)	CS 1 %	CS 2 (1)	CS 2 %	CS 3 (1)	CS 3 %	CS 4 (1)	CS 4 %
056B00209N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00210N	1	0	0.0%	1	100.0%	0	0.0%	0	0.0%
056B00211N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00212N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00213N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00205N	1	0	0.0%	1	100.0%	0	0.0%	0	0.0%
056B00180N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00181N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00182N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00179N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00208N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00207N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00206N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00187N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00186N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00185N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00184N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00183N	1	0	0.0%	1	100.0%	0	0.0%	0	0.0%
056B00190N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00189N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00188N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00191N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00192N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00193N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00194N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00196N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00195R	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00197R	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%



Bridge ID	Element 851 - Transitions								
	Quantity (1)	CS 1 (1)	CS 1 %	CS 2 (1)	CS 2 %	CS 3 (1)	CS 3 %	CS 4 (1)	CS 4 %
056B00209N	1	0	0.0%	1	100.0%	0	0.0%	0	0.0%
056B00210N	1	0	0.0%	1	100.0%	0	0.0%	0	0.0%
056B00211N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00212N	1	0	0.0%	1	100.0%	0	0.0%	0	0.0%
056B00213N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00205N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00180N	1	0	0.0%	0	0.0%	1	100.0%	0	0.0%
056B00181N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00182N	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%
056B00179N	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%
056B00208N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00207N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00206N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00187N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00186N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00185N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00184N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00183N	1	1	100.0%	0	0.0%	0	0.0%	0	0.0%
056B00190N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00189N	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%
056B00188N	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%
056B00191N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00192N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00193N	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00194N	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%
056B00196N	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%
056B00195R	NA	NA	NA	NA	NA	NA	NA	NA	NA
056B00197R	1	0	0.0%	0	0.0%	0	0.0%	1	100.0%











