

Appendix G


Underground Storage Tank (UST) & Hazardous Materials (HazMat) Overview

14408.000 MAYSVILLE SUA

Small Urban Area Study
Maysville, KY 41056

Inquiry Number: 4533866.1s
February 09, 2016

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	218
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-13
Physical Setting Source Map Findings	A-15
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

COORDINATES

Latitude (North): 38.6319740 - 38° 37' 55.10"
Longitude (West): 83.7959010 - 83° 47' 45.24"
Universal Transverse Mercator: Zone 17
UTM X (Meters): 256621.2
UTM Y (Meters): 4279439.5
Elevation: 898 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 5940225 MAYSVILLE WEST, KY
Version Date: 2013

South Map: 5939863 MAYS LICK, KY
Version Date: 2013

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20120623, 20110822, 20120802
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:
SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1		1423 US HIGHWAY 68	EDR Hist Auto	Lower	257, 0.049, ENE
A2	FAMILY DOLLAR #3207	1553 US HWY 68	FINDS	Lower	360, 0.068, SSW
A3	FAMILY DOLLAR #3207	1553 US HWY 68	RCRA-CESQG	Lower	360, 0.068, SSW
A4	KENS NEW MARKET	1545 US 68	FINDS	Lower	442, 0.084, SW
A5	KMART #9684	1581 US 68 SOUTH	RCRA-CESQG	Lower	442, 0.084, SW
A6	KMART #9684	1581 US 68 SOUTH	FINDS	Lower	442, 0.084, SW
B7		1416 US HIGHWAY 68	EDR Hist Auto	Lower	548, 0.104, NE
B8			SPILLS	Higher	575, 0.109, ENE
9	MCFARLAND CHEVROLET	KENTON STATION RD	UST	Lower	704, 0.133, NW
10	MAYSVILLE AREA VOCAT	646 KENTON STATION R	RCRA-CESQG, FINDS	Lower	1254, 0.237, NNE
11	FAST LANE #10	1688 HWY 68	UST	Lower	1288, 0.244, NE
C12	UNITED PARCEL SERVIC	ROUTE 2, KENTON STAT	FINDS	Lower	1317, 0.249, North
C13			SPILLS	Higher	1452, 0.275, NNW
D14	MASON CO MIDDLE SCHO	420 CHENAULT DR	FINDS	Lower	1665, 0.315, ENE
15	ROAD RANGER #5260	416 W MARTIN LUTHER	UST	Lower	1726, 0.327, SE
D16	CHARLES STRAUB ELEME	387 CHENAULT DR	FINDS	Lower	1750, 0.331, ENE
17		1337 US HIGHWAY 68	EDR Hist Cleaner	Lower	1764, 0.334, NE
D18	MASON CO BOARD OF ED	386 CHENAULT DR	UST	Lower	1768, 0.335, ENE
19		1690 US HIGHWAY 68	EDR Hist Auto	Higher	1864, 0.353, SW
20		515 TUCKER DR	EDR Hist Auto	Higher	2032, 0.385, SSW
21		416 MARKET SQUARE D	EDR Hist Auto	Lower	2101, 0.398, SSE
22	MASON COUNTY SCHOOL	CHENAULT DR	FINDS	Lower	2111, 0.400, East
23	MAYSVILLE FOOD MART	906 US 68	UST	Lower	2207, 0.418, NW
24	MAYSVILLE COMMUNITY	1755 US HWY 68	RCRA-CESQG, UST, FINDS	Higher	2335, 0.442, SW
E25	KROGER FUEL CENTER #	385 MARKET SQUARE DR	UST	Lower	2435, 0.461, SSE
E26	KROGER 420	381 MARKET SQUARE DR	NPDES	Lower	2468, 0.467, SSE
E27	KROGER CO-STORE 420	381 MARKET SQUARE DR	RCRA-CESQG	Lower	2468, 0.467, SSE
E28	KROGER 420	381 MARKET SQUARE DR	NPDES	Lower	2468, 0.467, SSE
E29	KROGER 420	381 MARKET SQUARE DR	FINDS	Lower	2468, 0.467, SSE
30	MAYSVILLE COUNTRY CL	1099 US 68 S	UST	Lower	2739, 0.519, NW
F31			SPILLS	Lower	2809, 0.532, SE
F32			SPILLS	Lower	2809, 0.532, SE
G33	PEOPLES BAKN OF FLEM	90 TUCKER DR	NPDES	Lower	3045, 0.577, SSE
G34	MCNEILL FAMILY PROPE	W OF KY 9 & S OF MAR	FINDS	Lower	3255, 0.616, SSE
35	UNITED PARCEL SERVIC	ROUTE 2, KENTON STAT	RCRA-CESQG, UST	Higher	3298, 0.625, ENE
H36	MASON CO HIGH SCHOOL	1320 US 68	FINDS	Lower	3318, 0.628, NW
I37	K MART 9684	US 68 S	FINDS	Lower	3381, 0.640, NW
I38	K MART 9684	US 68 S	UST	Lower	3381, 0.640, NW
J39	RITE AID #3920	1160 US HWY 68	FINDS	Lower	3454, 0.654, NE

MAPPED SITES SUMMARY

Target Property Address:
SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
J40	RITE AID #3920	1160 US HWY 68	RCRA-LQG	Lower	3454, 0.654, NE
H41	1ST STOP #90	1422 US 68	SB193	Lower	3565, 0.675, NW
H42	1ST STOP MAYSVILLE #	1422 US 68	UST	Lower	3565, 0.675, NW
H43	54755 - 1ST STOP #90	1422 US 68	FINDS	Lower	3565, 0.675, NW
K44	GASOLINE ALLEY #4	1423 US 68	UST	Lower	3601, 0.682, NW
K45	SPEEDWAY #9732	1425 US 68	UST	Lower	3606, 0.683, NW
K46	SPEEDWAY #9732	1425 US 68	FINDS	Lower	3606, 0.683, NW
L47	DOLLAR GENERAL STORE	1130 US HIGHWAY 68	RCRA-CESQG, FINDS	Lower	3740, 0.708, NE
48			SPILLS	Higher	3783, 0.716, East
L49		1124 US HIGHWAY 68	EDR Hist Cleaner	Lower	3801, 0.720, NE
L50		1122 US HIGHWAY 68	EDR Hist Cleaner	Lower	3817, 0.723, NE
M51	CARDIOVASCULAR DIAGN	901 KENTON STATION D	FINDS	Lower	3875, 0.734, NW
M52	CARDIOVASCULAR DIAGN	901 KENTON STATION D	NPDES	Lower	3875, 0.734, NW
M53	ASHLAND PETROLEUM 38	908 KENTON STATION R	RCRA NonGen / NLR, FINDS	Lower	3900, 0.739, NW
M54	ASHLAND PETROLEUM CO	908 KENTON STATION R	UST	Lower	3900, 0.739, NW
M55	PRIMARY PLUS	927 KENTON STATION R	NPDES	Lower	3942, 0.747, NW
M56	PRIMARY PLUS HEALTH	927 KENTON STATION R	FINDS	Lower	3942, 0.747, NW
N57			SPILLS	Lower	3986, 0.755, WSW
N58			SPILLS	Lower	3986, 0.755, WSW
M59	MEADOWVIEW REGIONAL	989 MEDICAL PARK DR	UST	Lower	4093, 0.775, NW
M60	MEADOWVIEW REGIONAL	989 MEDICAL PARK DR	FINDS	Lower	4093, 0.775, NW
61	KYTC ITEM NO. 9-8303	KY 1448	FINDS	Higher	4231, 0.801, ESE
O62	MAYSVILLE SPEC BUILD	1701 W MARTIN LUTHER	NPDES	Lower	4340, 0.822, WNW
O63	MAYSVILLE SPEC BUILD	1701 W MARTIN LUTHER	FINDS	Lower	4340, 0.822, WNW
64	MAPLE RIDGE HOMES IN	MAPLE RIDGE AVE	FINDS	Lower	4609, 0.873, ENE
P65	MURPHY OIL USA INC 6	239 WALMART WAY	UST	Lower	4851, 0.919, SE
P66	MURPHY OIL USA INC 6	239 WALMART WAY	FINDS	Lower	4851, 0.919, SE
P67	WAL-MART SUPERCENTER	240 WAL-MART WAY	RCRA-CESQG	Lower	4876, 0.923, SE
P68	WAL-MART SUPERCENTER	240 WAL-MART WAY	FINDS	Lower	4876, 0.923, SE
P69	WAL-MART	240 WAL-MART WAY	SWRCY	Lower	4876, 0.923, SE
P70			SPILLS	Lower	5112, 0.968, SE
71	MASON CO STATE MAINT	734 CLARKS RUN RD	FINDS	Lower	5241, 0.993, SW
72	HILLTOP FORD INC	US 68 S	UST	Lower	5501, 1.042, NE
73	KENTUCKY DEPARTMENT	CLARKS RUN ROAD	FINDS	Higher	5604, 1.061, SSW
Q74	MASON CO ELEMENTARY	720 CLARKS RUN RD	FINDS	Lower	6098, 1.155, SW
Q75	MASON CO ELEMENTARY	720 CLARKS RUN RD	NPDES	Lower	6098, 1.155, SW
R76	EMERSON POWER TRANSM	1118 PROGRESS WAY	RCRA NonGen / NLR	Higher	6128, 1.161, WNW
R77	EMERSON POWER TRANSM	1118 PROGRESS WAY	SHWS, AIRS	Higher	6128, 1.161, WNW
R78	EPT CUTTING FLUID SP	1118 PROGRESS WAY	FINDS	Higher	6128, 1.161, WNW

MAPPED SITES SUMMARY

Target Property Address:
SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
R79	EPT CUTTING FLUID SP	1118 PROGRESS WAY	CERCLIS	Higher	6128, 1.161, WNW
R80	EMERSON POWER TRANSM	1118 PROGRESS WAY	FINDS	Higher	6128, 1.161, WNW
R81		1118 PROGRESS WAY	ERNS	Higher	6128, 1.161, WNW
R82		1118 PROGRESS WAY	ERNS	Higher	6128, 1.161, WNW
83	TECHNOTRIM	1125 PROGRESS WAY	RCRA-CESQG, FINDS	Higher	6133, 1.162, WNW
84	WINSTON S MORRIS JR	MORTONS LN	FINDS	Higher	6134, 1.162, WNW
85			SPILLS	Lower	6221, 1.178, NW
86	TRW AUTOMOTIVE AFTER	1151 MORTON LANE	RCRA NonGen / NLR, FINDS	Lower	6235, 1.181, WNW
R87	EMERSON POWER TRANSM	1118 PROGRESS WAY	RGA HWS	Higher	6271, 1.188, WNW
S88	MASON COUNTY SCHOOLS	725 CLARKS RUN ROAD	FINDS	Higher	6281, 1.190, WSW
89		1072 PROGRESS WAY	EDR Hist Auto	Higher	6455, 1.223, WNW
S90	KTC MASON CO MAINT G	CLARKS RUN RD	FINDS	Lower	6458, 1.223, WSW
91	KTC MASON CO MAINT G	CLARKS RUN RD	NPDES	Higher	6660, 1.261, WSW
92	JERSEY RIDGE RD AMRP	JERSEY RIDGE RD	FINDS	Lower	6801, 1.288, NNE
93	SPURLOCK (KENTON) -	KY 9	FINDS	Lower	7176, 1.359, NW
94	NEW CINGULAR WIRELES	1304 GOLF MANOR DR	AIRS	Higher	7519, 1.424, WNW
95	CITY OF MAYSVILLE CS	JERSEY RIDGE RD	FINDS	Lower	7599, 1.439, North
T96	KYTC PCE 10-1038 KYT	US 68	FINDS	Higher	7686, 1.456, SSW
T97	EXCESS MATERIAL C SI	US 68	FINDS	Higher	7686, 1.456, SSW
T98		2328 US HIGHWAY 68	EDR Hist Auto	Higher	7733, 1.465, SSW
99	US 62 ASPHALT PAVEME	US 62	FINDS	Lower	7989, 1.513, ENE
U100	LOWE'S OF MAYSVILLE	314 E MAPLE LEAF RD	NPDES	Higher	8011, 1.517, SE
U101	LOWE'S OF MAYSVILLE	314 EAST MAPLE LEAF	RCRA-CESQG	Higher	8011, 1.517, SE
U102	LOWE'S OF MAYSVILLE	314 EAST MAPLE LEAF	FINDS	Higher	8011, 1.517, SE
103	EARL JONES DAIRY FAR	6253 KY 11	FINDS	Higher	8076, 1.530, SSE
104			SPILLS	Higher	8084, 1.531, SE
105			SPILLS	Lower	8120, 1.538, SE
106	ASHLAND PETROLEUM CO	603 DUKE OF YORK ST	RCRA NonGen / NLR, FINDS	Higher	8223, 1.557, SSW
V107	WASHINGTON 1ST STOP	603 DUKE OF YORK ST	UST	Higher	8228, 1.558, SSW
W108	KTC NH 546-2 (9)	MAYSVILLE-PORTSMOUTH	NPDES	Lower	8246, 1.562, SE
V109	WASHINGTON NO 484	OLD RTE 68	UST	Higher	8313, 1.574, SSW
W110	WALMART SUPERCENTER	360 E MARTIN LUTHER	NPDES	Lower	8375, 1.586, SE
111			SPILLS	Lower	8409, 1.593, SE
V112	59375 - 1ST STOP NO	603 DUKE OF YORK ST	FINDS	Higher	8411, 1.593, SSW
113			SPILLS	Lower	8425, 1.596, East
114		811 JERSEY RIDGE RD	EDR Hist Auto	Higher	8483, 1.607, NNE
115	THOMAS ORR DAIRY FAR	1430 MORTON LN	FINDS	Lower	8614, 1.631, NW
116	HOSPICE OF HOPE INPA	ROSA DR	FINDS	Lower	8836, 1.673, WNW
117	COLONIAL HEIGHTS VET	US HWY 68	UST	Higher	9132, 1.730, SSW

MAPPED SITES SUMMARY

Target Property Address:
SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
118			SPILLS	Lower	9271, 1.756, WNW
119		413 E. 3RD ST	ERNS	Lower	9636, 1.825, NE
120		510-514 WEST THIRD S	DOT OPS	Lower	9652, 1.828, NE
121	MAYSVILLE READY-MIX	844 JERSEY RIDGE RD	UST	Higher	9662, 1.830, NNE
122	FORMER HAYSWOOD HOSP	W 4TH ST	FINDS	Lower	9666, 1.831, NE
123	MASON CO STATE MAINT	734 CLARKS RUN RD	SHWS, UST	Higher	9674, 1.832, SW
X124		239 WEST 3RD STREET	LEAD	Lower	9816, 1.859, NE
Y125	HAYSWOOD HOSPITAL	20 WEST 4TH ST.	BROWNFIELDS	Lower	9842, 1.864, ENE
Y126	HAYSWOOD HOSPITAL	20 WEST 4TH STREET	FINDS	Lower	9842, 1.864, ENE
Y127	HAYSWOOD HOSPITAL	20 WEST 4TH STREET	US BROWNFIELDS	Lower	9842, 1.864, ENE
128	110 THIRD ST MAYSVIL	110 THIRD STREET	SHWS	Lower	9865, 1.868, NE
X129		219 1/2 WEST THIRD S	LEAD	Lower	9873, 1.870, NE
130	ARNOLD DISTRIBUTING	US 68	UST	Lower	9873, 1.870, ENE
Y131	FORMER HAYSWOOD HOSP	W 4TH ST	SHWS, UST	Lower	9914, 1.878, ENE
Z132	KENTUCKY UTILITIES	619 W. 2ND ST	SHWS	Lower	9932, 1.881, NE
Z133	BENTLEYS QUICK STOP	621 W. 2ND STREET	SHWS	Lower	9935, 1.882, NE
Z134		625 W 2ND ST	EDR Hist Auto	Lower	9940, 1.883, NE
Y135	HAYSWOOD HOSPITAL	FOURTH & MARKET STRE	RCRA NonGen / NLR	Lower	9946, 1.884, ENE
Y136	MAYSVILLE/HAYSWOOD H	FOURTH & MARKET STRE	FINDS	Lower	9947, 1.884, ENE
Z137	HARPER OIL PRODUCTS	635 W 2ND ST	UST	Lower	9962, 1.887, NE
Z138	HARPER OIL PRODUCTS	635 W 2ND ST	FINDS	Lower	9962, 1.887, NE
Z139	HARPER OIL PRODUCTS	635 W 2ND ST	SPILLS, AIRS, NPDES	Lower	9962, 1.887, NE
Z140	HARPER OIL PRODUCTS	635 W 2ND ST	NPDES	Lower	9962, 1.887, NE
Y141	FORMER HAYSWOOD HOSP	FOURTH AND MARKET ST	RGA HWS	Lower	9980, 1.890, ENE
Y142	MAYSVILLE/HAYSWOOD H	4TH AND MARKET STREE	US BROWNFIELDS	Lower	9980, 1.890, ENE
AA143		400 WEST SECOND STRE	LEAD	Lower	10016, 1.897, NE
144			SPILLS	Lower	10135, 1.920, NE
AB145	THE COTTON MILL LTD	237 W 2ND ST	RCRA NonGen / NLR	Lower	10148, 1.922, NE
AB146	THE COTTON MILL LTD	237 W 2ND ST	FINDS	Lower	10148, 1.922, NE
AB147	COTTON MILL LTD CO	237 W 2ND ST	UST	Lower	10148, 1.922, NE
AC148	CSX TRANSPORTATION	341 WEST FRONT STREE	RCRA NonGen / NLR, FINDS	Lower	10204, 1.933, NE
AC149	CSX TRANSPORTATION -	341 W FRONT ST	UST	Lower	10204, 1.933, NE
AB150	SHUGARS AUTO PARTS	124 WEST 2ND STREET	FINDS	Lower	10219, 1.935, NE
AB151		124 W 2ND ST	EDR Hist Auto	Lower	10219, 1.935, NE
AB152	SHUGARS AUTO PARTS	124 WEST 2ND STREET	RCRA-SQG	Lower	10219, 1.935, NE
153	MANLEY AUTO SALES	US 68	UST	Lower	10229, 1.937, ENE
AD154	59382 - CANTRELL OIL	701 W SECOND ST	FINDS	Lower	10233, 1.938, NE
AD155	CANTRELL OIL	701 W SECOND ST	SB193, UST	Lower	10233, 1.938, NE
AA156			SPILLS	Lower	10267, 1.945, NE

MAPPED SITES SUMMARY

Target Property Address:
SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AA157			SPILLS	Lower	10267, 1.945, NE
AA158			SPILLS	Lower	10267, 1.945, NE
AA159			SPILLS	Lower	10267, 1.945, NE
AE160			SPILLS	Lower	10300, 1.951, ENE
AE161			SPILLS	Lower	10301, 1.951, ENE
AE162			SPILLS	Lower	10313, 1.953, ENE
AF163	CROUNSE CORPORATION	102 WEST 2ND STREET	RCRA NonGen / NLR, FINDS	Lower	10352, 1.961, NE
AF164	MASON CO - SOLID WAS	219 STANLEY REED	FINDS	Lower	10406, 1.971, NE
AE165	TOYOTA MOTOR MANUFAC	1001 CHERRY BLOOSOM	RGA LF	Lower	10415, 1.973, ENE
AE166	FIRST CHRISTIAN CHUR	18 E THIRD ST	FINDS	Lower	10439, 1.977, ENE
AG167	MAYSVILLE RIVERFRONT	LIMESTONE ST	FINDS	Lower	10448, 1.979, ENE
AG168	SAINT PATRICKS SCHOO	318 LIMESTONE ST	FINDS	Lower	10454, 1.980, ENE
169	MAYSVILLE CO GLC-522	116 E 4TH ST	UST	Lower	10454, 1.980, ENE
AF170	LEDGER-INDEPENDENT (41 W. SECOND STREET	RCRA-CESQG, FINDS	Lower	10517, 1.992, NE
171	NATIVITY MONTESSORI	31 E 3RD ST	FINDS	Lower	10518, 1.992, ENE
AH172	WESTERN SKY INDUSTRI	ARNOLD AVE	FINDS	Lower	10530, 1.994, ENE
AG173		307 LIMESTONE ST	EDR Hist Cleaner	Lower	10533, 1.995, ENE
AH174	WELCO TECHNOLOGIES	737 ARNOLD AVENUE	FINDS	Lower	10556, 1.999, ENE
AH175	WELCO TECHNOLOGIES	737 ARNOLD AVENUE	RCRA NonGen / NLR	Lower	10556, 1.999, ENE

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Facilities List

State and tribal leaking storage tank lists

PSTEAF..... Facility Ranking List

EXECUTIVE SUMMARY

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST..... Underground Storage Tank Listing
INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Engineering Controls Site Listing
INST CONTROL..... State Superfund Database

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing
VCP..... Voluntary Cleanup Program Sites

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF..... Historical Landfills
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... National Clandestine Laboratory Register
CDL..... Clandestine Drug Lab Location Listing
US CDL..... Clandestine Drug Labs

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System

EXECUTIVE SUMMARY

PRP.....	Potentially Responsible Parties
PADS.....	PCB Activity Database System
ICIS.....	Integrated Compliance Information System
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS.....	Material Licensing Tracking System
COAL ASH DOE.....	Steam-Electric Plant Operation Data
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER.....	PCB Transformer Registration Database
RADINFO.....	Radiation Information Database
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
CONSENT.....	Superfund (CERCLA) Consent Decrees
INDIAN RESERV.....	Indian Reservations
UMTRA.....	Uranium Mill Tailings Sites
LEAD SMELTERS.....	Lead Smelter Sites
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
US MINES.....	Mines Master Index File
COAL ASH.....	Coal Ash Disposal Sites
DRYCLEANERS.....	Drycleaner Listing
Financial Assurance.....	Financial Assurance Information Listing
UIC.....	UIC Information

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS list

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 10/25/2013 has revealed that there is 1

EXECUTIVE SUMMARY

CERCLIS site within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EPT CUTTING FLUID SP	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R79	120

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 06/09/2015 has revealed that there is 1 RCRA-LQG site within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RITE AID #3920	1160 US HWY 68	NE 1/2 - 1 (0.654 mi.)	J40	52

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 06/09/2015 has revealed that there is 1 RCRA-SQG site within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SHUGARS AUTO PARTS	124 WEST 2ND STREET	NE 1 - 2 (1.935 mi.)	AB152	191

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 06/09/2015 has revealed that there are 11 RCRA-CESQG sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MAYSVILLE COMMUNITY	1755 US HWY 68	SW 1/4 - 1/2 (0.442 mi.)	24	32
UNITED PARCEL SERVIC	ROUTE 2, KENTON STAT	ENE 1/2 - 1 (0.625 mi.)	35	47
TECHNOTRIM	1125 PROGRESS WAY	WNW 1 - 2 (1.162 mi.)	83	122
LOWE'S OF MAYSVILLE	314 EAST MAPLE LEAF	SE 1 - 2 (1.517 mi.)	U101	134

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FAMILY DOLLAR #3207	1553 US HWY 68	SSW 0 - 1/8 (0.068 mi.)	A3	7

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
KMART #9684	1581 US 68 SOUTH	SW 0 - 1/8 (0.084 mi.)	A5	9
MAYSVILLE AREA VOCAT	646 KENTON STATION R	NNE 1/8 - 1/4 (0.237 mi.)	10	14
KROGER CO-STORE 420	381 MARKET SQUARE DR	SSE 1/4 - 1/2 (0.467 mi.)	E27	39
DOLLAR GENERAL STORE	1130 US HIGHWAY 68	NE 1/2 - 1 (0.708 mi.)	L47	68
WAL-MART SUPERCENTER	240 WAL-MART WAY	SE 1/2 - 1 (0.923 mi.)	P67	86
LEDGER-INDEPENDENT (41 W. SECOND STREET	NE 1 - 2 (1.992 mi.)	AF170	209

Federal ERNS list

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 06/22/2015 has revealed that there are 3 ERNS sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R81	122
Not reported	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R82	122
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	413 E. 3RD ST	NE 1 - 2 (1.825 mi.)	119	152

State- and tribal - equivalent CERCLIS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Protection's Uncontrolled Site Branch List.

A review of the SHWS list, as provided by EDR, and dated 12/22/2015 has revealed that there are 6 SHWS sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EMERSON POWER TRANSM Facility Id: 11557 Facility Status: Closed	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R77	119
MASON CO STATE MAINT Facility Id: 3011 Facility Status: Closed	734 CLARKS RUN RD	SW 1 - 2 (1.832 mi.)	123	155
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
110 THIRD ST MAYSVIL Facility Id: 52953 Facility Status: Closed	110 THIRD STREET	NE 1 - 2 (1.868 mi.)	128	166
FORMER HAYSWOOD HOSP	W 4TH ST	ENE 1 - 2 (1.878 mi.)	Y131	169

EXECUTIVE SUMMARY

Facility Id: 67833 Facility Status: Closed				
KENTUCKY UTILITIES Facility Id: 117718 Facility Status: Closed	619 W. 2ND ST	NE 1 - 2 (1.881 mi.)	Z132	171
BENTLEYS QUICK STOP Facility Id: 59377 Facility Status: Closed	621 W. 2ND STREET	NE 1 - 2 (1.882 mi.)	Z133	171

State and tribal leaking storage tank lists

SB193: The inventory indicates facilities that have performed permanent closure activities at a regulated underground storage tank facility and have known soil and/or groundwater contamination.

A review of the SB193 list, as provided by EDR, and dated 09/05/2006 has revealed that there are 2 SB193 sites within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
1ST STOP #90 Facility Id: 3346081	1422 US 68	NW 1/2 - 1 (0.675 mi.)	H41	54
CANTRELL OIL Facility Id: 7506081	701 W SECOND ST	NE 1 - 2 (1.938 mi.)	AD155	195

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection's Owner/Facility Report of All Tanks Regardless of Status list.

A review of the UST list, as provided by EDR, and dated 12/04/2015 has revealed that there are 30 UST sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MAYSVILLE COMMUNITY Facility Id: 46060 Tank Status: TRM	1755 US HWY 68	SW 1/4 - 1/2 (0.442 mi.)	24	32
UNITED PARCEL SERVIC Facility Id: 48431 Tank Status: TRM	ROUTE 2, KENTON STAT	ENE 1/2 - 1 (0.625 mi.)	35	47
WASHINGTON 1ST STOP Facility Id: 59375 Closed In Place Date: 09/22/2002 Tank Status: TAC Tank Status: TRM	603 DUKE OF YORK ST	SSW 1 - 2 (1.558 mi.)	V107	139
WASHINGTON NO 484 Facility Id: 59337 Tank Status: TRM	OLD RTE 68	SSW 1 - 2 (1.574 mi.)	V109	145
COLONIAL HEIGHTS VET	US HWY 68	SSW 1 - 2 (1.730 mi.)	117	150

EXECUTIVE SUMMARY

Facility Id: 68452 Tank Status: TBL				
MAYSVILLE READY-MIX Facility Id: 67005 Tank Status: TRM	844 JERSEY RIDGE RD	NNE 1 - 2 (1.830 mi.)	121	154
MASON CO STATE MAINT Facility Id: 3011 Tank Status: TRM	734 CLARKS RUN RD	SW 1 - 2 (1.832 mi.)	123	155
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MCFARLAND CHEVROLET Facility Id: 67957 Tank Status: TRM	KENTON STATION RD	NW 1/8 - 1/4 (0.133 mi.)	9	12
FAST LANE #10 Facility Id: 59387 Tank Status: TAC	1688 HWY 68	NE 1/8 - 1/4 (0.244 mi.)	11	16
ROAD RANGER #5260 Facility Id: 59358 Tank Status: TAC Tank Status: TEX	416 W MARTIN LUTHER	SE 1/4 - 1/2 (0.327 mi.)	15	19
MASON CO BOARD OF ED Facility Id: 66311 Closed In Place Date: 08/08/1995 Tank Status: TRM	386 CHENAULT DR	ENE 1/4 - 1/2 (0.335 mi.)	D18	25
MAYSVILLE FOOD MART Facility Id: 59376 Tank Status: TAC	906 US 68	NW 1/4 - 1/2 (0.418 mi.)	23	29
KROGER FUEL CENTER # Facility Id: 112801 Tank Status: TEX Tank Status: TAC	385 MARKET SQUARE DR	SSE 1/4 - 1/2 (0.461 mi.)	E25	34
MAYSVILLE COUNTRY CL Facility Id: 63119 Closed In Place Date: 01/01/1984 Tank Status: TR8	1099 US 68 S	NW 1/2 - 1 (0.519 mi.)	30	43
K MART 9684 Facility Id: 64121 Tank Status: TRM	US 68 S	NW 1/2 - 1 (0.640 mi.)	I38	50
1ST STOP MAYSVILLE # Facility Id: 54755 Closed In Place Date: 12/31/2013 Closed In Place Date: 06/01/2003 Tank Status: TUR Tank Status: TRR	1422 US 68	NW 1/2 - 1 (0.675 mi.)	H42	54
GASOLINE ALLEY #4 Facility Id: 59390 Tank Status: TAC	1423 US 68	NW 1/2 - 1 (0.682 mi.)	K44	60
SPEEDWAY #9732 Facility Id: 59370	1425 US 68	NW 1/2 - 1 (0.683 mi.)	K45	65

EXECUTIVE SUMMARY

Tank Status: TAC					
ASHLAND PETROLEUM CO	908 KENTON STATION R	NW 1/2 - 1 (0.739 mi.)	M54	75	
Facility Id: 48421					
Closed In Place Date: 02/13/1996					
Tank Status: TRM					
MEADOWVIEW REGIONAL	989 MEDICAL PARK DR	NW 1/2 - 1 (0.775 mi.)	M59	79	
Facility Id: 59360					
Tank Status: TAC					
Tank Status: TRM					
MURPHY OIL USA INC 6	239 WALMART WAY	SE 1/2 - 1 (0.919 mi.)	P65	83	
Facility Id: 70115					
Tank Status: TAC					
HILLTOP FORD INC	US 68 S	NE 1 - 2 (1.042 mi.)	72	106	
Facility Id: 67673					
Tank Status: TR8					
ARNOLD DISTRIBUTING	US 68	ENE 1 - 2 (1.870 mi.)	130	167	
Facility Id: 67963					
Tank Status: TRM					
FORMER HAYSWOOD HOSP	W 4TH ST	ENE 1 - 2 (1.878 mi.)	Y131	169	
Facility Id: 67833					
Tank Status: TRM					
HARPER OIL PRODUCTS	635 W 2ND ST	NE 1 - 2 (1.887 mi.)	Z137	174	
Facility Id: 3001					
Tank Status: TR8					
Tank Status: TRM					
COTTON MILL LTD CO	237 W 2ND ST	NE 1 - 2 (1.922 mi.)	AB147	186	
Facility Id: 3009					
Closed In Place Date: 06/08/1998					
Tank Status: TRM					
CSX TRANSPORTATION -	341 W FRONT ST	NE 1 - 2 (1.933 mi.)	AC149	188	
Facility Id: 48423					
Closed In Place Date: 08/02/1994					
Tank Status: TRM					
MANLEY AUTO SALES	US 68	ENE 1 - 2 (1.937 mi.)	153	192	
Facility Id: 67954					
Tank Status: TRM					
CANTRELL OIL	701 W SECOND ST	NE 1 - 2 (1.938 mi.)	AD155	195	
Facility Id: 59382					
Tank Status: TRM					
MAYSVILLE CO GLC-522	116 E 4TH ST	ENE 1 - 2 (1.980 mi.)	169	208	
Facility Id: 66476					
Tank Status: TRM					

State and tribal Brownfields sites

BROWNFIELDS: The Kentucky Brownfield Program has created an inventory of brownfield sites in order to market the properties to those interested in brownfield redevelopment. The Kentucky Brownfield Program is

EXECUTIVE SUMMARY

working to promote the redevelopment of these sites by helping to remove barriers that prevent reuse, providing useful information to communities, developers and the public and encouraging a climate that fosters redevelopment of contaminated sites.

A review of the BROWNFIELDS list, as provided by EDR, and dated 11/17/2015 has revealed that there is 1 BROWNFIELDS site within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAYSWOOD HOSPITAL BF #: 52	20 WEST 4TH ST.	ENE 1 - 2 (1.864 mi.)	Y125	160

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 09/21/2015 has revealed that there are 2 US BROWNFIELDS sites within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAYSWOOD HOSPITAL	20 WEST 4TH STREET	ENE 1 - 2 (1.864 mi.)	Y127	162
MAYSVILLE/HAYSWOOD H	4TH AND MARKET STREE	ENE 1 - 2 (1.890 mi.)	Y142	180

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: A listing of recycling facilities located in the state of Kentucky.

A review of the SWRCY list, as provided by EDR, and dated 07/18/2015 has revealed that there is 1 SWRCY site within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WAL-MART	240 WAL-MART WAY	SE 1/2 - 1 (0.923 mi.)	P69	103

Records of Emergency Release Reports

SPILLS: A listing of spill and/or release related incidents.

A review of the SPILLS list, as provided by EDR, and dated 11/17/2015 has revealed that there are 23 SPILLS sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Facility Status: Env. Closed		ENE 0 - 1/8 (0.109 mi.)	B8	11

EXECUTIVE SUMMARY

Inc ID: 174446				
Not reported Facility Status: Env. Closed Inc ID: 214789	NNW 1/4 - 1/2 (0.275 mi.)	C13	18	
Not reported Facility Status: Env. Closed Inc ID: 200538	E 1/2 - 1 (0.716 mi.)	48	70	
Not reported Facility Status: Env. Closed Inc ID: 2342516	SE 1 - 2 (1.531 mi.)	104	136	
Lower Elevation	Address	Direction / Distance	Map ID	Page
Not reported Facility Status: Env. Closed Inc ID: 2344482		SE 1/2 - 1 (0.532 mi.)	F31	45
Not reported Facility Status: Env. Closed Inc ID: 2351075		SE 1/2 - 1 (0.532 mi.)	F32	46
Not reported Facility Status: Env. Closed Inc ID: 191736		WSW 1/2 - 1 (0.755 mi.)	N57	78
Not reported Facility Status: Env. Closed Inc ID: 198161		WSW 1/2 - 1 (0.755 mi.)	N58	78
Not reported Facility Status: Env. Closed Inc ID: 177735		SE 1/2 - 1 (0.968 mi.)	P70	103
Not reported Facility Status: Env. Closed Inc ID: 184245		NW 1 - 2 (1.178 mi.)	85	126
Not reported Facility Status: Env. Closed Inc ID: 174351		SE 1 - 2 (1.538 mi.)	105	137
Not reported Facility Status: Env. Closed Inc ID: 2260629		SE 1 - 2 (1.593 mi.)	111	147
Not reported Facility Status: Env. Closed Inc ID: 2368211		E 1 - 2 (1.596 mi.)	113	148
Not reported Facility Status: Env. Closed Inc ID: 175556		WNW 1 - 2 (1.756 mi.)	118	151
HARPER OIL PRODUCTS Facility Status: Referred to Program Inc ID: 2343594	635 W 2ND ST	NE 1 - 2 (1.887 mi.)	Z139	177
Not reported Facility Status: Env. Closed Inc ID: 215324		NE 1 - 2 (1.920 mi.)	144	183
Not reported		NE 1 - 2 (1.945 mi.)	AA156	199

EXECUTIVE SUMMARY

Facility Status: Env. Closed Inc ID: 2261409			
Not reported Facility Status: Env. Closed Inc ID: 209856	NE 1 - 2 (1.945 mi.)	AA157	200
Not reported Facility Status: Env. Closed Inc ID: 2266200	NE 1 - 2 (1.945 mi.)	AA158	201
Not reported Facility Status: Env. Closed Inc ID: 2253942	NE 1 - 2 (1.945 mi.)	AA159	202
Not reported Facility Status: Env. Closed Inc ID: 2284555	ENE 1 - 2 (1.951 mi.)	AE160	203
Not reported Facility Status: Env. Closed Inc ID: 199350	ENE 1 - 2 (1.951 mi.)	AE161	203
Not reported Facility Status: Env. Closed Inc ID: 199222	ENE 1 - 2 (1.953 mi.)	AE162	204

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/09/2015 has revealed that there are 9 RCRA NonGen / NLR sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EMERSON POWER TRANSM	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R76	110
ASHLAND PETROLEUM CO	603 DUKE OF YORK ST	SSW 1 - 2 (1.557 mi.)	106	138
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ASHLAND PETROLEUM 38	908 KENTON STATION R	NW 1/2 - 1 (0.739 mi.)	M53	73
TRW AUTOMOTIVE AFTER	1151 MORTON LANE	WNW 1 - 2 (1.181 mi.)	86	126
HAYSWOOD HOSPITAL	FOURTH & MARKET STRE	ENE 1 - 2 (1.884 mi.)	Y135	172
THE COTTON MILL LTD	237 W 2ND ST	NE 1 - 2 (1.922 mi.)	AB145	184
CSX TRANSPORTATION	341 WEST FRONT STREET	NE 1 - 2 (1.933 mi.)	AC148	187
CROUNSE CORPORATION	102 WEST 2ND STREET	NE 1 - 2 (1.961 mi.)	AF163	205
WELCO TECHNOLOGIES	737 ARNOLD AVENUE	ENE 1 - 2 (1.999 mi.)	AH175	212

EXECUTIVE SUMMARY

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

A review of the DOT OPS list, as provided by EDR, and dated 07/31/2012 has revealed that there is 1 DOT OPS site within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	510-514 WEST THIRD S	NE 1 - 2 (1.828 mi.)	120	152

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 07/20/2015 has revealed that there are 65 FINDS sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MAYSVILLE COMMUNITY	1755 US HWY 68	SW 1/4 - 1/2 (0.442 mi.)	24	32
KYTC ITEM NO. 9-8303	KY 1448	ESE 1/2 - 1 (0.801 mi.)	61	81
KENTUCKY DEPARTMENT	CLARKS RUN ROAD	SSW 1 - 2 (1.061 mi.)	73	108
EPT CUTTING FLUID SP	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R78	120
EMERSON POWER TRANSM	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R80	121
TECHNOTRIM	1125 PROGRESS WAY	WNW 1 - 2 (1.162 mi.)	83	122
WINSTON S MORRIS JR	MORTONS LN	WNW 1 - 2 (1.162 mi.)	84	125
MASON COUNTY SCHOOLS	725 CLARKS RUN ROAD	WSW 1 - 2 (1.190 mi.)	S88	128
KYTC PCE 10-1038 KYT	US 68	SSW 1 - 2 (1.456 mi.)	T96	132
EXCESS MATERIAL C SI	US 68	SSW 1 - 2 (1.456 mi.)	T97	132
LOWE'S OF MAYSVILLE	314 EAST MAPLE LEAF	SE 1 - 2 (1.517 mi.)	U102	135
EARL JONES DAIRY FAR	6253 KY 11	SSE 1 - 2 (1.530 mi.)	103	136
ASHLAND PETROLEUM CO	603 DUKE OF YORK ST	SSW 1 - 2 (1.557 mi.)	106	138
59375 - 1ST STOP NO	603 DUKE OF YORK ST	SSW 1 - 2 (1.593 mi.)	V112	148
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FAMILY DOLLAR #3207	1553 US HWY 68	SSW 0 - 1/8 (0.068 mi.)	A2	7
KENS NEW MARKET	1545 US 68	SW 0 - 1/8 (0.084 mi.)	A4	9
KMART #9684	1581 US 68 SOUTH	SW 0 - 1/8 (0.084 mi.)	A6	11
MAYSVILLE AREA VOCAT	646 KENTON STATION R	NNE 1/8 - 1/4 (0.237 mi.)	10	14
UNITED PARCEL SERVIC	ROUTE 2, KENTON STAT	N 1/8 - 1/4 (0.249 mi.)	C12	18
MASON CO MIDDLE SCHO	420 CHENAULT DR	ENE 1/4 - 1/2 (0.315 mi.)	D14	19
CHARLES STRAUB ELEME	387 CHENAULT DR	ENE 1/4 - 1/2 (0.331 mi.)	D16	23
MASON COUNTY SCHOOL	CHENAULT DR	E 1/4 - 1/2 (0.400 mi.)	22	29
KROGER 420	381 MARKET SQUARE DR	SSE 1/4 - 1/2 (0.467 mi.)	E29	42
MCNEILL FAMILY PROPE	W OF KY 9 & S OF MAR	SSE 1/2 - 1 (0.616 mi.)	G34	47
MASON CO HIGH SCHOOL	1320 US 68	NW 1/2 - 1 (0.628 mi.)	H36	50
K MART 9684	US 68 S	NW 1/2 - 1 (0.640 mi.)	I37	50
RITE AID #3920	1160 US HWY 68	NE 1/2 - 1 (0.654 mi.)	J39	51
54755 - 1ST STOP #90	1422 US 68	NW 1/2 - 1 (0.675 mi.)	H43	59
SPEEDWAY #9732	1425 US 68	NW 1/2 - 1 (0.683 mi.)	K46	68
DOLLAR GENERAL STORE	1130 US HIGHWAY 68	NE 1/2 - 1 (0.708 mi.)	L47	68
CARDIOVASCULAR DIAGN	901 KENTON STATION D	NW 1/2 - 1 (0.734 mi.)	M51	72
ASHLAND PETROLEUM 38	908 KENTON STATION R	NW 1/2 - 1 (0.739 mi.)	M53	73

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PRIMARY PLUS HEALTH	927 KENTON STATION R	NW 1/2 - 1 (0.747 mi.)	M56	77
MEADOWVIEW REGIONAL	989 MEDICAL PARK DR	NW 1/2 - 1 (0.775 mi.)	M60	81
MAYSVILLE SPEC BULD	1701 W MARTIN LUTHER	WNW 1/2 - 1 (0.822 mi.)	O63	82
MAPLE RIDGE HOMES IN	MAPLE RIDGE AVE	ENE 1/2 - 1 (0.873 mi.)	64	82
MURPHY OIL USA INC 6	239 WALMART WAY	SE 1/2 - 1 (0.919 mi.)	P66	85
WAL-MART SUPERCENTER	240 WAL-MART WAY	SE 1/2 - 1 (0.923 mi.)	P68	103
MASON CO STATE MAINT	734 CLARKS RUN RD	SW 1/2 - 1 (0.993 mi.)	71	106
MASON CO ELEMENTARY	720 CLARKS RUN RD	SW 1 - 2 (1.155 mi.)	Q74	108
TRW AUTOMOTIVE AFTER	1151 MORTON LANE	WNW 1 - 2 (1.181 mi.)	86	126
KTC MASON CO MAINT G	CLARKS RUN RD	WSW 1 - 2 (1.223 mi.)	S90	129
JERSEY RIDGE RD AMRP	JERSEY RIDGE RD	NNE 1 - 2 (1.288 mi.)	92	130
SPURLOCK (KENTON) -	KY 9	NW 1 - 2 (1.359 mi.)	93	130
CITY OF MAYSVILLE CS	JERSEY RIDGE RD	N 1 - 2 (1.439 mi.)	95	131
US 62 ASPHALT PAVEME	US 62	ENE 1 - 2 (1.513 mi.)	99	133
THOMAS ORR DAIRY FAR	1430 MORTON LN	NW 1 - 2 (1.631 mi.)	115	149
HOSPICE OF HOPE INPA	ROSA DR	WNW 1 - 2 (1.673 mi.)	116	149
FORMER HAYSWOOD HOSP	W 4TH ST	NE 1 - 2 (1.831 mi.)	122	155
HAYSWOOD HOSPITAL	20 WEST 4TH STREET	ENE 1 - 2 (1.864 mi.)	Y126	161
MAYSVILLE/HAYSWOOD H	FOURTH & MARKET STRE	ENE 1 - 2 (1.884 mi.)	Y136	173
HARPER OIL PRODUCTS	635 W 2ND ST	NE 1 - 2 (1.887 mi.)	Z138	176
THE COTTON MILL LTD	237 W 2ND ST	NE 1 - 2 (1.922 mi.)	AB146	185
CSX TRANSPORTATION	341 WEST FRONT STREE	NE 1 - 2 (1.933 mi.)	AC148	187
SHUGARS AUTO PARTS	124 WEST 2ND STREET	NE 1 - 2 (1.935 mi.)	AB150	190
59382 - CANTRELL OIL	701 W SECOND ST	NE 1 - 2 (1.938 mi.)	AD154	194
CROUNSE CORPORATION	102 WEST 2ND STREET	NE 1 - 2 (1.961 mi.)	AF163	205
MASON CO - SOLID WAS	219 STANLEY REED	NE 1 - 2 (1.971 mi.)	AF164	206
FIRST CHRISTIAN CHUR	18 E THIRD ST	ENE 1 - 2 (1.977 mi.)	AE166	207
MAYSVILLE RIVERFRONT	LIMESTONE ST	ENE 1 - 2 (1.979 mi.)	AG167	207
SAINT PATRICKS SCHOO	318 LIMESTONE ST	ENE 1 - 2 (1.980 mi.)	AG168	207
LEDGER-INDEPENDENT (41 W. SECOND STREET	NE 1 - 2 (1.992 mi.)	AF170	209
NATIVITY MONTESSORI	31 E 3RD ST	ENE 1 - 2 (1.992 mi.)	171	211
WESTERN SKY INDUSTRI	ARNOLD AVE	ENE 1 - 2 (1.994 mi.)	AH172	211
WELCO TECHNOLOGIES	737 ARNOLD AVENUE	ENE 1 - 2 (1.999 mi.)	AH174	212

AIRS: A listing of permitted Airs facilities.

A review of the AIRS list, as provided by EDR, and dated 12/01/2015 has revealed that there are 3 AIRS sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EMERSON POWER TRANSM Facility Id: 2116100042	1118 PROGRESS WAY	WNW 1 - 2 (1.161 mi.)	R77	119
NEW CINGULAR WIRELES Facility Id: 2116100049	1304 GOLF MANOR DR	WNW 1 - 2 (1.424 mi.)	94	130
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HARPER OIL PRODUCTS Facility Id: 2116100004	635 W 2ND ST	NE 1 - 2 (1.887 mi.)	Z139	177

EXECUTIVE SUMMARY

LEAD: A listing of lead related inspections.

A review of the LEAD list, as provided by EDR, and dated 04/17/2015 has revealed that there are 3 LEAD sites within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Facility Id: 1719	239 WEST 3RD STREET	NE 1 - 2 (1.859 mi.)	X124	160
Not reported Facility Id: 711	219 1/2 WEST THIRD S	NE 1 - 2 (1.870 mi.)	X129	167
Not reported Facility Id: 3021	400 WEST SECOND STRE	NE 1 - 2 (1.897 mi.)	AA143	183

NPDES: A listing of permitted wastewater facilities.

A review of the NPDES list, as provided by EDR, and dated 11/30/2015 has revealed that there are 13 NPDES sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
KTC MASON CO MAINT G Facility Status: ACTIVE KY DES #: KYG500106	CLARKS RUN RD	WSW 1 - 2 (1.261 mi.)	91	129
LOWE'S OF MAYSVILLE Facility Status: INACTIVE KY DES #: KYR108182	314 E MAPLE LEAF RD	SE 1 - 2 (1.517 mi.)	U100	133

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
KROGER 420 Facility Status: Expired KY DES #: KYR10F723	381 MARKET SQUARE DR	SSE 1/4 - 1/2 (0.467 mi.)	E26	38
KROGER 420 Facility Status: Terminated KY DES #: KYR10F633	381 MARKET SQUARE DR	SSE 1/4 - 1/2 (0.467 mi.)	E28	41
PEOPLES BAKN OF FLEM Facility Status: INACTIVE KY DES #: KYR107258	90 TUCKER DR	SSE 1/2 - 1 (0.577 mi.)	G33	46
CARDIOVASCULAR DIAGN Facility Status: INACTIVE KY DES #: KYR107058	901 KENTON STATION D	NW 1/2 - 1 (0.734 mi.)	M52	72
PRIMARY PLUS Facility Status: INACTIVE KY DES #: KYR108781	927 KENTON STATION R	NW 1/2 - 1 (0.747 mi.)	M55	77
MAYSVILLE SPEC BUILD Facility Status: INACTIVE KY DES #: KYR100369	1701 W MARTIN LUTHER	WNW 1/2 - 1 (0.822 mi.)	O62	81
MASON CO ELEMENTARY Facility Status: Terminated KY DES #: KYR10H484	720 CLARKS RUN RD	SW 1 - 2 (1.155 mi.)	Q75	109
KTC NH 546-2 (9)	MAYSVILLE-PORTSMOUTH	SE 1 - 2 (1.562 mi.)	W108	144

EXECUTIVE SUMMARY

Facility Status: INACTIVE KY DES #: KYR100607				
WALMART SUPERCENTER Facility Status: INACTIVE KY DES #: KYR104932 KY DES #: KYR105717	360 E MARTIN LUTHER	SE 1 - 2 (1.586 mi.)	W110	146
HARPER OIL PRODUCTS Facility Status: ACTIVE KY DES #: KY0091359	635 W 2ND ST	NE 1 - 2 (1.887 mi.)	Z139	177
HARPER OIL PRODUCTS Facility Status: Effective KY DES #: KYR003959	635 W 2ND ST	NE 1 - 2 (1.887 mi.)	Z140	179

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 10 EDR Hist Auto sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1690 US HIGHWAY 68	SW 1/4 - 1/2 (0.353 mi.)	19	27
Not reported	515 TUCKER DR	SSW 1/4 - 1/2 (0.385 mi.)	20	28
Not reported	1072 PROGRESS WAY	WNW 1 - 2 (1.223 mi.)	89	128
Not reported	2328 US HIGHWAY 68	SSW 1 - 2 (1.465 mi.)	T98	132
Not reported	811 JERSEY RIDGE RD	NNE 1 - 2 (1.607 mi.)	114	149
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1423 US HIGHWAY 68	ENE 0 - 1/8 (0.049 mi.)	1	7
Not reported	1416 US HIGHWAY 68	NE 0 - 1/8 (0.104 mi.)	B7	11
Not reported	416 MARKET SQUARE D	SSE 1/4 - 1/2 (0.398 mi.)	21	28
Not reported	625 W 2ND ST	NE 1 - 2 (1.883 mi.)	Z134	172
Not reported	124 W 2ND ST	NE 1 - 2 (1.935 mi.)	AB151	191

EXECUTIVE SUMMARY

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 4 EDR Hist Cleaner sites within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1337 US HIGHWAY 68	NE 1/4 - 1/2 (0.334 mi.)	17	24
Not reported	1124 US HIGHWAY 68	NE 1/2 - 1 (0.720 mi.)	L49	71
Not reported	1122 US HIGHWAY 68	NE 1/2 - 1 (0.723 mi.)	L50	71
Not reported	307 LIMESTONE ST	ENE 1 - 2 (1.995 mi.)	AG173	212

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists.

A review of the RGA HWS list, as provided by EDR, has revealed that there are 2 RGA HWS sites within approximately 2 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EMERSON POWER TRANSM Facility ID: 11557	1118 PROGRESS WAY	WNW 1 - 2 (1.188 mi.)	R87	128
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FORMER HAYSWOOD HOSP Facility ID: 67833	FOURTH AND MARKET ST	ENE 1 - 2 (1.890 mi.)	Y141	180

RGA LF: The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists.

A review of the RGA LF list, as provided by EDR, has revealed that there is 1 RGA LF site within approximately 2 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TOYOTA MOTOR MANUFAC Facility ID: 7998	1001 CHERRY BLOOSOM	ENE 1 - 2 (1.973 mi.)	AE165	207

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.


Site Name

Database(s)

MCLAREN DEVELOPMENT PROPERTY

SHWS, CDL

OVERVIEW MAP - 4533866.1S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands


This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 14408.000 MAYSVILLE SUA
 ADDRESS: Small Urban Area Study
 Maysville KY 41056
 LAT/LONG: 38.631974 / 83.795901

CLIENT: QK4, Inc.
 CONTACT: Tom Springer
 INQUIRY #: 4533866.1s
 DATE: February 09, 2016 7:38 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 4533866.1S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ⚡ Sensitive Receptors
- 🚒 National Priority List Sites
- 🏠 Dept. Defense Sites
- 🏞 Indian Reservations BIA
- ⚡ Power transmission lines
- 🌊 100-year flood zone
- 🌊 500-year flood zone
- 🌿 National Wetland Inventory
- 🌿 State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

<p>SITE NAME: 14408.000 MAYSVILLE SUA</p> <p>ADDRESS: Small Urban Area Study Maysville KY 41056</p> <p>LAT/LONG: 38.631974 / 83.795901</p>	<p>CLIENT: QK4, Inc.</p> <p>CONTACT: Tom Springer</p> <p>INQUIRY #: 4533866.1s</p> <p>DATE: February 09, 2016 7:42 pm</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------

Copyright © 2016 EDR, Inc., © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>STANDARD ENVIRONMENTAL RECORDS</u>								
<i>Federal NPL site list</i>								
NPL	2.000		0	0	0	0	0	0
Proposed NPL	2.000		0	0	0	0	0	0
NPL LIENS	2.000		0	0	0	0	0	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	2.000		0	0	0	0	0	0
<i>Federal CERCLIS list</i>								
FEDERAL FACILITY	2.000		0	0	0	0	0	0
CERCLIS	2.000		0	0	0	0	1	1
<i>Federal CERCLIS NFRAP site List</i>								
CERCLIS-NFRAP	2.000		0	0	0	0	0	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	2.000		0	0	0	0	0	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	2.000		0	0	0	0	0	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	2.000		0	0	0	1	0	1
RCRA-SQG	2.000		0	0	0	0	1	1
RCRA-CESQG	2.000		2	1	2	3	3	11
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	2.000		0	0	0	0	0	0
US ENG CONTROLS	2.000		0	0	0	0	0	0
US INST CONTROL	2.000		0	0	0	0	0	0
<i>Federal ERNS list</i>								
ERNS	2.000		0	0	0	0	3	3
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS	2.000		0	0	0	0	6	6
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	2.000		0	0	0	0	0	0
<i>State and tribal leaking storage tank lists</i>								
PSTEAF	2.000		0	0	0	0	0	0
INDIAN LUST	2.000		0	0	0	0	0	0
SB193	2.000		0	0	0	1	1	2
<i>State and tribal registered storage tank lists</i>								
FEMA UST	2.000		0	0	0	0	0	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
UST	2.000		0	2	5	9	14	30
INDIAN UST	2.000		0	0	0	0	0	0
State and tribal institutional control / engineering control registries								
ENG CONTROLS	2.000		0	0	0	0	0	0
INST CONTROL	2.000		0	0	0	0	0	0
State and tribal voluntary cleanup sites								
INDIAN VCP	2.000		0	0	0	0	0	0
VCP	2.000		0	0	0	0	0	0
State and tribal Brownfields sites								
BROWNFIELDS	2.000		0	0	0	0	1	1
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	2.000		0	0	0	0	2	2
Local Lists of Landfill / Solid Waste Disposal Sites								
HIST LF	2.000		0	0	0	0	0	0
SWRCY	2.000		0	0	0	1	0	1
INDIAN ODI	2.000		0	0	0	0	0	0
ODI	2.000		0	0	0	0	0	0
DEBRIS REGION 9	2.000		0	0	0	0	0	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	2.000		0	0	0	0	0	0
CDL	2.000		0	0	0	0	0	0
US CDL	2.000		0	0	0	0	0	0
Local Land Records								
LIENS 2	2.000		0	0	0	0	0	0
Records of Emergency Release Reports								
HMIRS	2.000		0	0	0	0	0	0
SPILLS	2.000		1	0	1	6	15	23
Other Ascertainable Records								
RCRA NonGen / NLR	2.000		0	0	0	1	8	9
FUDS	2.000		0	0	0	0	0	0
DOD	2.000		0	0	0	0	0	0
SCRD DRYCLEANERS	2.000		0	0	0	0	0	0
US FIN ASSUR	2.000		0	0	0	0	0	0
EPA WATCH LIST	2.000		0	0	0	0	0	0
2020 COR ACTION	2.000		0	0	0	0	0	0
TSCA	2.000		0	0	0	0	0	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
TRIS	2.000		0	0	0	0	0	0
SSTS	2.000		0	0	0	0	0	0
ROD	2.000		0	0	0	0	0	0
RMP	2.000		0	0	0	0	0	0
RAATS	2.000		0	0	0	0	0	0
PRP	2.000		0	0	0	0	0	0
PADS	2.000		0	0	0	0	0	0
ICIS	2.000		0	0	0	0	0	0
FTTS	2.000		0	0	0	0	0	0
MLTS	2.000		0	0	0	0	0	0
COAL ASH DOE	2.000		0	0	0	0	0	0
COAL ASH EPA	2.000		0	0	0	0	0	0
PCB TRANSFORMER	2.000		0	0	0	0	0	0
RADINFO	2.000		0	0	0	0	0	0
HIST FTTS	2.000		0	0	0	0	0	0
DOT OPS	2.000		0	0	0	0	1	1
CONSENT	2.000		0	0	0	0	0	0
INDIAN RESERV	2.000		0	0	0	0	0	0
UMTRA	2.000		0	0	0	0	0	0
LEAD SMELTERS	2.000		0	0	0	0	0	0
US AIRS	2.000		0	0	0	0	0	0
US MINES	2.000		0	0	0	0	0	0
FINDS	2.000		3	2	5	17	38	65
AIRS	2.000		0	0	0	0	3	3
COAL ASH	2.000		0	0	0	0	0	0
DRYCLEANERS	2.000		0	0	0	0	0	0
Financial Assurance	2.000		0	0	0	0	0	0
LEAD	2.000		0	0	0	0	3	3
NPDES	2.000		0	0	2	4	7	13
UIC	2.000		0	0	0	0	0	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	2.000		0	0	0	0	0	0
EDR Hist Auto	2.000		2	0	3	0	5	10
EDR Hist Cleaner	2.000		0	0	1	2	1	4

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS	2.000		0	0	0	0	2	2
RGA LF	2.000		0	0	0	0	1	1

- Totals --		0	8	5	19	45	116	193
-------------	--	---	---	---	----	----	-----	-----

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

1
ENE 1423 US HIGHWAY 68 EDR Hist Auto 1015226011
< 1/8 MAYSVILLE, KY 41056 N/A
0.049 mi.
257 ft.

Relative: EDR Historical Auto Stations:
Lower Name: CITGO
Year: 2007
Actual: Address: 1423 US HIGHWAY 68
889 ft.
Name: CHEVRON
Year: 2010
Address: 1423 US HIGHWAY 68
Name: CITGO
Year: 2011
Address: 1423 US HIGHWAY 68
Name: VALERO
Year: 2012
Address: 1423 US HIGHWAY 68

A2 FAMILY DOLLAR #3207 FINDS 1017741326
SSW 1553 US HWY 68 N/A
< 1/8 MAYSVILLE, KY 41056
0.068 mi.
360 ft. Site 1 of 5 in cluster A

Relative: FINDS:
Lower Registry ID: 110063692464
Actual: Environmental Interest/Information System
886 ft. RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

A3 FAMILY DOLLAR #3207 RCRA-CESQG 1017770461
SSW 1553 US HWY 68 KYR000064436
< 1/8 MAYSVILLE, KY 41056
0.068 mi.
360 ft. Site 2 of 5 in cluster A

Relative: RCRA-CESQG:
Lower Date form received by agency: 01/13/2015
Facility name: FAMILY DOLLAR #3207
Actual: Facility address: 1553 US HWY 68
886 ft. MAYSVILLE, KY 41056
EPA ID: KYR000064436
Mailing address: PO BOX 1017
CHARLOTTE, NC 28201
Contact: KEVIN STRAIGHT
Contact address: PO BOX 1017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAMILY DOLLAR #3207 (Continued)

1017770461

CHARLOTTE, NC 28201
Contact country: US
Contact telephone: (704) 708-1909
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: FAMILY DOLLAR STORES
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FAMILY DOLLAR STORES
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAMILY DOLLAR #3207 (Continued)

1017770461

Used oil transfer facility: No
Used oil transporter: No

Waste code: D001
Waste name: IGNITABLE WASTE

Waste code: D002
Waste name: CORROSIVE WASTE

Violation Status: No violations found

A4 **KENS NEW MARKET**
SW **1545 US 68**
< 1/8 **MAYSVILLE, KY 41056**
0.084 mi.
442 ft. **Site 3 of 5 in cluster A**

FINDS **1015842452**
N/A

Relative:
Lower

FINDS:

Registry ID: 110045041806

Actual:
885 ft.

Environmental Interest/Information System
STATE MASTER

A5 **KMART #9684**
SW **1581 US 68 SOUTH**
< 1/8 **MAYSVILLE, KY 41056**
0.084 mi.
442 ft. **Site 4 of 5 in cluster A**

RCRA-CESQG **1012179361**
KYR000050237

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 06/18/2009
Facility name: KMART #9684
Facility address: 1581 US 68 SOUTH
MAYSVILLE, KY 41056

EPA ID: KYR000050237
Mailing address: BEVERLY ROAD
B5 248A
HOFFMAN ESTATES, IL 60179

Contact: DAWN A JESS
Contact address: BEVERLY ROAD B5 248A
HOFFMAN ESTATES, IL 60179

Contact country: US
Contact telephone: (847) 286-8616
Contact email: Not reported
EPA Region: 04
Land type: Private
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KMART #9684 (Continued)

1012179361

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: KMART CORPORATION
Owner/operator address: BEVERLY ROAD
HOFFMAN ESTATES, IL 60179
Owner/operator country: US
Owner/operator telephone: (847) 286-2500
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 10/29/1981
Owner/Op end date: Not reported

Owner/operator name: KMART
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 10/29/1981
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

Violation Status: No violations found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KMART #9684 (Continued)

1012179361

Evaluation Action Summary:

Evaluation date: 03/15/2013
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

A6
SW
< 1/8
0.084 mi.
442 ft.

KMART #9684
1581 US 68 SOUTH
MAYSVILLE, KY 41056
Site 5 of 5 in cluster A

FINDS **1012142410**
N/A

Relative:
Lower

FINDS:

Registry ID: 110039078244

Actual:
885 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

B7
NE
< 1/8
0.104 mi.
548 ft.

1416 US HIGHWAY 68
MAYSVILLE, KY 41056
Site 1 of 2 in cluster B

EDR Hist Auto **1015224529**
N/A

Relative:
Lower

EDR Historical Auto Stations:

Name: TIRE WORLD INC
Year: 2005
Address: 1416 US HIGHWAY 68

Actual:
877 ft.

Name: TIRE WORLD INC
Year: 2010
Address: 1416 US HIGHWAY 68

B8
ENE
< 1/8
0.109 mi.
575 ft.

MAYSVILLE, KY
Site 2 of 2 in cluster B

SPILLS **S117072016**
N/A

Relative:
Higher

SPILLS:

Facility Status: Env. Closed
Incident Type: NON-PERMITTED DISCHARGE
Program Code: Not reported
Received By Staff: Carter, Phillip
Received Date: 11/10/2003
Report Date: 11/10/03 14:55
Dispatch Description: Caller reported release of pump water from a tank pit.

Actual:
900 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117072016

Source Name: Not reported
Source Address: MiddleHigh Petroluem US68 & AA
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: UST
Inc ID: 174446
Lead Invest Person ID: 9473
Compliance: No
Notification: Yes
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Routine
Most Recent Comp Eval Activity: AI: 46577 CIV20030001
Most Recent ENF Activity: AI: 46577 ENV20030002
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.63269
Longitude: -83.79411

9
NW
1/8-1/4
0.133 mi.
704 ft.

MCFARLAND CHEVROLET OLDS INC
KENTON STATION RD
MAYSVILLE, KY 41056

UST U000809717
N/A

Relative:
Lower

Actual:
859 ft.

UST:
Facility Name: MCFARLAND CHEVROLET OLDS INC
Sequence Id: 6263081
Facility ID: 67957
Owner Name: Mcfarland Chevrolet Olds Inc
Owner Address: KENTON STATION RD
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 04/12/1993
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

McFARLAND CHEVROLET OLDS INC (Continued)

U000809717

Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: None
Decode For Treldetcd: None
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprpd: None
Decode For Ptypecode: Suction
Decode For Preldetcd: None
Decode For Preldetsuc: None
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 04/12/1993
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: None
Decode For Treldetcd: None
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprpd: None
Decode For Ptypecode: Suction
Decode For Preldetcd: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

McFARLAND CHEVROLET OLDS INC (Continued)

U000809717

Decode For Peldetsuc: None
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Used Oil
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

10
NNE
1/8-1/4
0.237 mi.
1254 ft.

MAYSVILLE AREA VOCATIONAL CTR.
646 KENTON STATION ROAD
MAYSVILLE, KY 41056

RCRA-CESQG **1000390429**
FINDS **KYD981476294**

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 06/09/1989

Facility name: MAYSVILLE AREA VOCATIONAL CTR.

Facility address: 646 KENTON STATION ROAD

MAYSVILLE, KY 41056

EPA ID: KYD981476294

Mailing address: KENTON STATION ROAD

MAYSVILLE, KY 41056

Contact: GLENN W. COLLINS

Contact address: 646 KENTON STATION ROAD

MAYSVILLE, KY 41056

Contact country: US

Contact telephone: (606) 759-7101

Contact email: Not reported

EPA Region: 04

Land type: Facility is not located on Indian land. Additional information is not known.

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: MAYSVILLE INDEPENDENT SCHOOLS

Owner/operator address: 646 KENTON STATION ROAD

MAYSVILLE, KY 41056

Owner/operator country: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE AREA VOCATIONAL CTR. (Continued)

1000390429

Owner/operator telephone: (606) 759-7101
Legal status: District
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/10/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 04/08/1988
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/18/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE AREA VOCATIONAL CTR. (Continued)

1000390429

Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110003229756

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

11
NE
1/8-1/4
0.244 mi.
1288 ft.

FAST LANE #10
1688 HWY 68
MAYSVILLE, KY 41056

UST U003180100
N/A

Relative:
Lower

UST:

Facility Name: FAST LANE #10
Sequence Id: 1013081
Facility ID: 59387
Owner Name: Zip Zone Express Inc
Owner Address: PO Box 248
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Lovely, KY 41231
Internal Document ID: 0
Latitude: 38.628135
Longitude: -83.79916

Actual:
827 ft.

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: FLR
Last Tank Test Date: 12/14/2009
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: FLU
Last Pipe Test Date: 04/04/2015
Last CP Test Date: 03/01/2013
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAST LANE #10 (Continued)

U003180100

Decode For Textcrprd: Coating & Cathodic Protection
Decode For Treltdetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Line Tightness Test
Decode For Preltdetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: FLEX Manufacturer Unknown
Subject Item ID: 2
Tank Status: TAC
Installation Date: 12/06/1995
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: FLR
Last Tank Test Date: 12/14/2009
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: FLU
Last Pipe Test Date: 04/04/2015
Last CP Test Date: 03/01/2013
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Coating & Cathodic Protection
Decode For Treltdetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Line Tightness Test
Decode For Preltdetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: STI-P3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAST LANE #10 (Continued)

U003180100

Decode For Pmancd: FLEX Manufacturer Unknown
Subject Item ID: 1
Tank Status: TAC
Installation Date: 12/06/1995
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

C12
North
1/8-1/4
0.249 mi.
1317 ft.
Site 1 of 2 in cluster C

UNITED PARCEL SERVICE
ROUTE 2, KENTON STATION ROAD
MAYSVILLE, KY 41056

FINDS 1016269694
N/A

Relative:
Lower

FINDS:

Registry ID: 110008366990

Actual:
888 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

C13
NNW
1/4-1/2
0.275 mi.
1452 ft.
Site 2 of 2 in cluster C

MAYSVILLE, KY

SPILLS S117106875
N/A

Relative:
Higher

SPILLS:

Facility Status: Env. Closed
Incident Type: SOIL CONTAMINATION
Program Code: Not reported
Received By Staff: Maze, Rodney
Received Date: Not reported
Report Date: 10/11/06 9:49
Dispatch Description: Towing lot is crushing cars with a backhoe and selling them for scrap.
Fluids are not being removed prior to crushing
Source Name: Bradford Towing
Source Address: 729 Kenton Station Rd., Maysville
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Solid Waste
Inc ID: 214789
Lead Invest Person ID: 9470
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117106875

Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.63586
Longitude: -83.79702

D14 MASON CO MIDDLE SCHOOL
ENE 420 CHENAULT DR
1/4-1/2 MAYSVILLE, KY 41056
0.315 mi.
1665 ft.

FINDS 1015899737
N/A

Relative:
Lower

FINDS:

Registry ID: 110045055382

Actual:
840 ft.

Environmental Interest/Information System
STATE MASTER

15 ROAD RANGER #5260
SE 416 W MARTIN LUTHER KING HWY
1/4-1/2 MAYSVILLE, KY 41056
0.327 mi.
1726 ft.

UST U004126097
N/A

Relative:
Lower

UST:

Facility Name: ROAD RANGER #5260
Sequence Id: 9999320
Facility ID: 59358
Owner Name: GA3 UST LLC
Owner Address: 9361 Reading Rd
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Cincinnati, OH 45215
Internal Document ID: 0
Latitude: 38.628676
Longitude: -83.791197

Actual:
867 ft.

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROAD RANGER #5260 (Continued)

U004126097

Pipe Mfg Code: ENV
Last Pipe Test Date: 06/24/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrprd: Not Applicable
Decode For Treltcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprpd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltcd: Line Tightness Test
Decode For Preltcdsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Kerosene
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Environ - Geoflex D
Subject Item ID: 5
Tank Status: TAC
Installation Date: 09/29/1997
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: ENV
Last Pipe Test Date: 06/24/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Exempt
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrprd: Not Applicable
Decode For Treltcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROAD RANGER #5260 (Continued)

U004126097

Decode For Pmatcode: Flexible Wall
Decode For Pextcprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preditcod: Line Tightness Test
Decode For Preditcuc: None
Decode For Plekdetcod: Manual Line Leak Detection
Decode For Tsubcd: Bio-Diesel
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Environ - Geoflex D
Subject Item ID: 4
Tank Status: TEX
Installation Date: 09/29/1997
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: ENV
Last Pipe Test Date: 06/24/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcprcd: Not Applicable
Decode For Treditcod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Flexible Wall
Decode For Pextcprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preditcod: Line Tightness Test
Decode For Preditcuc: None
Decode For Plekdetcod: Electronic Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Environ - Geoflex D
Subject Item ID: 3
Tank Status: TAC
Installation Date: 09/29/1997
Closed In Place Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROAD RANGER #5260 (Continued)

U004126097

Capacity in Gallons: 20000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: ENV
Last Pipe Test Date: 06/24/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrpcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Line Tightness Test
Decode For Preltdetsuc: None
Decode For Plekdetcd: Electronic Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Environ - Geoflex D
Subject Item ID: 2
Tank Status: TAC
Installation Date: 09/29/1997
Closed In Place Date: Not reported
Capacity in Gallons: 20000
Compartment Number: 1
Piping Installation Date: 06/17/2013
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROAD RANGER #5260 (Continued)

U004126097

Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: ENV
Last Pipe Test Date: 06/24/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Line Tightness Test
Decode For Preldetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Environ - Geoflex D
Subject Item ID: 1
Tank Status: TAC
Installation Date: 09/29/1997
Closed In Place Date: Not reported
Capacity in Gallons: 20000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

D16 CHARLES STRAUB ELEMENTARY SCHOOL
ENE 387 CHENAULT DR
1/4-1/2 MAYSVILLE, KY 41056
0.331 mi.
1750 ft. Site 2 of 3 in cluster D

FINDS 1008258882
N/A

Relative:
Lower

FINDS:

Registry ID: 110036760109

Actual:
836 ft.

Environmental Interest/Information System
STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

17
NE
1/4-1/2
0.334 mi.
1764 ft.

1337 US HIGHWAY 68
MAYSVILLE, KY 41056

EDR Hist Cleaner 1014989133
N/A

Relative:
Lower

Actual:
836 ft.

EDR Historical Cleaners:

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 1999
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2000
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2001
Address: 1337 US HIGHWAY 68

Name: MYTG JUST LIKE HOME COIN LNDRY
Year: 2003
Address: 1337 US HIGHWAY 68

Name: MYTG JUST LIKE HOME COIN LNDRY
Year: 2004
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2005
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2006
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2007
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2009
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2011
Address: 1337 US HIGHWAY 68

Name: MAYTAG JUST LIKE HOME COIN LAUNDRY
Year: 2012
Address: 1337 US HIGHWAY 68

Map ID
Direction
Distance
Elevation

MAP FINDINGS

D18 **MASON CO BOARD OF EDUCATION BUS GARAGE**
ENE **386 CHENAULT DR**
1/4-1/2 **MAYSVILLE, KY 41056**
0.335 mi.
1768 ft. **Site 3 of 3 in cluster D**

Database(s) EDR ID Number
EPA ID Number

UST **U000207163**
 N/A

Relative:
Lower

UST:

Actual:
842 ft.

Facility Name: MASON CO BOARD OF EDUCATION BUS GARAGE
Sequence Id: 1058081
Facility ID: 66311
Owner Name: Mason Co Board of Education
Owner Address: 2nd & Limestone St
Owner Address2: PO Box 130
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 12/29/1997
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: CKV
Pipe Rel Detect Suc Code: CKV
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: None
Decode For Treldetcd: Daily Inventory Rec Tank Tightness
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Unknown
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preldetcd: Check Valve
Decode For Preldetsuc: Check Valve
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1982
Closed In Place Date: 08/08/1995
Capacity in Gallons: 2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO BOARD OF EDUCATION BUS GARAGE (Continued)

U000207163

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 12/29/1997
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: CKV
Pipe Rel Detect Suc Code: CKV
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: None
Decode For Treltdetcd: Daily Inventory Rec Tank Tightness
Decode For Tintprcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Unknown
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preltdetcd: Check Valve
Decode For Preltdetsuc: Check Valve
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1966
Closed In Place Date: 08/08/1995
Capacity in Gallons: 8000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 12/29/1997
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO BOARD OF EDUCATION BUS GARAGE (Continued)

U000207163

Pipe Release Detection: CKV
Pipe Rel Detect Suc Code: CKV
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treltcd: Daily Inventory Rec Tank Tightness
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Unknown
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preltdetcd: Check Valve
Decode For Preltdetsuc: Check Valve
Decode For Plektdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 3
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: 08/08/1995
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

19
SW
1/4-1/2
0.353 mi.
1864 ft.

**1690 US HIGHWAY 68
MAYSVILLE, KY 41056**

EDR Hist Auto 1015263908
N/A

**Relative:
Higher**

EDR Historical Auto Stations:

Name: FAST CHANGE LUBE & OIL INC
Year: 2005
Address: 1690 US HIGHWAY 68

Name: FAST CHANGE LUBE & OIL INC
Year: 2006
Address: 1690 US HIGHWAY 68

Name: FAST CHANGE LUBE & OIL INC
Year: 2010
Address: 1690 US HIGHWAY 68

Name: FAST CHANGE LUBE & OIL INC
Year: 2011
Address: 1690 US HIGHWAY 68

**Actual:
912 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015263908

Name: FAST CHANGE LUBE & OIL INC
Year: 2012
Address: 1690 US HIGHWAY 68

20
SSW
1/4-1/2
0.385 mi.
2032 ft.

515 TUCKER DR
MAYSVILLE, KY 41056

EDR Hist Auto

1015534129
N/A

Relative:
Higher

Actual:
910 ft.

EDR Historical Auto Stations:

Name: HAUKES AUTOCARE LLC
Year: 2007
Address: 515 TUCKER DR

Name: HAUKES AUTOCARE LLC
Year: 2008
Address: 515 TUCKER DR

Name: HAUKES AUTOCARE LLC
Year: 2009
Address: 515 TUCKER DR

Name: HAUKES AUTO CARE LLC
Year: 2010
Address: 515 TUCKER DR

Name: HAUKES AUTO CARE LLC
Year: 2011
Address: 515 TUCKER DR

Name: HAUKES AUTO CARE LLC
Year: 2012
Address: 515 TUCKER DR

21
SSE
1/4-1/2
0.398 mi.
2101 ft.

416 MARKET SQUARE DR
MAYSVILLE, KY 41056

EDR Hist Auto

1015483275
N/A

Relative:
Lower

Actual:
886 ft.

EDR Historical Auto Stations:

Name: MORGAN TIRE & AUTO INC
Year: 2009
Address: 416 MARKET SQUARE DR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

22
East
1/4-1/2
0.400 mi.
2111 ft.

MASON COUNTY SCHOOL BUS GARAGE
CHENAULT DR
MAYSVILLE, KY 41056

FINDS **1016270093**
N/A

Relative:
Lower

FINDS:

Registry ID: 110008371467

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Actual:
871 ft.

23
NW
1/4-1/2
0.418 mi.
2207 ft.

MAYSVILLE FOOD MART
906 US 68
MAYSVILLE, KY 41056

UST **U002033943**
N/A

Relative:
Lower

UST:

Facility Name: MAYSVILLE FOOD MART
Sequence Id: 1002081
Facility ID: 59376
Owner Name: Nilkanth LLC
Owner Address: 906 US 68
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: 38.6343
Longitude: -83.7925

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: ST1
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: FRP
Last Pipe Test Date: 02/09/2015
Last CP Test Date: 02/09/2015
Added To Flex Date: 11/26/2008
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Coating & Cathodic Protection

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE FOOD MART (Continued)

U002033943

Decode For Treldecod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Prcldetcd: Line Tightness Test
Decode For Prcldetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: STI-P3
Decode For Pmancd: Fiberglass Manufacturer Unknown
Subject Item ID: 3
Tank Status: TAC
Installation Date: 05/25/1993
Closed In Place Date: Not reported
Capacity in Gallons: 4000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: FRP
Last Pipe Test Date: 02/09/2015
Last CP Test Date: 02/09/2015
Added To Flex Date: 11/26/2008
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Coating & Cathodic Protection
Decode For Treldecod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Prcldetcd: Line Tightness Test
Decode For Prcldetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: Fiberglass Manufacturer Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE FOOD MART (Continued)

U002033943

Subject Item ID: 2
Tank Status: TAC
Installation Date: 05/25/1993
Closed In Place Date: Not reported
Capacity in Gallons: 6000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: FRP
Last Pipe Test Date: 02/09/2015
Last CP Test Date: 02/09/2018
Added To Flex Date: 11/26/2008
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Coating & Cathodic Protection
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Line Tightness Test
Decode For Preldetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: Fiberglass Manufacturer Unknown
Subject Item ID: 1
Tank Status: TAC
Installation Date: 06/25/1993
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

24
SW
1/4-1/2
0.442 mi.
2335 ft.

MAYSVILLE COMMUNITY COLLEGE
1755 US HWY 68
MAYSVILLE, KY 41056

RCRA-CESQG
UST
FINDS

EDR ID Number
EPA ID Number

1004706381
KYD985113026

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 11/03/2000

Facility name: MAYSVILLE COMMUNITY COLLEGE

Facility address: 1755 US HWY 68

MAYSVILLE, KY 41056

EPA ID: KYD985113026

Mailing address: ROSE STREET

LEXINGTON, KY 40506

Contact: SCOTTIE PERDUE

Contact address: 800 ROSE STREET

LEXINGTON, KY 40506

Contact country: US

Contact telephone: (606) 858-3735

Contact email: Not reported

EPA Region: 04

Land type: State

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: UNIVERSITY OF KENTUCKY

Owner/operator address: 800 ROSE STREET
LEXINGTON, KY 40506

Owner/operator country: Not reported

Owner/operator telephone: (606) 858-3735

Legal status: State

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE COMMUNITY COLLEGE (Continued)

1004706381

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

Historical Generators:

Date form received by agency: 12/23/1992
Site name: MAYSVILLE COMMUNITY COLLEGE
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/02/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

UST:

Facility Name: MAYSVILLE COMMUNITY COLLEGE
Sequence Id: 2873081
Facility ID: 46060
Owner Name: Ashland Inc
Owner Address: 5200 Blazer Pkwy
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Dublin, OH 43017
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 09/21/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE COMMUNITY COLLEGE (Continued)

1004706381

Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: None
Decode For Treldecod: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: None
Decode For Ptypecode: Unknown
Decode For Preldecod: Unknown
Decode For Preldecod: Unknown
Decode For Plekdecod: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1974
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

FINDS:

Registry ID: 110006015766

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

E25
SSE
1/4-1/2
0.461 mi.
2435 ft.
KROGER FUEL CENTER # 420
385 MARKET SQUARE DR
MAYSVILLE, KY 41056
Site 1 of 5 in cluster E

UST **U004188056**
N/A

Relative:
Lower

UST:

Facility Name: KROGER FUEL CENTER # 420
Sequence Id: Not reported
Facility ID: 112801
Owner Name: NONE
Owner Address: Not reported
Owner Address2: Not reported

Actual:
884 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER FUEL CENTER # 420 (Continued)

U004188056

Owner Address3: Not reported
Owner City,St,Zip: NONE, NONE NONE
Internal Document ID: 0
Latitude: 38.627176
Longitude: -83.791015

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: Not reported
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: Not reported
Pipe Rel Detect Suc Code: Not reported
Pipe Leak Detect Code: Not reported
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Exempt
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Not reported
Decode For Textcrprd: Not reported
Decode For Treldecd: Not reported
Decode For Tintprotcd: Not reported
Decode For Tsplprevcd: Not reported
Decode For Tovflprvcd: Not reported
Decode For Pmatcode: Not reported
Decode For Pextcoprcd: Not reported
Decode For Ptypecode: Not reported
Decode For Preldecd: Not reported
Decode For Preldecsuc: Not reported
Decode For Plekdecd: Not reported
Decode For Tsubcd: GAS-PLS-Plus Unl Gas
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 3
Tank Status: TEX
Installation Date: 05/19/2011
Closed In Place Date: Not reported
Capacity in Gallons: 8000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: Not reported
Last Tank Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER FUEL CENTER # 420 (Continued)

U004188056

Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: Not reported
Pipe Rel Detect Suc Code: Not reported
Pipe Leak Detect Code: Not reported
Last Contained Date: Not reported
Pipe Mfg Code: OP2
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrpcd: Not Applicable
Decode For Treltdetcd: Not reported
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Double Wall Spill Bucket
Decode For Tovflprvcd: Not reported
Decode For Pmatcode: Not reported
Decode For Pextcoprcd: Not reported
Decode For Ptypecode: Not reported
Decode For Preltdetcd: Not reported
Decode For Preltdetsuc: Not reported
Decode For Plekdetcd: Not reported
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Xerxes
Decode For Pmancd: OPW Pices 2 - Flexworks
Subject Item ID: 2
Tank Status: TAC
Installation Date: 05/19/2011
Closed In Place Date: Not reported
Capacity in Gallons: 20000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: Not reported
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: Not reported
Pipe Rel Detect Suc Code: Not reported
Pipe Leak Detect Code: Not reported
Last Contained Date: Not reported
Pipe Mfg Code: OP2
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER FUEL CENTER # 420 (Continued)

U004188056

Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrpcd: Not Applicable
Decode For Treldetcod: Not reported
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Double Wall Spill Bucket
Decode For Tovflprvcd: Not reported
Decode For Pmatcode: Not reported
Decode For Pextcoprcd: Not reported
Decode For Ptypecode: Not reported
Decode For Preldetcod: Not reported
Decode For Preldetsuc: Not reported
Decode For Plekdetcod: Not reported
Decode For Tsubcd: Diesel
Decode For Tmancd: Xerxes
Decode For Pmancd: OPW Pices 2 - Flexworks
Subject Item ID: 1
Tank Status: TAC
Installation Date: 05/19/2011
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: Not reported
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: Not reported
Pipe Rel Detect Suc Code: Not reported
Pipe Leak Detect Code: Not reported
Last Contained Date: Not reported
Pipe Mfg Code: OP2
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrpcd: Not Applicable
Decode For Treldetcod: Not reported
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Double Wall Spill Bucket
Decode For Tovflprvcd: Not reported
Decode For Pmatcode: Not reported
Decode For Pextcoprcd: Not reported
Decode For Ptypecode: Not reported
Decode For Preldetcod: Not reported
Decode For Preldetsuc: Not reported
Decode For Plekdetcod: Not reported
Decode For Tsubcd: GAS-PRM-Prem Unl Gas

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER FUEL CENTER # 420 (Continued)

U004188056

Decode For Tmancd: Xerxes
Decode For Pmancd: OPW Pices 2 - Flexworks
Subject Item ID: 1
Tank Status: TAC
Installation Date: 05/19/2011
Closed In Place Date: Not reported
Capacity in Gallons: 8000
Compartment Number: 2
Piping Installation Date: Not reported
Added To Tank Date: Not reported

E26 **KROGER 420**
SSE **381 MARKET SQUARE DR**
1/4-1/2 **MASON (County), KY 41056**
0.467 mi.
2468 ft. **Site 2 of 5 in cluster E**

NPDES **S117568942**
N/A

Relative:
Lower

Actual:
883 ft.

NPDES:
Federal Facility ID: Not reported
Facility Status: Expired
KY DES #: KYR10F723
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: Not reported
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 5411
Lat/Long: 38.62 / -83.79
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 027
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: Not reported
Contact Telephone: Not reported
Mailing Address: 320 S Wayne Ave
Mailing Address 2: Not reported
Mailing City,St,Zip: Cincinnati, OH 45215
Permit Issued: 05/17/2011
Permit Expires: 07/31/2014
SIC Code Description: Grocery Stores
Reveiving Waters: Lawrence Creek
Major/Minor: Minor
Effective Date: 05/17/2011
Affiliation Type Desc: PMA
Organization Formal Name: Kroger 420
Facility Type Desc: Not reported
State Facility ID: 101827
Original Issue Date: 05/17/2011
Approved For Electronic DMR Submission: No

Federal Facility ID: Not reported
Facility Status: Expired
KY DES #: KYR10F723
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER 420 (Continued)

S117568942

Facility Addr 2: Not reported
Inactive Date: Not reported
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 5411
Lat/Long: 38.62 / -83.79
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 027
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: Not reported
Contact Telephone: Not reported
Mailing Address: Not reported
Mailing Address 2: Not reported
Mailing City, St, Zip: Not reported
Permit Issued: 05/17/2011
Permit Expires: 07/31/2014
SIC Code Description: Grocery Stores
Receiving Waters: Lawrence Creek
Major/Minor: Minor
Effective Date: 05/17/2011
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: 101827
Original Issue Date: 05/17/2011
Approved For Electronic DMR Submission: No

E27
SSE
1/4-1/2
0.467 mi.
2468 ft.

KROGER CO-STORE 420
381 MARKET SQUARE DRIVE
MAYSVILLE, KY 41056

RCRA-CESQG 1011843983
KYR000030171

Site 3 of 5 in cluster E

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 08/22/2008

Facility name: KROGER CO-STORE 420

Facility address: 381 MARKET SQUARE DRIVE
MAYSVILLE, KY 41056

EPA ID: KYR000030171

Mailing address: TRI-COUNTY PARKWAY
CINCINNATI, OH 45246

Contact: ART WULFECK

Contact address: TRI-COUNTY PARKWAY
CINCINNATI, OH 45246

Contact country: US

Contact telephone: (513) 579-8450

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER CO-STORE 420 (Continued)

1011843983

other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: THE KROGER CO
Owner/operator address: TRI-COUNTY PARKWAY
CINCINNATI, OH 45246
Owner/operator country: US
Owner/operator telephone: (513) 579-8450
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/14/1993
Owner/Op end date: Not reported

Owner/operator name: KROGER
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/14/1993
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D005
. Waste name: BARIUM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER CO-STORE 420 (Continued)

1011843983

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D011
. Waste name: SILVER

. Waste code: D018
. Waste name: BENZENE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/23/2011
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

E28
SSE
1/4-1/2
0.467 mi.
2468 ft.

KROGER 420
381 MARKET SQUARE DR
MASON (County), KY 41056
Site 4 of 5 in cluster E

NPDES S117568852
N/A

Relative:
Lower

Actual:
883 ft.

NPDES:
Federal Facility ID: Not reported
Facility Status: Terminated
KY DES #: KYR10F633
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 01/06/2012
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 5411
Lat/Long: 38.62 / -83.79
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 027
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: Not reported
Contact Telephone: Not reported
Mailing Address: 8044 Montgomery Rd
Mailing Address 2: Not reported
Mailing City,St,Zip: Cincinnati, OH 45236
Permit Issued: 04/13/2011
Permit Expires: 07/31/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER 420 (Continued)

S117568852

SIC Code Description: Grocery Stores
Reveiving Waters: Lawrence Creek
Major/Minor: Minor
Effective Date: 04/13/2011
Affiliation Type Desc: PMA
Organization Formal Name: Kroger 420
Facility Type Desc: Not reported
State Facility ID: 101827
Original Issue Date: 04/13/2011
Approved For Electronic DMR Submission: No

Federal Facility ID: Not reported
Facility Status: Terminated
KY DES #: KYR10F633
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 01/06/2012
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 5411
Lat/Long: 38.62 / -83.79
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 027
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: Not reported
Contact Telephone: Not reported
Mailing Address: Not reported
Mailing Address 2: Not reported
Mailing City,St,Zip: Not reported
Permit Issued: 04/13/2011
Permit Expires: 07/31/2014
SIC Code Description: Grocery Stores
Reveiving Waters: Lawrence Creek
Major/Minor: Minor
Effective Date: 04/13/2011
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: 101827
Original Issue Date: 04/13/2011
Approved For Electronic DMR Submission: No

E29 **KROGER 420**
SSE **381 MARKET SQUARE DRIVE**
1/4-1/2 **MAYSVILLE, KY 41056**
0.467 mi.
2468 ft.

Relative:
Lower

Actual:
883 ft.

Site 5 of 5 in cluster E

FINDS:

Registry ID: 110037390472

Environmental Interest/Information System
US National Pollutant Discharge Elimination System (NPDES) module of

FINDS **1011918842**
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KROGER 420 (Continued)

1011918842

the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

30
NW
1/2-1
0.519 mi.
2739 ft.

MAYSVILLE COUNTRY CLUB
1099 US 68 S
MAYSVILLE, KY 41056

UST U003859674
N/A

Relative:
Lower

UST:

Actual:
827 ft.

Facility Name: MAYSVILLE COUNTRY CLUB
Sequence Id: 20118122
Facility ID: 63119
Owner Name: Maysville Club Corporation
Owner Address: 1099 US 68 S
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: 01/01/1984
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Prior to 1988
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE COUNTRY CLUB (Continued)

U003859674

Decode For Textcrprd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TR8
Installation Date: 01/01/1901
Closed In Place Date: 01/01/1984
Capacity in Gallons: 350
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: 01/01/1984
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Prior to 1988
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE COUNTRY CLUB (Continued)

U003859674

Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TR8
Installation Date: 01/01/1901
Closed In Place Date: 01/01/1984
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

F31
SE
1/2-1
0.532 mi.
2809 ft.

MAYSVILLE, KY

Site 1 of 2 in cluster F

SPILLS S111832375
N/A

Relative:
Lower

Actual:
875 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: ILLEGAL DISPOSAL (NOT OPEN DUMP); STREAM DEGRADATION; FLOODPLAIN
Program Code: Not reported
Received By Staff: Hall, Karen
Received Date: 04/13/2012
Report Date: 3/13/2012 3:09:02 PM
Dispatch Description: In Maysville, KY the anonymous complainant states Automart has 50 junk cars behind the fence behind the building which are "turned over" and the fluids are allegedly permitted to run out onto the ground. The complainant further states the soil stains are often covered over with fresh gravel. However, the complainant adds the facility does have areas where it is plain to see oil is on the soil and has run into a tributary in the back of the property.

Source Name: AA Automart (Tommy Henderson, Owner)
Source Address: At Automart located across from Lowes on the AA. Look behind the fence behind Automart for the vehicles

Substances: Best Management Practices

Other Substances Desc: Not reported
Media Impacted: Env Protection
Inc ID: 2344482
Lead Invest Person ID: 9469
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 4/13/2012
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.62709
Longitude: -83.78829

Map ID
Direction
Distance
Elevation

MAP FINDINGS

F32
SE
1/2-1
0.532 mi.
2809 ft.

MAYSVILLE, KY
Site 2 of 2 in cluster F

SPILLS **S112507140**
N/A

Relative:
Lower

Actual:
875 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: NON-PERMITTED DISCHARGE; SOIL CONTAMINATION
Program Code: Not reported
Received By Staff: Gross, Matthew
Received Date: 10/12/2012
Report Date: 8/29/2012 12:29:53 PM
Dispatch Description: When the business brings cars in to junk, they cut the hoses and let all of the fluids (antifreeze, oil, & gas) drain onto the ground and into a drainage ditch that goes into a creek. There are black and red spots on the ground there. This happens 2-3 times per week.

Source Name: Tommy Henderson Auto Mart
Source Address: It is Tommy Henderson Auto Mart on AA Hwy across from Lowe's in Maysville.

Substances: Gasoline, Oil and Grease, Visual

Other Substances Desc: Not reported

Media Impacted: Wastewater

Inc ID: 2351075

Lead Invest Person ID: 40221

Compliance: Yes

Notification: No

Priority: Routine

Incident End Date: 10/12/2012

Follow Up Priority Desc: Not reported

Most Recent Comp Eval Activity: Not reported

Most Recent ENF Activity: Not reported

Begin Emergency Date: Not reported

End Emergency Date: Not reported

MARS Function Code: Not reported

Locked: Not reported

Closure Type Desc: Not reported

Latitude: 38.62709

Longitude: 83.788293

G33
SSE
1/2-1
0.577 mi.
3045 ft.

PEOPLES BAKN OF FLEMING CO
90 TUCKER DR
MAYSVILLE, KY 41056
Site 1 of 2 in cluster G

NPDES **S109495302**
N/A

Relative:
Lower

Actual:
867 ft.

NPDES:

Federal Facility ID: Not reported

Facility Status: INACTIVE

KY DES #: KYR107258

Total App# Design Flow (MGD): Not reported

Horizontal Collect Method Desc: Not reported

Facility Addr 2: Not reported

Inactive Date: 03/20/2009

Design Capacity: Not reported

Fee Category: Not reported

SIC Code: 6712

Lat/Long: Not reported

Lat/Long Method: Not reported

USGS Hydrologic Basin Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PEOPLES BAKN OF FLEMING CO (Continued)

S109495302

Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: JAMES P BROSSART
Contact Telephone: 6068452461
Mailing Address: 106 S MAIN CROSS
Mailing Address 2: Not reported
Mailing City,St,Zip: FLEMINGSBURG, KY 41041
Permit Issued: 06/06/2008
Permit Expires: 07/31/2014
SIC Code Description: BANK HOLDING COMPANIES
Reveiving Waters: LAWRENCE CREEK
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

G34 MCNEILL FAMILY PROPERTY
SSE W OF KY 9 & S OF MARKET SHOPPING CENTER
1/2-1 MAYSVILLE, KY 41056

FINDS 1015793906
N/A

0.616 mi.
3255 ft.

Site 2 of 2 in cluster G

Relative:
Lower

FINDS:

Registry ID: 110045039132

Actual:
883 ft.

Environmental Interest/Information System
STATE MASTER

35 UNITED PARCEL SERVICE
ENE ROUTE 2, KENTON STATION ROAD
1/2-1 MAYSVILLE, KY 41056
0.625 mi.
3298 ft.

RCRA-CESQG 1004706399
UST KYD985115286

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 05/28/1993
Facility name: UNITED PARCEL SERVICE
Facility address: ROUTE 2, KENTON STATION ROAD
MAYSVILLE, KY 41056
EPA ID: KYD985115286
Contact: KEN CHAPMAN
Contact address: ROUTE 2, KENTON STATION ROAD
MAYSVILLE, KY 41056
Contact country: US
Contact telephone: (606) 259-4419
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED PARCEL SERVICE (Continued)

1004706399

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: CHAMNESS PROPERTIES INC.
Owner/operator address: P.O. BOX 605
MAYSVILLE, KY 41056
Owner/operator country: Not reported
Owner/operator telephone: (606) 259-4419
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED PARCEL SERVICE (Continued)

1004706399

UST:

Facility Name: UNITED PARCEL SERVICE
Sequence Id: 8802081
Facility ID: 48431
Owner Name: United Parcel Service
Owner Address: 500 Gest St
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Cincinnati, OH 45203
Internal Document ID: 0
Latitude: 38.63375
Longitude: -83.784583

Inert Material Code: Not reported
Removed Date: 12/22/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: ALT
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcprcd: None
Decode For Treldetcd: Daily Inventory Rec Tank Tightness
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcprcd: None
Decode For Ptypecode: Suction
Decode For Preldetcd: Line Tightness Test
Decode For Preldetsuc: Annual Release Testing (historic)
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1978
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

H36 MASON CO HIGH SCHOOL
NW 1320 US 68
1/2-1 MAYSVILLE, KY 41056
0.628 mi.
3318 ft. Site 1 of 4 in cluster H

FINDS 1008258461
N/A

Relative: FINDS:
Lower

Registry ID: 110036757514

Actual: Environmental Interest/Information System
836 ft. STATE MASTER

I37 K MART 9684
NW US 68 S
1/2-1 MAYSVILLE, KY 41056
0.640 mi.
3381 ft. Site 1 of 2 in cluster I

FINDS 1015906945
N/A

Relative: FINDS:
Lower

Registry ID: 110045135867

Actual: Environmental Interest/Information System
852 ft. STATE MASTER

I38 K MART 9684
NW US 68 S
1/2-1 MAYSVILLE, KY 41056
0.640 mi.
3381 ft. Site 2 of 2 in cluster I

UST U003990570
N/A

Relative: UST:
Lower

Facility Name: K MART 9684
Sequence Id: 3573081
Facility ID: 64121
Owner Name: Kmart Management Corp
Owner Address: 3100 W Big Beaver
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Troy, MI 48084
Internal Document ID: 0
Latitude: 38.63861111
Longitude: -83.80416667

Inert Material Code: Not reported
Removed Date: 03/20/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K MART 9684 (Continued)

U003990570

Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Oil
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1981
Closed In Place Date: Not reported
Capacity in Gallons: 1000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

J39 **RITE AID #3920**
NE **1160 US HWY 68**
1/2-1 **MAYSVILLE, KY 41056**
0.654 mi.
3454 ft. **Site 1 of 2 in cluster J**

FINDS **1015948967**
N/A

Relative:
Lower

FINDS:

Registry ID: 110044808955

Actual:
861 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

J40
NE
1/2-1
0.654 mi.
3454 ft.
Site 2 of 2 in cluster J

RITE AID #3920
1160 US HWY 68
MAYSVILLE, KY 41056

RCRA-LQG
1014923551
KYR000054346

Relative:
Lower

Actual:
861 ft.

RCRA-LQG:

Date form received by agency: 12/05/2014

Facility name: RITE AID #3920

Facility address: 1160 US HWY 68
MAYSVILLE, KY 41056

EPA ID: KYR000054346

Mailing address: HUNTER LANE
CAMP HILL, PA 17011

Contact: STEPHANIE CAIATI

Contact address: HUNTER LANE
CAMP HILL, PA 17011

Contact country: US

Contact telephone: (717) 975-8643

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Large Quantity Generator

Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: RITE AID CORPORATION

Owner/operator address: SAME

Not reported

Owner/operator country: US

Owner/operator telephone: (717) 761-2633

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 05/01/1988

Owner/Op end date: Not reported

Owner/operator name: RITE AID CORPORATION

Owner/operator address: SAME

Not reported

Owner/operator country: US

Owner/operator telephone: Not reported

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 05/01/1988

Owner/Op end date: Not reported

Handler Activities Summary:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #3920 (Continued)

1014923551

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D026
. Waste name: CRESOL

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Historical Generators:

Date form received by agency: 11/22/2011
Site name: RITE AID #3920
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D010
. Waste name: SELENIUM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

RITE AID #3920 (Continued)

1014923551

. Waste code: D011
. Waste name: SILVER

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D026
. Waste name: CRESOL

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 01/16/2014
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/24/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

H41 1ST STOP #90
NW 1422 US 68
1/2-1 MAYSVILLE, KY
0.675 mi.
3565 ft.

SB193 S107544228
N/A

Relative:
Lower

KY SENATE BILL 193 INVENTORY:
KY SENATE BILL 193 INVENTORY: CLW
Facility ID: 3346081
Soil / Groundwater: Soil
Agency Interest Number: 54755

Actual:
843 ft.

H42 1ST STOP MAYSVILLE #90
NW 1422 US 68
1/2-1 MAYSVILLE, KY 41056
0.675 mi.
3565 ft.

UST U001181947
N/A

Relative:
Lower

UST:
Facility Name: 1ST STOP MAYSVILLE #90
Sequence Id: 3346081
Facility ID: 54755
Owner Name: Cantrells 1st Stop Inc
Owner Address: PO Box 175

Actual:
843 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1ST STOP MAYSVILLE #90 (Continued)

U001181947

Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Winchester, OH 45697
Internal Document ID: 0
Latitude: 38.63273741
Longitude: -83.79401207

Inert Material Code: Not reported
Removed Date: 10/05/2015
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: FLR
Last Tank Test Date: 08/22/2002
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: AMR
Last Pipe Test Date: 10/26/2011
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Unverified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrpcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Line Tightness Test
Decode For Preldetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: Xerxes
Decode For Pmancd: Ameron
Subject Item ID: 6
Tank Status: TUR
Installation Date: 11/01/2003
Closed In Place Date: 12/31/2013
Capacity in Gallons: 6000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 10/05/2015
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: FLR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1ST STOP MAYSVILLE #90 (Continued)

U001181947

Last Tank Test Date: 08/22/2002
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: AMR
Last Pipe Test Date: 10/26/2011
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Unverified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcprcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Predetcd: Line Tightness Test
Decode For Predetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: Xerxes
Decode For Pmancd: Ameron
Subject Item ID: 5
Tank Status: TUR
Installation Date: 11/01/2003
Closed In Place Date: 12/31/2013
Capacity in Gallons: 8000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 10/05/2015
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: FLR
Last Tank Test Date: 08/22/2002
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: AMR
Last Pipe Test Date: 10/26/2011
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Unverified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1ST STOP MAYSVILLE #90 (Continued)

U001181947

Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrpcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Predetcd: Line Tightness Test
Decode For Predetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Xerxes
Decode For Pmancd: Ameron
Subject Item ID: 4
Tank Status: TUR
Installation Date: 11/01/2003
Closed In Place Date: 12/31/2013
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 11/13/2003
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: 08/07/1991
Lining Insp Date: 08/01/2001
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Tank Removed and Replaced
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Predetcd: Automatic Line Leak Detector
Decode For Predetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1ST STOP MAYSVILLE #90 (Continued)

U001181947

Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 3
Tank Status: TRR
Installation Date: 01/01/1979
Closed In Place Date: 06/01/2003
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 11/13/2003
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: 08/07/1991
Lining Insp Date: 08/01/2001
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Tank Removed and Replaced
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Not Applicable
Decode For Treltdetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Automatic Line Leak Detector
Decode For Preltdetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRR
Installation Date: 01/01/1979
Closed In Place Date: 06/01/2003
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1ST STOP MAYSVILLE #90 (Continued)

U001181947

Removed Date: 11/13/2003
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: 08/07/1991
Lining Insp Date: 08/01/2001
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Tank Removed and Replaced
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldecd: Automatic Line Leak Detector
Decode For Preldecsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRR
Installation Date: 01/01/1979
Closed In Place Date: 06/01/2003
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

H43 54755 - 1ST STOP #90
NW 1422 US 68
1/2-1 MAYSVILLE, KY 41056
0.675 mi.
3565 ft. Site 4 of 4 in cluster H

FINDS 1014888502
N/A

Relative:
Lower

FINDS:

Registry ID: 110043841457

Actual:
843 ft.

Environmental Interest/Information System
LEAKING UNDERGROUND STORAGE TANK - ARRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

K44 **GASOLINE ALLEY #4**
NW **1423 US 68**
1/2-1 **MAYSVILLE, KY 41056**
0.682 mi.
3601 ft. **Site 1 of 3 in cluster K**

UST **U003990305**
N/A

Database(s) EPA ID Number

Relative:
Lower

UST:

Actual:
848 ft.

Facility Name: GASOLINE ALLEY #4
Sequence Id: 1877081
Facility ID: 59390
Owner Name: GA4 UST LLC
Owner Address: 9361 Redding Rd
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Cincinnati, OH 45215
Internal Document ID: 0
Latitude: 38.633171
Longitude: -83.794586

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: STU
Last Pipe Test Date: Not reported
Last CP Test Date: 08/23/2013
Added To Flex Date: Not reported
Added To Piping Date: 04/24/2008
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Impressed Current Cathodic Prot
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Electronic Leak Detection
Decode For Preldetsuc: None
Decode For Plekdetcd: Electronic Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: Steel Manufacturer Unknown
Subject Item ID: 1
Tank Status: TAC
Installation Date: 01/01/1988
Closed In Place Date: Not reported
Capacity in Gallons: 12000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GASOLINE ALLEY #4 (Continued)

U003990305

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: CKV
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: STU
Last Pipe Test Date: Not reported
Last CP Test Date: 08/23/2013
Added To Flex Date: Not reported
Added To Piping Date: 04/24/2008
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Coating & Cathodic Protection
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Coating & Cathodic Protection
Decode For Ptypecode: Suction
Decode For Preldetcd: None
Decode For Preldetsuc: Check Valve
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: Steel Manufacturer Unknown
Subject Item ID: 6
Tank Status: TAC
Installation Date: 01/01/1988
Closed In Place Date: Not reported
Capacity in Gallons: 4000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GASOLINE ALLEY #4 (Continued)

U003990305

Pipe Release Detection: CKV
Pipe Rel Detect Suc Code: CKV
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: STU
Last Pipe Test Date: Not reported
Last CP Test Date: 08/23/2013
Added To Flex Date: Not reported
Added To Piping Date: 04/24/2008
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Coating & Cathodic Protection
Decode For Treltcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Coating & Cathodic Protection
Decode For Ptypecode: Suction
Decode For Preltcd: Check Valve
Decode For Preltcdsuc: Check Valve
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Kerosene
Decode For Tmancd: STI-P3
Decode For Pmancd: Steel Manufacturer Unknown
Subject Item ID: 5
Tank Status: TAC
Installation Date: 01/01/1988
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: STU
Last Pipe Test Date: Not reported
Last CP Test Date: 08/23/2013
Added To Flex Date: Not reported
Added To Piping Date: 04/24/2008
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Impressed Current Cathodic Prot

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GASOLINE ALLEY #4 (Continued)

U003990305

Decode For Treldecod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preldecod: Electronic Leak Detection
Decode For Preldecod: None
Decode For Plekdecod: Electronic Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: STI-P3
Decode For Pmancd: Steel Manufacturer Unknown
Subject Item ID: 4
Tank Status: TAC
Installation Date: 01/01/1988
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: STU
Last Pipe Test Date: Not reported
Last CP Test Date: 08/23/2013
Added To Flex Date: Not reported
Added To Piping Date: 04/24/2008
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Impressed Current Cathodic Prot
Decode For Treldecod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preldecod: Electronic Leak Detection
Decode For Preldecod: None
Decode For Plekdecod: Electronic Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: Steel Manufacturer Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GASOLINE ALLEY #4 (Continued)

U003990305

Subject Item ID: 3
Tank Status: TAC
Installation Date: 01/01/1988
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: STI
Tank Overfill Protection: HLA
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: STU
Last Pipe Test Date: Not reported
Last CP Test Date: 08/23/2013
Added To Flex Date: Not reported
Added To Piping Date: 04/24/2008
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Impressed Current Cathodic Prot
Decode For Treltdcod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: High Level Alarm
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Electronic Leak Detection
Decode For Preltdetsuc: None
Decode For Plekdetcd: Electronic Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Uni Gas
Decode For Tmancd: STI-P3
Decode For Pmancd: Steel Manufacturer Unknown
Subject Item ID: 2
Tank Status: TAC
Installation Date: 01/01/1988
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

K45 **SPEEDWAY #9732**
NW **1425 US 68**
1/2-1 **MAYSVILLE, KY 41056**
0.683 mi.
3606 ft. **Site 2 of 3 in cluster K**

UST **U001182093**
N/A

Relative:
Lower

Actual:
849 ft.

UST:

Facility Name: SPEEDWAY #9732
Sequence Id: 3480081
Facility ID: 59370
Owner Name: Speedway LLC
Owner Address: PO Box 1500
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Springfield, OH 45501
Internal Document ID: 0
Latitude: 38.632336
Longitude: -83.795533

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: ASD
Last Tank Test Date: 05/23/2006
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: CKV
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: FRP
Last Pipe Test Date: 01/03/2006
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Double Wall Fiberglass
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Suction
Decode For Predetcd: None
Decode For Predetsuc: Check Valve
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Kerosene
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Fiberglass Manufacturer Unknown
Subject Item ID: 4
Tank Status: TAC
Installation Date: 11/06/1992
Closed In Place Date: Not reported
Capacity in Gallons: 4000

Database(s) EDR ID Number
EPA ID Number

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #9732 (Continued)

U001182093

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: 05/23/2006
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: SMI
Last Pipe Test Date: 07/11/2008
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Double Wall Fiberglass
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Electronic Leak Detection
Decode For Preldetsuc: None
Decode For Plekdetcd: Electronic Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Smith -- Fiberglass Systems
Subject Item ID: 3
Tank Status: TAC
Installation Date: 11/06/1992
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: 05/23/2006
Relined Date: Not reported
Lining Insp Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #9732 (Continued)

U001182093

Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: SMI
Last Pipe Test Date: 07/11/2008
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprd: Not Applicable
Decode For Treltdetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Double Wall Fiberglass
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Electronic Leak Detection
Decode For Preltdetsuc: None
Decode For Plekdetcd: Electronic Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Smith -- Fiberglass Systems
Subject Item ID: 2
Tank Status: TAC
Installation Date: 11/06/1992
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: FLR
Last Tank Test Date: 05/23/2006
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: ELD
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: ELD
Last Contained Date: Not reported
Pipe Mfg Code: SMI
Last Pipe Test Date: 02/05/2010
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprd: Not Applicable

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #9732 (Continued)

U001182093

Decode For Treldecod: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Double Wall Fiberglass
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldecod: Electronic Leak Detection
Decode For Preldecus: None
Decode For Plekdecod: Electronic Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: Xerxes
Decode For Pmancd: Smith -- Fiberglass Systems
Subject Item ID: 1
Tank Status: TAC
Installation Date: 11/06/1992
Closed In Place Date: Not reported
Capacity in Gallons: 8000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

K46 **SPEEDWAY #9732**
NW **1425 US 68**
1/2-1 **MAYSVILLE, KY 41056**
0.683 mi.
3606 ft.

FINDS **1015796958**
N/A

Relative:
Lower

FINDS:

Registry ID: 110045100109

Actual:
849 ft.

Environmental Interest/Information System
STATE MASTER

L47 **DOLLAR GENERAL STORE #487**
NE **1130 US HIGHWAY 68**
1/2-1 **MAYSVILLE, KY 41056**
0.708 mi.
3740 ft.

RCRA-CESQG **1016676205**
FINDS **KYR000061598**

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 05/02/2014
Facility name: DOLLAR GENERAL STORE #487
Facility address: 1130 US HIGHWAY 68
MAYSVILLE, KY 41056
EPA ID: KYR000061598
Mailing address: MISSION RIDGE
GOODLETTSVILLE, TN 37072
Contact: ERIC VOYLES
Contact address: MISSION RIDGE
GOODLETTSVILLE, TN 37072
Contact country: US
Contact telephone: (615) 855-4000
Contact email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DOLLAR GENERAL STORE #487 (Continued)

1016676205

EPA Region: 04
Land type: Private
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: DG RETAIL LLC
Owner/operator address: Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/01/2012
Owner/Op end date: Not reported

Owner/operator name: DG RETAIL LLC
Owner/operator address: Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 04/01/2012
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DOLLAR GENERAL STORE #487 (Continued)

1016676205

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D016
. Waste name: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/18/2014
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110059772241

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

48
East
1/2-1
0.716 mi.
3783 ft.

MAYSVILLE, KY

SPILLS S117094587
N/A

Relative:
Higher

SPILLS:

Facility Status: Env. Closed
Incident Type: ASBESTOS-DEMOLITION
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: Not reported

Actual:
901 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117094587

Report Date: 10/27/05 13:45
Dispatch Description: Proposed fire training near Maysville
Source Name: Maysville Fire Dept.
Source Address: near Maysville KY
Substances: Asbestos (Friable)
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 200538
Lead Invest Person ID: 9646
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.63222
Longitude: -83.78266

L49
NE
1/2-1
0.720 mi.
3801 ft.

1124 US HIGHWAY 68
MAYSVILLE, KY 41056
Site 2 of 3 in cluster L

EDR Hist Cleaner 1014976800
N/A

Relative:
Lower

EDR Historical Cleaners:

Name: NEIGHBORHOOD CLEANERS
Year: 2003
Address: 1124 US HIGHWAY 68

Actual:
882 ft.

Name: NEIGHBORHOOD CLEANER
Year: 2007
Address: 1124 US HIGHWAY 68

Name: BLUE GRASS CLEANERS
Year: 2010
Address: 1124 US HIGHWAY 68

L50
NE
1/2-1
0.723 mi.
3817 ft.

1122 US HIGHWAY 68
MAYSVILLE, KY 41056
Site 3 of 3 in cluster L

EDR Hist Cleaner 1014976697
N/A

Relative:
Lower

EDR Historical Cleaners:

Name: NEIGHBORHOOD CLEANERS
Year: 2004
Address: 1122 US HIGHWAY 68

Actual:
882 ft.

Name: NEIGHBORHOOD CLEANERS
Year: 2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1014976697

Address: 1122 US HIGHWAY 68

Name: NEIGHBORHOOD CLEANERS
Year: 2006
Address: 1122 US HIGHWAY 68

Name: BLUE GRASS CLEANERS
Year: 2011
Address: 1122 US HIGHWAY 68

Name: BLUE GRASS CLEANERS
Year: 2012
Address: 1122 US HIGHWAY 68

M51 **CARDIOVASCULAR DIAGNOSTIC CENTER OF MAYSVILLE LLC**
NW **901 KENTON STATION DR**
1/2-1 **MAYSVILLE, KY 41056**

FINDS **1015825669**
N/A

0.734 mi.
3875 ft.

Site 1 of 8 in cluster M

Relative:
Lower

FINDS:

Registry ID: 110045183895

Environmental Interest/Information System
STATE MASTER

Registry ID: 110045179294

Environmental Interest/Information System
STATE MASTER

M52 **CARDIOVASCULAR DIAGNOSTIC CENT**
NW **901 KENTON STATION DR**
1/2-1 **MAYSVILLE, KY 41056**

NPDES **1010501969**
N/A

0.734 mi.
3875 ft.

Site 2 of 8 in cluster M

Relative:
Lower

NPDES:

Federal Facility ID: Not reported
Facility Status: INACTIVE
KY DES #: KYR107058
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 06/15/2009
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1611
Lat/Long: Not reported
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: Not reported
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported

Actual:
883 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CARDIOVASCULAR DIAGNOSTIC CENT (Continued)

1010501969

Basin Code Description: Not reported
DMR Contact: GARRETT PERKINS
Contact Telephone: Not reported
Mailing Address: GARRETT PERKINS
Mailing Address 2: 901 KENTON STATIONS RD
Mailing City,St,Zip: MAYSVILLE, KY 41056
Permit Issued: 07/01/2009
Permit Expires: 07/31/2014
SIC Code Description: HWY & ST CONST., EXC. ELEV HWY
Reveiving Waters: Not reported
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

M53 **ASHLAND PETROLEUM 380-0239075B**
NW **908 KENTON STATION RD**
1/2-1 **MAYSVILLE, KY 41056**
0.739 mi.
3900 ft. **Site 3 of 8 in cluster M**

RCRA NonGen / NLR **1004706489**
FINDS **KYR000005397**

Relative:
Lower

RCRA NonGen / NLR:

Date form received by agency: 01/12/2010

Facility name: ASHLAND PETROLEUM 380-0239075B

Facility address: 908 KENTON STATION RD
MAYSVILLE, KY 41056

EPA ID: KYR000005397

Mailing address: P.O. BOX 391
ASHLAND, KY 41114

Contact: J H SMITH

Contact address: P.O. BOX 391
ASHLAND, KY 41114

Contact country: US

Contact telephone: (606) 329-5384

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ASHLAND PETROLEUM CO

Owner/operator address: P.O. BOX 391
ASHLAND, KY 41114

Owner/operator country: Not reported

Owner/operator telephone: (606) 329-5384

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: ASHLAND PETROLEUM CO

Owner/operator address: P.O. BOX 391

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ASHLAND PETROLEUM 380-0239075B (Continued)

1004706489

Owner/operator country: ASHLAND, KY 41114
Owner/operator telephone: Not reported
(606) 329-5384
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1996
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 03/05/1996
Site name: ASHLAND PETROLEUM 380-0239075B
Classification: Conditionally Exempt Small Quantity Generator

Waste code: D001
Waste name: IGNITABLE WASTE

Waste code: D018
Waste name: BENZENE

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 10/12/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110003247326

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ASHLAND PETROLEUM 380-0239075B (Continued)

1004706489

STATE MASTER

M54
NW
1/2-1
0.739 mi.
3900 ft.

ASHLAND PETROLEUM CO
908 KENTON STATION RD
MAYSVILLE, KY 41056
Site 4 of 8 in cluster M

UST U003070917
N/A

Relative:
Lower

UST:

Actual:
882 ft.

Facility Name: ASHLAND PETROLEUM CO
Sequence Id: 1011081
Facility ID: 48421
Owner Name: Ashland Inc
Owner Address: 5200 Blazer Pkwy
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Dublin, OH 43017
Internal Document ID: 0
Latitude: 38.633833
Longitude: -83.80075

Inert Material Code: Not reported
Removed Date: 04/09/1996
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tspilprvcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preldetcd: None
Decode For Preldetsuc: None
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ASHLAND PETROLEUM CO (Continued)

U003070917

Tank Status: TRM
Installation Date: 01/01/1990
Closed In Place Date: 02/13/1996
Capacity in Gallons: 1000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 04/09/1996
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treltdetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preltdetcd: None
Decode For Preltdetsuc: None
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1990
Closed In Place Date: 02/13/1996
Capacity in Gallons: 1000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

M55 **PRIMARY PLUS**
NW **927 KENTON STATION RD**
1/2-1 **MAYSVILLE, KY 41056**
0.747 mi.
3942 ft. **Site 5 of 8 in cluster M**

Database(s) EDR ID Number
EPA ID Number

NPDES **S109495310**
N/A

Relative: NPDES:
Lower Federal Facility ID: Not reported
Facility Status: INACTIVE
Actual: KY DES #: KYR108781
884 ft. Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 04/01/2009
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1611
Lat/Long: Not reported
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: Not reported
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: STEVE HATFIELD
Contact Telephone: 6067963029
Mailing Address: STEVE HATFIELD
Mailing Address 2: 204 MARKET ST
Mailing City,St,Zip: VANCEBURG, KY 41179
Permit Issued: 07/09/2008
Permit Expires: 07/31/2014
SIC Code Description: HWY & ST CONST., EXC. ELEV HWY
Reveiving Waters: Not reported
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

M56 **PRIMARY PLUS HEALTH CARE**
NW **927 KENTON STATION RD**
1/2-1 **MAYSVILLE, KY 41056**
0.747 mi.
3942 ft. **Site 6 of 8 in cluster M**

FINDS **1015974908**
N/A

Relative: FINDS:
Lower Registry ID: 110045160106
Actual: Environmental Interest/Information System
884 ft. STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

N57
WSW
1/2-1
0.755 mi.
3986 ft.
Site 1 of 2 in cluster N

SPILLS
S117087131
N/A

Relative:
Lower
Actual:
850 ft.

SPILLS:
Facility Status: Env. Closed
Incident Type: AIR RELEASE, OTHER
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 09/22/2004
Report Date: 2/24/2005 4:06:06 PM
Dispatch Description: Fire Training Application: Maysville Fire Dept. permanent fire training tower
Source Name: City of Maysville
Source Address: 1720 Martha Comer Dr., Maysville KY 41056 behind the Community College and next to the public works garage
Substances: Asbestos (Non-Friable)
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 191736
Lead Invest Person ID: 9646
Compliance: No
Notification: Yes
Priority: Routine
Incident End Date: 9/22/2005
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.62944
Longitude: -83.80947

N58
WSW
1/2-1
0.755 mi.
3986 ft.
Site 2 of 2 in cluster N

SPILLS
S117092582
N/A

Relative:
Lower
Actual:
850 ft.

SPILLS:
Facility Status: Env. Closed
Incident Type: AIR RELEASE, OTHER
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 08/23/2005
Report Date: 8/23/05 13:45
Dispatch Description: FT198161Maysville Fire dept.
Source Name: Maysville Fire Dept. Training tower
Source Address: Maysville Fire Dept. Training TowerMartha Comer Dr.Maysville KY 41056behind Maysville Community & Technical College
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 198161
Lead Invest Person ID: 9646

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117092582

Compliance: No
Notification: Yes
Priority: Routine
Incident End Date: 8/23/2005 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 83.80947
Longitude: -38.62944

M59 **MEADOWVIEW REGIONAL MEDICAL CENTER**
NW **989 MEDICAL PARK DR**
1/2-1 **MAYSVILLE, KY 41056**
0.775 mi.
4093 ft. **Site 7 of 8 in cluster M**

UST **U001179697**
N/A

Relative:
Lower

UST:

Facility Name: MEADOWVIEW REGIONAL MEDICAL CENTER
Sequence Id: 1006081
Facility ID: 59360
Owner Name: Meadowview Regional Med Center
Owner Address: 989 MEDICAL PARK DR
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: 38.639179
Longitude: -83.806368

Actual:
886 ft.

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: ASD
Last Tank Test Date: 11/19/2010
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: LDX
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: ENM
Last Pipe Test Date: 10/16/2007
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Mix
Decode For Textcrprd: Not Applicable
Decode For Treldetcod: Interstitial Monitor
Decode For Tintprotcd: Not Applicable

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEADOWVIEW REGIONAL MEDICAL CENTER (Continued)

U001179697

Decode For Tsplprvcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Suction
Decode For Preldecd: None
Decode For Preldecsuc: Exempt From Leak Detection
Decode For Plekdecd: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Environ - M
Subject Item ID: 2
Tank Status: TAC
Installation Date: 02/13/1998
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 11/19/1997
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprvcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Unknown
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldecd: Unknown
Decode For Preldecsuc: Unknown
Decode For Plekdecd: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEADOWVIEW REGIONAL MEDICAL CENTER (Continued)

U001179697

Installation Date: 02/09/1983
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

M60 **MEADOWVIEW REGIONAL MEDICAL CENTER**
NW **989 MEDICAL PARK DR**
1/2-1 **MAYSVILLE, KY 41056**
0.775 mi.
4093 ft. **Site 8 of 8 in cluster M**

FINDS **1015796957**
N/A

Relative: **FINDS:**
Lower

Registry ID: 110045100092

Actual:
886 ft. Environmental Interest/Information System
STATE MASTER

61 **KYTC ITEM NO. 9-8303.00**
ESE **KY 1448**
1/2-1 **MAYSVILLE, KY 41056**
0.801 mi.
4231 ft.

FINDS **1016877327**
N/A

Relative: **FINDS:**
Higher

Registry ID: 110059801086

Actual:
907 ft. Environmental Interest/Information System
US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

O62 **MAYSVILLE SPEC BUILDING**
WNW **1701 W MARTIN LUTHER KING HWY**
1/2-1 **MAYSVILLE, KY 41056**
0.822 mi.
4340 ft. **Site 1 of 2 in cluster O**

NPDES **S108082435**
N/A

Relative: **NPDES:**
Lower

Federal Facility ID: Not reported
Facility Status: INACTIVE
KY DES #: KYR100369
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported

Actual:
863 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE SPEC BUILDING (Continued)

S108082435

Inactive Date: 10/19/2010
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 8741
Lat/Long: +3838080 / -08348010
Lat/Long Method: A
USGS Hydrologic Basin Code: 05090201
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: COLIN PHILLIPS
Contact Telephone: 6065645534
Mailing Address: MAYSVILLE-MASON CO IND AUT
Mailing Address 2: 15 WEST SECOND ST
Mailing City,St,Zip: MAYSVILLE, KY 41056
Permit Issued: 07/01/2009
Permit Expires: 07/31/2014
SIC Code Description: MANAGEMENT SERVICES
Reveiving Waters: LAWRENCE CRK
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

O63
WNW
1/2-1
0.822 mi.
4340 ft.

MAYSVILLE SPEC BUILDING
1701 W MARTIN LUTHER KING HWY
MAYSVILLE, KY 41056

FINDS 1015835216
N/A

Relative:
Lower

FINDS:

Registry ID: 110045120757

Actual:
863 ft.

Environmental Interest/Information System
STATE MASTER

64
ENE
1/2-1
0.873 mi.
4609 ft.

MAPLE RIDGE HOMES INC
MAPLE RIDGE AVE
MAYSVILLE, KY 41056

FINDS 1014888049
N/A

Relative:
Lower

FINDS:

Registry ID: 110043762933

Actual:
896 ft.

Environmental Interest/Information System
US National Pollutant Discharge Elimination System (NPDES) module of
the Compliance Information System (ICIS) tracks surface water permits

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAPLE RIDGE HOMES INC (Continued)

1014888049

issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

P65 **MURPHY OIL USA INC 6927**
SE **239 WALMART WAY**
1/2-1 **MAYSVILLE, KY 41056**
0.919 mi.
4851 ft. **Site 1 of 6 in cluster P**

UST **U003919471**
 N/A

Relative:
Lower

UST:

Actual:
881 ft.

Facility Name: MURPHY OIL USA INC 6927
Sequence Id: 20149077
Facility ID: 70115
Owner Name: Murphy Oil USA Inc
Owner Address: 200 E Peach St
Owner Address2: PO Box 7300
Owner Address3: Not reported
Owner City,St,Zip: El Dorado, AR 717317300
Internal Document ID: 0
Latitude: 38.62217
Longitude: -83.786

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: ASD
Last Tank Test Date: 07/06/2006
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: UPP
Last Pipe Test Date: 04/30/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Interstitial Monitor
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Line Tightness Test
Decode For Preltdsuc: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MURPHY OIL USA INC 6927 (Continued)

U003919471

Decode For Plekdetcod: Manual Line Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: Xerxes
Decode For Pmancd: UPP Petrotechnik
Subject Item ID: 2
Tank Status: TAC
Installation Date: 04/30/2003
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: ASD
Last Tank Test Date: 07/06/2006
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: UPP
Last Pipe Test Date: 04/30/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprd: Not Applicable
Decode For Treldetcod: Interstitial Monitor
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcod: Line Tightness Test
Decode For Preldetsuc: None
Decode For Plekdetcod: Manual Line Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Uni Gas
Decode For Tmancd: Xerxes
Decode For Pmancd: UPP Petrotechnik
Subject Item ID: 2
Tank Status: TAC
Installation Date: 04/30/2003
Closed In Place Date: Not reported
Capacity in Gallons: 8000
Compartment Number: 2
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MURPHY OIL USA INC 6927 (Continued)

U003919471

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: XER
Tank Overfill Protection: ASD
Last Tank Test Date: 07/06/2006
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: UPP
Last Pipe Test Date: 04/30/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Double Wall Fiberglass
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Interstitial Monitor
Decode For Tintprcd: Not Applicable
Decode For Tspjprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Flexible Wall
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldecd: Line Tightness Test
Decode For Preldecsuc: None
Decode For Plekdecd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Xerxes
Decode For Pmancd: UPP Petrotechnik
Subject Item ID: 1
Tank Status: TAC
Installation Date: 04/30/2003
Closed In Place Date: Not reported
Capacity in Gallons: 20000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

P66 **MURPHY OIL USA INC 6927**
SE **239 WALMART WAY**
1/2-1 **MAYSVILLE, KY 41056**
0.919 mi.
4851 ft. **Site 2 of 6 in cluster P**

FINDS **1015963666**
N/A

Relative:
Lower

FINDS:

Registry ID: 110045136447

Actual:
881 ft.

Environmental Interest/Information System
STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

P67 **WAL-MART SUPERCENTER #1569**
SE **240 WAL-MART WAY**
1/2-1 **MAYSVILLE, KY 41056**
0.923 mi.
4876 ft. **Site 3 of 6 in cluster P**

RCRA-CESQG **1007989755**
KYR000041715

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 09/12/2013

Facility name: WAL-MART SUPERCENTER #1569

Facility address: 240 WAL-MART WAY
MAYSVILLE, KY 41056

EPA ID: KYR000041715

Mailing address: PO BOX 8041
BENTONVILLE, AR 72712

Contact: CHRIS STEWART

Contact address: PO BOX 8041
BENTONVILLE, AR 72712

Contact country: US

Contact telephone: (479) 204-0402

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: NA

Owner/operator address: Not reported

Not reported

Owner/operator country: US

Owner/operator telephone: Not reported

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 10/04/2004

Owner/Op end date: Not reported

Owner/operator name: WAL-MART STORES EAST LP

Owner/operator address: P.O. BOX 8041
BENTONVILLE, AR 72712

Owner/operator country: US

Owner/operator telephone: (479) 204-2231

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 10/04/2004

Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D016
. Waste name: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

. Waste code: D018
. Waste name: BENZENE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D024

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste name:	M-CRESOL
. Waste code:	D026
. Waste name:	CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	D043
. Waste name:	VINYL CHLORIDE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P075
. Waste name:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
. Waste code:	U002
. Waste name:	2-PROPANONE (I) (OR) ACETONE (I)
. Waste code:	U034
. Waste name:	ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
. Waste code:	U035
. Waste name:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
. Waste code:	U044
. Waste name:	CHLOROFORM (OR) METHANE, TRICHLORO-
. Waste code:	U058
. Waste name:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
. Waste code:	U072
. Waste name:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
. Waste code:	U080
. Waste name:	METHANE, DICHLORO- (OR) METHYLENE CHLORIDE
. Waste code:	U122
. Waste name:	FORMALDEHYDE
. Waste code:	U129
. Waste name:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
. Waste code:	U132
. Waste name:	HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

- . Waste code: U134
- . Waste name: HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)

- . Waste code: U150
- . Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

- . Waste code: U154
- . Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)

- . Waste code: U159
- . Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

- . Waste code: U165
- . Waste name: NAPHTHALENE

- . Waste code: U182
- . Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE

- . Waste code: U188
- . Waste name: PHENOL

- . Waste code: U200
- . Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

- . Waste code: U201
- . Waste name: 1,3-BENZENEDIOL (OR) RESORCINOL

- . Waste code: U205
- . Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

- . Waste code: U210
- . Waste name: ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE

- . Waste code: U249
- . Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS

- . Waste code: U279
- . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE

- . Waste code: U409
- . Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL

- . Waste code: U411
- . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Historical Generators:

Date form received by agency: 09/14/2012
Site name: WAL-MART SUPERCENTER #1569
Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE

- . Waste code: D002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste name:	CORROSIVE WASTE
. Waste code:	D004
. Waste name:	ARSENIC
. Waste code:	D005
. Waste name:	BARIUM
. Waste code:	D006
. Waste name:	CADMIUM
. Waste code:	D007
. Waste name:	CHROMIUM
. Waste code:	D008
. Waste name:	LEAD
. Waste code:	D009
. Waste name:	MERCURY
. Waste code:	D010
. Waste name:	SELENIUM
. Waste code:	D011
. Waste name:	SILVER
. Waste code:	D016
. Waste name:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
. Waste code:	D018
. Waste name:	BENZENE
. Waste code:	D022
. Waste name:	CHLOROFORM
. Waste code:	D024
. Waste name:	M-CRESOL
. Waste code:	D026
. Waste name:	CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P075
. Waste name:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-(S)-, &

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

SALTS

- . Waste code: U002
- . Waste name: 2-PROPANONE (I) (OR) ACETONE (I)
- . Waste code: U034
- . Waste name: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
- . Waste code: U035
- . Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
- . Waste code: U058
- . Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
- . Waste code: U072
- . Waste name: BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
- . Waste code: U080
- . Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE
- . Waste code: U122
- . Waste name: FORMALDEHYDE
- . Waste code: U129
- . Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
- . Waste code: U132
- . Waste name: HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
- . Waste code: U150
- . Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN
- . Waste code: U154
- . Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)
- . Waste code: U159
- . Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)
- . Waste code: U165
- . Waste name: NAPHTHALENE
- . Waste code: U182
- . Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE
- . Waste code: U188
- . Waste name: PHENOL
- . Waste code: U200
- . Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-
- . Waste code: U205
- . Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

- . Waste code: U240
- . Waste name: 2,4-D, SALTS & ESTERS (OR) ACETIC ACID, (2,4-DICHLOROPHENOXY)-, SALTS & ESTERS (OR) DICHLOROPHENOXYACETIC ACID 2,4-D
- . Waste code: U249
- . Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
- . Waste code: U279
- . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE
- . Waste code: U409
- . Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL
- . Waste code: U411
- . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Date form received by agency: 09/13/2011

Site name: WAL-MART SUPERCENTER #1569

Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE
- . Waste code: D004
- . Waste name: ARSENIC
- . Waste code: D005
- . Waste name: BARIUM
- . Waste code: D006
- . Waste name: CADMIUM
- . Waste code: D007
- . Waste name: CHROMIUM
- . Waste code: D008
- . Waste name: LEAD
- . Waste code: D009
- . Waste name: MERCURY
- . Waste code: D010
- . Waste name: SELENIUM
- . Waste code: D011
- . Waste name: SILVER
- . Waste code: D016
- . Waste name: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
- . Waste code: D018
- . Waste name: BENZENE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste code:	D022
. Waste name:	CHLOROFORM
. Waste code:	D024
. Waste name:	M-CRESOL
. Waste code:	D026
. Waste name:	CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P075
. Waste name:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
. Waste code:	U002
. Waste name:	2-PROPANONE (I) (OR) ACETONE (I)
. Waste code:	U034
. Waste name:	ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
. Waste code:	U035
. Waste name:	BENZENE BUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
. Waste code:	U058
. Waste name:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
. Waste code:	U072
. Waste name:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
. Waste code:	U080
. Waste name:	METHANE, DICHLORO- (OR) METHYLENE CHLORIDE
. Waste code:	U122
. Waste name:	FORMALDEHYDE
. Waste code:	U129
. Waste name:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
. Waste code:	U132
. Waste name:	HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
. Waste code:	U150

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

- . Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN
- . Waste code: U154
- . Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)
- . Waste code: U159
- . Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)
- . Waste code: U165
- . Waste name: NAPHTHALENE
- . Waste code: U182
- . Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE
- . Waste code: U188
- . Waste name: PHENOL
- . Waste code: U200
- . Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-
- . Waste code: U205
- . Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)
- . Waste code: U248
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYL-BUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS
- . Waste code: U249
- . Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
- . Waste code: U279
- . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE
- . Waste code: U409
- . Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL
- . Waste code: U411
- . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Date form received by agency: 02/18/2011

Site name: WAL-MART SUPERCENTER #1569

Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE
- . Waste code: D004
- . Waste name: ARSENIC
- . Waste code: D005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste name:	BARIUM
. Waste code:	D006
. Waste name:	CADMIUM
. Waste code:	D007
. Waste name:	CHROMIUM
. Waste code:	D008
. Waste name:	LEAD
. Waste code:	D009
. Waste name:	MERCURY
. Waste code:	D010
. Waste name:	SELENIUM
. Waste code:	D011
. Waste name:	SILVER
. Waste code:	D016
. Waste name:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
. Waste code:	D018
. Waste name:	BENZENE
. Waste code:	D022
. Waste name:	CHLOROFORM
. Waste code:	D024
. Waste name:	M-CRESOL
. Waste code:	D026
. Waste name:	CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P075
. Waste name:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
. Waste code:	U002
. Waste name:	2-PROPANONE (I) (OR) ACETONE (I)
. Waste code:	U034

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste name: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

. Waste code: U035

. Waste name: BENZENE BUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

. Waste code: U058

. Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

. Waste code: U072

. Waste name: BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE

. Waste code: U080

. Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

. Waste code: U122

. Waste name: FORMALDEHYDE

. Waste code: U129

. Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

. Waste code: U132

. Waste name: HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-

. Waste code: U150

. Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

. Waste code: U154

. Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)

. Waste code: U159

. Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

. Waste code: U165

. Waste name: NAPHTHALENE

. Waste code: U182

. Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE

. Waste code: U188

. Waste name: PHENOL

. Waste code: U200

. Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

. Waste code: U205

. Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

. Waste code: U248

. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYL-BUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS

. Waste code: U249

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

- . Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
- . Waste code: U279
- . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE
- . Waste code: U409
- . Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL
- . Waste code: U411
- . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Date form received by agency: 10/25/2010

Site name: WAL-MART SUPERCENTER #1569

Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE
- . Waste code: D004
- . Waste name: ARSENIC
- . Waste code: D005
- . Waste name: BARIUM
- . Waste code: D006
- . Waste name: CADMIUM
- . Waste code: D007
- . Waste name: CHROMIUM
- . Waste code: D008
- . Waste name: LEAD
- . Waste code: D009
- . Waste name: MERCURY
- . Waste code: D010
- . Waste name: SELENIUM
- . Waste code: D011
- . Waste name: SILVER
- . Waste code: D016
- . Waste name: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
- . Waste code: D018
- . Waste name: BENZENE
- . Waste code: D022
- . Waste name: CHLOROFORM
- . Waste code: D024
- . Waste name: M-CRESOL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste code:	D026
. Waste name:	CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P046
. Waste name:	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE (OR) BENZENEETHANAMINE, ALPHA, ALPHA-DIMETHYL-
. Waste code:	P075
. Waste name:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
. Waste code:	U002
. Waste name:	2-PROPANONE (I) (OR) ACETONE (I)
. Waste code:	U034
. Waste name:	ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
. Waste code:	U035
. Waste name:	BENZENE BUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
. Waste code:	U058
. Waste name:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
. Waste code:	U072
. Waste name:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
. Waste code:	U080
. Waste name:	METHANE, DICHLORO- (OR) METHYLENE CHLORIDE
. Waste code:	U122
. Waste name:	FORMALDEHYDE
. Waste code:	U129
. Waste name:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
. Waste code:	U132
. Waste name:	HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
. Waste code:	U150
. Waste name:	L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

- . Waste code: U154
 - . Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)

 - . Waste code: U159
 - . Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

 - . Waste code: U165
 - . Waste name: NAPHTHALENE

 - . Waste code: U182
 - . Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE

 - . Waste code: U188
 - . Waste name: PHENOL

 - . Waste code: U200
 - . Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

 - . Waste code: U205
 - . Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

 - . Waste code: U249
 - . Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS

 - . Waste code: U279
 - . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE

 - . Waste code: U409
 - . Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL

 - . Waste code: U411
 - . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR
- Date form received by agency: 12/10/2009
- Site name: WAL-MART SUPERCENTER #1569
- Classification: Conditionally Exempt Small Quantity Generator
-
- . Waste code: D001
 - . Waste name: IGNITABLE WASTE

 - . Waste code: D002
 - . Waste name: CORROSIVE WASTE

 - . Waste code: D004
 - . Waste name: ARSENIC

 - . Waste code: D005
 - . Waste name: BARIUM

 - . Waste code: D006
 - . Waste name: CADMIUM

 - . Waste code: D007
 - . Waste name: CHROMIUM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste code:	D008
. Waste name:	LEAD
. Waste code:	D009
. Waste name:	MERCURY
. Waste code:	D011
. Waste name:	SILVER
. Waste code:	D016
. Waste name:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
. Waste code:	D018
. Waste name:	BENZENE
. Waste code:	D022
. Waste name:	CHLOROFORM
. Waste code:	D026
. Waste name:	CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P046
. Waste name:	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE (OR) BENZENEETHANAMINE, ALPHA, ALPHA-DIMETHYL-
. Waste code:	U002
. Waste name:	2-PROPANONE (I) (OR) ACETONE (I)
. Waste code:	U072
. Waste name:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
. Waste code:	U080
. Waste name:	METHANE, DICHLORO- (OR) METHYLENE CHLORIDE
. Waste code:	U154
. Waste name:	METHANOL (I) (OR) METHYL ALCOHOL (I)
. Waste code:	U159
. Waste name:	2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)
. Waste code:	U165
. Waste name:	NAPHTHALENE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

. Waste code: U249
. Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS

. Waste code: U279
. Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE

. Waste code: U409
. Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL
ESTER (OR) THIOPHANATE-METHYL

. Waste code: U411
. Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Date form received by agency: 11/26/2008

Site name: WAL-MART SUPERCENTER #1569

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D011
. Waste name: SILVER

. Waste code: D016
. Waste name: 2,4-D (2,4-DICHLOROPHOXYACETIC ACID)

. Waste code: D018
. Waste name: BENZENE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D026
. Waste name: CRESOL

. Waste code: D027
. Waste name: 1,4-DICHLOROBENZENE

. Waste code: D035

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WAL-MART SUPERCENTER #1569 (Continued)

1007989755

- . Waste name: METHYL ETHYL KETONE
- . Waste code: D039
- . Waste name: TETRACHLOROETHYLENE
- . Waste code: U002
- . Waste name: 2-PROPANONE (I) (OR) ACETONE (I)
- . Waste code: U080
- . Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE
- . Waste code: U154
- . Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)
- . Waste code: U159
- . Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)
- . Waste code: U165
- . Waste name: NAPHTHALENE
- . Waste code: U249
- . Waste name: ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
- . Waste code: U279
- . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE
- . Waste code: U409
- . Waste name: CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL
- . Waste code: U411
- . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Date form received by agency: 10/04/2004

Site name: WAL-MART SUPERCENTER #1569

Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D011
- . Waste name: SILVER

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 10/19/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

P68 **WAL-MART SUPERCENTER #1569**
SE **240 WAL-MART WAY**
1/2-1 **MAYSVILLE, KY 41056**
0.923 mi.
4876 ft. **Site 4 of 6 in cluster P**

FINDS **1008001548**
N/A

Relative: **FINDS:**
Lower

Registry ID: 110020741802

Actual:
884 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

P69 **WAL-MART**
SE **240 WAL-MART WAY**
1/2-1 **MAYSVILLE, KY 41056**
0.923 mi.
4876 ft. **Site 5 of 6 in cluster P**

SWRCY **S110042186**
N/A

Relative:
Lower

SWRCY:

Facility Type: AUTOMOTIVE SERVICE
Contact Name: Not reported
Contact Name2: Not reported
Contact Phone: (606) 759-5040
Contact Phone2: Not reported
Serves: STATE
Function: DROPOFF, OTHER
Material Accepted: Batteries; Used Oil
Notes: Not reported

P70
SE
1/2-1 **MAYSVILLE, KY**
0.968 mi.
5112 ft. **Site 6 of 6 in cluster P**

SPILLS **S117074834**
N/A

Relative:
Lower

SPILLS:

Facility Status: Env. Closed
Incident Type: SILTATION/SEDIMENTATION
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 11/13/2003
Report Date: 11/13/04 13:00
Dispatch Description: Ongoing construction site adjacent to the newly constructed Wal-Mart. Over 1acre of excavation. No SW measures being installed at the location.
Source Name: DEVILLE DEVELOPMENTS; Harris Day Architects; Endris Engineering; Trace Creek Construction
Source Address: Wal-Mart Supercenter along AA Hwy in Maysville.
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Wastewater

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117074834

Inc ID: 177735
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 2/18/2004 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.62075
Longitude: -83.78516

Facility Status: Env. Closed
Incident Type: SILTATION/SEDIMENTATION
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 11/13/2003
Report Date: 11/13/04 13:00
Dispatch Description: Ongoing construction site adjacent to the newly constructed Wal-Mart.
Over 1acre of excavation. No SW measures being installed at the location.

Source Name: DEVILLE DEVELOPMENTS; Harris Day Architects; Endris Engineering; Trace Creek Construction

Source Address: Wal-Mart Supercenter along AA Hwy in Maysville.

Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Wastewater

Inc ID: 177735
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 2/18/2004 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.62075
Longitude: -83.78516

Facility Status: Env. Closed
Incident Type: SILTATION/SEDIMENTATION
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 11/13/2003
Report Date: 11/13/04 13:00
Dispatch Description: Ongoing construction site adjacent to the newly constructed Wal-Mart.
Over 1acre of excavation. No SW measures being installed at the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117074834

location.
Source Name: DEVILLE DEVELOPMENTS; Harris Day Architects; Endris Engineering; Trace
Creek Construction
Source Address: Wal-Mart Supercenter along AA Hwy in Maysville.
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Wastewater
Inc ID: 177735
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 2/18/2004 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.62075
Longitude: -83.78516

Facility Status: Env. Closed
Incident Type: SILTATION/SEDIMENTATION
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 11/13/2003
Report Date: 11/13/04 13:00
Dispatch Description: Ongoing construction site adjacent to the newly constructed Wal-Mart.
Over 1acre of excavation. No SW measures being installed at the
location.
Source Name: DEVILLE DEVELOPMENTS; Harris Day Architects; Endris Engineering; Trace
Creek Construction
Source Address: Wal-Mart Supercenter along AA Hwy in Maysville.
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Wastewater
Inc ID: 177735
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 2/18/2004 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.62075
Longitude: -83.78516

Map ID
Direction
Distance
Elevation

MAP FINDINGS

71
SW
1/2-1
0.993 mi.
5241 ft.

MASON CO STATE MAINTENANCE GARAGE
734 CLARKS RUN RD
WASHINGTON, KY 41096

FINDS 1015875739
N/A

Relative:
Lower

FINDS:

Registry ID: 110045093536

Actual:
895 ft.

Environmental Interest/Information System
STATE MASTER

72
NE
> 1
1.042 mi.
5501 ft.

HILLTOP FORD INC
US 68 S
MAYSVILLE, KY 41056

UST U003555329
N/A

Relative:
Lower

UST:

Facility Name: HILLTOP FORD INC
Sequence Id: 44081
Facility ID: 67673
Owner Name: Hilltop Ford
Owner Address: US 68 S
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Actual:
890 ft.

Inert Material Code: Not reported
Removed Date: 01/01/1988
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Prior to 1988
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Trelatcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HILLTOP FORD INC (Continued)

U003555329

Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Predetcod: Unknown
Decode For Predetsuc: Unknown
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TR8
Installation Date: 01/01/1965
Closed In Place Date: Not reported
Capacity in Gallons: 400
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 01/01/1988
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Prior to 1988
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Unknown
Decode For Treldetcod: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Predetcod: Unknown
Decode For Predetsuc: Unknown
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Oil
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TR8
Installation Date: 01/01/1965
Closed In Place Date: Not reported
Capacity in Gallons: 400

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HILLTOP FORD INC (Continued)

U003555329

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

73
SSW
> 1
1.061 mi.
5604 ft.

KENTUCKY DEPARTMENT OF HIGHWAYS MAINT GA
CLARKS RUN ROAD
WASHINGTON, KY 41096

FINDS 1016268970
N/A

Relative:
Higher

FINDS:

Registry ID: 110008357367

Actual:
925 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Q74
SW
> 1
1.155 mi.
6098 ft.

MASON CO ELEMENTARY SCHOOL
720 CLARKS RUN RD
MAYSVILLE, KY 41056

FINDS 1015899886
N/A

Relative:
Lower

FINDS:

Registry ID: 110045056069

Actual:
880 ft.

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Q75 **MASON CO ELEMENTARY SCHOOL**
SW **720 CLARKS RUN RD**
> 1 **MASON (County), KY 41056**
1.155 mi.
6098 ft. **Site 2 of 2 in cluster Q**

Database(s) EDR ID Number
EPA ID Number

NPDES **S117570623**
N/A

Relative:
Lower

Actual:
880 ft.

NPDES:

Federal Facility ID: Not reported
Facility Status: Terminated
KY DES #: KYR10H484
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 03/27/2015
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1541
Lat/Long: 38.62058 / -83.815789
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 027
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: Not reported
Contact Telephone: Not reported
Mailing Address: PO Box 797
Mailing Address 2: Not reported
Mailing City,St,Zip: Frankfort, KY 40602
Permit Issued: 06/13/2013
Permit Expires: 07/31/2014
SIC Code Description: Industrial Buildings And Warehouses
Reveiving Waters: NOT NAMED
Major/Minor: Minor
Effective Date: 06/13/2013
Affiliation Type Desc: PMA
Organization Formal Name: Mason Co Elementary School
Facility Type Desc: Not reported
State Facility ID: 49501
Original Issue Date: 06/13/2013
Approved For Electronic DMR Submission: No

Federal Facility ID: Not reported
Facility Status: Terminated
KY DES #: KYR10H484
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 03/27/2015
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1541
Lat/Long: 38.62058 / -83.815789
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 027
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO ELEMENTARY SCHOOL (Continued)

S117570623

DMR Contact: Not reported
Contact Telephone: Not reported
Mailing Address: Not reported
Mailing Address 2: Not reported
Mailing City, St, Zip: Not reported
Permit Issued: 06/13/2013
Permit Expires: 07/31/2014
SIC Code Description: Industrial Buildings And Warehouses
Reveiving Waters: NOT NAMED
Major/Minor: Minor
Effective Date: 06/13/2013
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: 49501
Original Issue Date: 06/13/2013
Approved For Electronic DMR Submission: No

R76
WNW
> 1
1.161 mi.
6128 ft.

EMERSON POWER TRANSMISSION CORP.
1118 PROGRESS WAY
MAYSVILLE, KY 41056

RCRA NonGen / NLR

1010784452
KYR000047324

Site 1 of 8 in cluster R

Relative:
Higher

RCRA NonGen / NLR:

Date form received by agency: 09/04/2013

Facility name: EMERSON POWER TRANSMISSION CORP.

Facility address: 1118 PROGRESS WAY
MAYSVILLE, KY 41056

EPA ID: KYR000047324

Mailing address: PROGRESS WAY
MAYSVILLE, KY 41056

Contact: BRADLY GLITZ
Contact address: PROGRESS WAY
MAYSVILLE, KY 41056

Contact country: US
Contact telephone: (606) 564-2010
Contact email: Not reported

EPA Region: 04
Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: EMERSON ELECTRIC CO.
Owner/operator address: WEST FLORISSANT AVE.
ST. LOUIS, MO 63136

Owner/operator country: US
Owner/operator telephone: (314) 553-1953
Legal status: Private

Owner/Operator Type: Owner
Owner/Op start date: 01/01/2008
Owner/Op end date: Not reported

Owner/operator name: EMERSON POWER TRANSMISSION
Owner/operator address: Not reported
Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 02/14/2008
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 07/23/2012

Site name: EMERSON POWER TRANSMISSION CORP.

Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 02/28/2012

Site name: EMERSON POWER TRANSMISSION CORP.

Classification: Large Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE WASTE

. Waste code: D002

. Waste name: CORROSIVE WASTE

. Waste code: D035

. Waste name: METHYL ETHYL KETONE

. Waste code: F003

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 02/06/2012

Site name: EMERSON POWER TRANSMISSION CORP.

Classification: Small Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE WASTE

. Waste code: D002

. Waste name: CORROSIVE WASTE

. Waste code: D035

. Waste name: METHYL ETHYL KETONE

. Waste code: F003

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 07/28/2011

Site name: EMERSON INDUSTRIAL AUTOMATION - POWER TRANSMISSION SOLUTIONS

Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 08/12/2010

Site name: EMERSON INDUSTRIAL AUTOMATION - POWER TRANSMISSION SOLUTIONS

Classification: Large Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 04/09/2010

Site name: EMERSON INDUSTRIAL AUTOMATION - POWER TRANSMISSION SOLUTIONS

Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

Date form received by agency: 09/09/2009

Site name: EMERSON INDUSTRIAL AUTOMATION - POWER TRANSMISSION SOLUTIONS

Classification: Small Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE WASTE

. Waste code: D002

. Waste name: CORROSIVE WASTE

. Waste code: D035

. Waste name: METHYL ETHYL KETONE

. Waste code: F003

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 06/05/2009

Site name: EMERSON POWER TRANSMISSION- MAYSVILLE BEARINGS OPERATION

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE WASTE

. Waste code: D002

. Waste name: CORROSIVE WASTE

. Waste code: D035

. Waste name: METHYL ETHYL KETONE

. Waste code: F003

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 02/05/2009

Site name: EMERSON POWER TRANSMISSION- MAYSVILLE BEARINGS OPERATION

Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 09/29/2008

Site name: EMERSON POWER TRANSMISSION- MAYSVILLE BEARINGS OPERATION

Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE
- . Waste code: D002
- . Waste name: CORROSIVE WASTE
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 02/14/2008

Site name: EMERSON POWER TRANSMISSION- MAYSVILLE BEARINGS OPERATION

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE WASTE

. Waste code: D002

. Waste name: CORROSIVE WASTE

. Waste code: D035

. Waste name: METHYL ETHYL KETONE

Biennial Reports:

Last Biennial Reporting Year: 2013

Annual Waste Handled:

Waste code: D001

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Amount (Lbs): 10078

Waste code: D002

Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Amount (Lbs): 10264

Waste code: F003

Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Amount (Lbs): 123

Facility Has Received Notices of Violations:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION CORP. (Continued)

1010784452

Regulation violated: Not reported
Area of violation: TSD IS-General Facility Standards
Date violation determined: 04/27/2010
Date achieved compliance: 05/06/2010
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/27/2010
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 05/01/2013
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/22/2012
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/22/2011
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/24/2010
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: TSD IS-General Facility Standards
Date achieved compliance: 05/06/2010
Evaluation lead agency: State

Evaluation date: 04/27/2010
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-General Facility Standards
Date achieved compliance: 05/06/2010
Evaluation lead agency: State

Evaluation date: 01/15/2010
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

R77 **EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS**
WNW **1118 PROGRESS WAY**
> 1 **MAYSVILLE, KY 41056**
1.161 mi.
6128 ft. **Site 2 of 8 in cluster R**

SHWS **S108984611**
AIRS **N/A**

Relative:
Higher

Actual:
909 ft.

SHWS:

Facility Id: 11557
Status: **Closed**
Description: Offsite impact--pond
Closure Date: 01/24/2011
Longitude: -83.8157
Latitude: 38.638884
Subject Item County: Mason
Sub Item Longitude: -83.8151
Sub Item Latitude: 38.63923
Subject Item Address: 1118 Progress Way
Subject Item Address2: Not reported
Subject Item City,St,Zip: Maysville, KY 41056
Regulatory Desc: Petroleum Cleanup
Closure Option: Option C Restored
Side SG: EcoCool release

AIRS:

Facility: 2116100042
Alt Facility Name: Emerson Power Transmission - Maysville Bearings Operations
Alt Facility End Date: 01/14/2014
Contact Name: Russell Blankenship
Contact Addr: 101 Sealmaster Ln
City: Morehead (Rowan)
State: KY
Zip: 40351
Phone: 606-780-2105
Daq contact fax: Not reported
Daq contact email: russ.blankenship@emerson.com
Emps: 80
Plant Class Descr.: X; Minor/All PTE <all major source thrsh
Principal Product: bearings
Acreage: 1.00
Latitude/Longitude: 38.64 / -83.82
SIC: 3562
SIC Desc: Ball and Roller Bearings
NAIC: 332991
NAIC Desc: Ball and Roller Bearing Manufacturing
AI Id: 11557
AI Start Date: 06/19/2002
AI End Date: Not reported
DAQ AI Type: MFG- Elec Equip, Appliance, & Component Mfg (335)
DAQ Reg Comment: Not reported
Mailing Address Line 2: Not reported
Mailing Address Line 3: Not reported
SCC: 10500106, 30900198, 30990003, 38500101, 39000699, 39999992, 39999995
State Plant Class Code: X000
Inspector Assigned AI: Jeff Watson
Last Inspection Lead: Jeff Watson
Last Inspection Date: 02/12/2014
Air Programs: 0-SIP Source
Air Subparts: Not Applicable

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

R78 **EPT CUTTING FLUID SPILL**
WNW **1118 PROGRESS WAY**
> 1 **MAYSVILLE, KY 41056**
1.161 mi.
6128 ft. **Site 3 of 8 in cluster R**

FINDS **1012129766**
N/A

Relative: **FINDS:**
Higher

Registry ID: 110039147679

Actual:
909 ft.

Environmental Interest/Information System

CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System) is the Superfund database that is used to support management in all phases of the Superfund program. The system contains information on all aspects of hazardous waste sites, including an inventory of sites, planned and actual site activities, and financial information.

R79 **EPT CUTTING FLUID SPILL**
WNW **1118 PROGRESS WAY**
> 1 **MAYSVILLE, KY**
1.161 mi.
6128 ft. **Site 4 of 8 in cluster R**

CERCLIS **1012209821**
KYN000410430

Relative:
Higher

CERCLIS:

Site ID: 0410430
EPA ID: KYN000410430
Facility County: Not reported
Short Name: EPT CUTTING FLUID SPILL
Congressional District: Not reported
IFMS ID: Not reported
SMSA Number: Not reported
USGC Hydro Unit: Not reported
Federal Facility: Not a Federal Facility
DMNSN Number: 0.00000
Site Orphan Flag: Not reported
RCRA ID: Not reported
USGS Quadrangle: Not reported
Site Init By Prog: S
NFRAP Flag: Not reported
Parent ID: Not reported
RST Code: Not reported
EPA Region: 04
Classification: Not reported
Site Settings Code: Not reported
NPL Status: Not on the NPL
DMNSN Unit Code: Not reported
RBRAC Code: Not reported
RResp Fed Agency Code: Not reported
Non NPL Status: Removal Only Site (No Site Assessment Work Needed)
Non NPL Status Date: 01/06/10
Site Fips Code: Not reported
CC Concurrence Date: / /
CC Concurrence FY: Not reported
Alias EPA ID: Not reported
Site FUDS Flag: Not reported

Alias Comments: Not reported
Site Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EPT CUTTING FLUID SPILL (Continued)

1012209821

CERCLIS Assessment History:

Action Code: 001
Action: POTENTIALLY RESPONSIBLE PARTY EMERGENCY REMOVAL
Date Started: 07/01/09
Date Completed: 07/07/09
Priority Level: Cleaned up
Operable Unit: SITEWIDE
Primary Responsibility: Responsible Party
Planning Status: Primary
Urgency Indicator: Emergency
Action Anomaly: Not reported

R80
WNW
> 1
1.161 mi.
6128 ft.

Relative:
Higher

Actual:
909 ft.

EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS
1118 PROGRESS WAY
MAYSVILLE, KY 41056

Site 5 of 8 in cluster R

FINDS 1010718265
N/A

FINDS:

Registry ID: 110033626805

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

HAZARDOUS WASTE BIENNIAL REPORTER

STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS (Continued)
AIR MINOR

1010718265

R81
WNW
> 1
1.161 mi.
6128 ft.

1118 PROGRESS WAY
MAYSVILLE, KY
Site 6 of 8 in cluster R

ERNS 2009910967
N/A

Relative:
Higher

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

Actual:
909 ft.
R82
WNW
> 1
1.161 mi.
6128 ft.

1118 PROGRESS WAY
MAYSVILLE, KY
Site 7 of 8 in cluster R

ERNS 2008910967
N/A

Relative:
Higher

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

Actual:
909 ft.
83
WNW
> 1
1.162 mi.
6133 ft.

TECHNOTRIM
1125 PROGRESS WAY
MAYSVILLE, KY 41056

RCRA-CESQG 1000243165
FINDS KYD981805385

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 07/21/1995

Facility name: TECHNOTRIM

Facility address: 1125 PROGRESS WAY
MAYSVILLE, KY 41056

EPA ID: KYD981805385

Mailing address: PROGRESS WAY
MAYSVILLE, KY 41056

Contact: JAY KALB

Contact address: 1125 PROGRESS WAY
MAYSVILLE, KY 41056

Contact country: US

Contact telephone: (606) 759-7181

Contact email: Not reported

EPA Region: 04

Land type: Municipal

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHNOTRIM (Continued)

1000243165

the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: TECHNOTRIM
Owner/operator address: 1125 PROGRESS WAY
MAYSVILLE, KY 41056
Owner/operator country: Not reported
Owner/operator telephone: (606) 759-7181
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Facility Has Received Notices of Violations:

Regulation violated: SS - krs224.46-580
Area of violation: Generators - General
Date violation determined: 07/30/1991
Date achieved compliance: 10/09/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/27/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SS - KRS 224:876
Area of violation: Generators - General
Date violation determined: 03/01/1991
Date achieved compliance: 03/11/1991

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHNOTRIM (Continued)

1000243165

Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/01/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SS - KRS 224:876
Area of violation: Generators - General
Date violation determined: 03/01/1991
Date achieved compliance: 03/11/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 03/01/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 35:040
Area of violation: Generators - Records/Reporting
Date violation determined: 03/01/1991
Date achieved compliance: 07/12/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/24/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 07/30/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 10/09/1991
Evaluation lead agency: State

Evaluation date: 07/12/1991
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Generators - Records/Reporting
Date achieved compliance: 07/12/1991
Evaluation lead agency: State

Evaluation date: 06/24/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 07/12/1991
Evaluation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHNOTRIM (Continued)

1000243165

Evaluation date: 06/12/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/11/1991
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Generators - General
Date achieved compliance: 03/11/1991
Evaluation lead agency: State

Evaluation date: 01/30/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 03/11/1991
Evaluation lead agency: State

FINDS:

Registry ID: 110003231547

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

84
WNW
> 1
1.162 mi.
6134 ft.

WINSTON S MORRIS JR RESIDENCE
MORTONS LN
MAYSVILLE, KY 41056

FINDS 1015821074
N/A

Relative:
Higher

FINDS:

Registry ID: 110045055774

Actual:
915 ft.

Environmental Interest/Information System
STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

85
NW
> 1
1.178 mi.
6221 ft.

MAYSVILLE, KY

SPILLS S117080572
N/A

Relative:
Lower

Actual:
889 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: ILLEGAL DISPOSAL (NOT OPEN DUMP); NON-PERMITTED DISCHARGE; SOIL CONTAMINATION
Program Code: Not reported
Received By Staff: Glancy, Karen
Received Date: 08/10/2004
Report Date: 8/10/04 9:55
Dispatch Description: Illegal Disposal. Waste oil, antifreeze, & shop fluids are poured into a drain in the shop. Old waste oil tanks were improperly closed. Buried cars. Concerns about asbestos.
Source Name: Hilltop Ford
Source Address: Hilltop Ford910 US 68
Substances: Ethylene Glycol, Gasoline
Other Substances Desc: Not reported
Media Impacted: Env Protection
Inc ID: 184245
Lead Invest Person ID: 9468
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Routine
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.64150
Longitude: -83.81397

86
WNW
> 1
1.181 mi.
6235 ft.

TRW AUTOMOTIVE AFTERMARKET
1151 MORTON LANE
MAYSVILLE, KY 41056

RCRA NonGen / NLR 1000102849
FINDS KYD981806631

Relative:
Lower

Actual:
894 ft.

RCRA NonGen / NLR:

Date form received by agency: 08/10/1995
Facility name: TRW AUTOMOTIVE AFTERMARKET
Facility address: 1151 MORTON LANE
MAYSVILLE, KY 41056
EPA ID: KYD981806631
Mailing address: MORTON LANE
MAYSVILLE, KY 41056
Contact: TONY HAMLEY
Contact address: 1151 MORTON LANE
MAYSVILLE, KY 41056
Contact country: US
Contact telephone: (606) 759-4242
Contact email: Not reported
EPA Region: 04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRW AUTOMOTIVE AFTERMARKET (Continued)

1000102849

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TRW INC.
Owner/operator address: 1151 MORTON LANE
MAYSVILLE, KY 41056
Owner/operator country: Not reported
Owner/operator telephone: (606) 759-4242
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

FINDS:

Registry ID: 110003232261

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

	Site	Database(s)	EDR ID Number EPA ID Number
R87 WNW > 1 1.188 mi. 6271 ft.	EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS 1118 PROGRESS WAY MAYSVILLE, KY Site 8 of 8 in cluster R	RGA HWS	S115711589 N/A
Relative: Higher	RGA HWS: 2012 EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS 1118 PROGRESS WAY 2011 EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS 1118 PROGRESS WAY 2010 EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS 1118 PROGRESS WAY 2009 EMERSON POWER TRANSMISSION - MAYSVILLE BEARINGS OPERATIONS 1118 PROGRESS WAY		
Actual: 910 ft.			
S88 WSW > 1 1.190 mi. 6281 ft.	MASON COUNTY SCHOOLS 725 CLARKS RUN ROAD MAYSVILLE, KY 41056 Site 1 of 2 in cluster S	FINDS	1016392443 N/A
Relative: Higher	FINDS: Registry ID: 110055261513		
Actual: 901 ft.	Environmental Interest/Information System ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.		
89 WNW > 1 1.223 mi. 6455 ft.	1072 PROGRESS WAY MAYSVILLE, KY 41056	EDR Hist Auto	1015145018 N/A
Relative: Higher	EDR Historical Auto Stations: Name: FEDERAL-MOGUL AUTOMOTIVE AFTERMARKET DIVISION Year: 2001 Address: 1072 PROGRESS WAY		
Actual: 923 ft.			

Map ID
Direction
Distance
Elevation

MAP FINDINGS

S90
WSW
> 1
1.223 mi.
6458 ft.
Site 2 of 2 in cluster S

Relative:
Lower

Actual:
896 ft.

FINDS:

Registry ID: 110009960239

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FINDS **1005592118**
N/A

Database(s)

EDR ID Number
EPA ID Number

91
WSW
> 1
1.261 mi.
6660 ft.

Relative:
Higher

Actual:
913 ft.

NPDES:

Federal Facility ID: Not reported
Facility Status: ACTIVE
KY DES #: KYG500106
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: Not reported
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 4173
Lat/Long: +3837210 / -08348570
Lat/Long Method: U
USGS Hydrologic Basin Code: 05090201
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: 0521
Basin Code Description: OR/OHIO R-MAIN STEM
DMR Contact: CHIEF DISTRICT ENGINEER
Contact Telephone: 6068452551
Mailing Address: KY DEPT OF HWYS DISTRICT 9
Mailing Address 2: PO BOX 347 ELIZAVILLE RD
Mailing City,St,Zip: FLEMINGSBURG, KY 41041
Permit Issued: 01/24/2003
Permit Expires: 03/31/2008
SIC Code Description: BUS TERMINAL & SERVICE FACILIT
Reveiving Waters: LAWRENCE CRK
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported

NPDES **S107865759**
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KTC MASON CO MAINT GARAGE (Continued)

S107865759

Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

92
NNE
> 1
1.288 mi.
6801 ft.

Relative:
Lower

Actual:
883 ft.

JERSEY RIDGE RD AMRP
JERSEY RIDGE RD
MAYSVILLE, KY 41056

FINDS **1016409368**
N/A

FINDS:

Registry ID: 110055490794

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

93
NW
> 1
1.359 mi.
7176 ft.

Relative:
Lower

Actual:
860 ft.

SPURLOCK (KENTON) - FLEMINGSBURG 138 KV TRANSMISSION LINE NO
KY 9
MORANBURG, KY 41056

FINDS **1015818365**
N/A

FINDS:

Registry ID: 110045023390

Environmental Interest/Information System
STATE MASTER

94
WNW
> 1
1.424 mi.
7519 ft.

Relative:
Higher

Actual:
907 ft.

NEW CINGULAR WIRELESS PCS LLC - GOLF MANOR
1304 GOLF MANOR DR
MAYSVILLE, KY 41056

AIRS **S113882332**
N/A

AIRS:

Facility: 2116100049
Alt Facility Name: New Cingular Wireless PCS LLC - Golf Manor
Alt Facility End Date: Not reported
Contact Name: Ms. Barbara Walden
Contact Addr: 2600 Camino Ramon RM 3E45OZ
City: San Ramon
State: CA
Zip: 94583
Phone: 925-327-2532
Daq contact fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW CINGULAR WIRELESS PCS LLC - GOLF MANOR (Continued)

S113882332

Daq contact email: bw2989@att.com
Emps: 1
Plant Class Descr.: R; Registered Source
Principal Product: Communications
Acreage: 1.00
Latitude/Longitude: 38.64 / -83.82
SIC: 4812
SIC Desc: Radiotelephone Communication
NAIC: 517210
NAIC Desc: Wireless Telecommunications Carriers (except Satellite)
AI Id: 119907
AI Start Date: 08/30/2013
AI End Date: Not reported
DAQ AI Type: INFO-Telecommunications (517)
DAQ Reg Comment: Not reported
Mailing Address Line 2: Not reported
Mailing Address Line 3: Not reported
SCC: 20100102
State Plant Class Code: R000
Inspector Assigned AI: Ira Griffith
Last Inspection Lead: Ira Griffith
Last Inspection Date: 09/08/2015
Air Programs: 0-SIP Source; 9-NSPS; G-Area Source MACT
Air Subparts: Not Applicable; 9-III-Compression Ignition Int. Comb Eng;
G-ZZZZ-Recipro. Int. Comb Engine (RICE)

95
North
> 1
1.439 mi.
7599 ft.

**CITY OF MAYSVILLE CSOS
JERSEY RIDGE RD
MAYSVILLE, KY 41056**

**FINDS 1017402125
N/A**

**Relative:
Lower**

FINDS:

Registry ID: 110063019406

**Actual:
885 ft.**

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

	Site	Database(s)	EDR ID Number EPA ID Number
T96 SSW > 1 1.456 mi. 7686 ft.	KYTC PCE 10-1038 KYTC ITEM # 9 US 68 MAYSVILLE, KY 41056 Site 1 of 3 in cluster T	FINDS	1014717612 N/A
Relative: Higher	FINDS:		
Actual: 908 ft.	Registry ID: 110042323704 Environmental Interest/Information System US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.		
T97 SSW > 1 1.456 mi. 7686 ft.	EXCESS MATERIAL C SITE 1 US 68 MAYSVILLE, KY 41056 Site 2 of 3 in cluster T	FINDS	1014718958 N/A
Relative: Higher	FINDS:		
Actual: 908 ft.	Registry ID: 110043174828 Environmental Interest/Information System US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.		
T98 SSW > 1 1.465 mi. 7733 ft.	2328 US HIGHWAY 68 MAYSVILLE, KY 41056 Site 3 of 3 in cluster T	EDR Hist Auto	1015347927 N/A
Relative: Higher	EDR Historical Auto Stations:		
Actual: 912 ft.	Name: SUPERIOR TRANSMISSIONS Year: 2009 Address: 2328 US HIGHWAY 68		

Map ID
Direction
Distance
Elevation

MAP FINDINGS

99
ENE
> 1
1.513 mi.
7989 ft.

Relative:
Lower

Actual:
836 ft.

US 62 ASPHALT PAVEMENT REHAB
US 62
CYNTHIANA, KY 41031

FINDS:

Registry ID: 110063703363

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FINDS **1017742235**
N/A

Database(s)

EDR ID Number
EPA ID Number

U100
SE
> 1
1.517 mi.
8011 ft.

Relative:
Higher

Actual:
926 ft.

LOWE'S OF MAYSVILLE
314 E MAPLE LEAF RD
MAYSVILLE, KY 41056
Site 1 of 3 in cluster U

NPDES:

Federal Facility ID: Not reported
Facility Status: INACTIVE
KY DES #: KYR108182
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 11/13/2008
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1611
Lat/Long: Not reported
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: Not reported
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: MICHAEL MILLER
Contact Telephone: 6305487500
Mailing Address: MICHAEL MILLER
Mailing Address 2: 1605 CURTIS BRIDGE RD
Mailing City,St,Zip: WILKESBORO, NC 28697
Permit Issued: 05/25/2007
Permit Expires: 09/30/2007
SIC Code Description: HWY & ST CONST., EXC. ELEV HWY
Reveiving Waters: Not reported
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported

NPDES **S108902933**
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOWE'S OF MAYSVILLE (Continued)

S108902933

Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

U101
SE
> 1
1.517 mi.
8011 ft.

LOWE'S OF MAYSVILLE #2497
314 EAST MAPLE LEAF ROAD
MAYSVILLE, KY 41056

RCRA-CESQG

1010564236
KYR000046938

Site 2 of 3 in cluster U

Relative:
Higher

Actual:
926 ft.

RCRA-CESQG:

Date form received by agency: 10/04/2007

Facility name: LOWE'S OF MAYSVILLE #2497

Facility address: 314 EAST MAPLE LEAF ROAD
MAYSVILLE, KY 41056

EPA ID: KYR000046938

Mailing address: P.O. BOX 1000-LPMO
MOORESVILLE, NC 28115

Contact: ROB GASS

Contact address: P.O. BOX 1000-LPMO
MOORESVILLE, NC 28115

Contact country: US

Contact telephone: 704-758-6033

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: LOWE'S HOME CENTERS INC

Owner/operator address: CURTIS BRIDGE ROAD
WILKESBORO, NC 28697

Owner/operator country: US

Owner/operator telephone: 336-658-4000

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 03/13/2007

Owner/Op end date: Not reported

Owner/operator name: LOWES

Owner/operator address: Not reported
Not reported

Owner/operator country: Not reported

Owner/operator telephone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOWE'S OF MAYSVILLE #2497 (Continued)

1010564236

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 10/04/2007
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D006
. Waste name: CADMIUM

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 05/04/2015
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/24/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

U102
SE
> 1
1.517 mi.
8011 ft.

LOWE'S OF MAYSVILLE #2497
314 EAST MAPLE LEAF ROAD
MAYSVILLE, KY 41056

Relative:
Higher

Actual:
926 ft.

Site 3 of 3 in cluster U

FINDS:

Registry ID: 110032667861

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource

FINDS **1010499671**
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOWE'S OF MAYSVILLE #2497 (Continued)

1010499671

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

103
SSE
> 1
1.530 mi.
8076 ft.

EARL JONES DAIRY FARM
6253 KY 11
MAYSVILLE, KY 41056

FINDS **1015848692**
N/A

Relative:
Higher

FINDS:

Registry ID: 110045213755

Actual:
922 ft.

Environmental Interest/Information System
STATE MASTER

104
SE
> 1
1.531 mi.
8084 ft.

MAYSVILLE, KY

SPILLS **S111458921**
N/A

Relative:
Higher

SPILLS:

Facility Status: Env. Closed
Incident Type: ILLEGAL DISPOSAL (NOT OPEN DUMP); SOIL CONTAMINATION; STREAM DEGRADATION; FLOODPLAIN

Actual:
923 ft.

Program Code: Not reported
Received By Staff: Maze, Rodney
Received Date: 02/07/2012
Report Date: 1/25/2012 11:53:50 AM
Dispatch Description: Oil and fuel being drained onto ground when tanks are being removed from vehicles.
Source Name: Tommy Henderson-Maysville Auto Mart; AA Automart (Tommy Henderson, Owner)
Source Address: Maysville Auto Mart on AAMay just be called Auto Mart
Substances: Best Management Practices, Gasoline, Oil and Grease
Other Substances Desc: Not reported
Media Impacted: Solid Waste
Inc ID: 2342516
Lead Invest Person ID: 9470
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 2/7/2012
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S111458921

MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.61548
Longitude: -83.77697

Facility Status: Env. Closed
Incident Type: ILLEGAL DISPOSAL (NOT OPEN DUMP); SOIL CONTAMINATION; STREAM
DEGRADATION; FLOODPLAIN

Program Code: Not reported
Received By Staff: Maze, Rodney
Received Date: 02/07/2012
Report Date: 1/25/2012 11:53:50 AM
Dispatch Description: Oil and fuel being drained onto ground when tanks are being removed
from vehicles.

Source Name: Tommy Henderson-Maysville Auto Mart; AA Automart (Tommy Henderson,
Owner)

Source Address: Maysville Auto Mart on AAMay just be called Auto Mart
Substances: Best Management Practices, Gasoline, Oil and Grease
Other Substances Desc: Not reported
Media Impacted: Solid Waste
Inc ID: 2342516
Lead Invest Person ID: 9470
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 2/7/2012
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.61548
Longitude: -83.77697

105
SE
> 1
1.538 mi.
8120 ft.

MAYSVILLE, KY

SPILLS S117071928
N/A

Relative:
Lower

Actual:
876 ft.

SPILLS:
Facility Status: Env. Closed
Incident Type: EROSION; STREAM DEGRADATION

Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 11/13/2004
Report Date: 11/13/03 10:21
Dispatch Description: Excavated ground is causing sediment runoff to the stream.
Source Name: Mr. Boyd Sexton
Source Address: On Mapleleaf Road behind the YMCA.
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Water Quality
Inc ID: 174351

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117071928

Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 12/6/2004 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.61911
Longitude: -83.77269

106
SSW
> 1
1.557 mi.
8223 ft.

ASHLAND PETROLEUM CO 380-006
603 DUKE OF YORK ST
WASHINGTON, KY 41096

RCRA NonGen / NLR 1001025212
FINDS KYR000001701

Relative:
Higher

RCRA NonGen / NLR:

Date form received by agency: 03/05/1996
Facility name: ASHLAND PETROLEUM CO 380-006
Facility address: 603 DUKE OF YORK ST
WASHINGTON, KY 41096
EPA ID: KYR000001701
Mailing address: P.O. BOX 391
ASHLAND, KY 41114
Contact: J. H. SMITH
Contact address: P.O. BOX 391
ASHLAND, KY 41114
Contact country: US
Contact telephone: (606) 329-5384
Contact email: Not reported
EPA Region: 04
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ASHLAND PETROLEUM CO.
Owner/operator address: P.O. BOX 391
ASHLAND, KY 41114
Owner/operator country: Not reported
Owner/operator telephone: (606) 329-5384
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ASHLAND PETROLEUM CO 380-006 (Continued)

1001025212

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

FINDS:

Registry ID: 110008368202

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

V107
SSW
> 1
1.558 mi.
8228 ft.

**WASHINGTON 1ST STOP NO 35
603 DUKE OF YORK ST WASHINGTON
MAYSVILLE, KY 41056**

**UST U003416080
N/A**

Site 1 of 3 in cluster V

**Relative:
Higher**

UST:

Facility Name: WASHINGTON 1ST STOP NO 35
Sequence Id: 7509081
Facility ID: 59375
Owner Name: Cantrells 1st Stop Inc
Owner Address: PO Box 175
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Winchester, OH 45697
Internal Document ID: 0
Latitude: 38.61158908
Longitude: -83.80984783

**Actual:
917 ft.**

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WASHINGTON 1ST STOP NO 35 (Continued)

U003416080

Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: AMR
Last Pipe Test Date: 02/17/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Line Tightness Test
Decode For Preldetsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-PRM-Prem Unl Gas
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Ameron
Subject Item ID: 6
Tank Status: TAC
Installation Date: 10/07/2002
Closed In Place Date: Not reported
Capacity in Gallons: 8000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: FRP
Tank Overfill Protection: FLR
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: AMR
Last Pipe Test Date: 02/17/2014
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Active
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WASHINGTON 1ST STOP NO 35 (Continued)

U003416080

Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Flow Restrictor
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preditcd: Line Tightness Test
Decode For Preditcsuc: None
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Fiberglass Manufacturer Unknown
Decode For Pmancd: Ameron
Subject Item ID: 5
Tank Status: TAC
Installation Date: 10/07/2002
Closed In Place Date: Not reported
Capacity in Gallons: 12000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 09/24/2002
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: NA
Last Contained Date: 09/22/2002
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Steel Mix
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Suction
Decode For Preditcd: Automatic Line Leak Detector
Decode For Preditcsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Kerosene
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WASHINGTON 1ST STOP NO 35 (Continued)

U003416080

Tank Status: TRM
Installation Date: 01/01/1966
Closed In Place Date: 09/22/2002
Capacity in Gallons: 2000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 09/24/2002
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: 09/22/2002
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Steel Mix
Decode For Textcrpcd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprvcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Automatic Line Leak Detector
Decode For Preldetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 3

Tank Status: TRM
Installation Date: 01/01/1966
Closed In Place Date: 09/22/2002
Capacity in Gallons: 4000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 09/24/2002
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WASHINGTON 1ST STOP NO 35 (Continued)

U003416080

Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: 09/22/2002
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Steel Mix
Decode For Textcrpcd: Not Applicable
Decode For Treltdetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preltdetcd: Automatic Line Leak Detector
Decode For Preltdetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1966
Closed In Place Date: 09/22/2002
Capacity in Gallons: 4000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 09/24/2002
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: 09/22/2002
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WASHINGTON 1ST STOP NO 35 (Continued)

U003416080

Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Steel Mix
Decode For Textcrprd: Not Applicable
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Interior Lining
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Fiberglass Reinforced Plastic
Decode For Pextcoprcd: Not Applicable
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Automatic Line Leak Detector
Decode For Preldetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: GAS-UNL-Reg Unl Gas
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1966
Closed In Place Date: 09/22/2002
Capacity in Gallons: 4000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

W108 KTC NH 546-2 (9)
SE MAYSVILLE-PORTSMOUTH RD
> 1 UNKNOWN, KY 00000
1.562 mi.
8246 ft. Site 1 of 2 in cluster W

NPDES S108082061
N/A

Relative:
Lower

Actual:
896 ft.

NPDES:
Federal Facility ID: Not reported
Facility Status: INACTIVE
KY DES #: KYR100607
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 10/19/2010
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1611
Lat/Long: +3836530 / -08346380
Lat/Long Method: A
USGS Hydrologic Basin Code: 05090201
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: J B SACKSTEDER
Contact Telephone: 5025643280
Mailing Address: DIV OF CONSTRUCTION
Mailing Address 2: STATE OFFICE BLDG FOURTH FL
Mailing City,St,Zip: FRANKFORT, KY 40622
Permit Issued: 07/01/2009
Permit Expires: 07/31/2014
SIC Code Description: HWY & ST CONST., EXC. ELEV HWY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KTC NH 546-2 (9) (Continued)

S108082061

Reveiving Waters: LAWRENCE CRK
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

V109 **WASHINGTON NO 484**
SSW **OLD RTE 68**
> 1 **WASHINGTON, KY 41096**
1.574 mi.
8313 ft. **Site 2 of 3 in cluster V**

UST **U001181367**
 N/A

Relative:
Higher

Actual:
935 ft.

UST:
Facility Name: WASHINGTON NO 484
Sequence Id: 2753081
Facility ID: 59337
Owner Name: Verizon Communications
Owner Address: 4100 N Roxboro Rd
Owner Address2: PO Box 1412
Owner Address3: Not reported
Owner City,St,Zip: Durham, NC 27704
Internal Document ID: 0
Latitude: 38.611662
Longitude: -83.80916

Inert Material Code: Not reported
Removed Date: 11/02/1998
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Fiberglass Reinforced
Decode For Textcprcd: Not Applicable
Decode For Treldecod: None
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Unknown
Decode For Pextcprcd: Unknown
Decode For Ptypecode: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WASHINGTON NO 484 (Continued)

U001181367

Decode For Preditcod: Unknown
Decode For Preditcsuc: Unknown
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1987
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

W110 WALMART SUPERCENTER #1569-01
SE 360 E MARTIN LUTHER KING HWY
> 1 MAYSVILLE, KY 41056
1.586 mi.
8375 ft. Site 2 of 2 in cluster W

NPDES S108901701
N/A

Relative:
Lower

Actual:
897 ft.

NPDES:

Federal Facility ID: Not reported
Facility Status: INACTIVE
KY DES #: KYR104932
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: 12/08/2003
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 8741
Lat/Long: Not reported
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: Not reported
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: BLAINE S CORRELL JR
Contact Telephone: 6066797900
Mailing Address: CORRELL CONSTRUCTION CORP
Mailing Address 2: 445 S HWY 27
Mailing City,St,Zip: SOMERSET, KY 42501
Permit Issued: 09/13/2002
Permit Expires: 09/30/2007
SIC Code Description: MANAGEMENT SERVICES
Reveiving Waters: LAWRENCE CRK
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

Federal Facility ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WALMART SUPERCENTER #1569-01 (Continued)

S108901701

Facility Status: INACTIVE
KY DES #: KYR105717
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: (AA HWY)
Inactive Date: 10/19/2010
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 1542
Lat/Long: Not reported
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: Not reported
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: K SCOTT GRAHAM
Contact Telephone: 4237521302
Mailing Address: DBS CORP
Mailing Address 2: 506 BROAD ST
Mailing City,St,Zip: CHATTANOOGA, TN 37402
Permit Issued: 07/01/2009
Permit Expires: 07/31/2014
SIC Code Description: GEN CONTRACT, NON-RES BLDGS.
Reveiving Waters: LAWRENCE CRK
Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

111
SE
> 1
1.593 mi.
8409 ft.

MAYSVILLE, KY

SPILLS S117116951
N/A

Relative:
Lower

Actual:
895 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: AIR RELEASE, OTHER
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 06/15/2007
Report Date: 6/15/07 10:20
Dispatch Description: Sewer odor from pumping station. Cannot sit outside most evenings because the odor is so bad. Not sure that the design and piping are adequate for the amount of homes in subdivision.
Source Name: Maysville WWTP (AI ID: 3017)
Source Address: AA Highway to Maysville (68). Turn left at the light towards Washington. 3rd red light (62) turn right. 1+ miles. Cedarwood is on the left side of street.
Substances: Sewage
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 2260629

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117116951

Lead Invest Person ID: 9646
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3017 CIV20070002
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.61519
Longitude: -83.77569

V112 59375 - 1ST STOP NO 35
SSW 603 DUKE OF YORK ST WASHINGTON
> 1 MAYSVILLE, KY 41056
1.593 mi.
8411 ft. Site 3 of 3 in cluster V

FINDS 1014888175
N/A

Relative:
Higher

FINDS:

Registry ID: 110043837872

Actual:
925 ft.

Environmental Interest/Information System
LEAKING UNDERGROUND STORAGE TANK - ARRA

113
East
> 1
1.596 mi.
8425 ft.

MAYSVILLE, KY

SPILLS S114012815
N/A

Relative:
Lower

SPILLS:

Facility Status: Env. Closed
Incident Type: FACILITY SPILL
Program Code: Not reported
Received By Staff: Hall, Karen
Received Date: 10/07/2013
Report Date: 10/7/2013 11:26:00 PM
Dispatch Description: CSX reported a spill involving 1 gallon of an Oil/Water mixture onto ballast from a locomotive.
Source Name: CSX Transportation - Mason Co (AI ID: 48423)
Source Address: Railyard at Front Street and Lower Street
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Solid Waste
Inc ID: 2368211
Lead Invest Person ID: 9469
Compliance: No
Notification: Yes
Priority: Routine
Incident End Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S114012815

Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.63497
Longitude: -83.76666

114

NNE

> 1

1.607 mi.

8483 ft.

Relative:
Higher

Actual:
915 ft.

811 JERSEY RIDGE RD
MAYSVILLE, KY 41056

EDR Hist Auto

1015643770

N/A

EDR Historical Auto Stations:

Name: SOUTHGATE QUICK LUBE
Year: 2005
Address: 811 JERSEY RIDGE RD

Name: SOUTHGATE QUICK LUBE
Year: 2006
Address: 811 JERSEY RIDGE RD

115

NW

> 1

1.631 mi.

8614 ft.

Relative:
Lower

Actual:
862 ft.

THOMAS ORR DAIRY FARM
1430 MORTON LN
MAYSVILLE, KY 41056

FINDS

1015820351

N/A

FINDS:

Registry ID: 110045045802

Environmental Interest/Information System
STATE MASTER

116

WNW

> 1

1.673 mi.

8836 ft.

Relative:
Lower

Actual:
897 ft.

HOSPICE OF HOPE INPATIENT CARE CENTER
ROSA DR
MAYSVILLE, KY 41056

FINDS

1014888770

N/A

FINDS:

Registry ID: 110044240684

Environmental Interest/Information System
US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOSPICE OF HOPE INPATIENT CARE CENTER (Continued)

1014888770

States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

STATE MASTER

117
SSW
> 1
1.730 mi.
9132 ft.

COLONIAL HEIGHTS VETERINARY CLIN
US HWY 68
WASHINGTON, KY 41096

UST U000723001
N/A

Relative:
Higher

UST:

Actual:
942 ft.

Facility Name: COLONIAL HEIGHTS VETERINARY CLIN
Sequence Id: 9411081
Facility ID: 68452
Owner Name: Haydon & Boyd Psc
Owner Address: 2338 US 68
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 07/31/1990
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Backlog Regs
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treltdetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preltdetcd: Unknown
Decode For Preltdetsuc: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLONIAL HEIGHTS VETERINARY CLIN (Continued)

U000723001

Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TBL
Installation Date: 01/01/1971
Closed In Place Date: Not reported
Capacity in Gallons: 300
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

118
WNW
> 1
1.756 mi.
9271 ft.

MOREHEAD (ROWAN), KY

SPILLS S117072900
N/A

Relative:
Lower

Actual:
840 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: BYPASS - OTHER
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 12/27/2003
Report Date: 12/27/03 20:00
Dispatch Description: Dry weather bypass along Bratton Branch road across from the Caskey property. Bypasses are from two manholes associated with the Skeens LS.

Source Name: Morehead WWTP (AI ID: 3875)
Source Address: Bratton Branch Rd. Below trademore shopping center along N.Frk Triplett Creek

Substances: Sewage
Other Substances Desc: Not reported
Media Impacted: Wastewater
Inc ID: 175556
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 12/29/2003 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3875 CIV20030002
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.64286
Longitude: -83.82522

Map ID
Direction
Distance
Elevation

MAP FINDINGS

119
NE
> 1
1.825 mi.
9636 ft.

413 E. 3RD ST
MAYSVILLE, KY

ERNS 2011968372
N/A

Relative:
Lower

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

Actual:
568 ft.
120
NE
> 1
1.828 mi.
9652 ft.

510-514 WEST THIRD STREET
MAYSVILLE, KY 41056

DOT OPS 1009648279
N/A

Relative:
Lower

Actual:
588 ft.

DOT OPS:
EDR Type: NATURAL GAS DISTRIBUTION
Report ID: 1820517
Facility name: Not reported
Address: 510-514 WEST THIRD STREET
MAYSVILLE, KY 41056
Latitude: Not reported
Longitude: Not reported
EDR type: NATURAL GAS DISTRIBUTION
Cause of incident: DAMAGE BY OUTSIDE FORCES
Operator code: 2585
Operator name: COLUMBIA GAS OF KENTUCKY INC
Incident address: 510-514 WEST THIRD STREET
MAYSVILLE, KY 41056
Incident county: MASON
Incident congressional district: Not reported
Incident date: 19820324
Detection time: 1110
Stoppage hours: 0
Stoppage minutes: 15
Estimated pressure at incident time: 0.50
Max. allowable operating preassure: 1.00
Part of operation that failed: OTHER
Part of operation other comment: CUS OWNED
Part of system that failed: OTHER
Part of system other comment: Not reported
Year oart installed: 1949
Where leak originated: OTHER
Leak other comment: Not reported
Real nominal pipe diameter: 1.250
Pipe wall thickness (inches): 0.000
Pipe specifications: Not reported
Pipe grade: K
Type of repair done: OTHER REPAIR OR DISPOSITION
Type other comment: Not reported
Length of replaced pipe: 0.00
Component replaced/reconditioned: NO DATA
Component other comment: Not reported
Employee fatalities: 0
Employees injured: 0
Non-empl. fatalities: 0
Non-empl. inured: 0
Did a rupture occur: YES
Did gas ignite: YES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1009648279

Did an explosion occur:	YES
Secondary fires/explosions:	NO
Operator property damage:	0
Structure adjacent to leak:	RESIDENTIAL MULTI-STORY
Structure other comment:	Not reported
Dist. to nearest structure:	2
Underground facility involved:	NO
Underground facility other comment:	Not reported
Any utilities affected:	NO
Dist. of other gas fac. contributing:	0
Dist. of other gas fac. impaired:	0
Dist. of telephone fac. contributing:	0
Dist. of telephone fac. impaired:	0
Dist. of electric fac. contributing:	0
Dist. of electric fac. impaired:	0
Dist. of storm sewer fac. contributing:	0
Dist. of storm sewer fac. impaired:	0
Dist. of other sewer fac. contributing:	0
Dist. of other sewer fac. impaired:	0
Dist. of water fac. contributing:	0
Dist. of water fac. impaired:	0
Dist. of other fac. contributing:	0
Other fac. contributing:	Not reported
Dist. of other fac. impaired:	0
Other facility impaired:	Not reported
Location of leak or failure:	BELOW GROUND
Location other comment:	Not reported
Cover depth:	24
Soil at pipe depth:	SOIL
Soil temperature at soil leak:	000
Report by:	POLICE
Report other comment:	Not reported
Cause of Corrosion:	NO DATA
Cause of Corrosion Other:	Not reported
Coating:	NO DATA
Operator rec prior notification of excavation	NO
Notification Date:	Not reported
Notification Hr:	0
Was pipeline marked:	NO
Type mark:	Not reported
Type mark other:	Not reported
Stat Req mark:	NO
damerthmve:	OTHER
damerthmo:	Not reported
emcoth:	NO
emcothdesc:	Not reported
causlkcons:	Not reported
steel_clas:	NO DATA
Plastic:	NO DATA
plastrein:	NO
castiron:	NO DATA
othmat:	Not reported
initialtest:	Not reported
tstmedinit:	NO DATA
tstmedioth:	Not reported
inittstyr:	0
mintstpres:	0.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1009648279

tmehldpres: 0
presslkini: 0
subseqtst: Not reported
tstmedsubs: NO DATA
tstmsubot: Not reported
subseqtyr: 0
mintstpsub: 0.00
thpresssub: 0
presslksub: 0

121
NNE
> 1
1.830 mi.
9662 ft.

MAYSVILLE READY-MIX CONCRETE CO
844 JERSEY RIDGE RD
MAYSVILLE, KY 41056

UST U002107475
N/A

Relative:
Higher

UST:

Actual:
903 ft.

Facility Name: MAYSVILLE READY-MIX CONCRETE CO
Sequence Id: 1008081
Facility ID: 67005
Owner Name: Maysville Ready Mix Concrete Co Inc
Owner Address: PO Box 250
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 04/18/1995
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: None
Decode For Treldecod: None
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: None
Decode For Ptypecode: Suction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE READY-MIX CONCRETE CO (Continued)

U002107475

Decode For Preditcod: None
Decode For Preditcsuc: None
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1980
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

122
NE
> 1
1.831 mi.
9666 ft.

**FORMER HAYSWOOD HOSPITAL
W 4TH ST
MAYSVILLE, KY 41056**

**FINDS 1015862954
N/A**

**Relative:
Lower**

FINDS:

Registry ID: 110045126831

**Actual:
590 ft.**

Environmental Interest/Information System
STATE MASTER

123
SW
> 1
1.832 mi.
9674 ft.

**MASON CO STATE MAINTENANCE GARAGE
734 CLARKS RUN RD
MAYSVILLE, KY 41056**

**SHWS U001442326
UST N/A**

**Relative:
Higher**

SHWS:

Facility Id: 3011
Status: Closed
Description: Closed Option C Restored 12/29/09
Closure Date: 12/29/2009
Longitude: -83.8158
Latitude: 38.622500
Subject Item County: Mason
Sub Item Longitude: -83.8157
Sub Item Latitude: 38.62295
Subject Item Address: 734 Clarks Run Rd
Subject Item Address2: Not reported
Subject Item City,St,Zip: Maysville, KY 41056
Regulatory Desc: State Superfund
Closure Option: Option C Restored
Side SG: Historical Operations

UST:

Facility Name: MASON CO STATE MAINTENANCE GARAGE
Sequence Id: 832081
Facility ID: 3011

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO STATE MAINTENANCE GARAGE (Continued)

U001442326

Owner Name: KYTC Environmental Analysis
Owner Address: 200 Mero St 5th Fl
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Frankfort, KY 40622
Internal Document ID: 0
Latitude: 38.6225
Longitude: -83.815833

Inert Material Code: Not reported
Removed Date: 05/03/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tspilprvcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 5
Tank Status: TRM
Installation Date: 11/11/1970
Closed In Place Date: Not reported
Capacity in Gallons: 2000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 05/03/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO STATE MAINTENANCE GARAGE (Continued)

U001442326

Tank Mfg Code:	Not reported
Tank Overfill Protection:	UNK
Last Tank Test Date:	Not reported
Relined Date:	Not reported
Lining Insp Date:	Not reported
Pipe Release Detection:	UNK
Pipe Rel Detect Suc Code:	UNK
Pipe Leak Detect Code:	NA
Last Contained Date:	Not reported
Pipe Mfg Code:	Not reported
Last Pipe Test Date:	Not reported
Last CP Test Date:	Not reported
Added To Flex Date:	Not reported
Added To Piping Date:	Not reported
Decode For Tstatus:	Removed Tank Verified
Decode For Inertmatcd:	Not reported
Decode For Tmatcode:	Single Wall Steel
Decode For Textcrprd:	Unknown
Decode For Treldetcd:	None
Decode For Tintprotcd:	Unknown
Decode For Tsplprevcd:	Unknown
Decode For Tovflprvcd:	Unknown
Decode For Pmatcode:	Single Wall Steel
Decode For Pextcoprcd:	Unknown
Decode For Ptypecode:	Unknown
Decode For Preldetcd:	Unknown
Decode For Preldetsuc:	Unknown
Decode For Plekdetcd:	Not Applicable
Decode For Tsubcd:	Gasoline
Decode For Tmancd:	Not reported
Decode For Pmancd:	Not reported
Subject Item ID:	4
Tank Status:	TRM
Installation Date:	11/11/1970
Closed In Place Date:	Not reported
Capacity in Gallons:	1000
Compartment Number:	1
Piping Installation Date:	Not reported
Added To Tank Date:	Not reported
Inert Material Code:	Not reported
Removed Date:	05/03/1994
Change in Service Date:	Not reported
Tank Pit Num:	Not reported
Tank Mfg Code:	Not reported
Tank Overfill Protection:	UNK
Last Tank Test Date:	Not reported
Relined Date:	Not reported
Lining Insp Date:	Not reported
Pipe Release Detection:	UNK
Pipe Rel Detect Suc Code:	UNK
Pipe Leak Detect Code:	NA
Last Contained Date:	Not reported
Pipe Mfg Code:	Not reported
Last Pipe Test Date:	Not reported
Last CP Test Date:	Not reported
Added To Flex Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO STATE MAINTENANCE GARAGE (Continued)

U001442326

Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprpd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Kerosene
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 11/11/1977
Closed In Place Date: Not reported
Capacity in Gallons: 500
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 05/03/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprpd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASON CO STATE MAINTENANCE GARAGE (Continued)

U001442326

Decode For Prcldetsuc: Unknown
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 11/11/1977
Closed In Place Date: Not reported
Capacity in Gallons: 2000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 05/03/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Unknown
Decode For Treltcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Prcldetcd: Unknown
Decode For Prcldetsuc: Unknown
Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 3
Tank Status: TRM
Installation Date: 11/11/1977
Closed In Place Date: Not reported
Capacity in Gallons: 2000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

X124
NE **239 WEST 3RD STREET**
> 1 **MAYSVILLE, KY 41056**
1.859 mi.
9816 ft. **Site 1 of 2 in cluster X**

LEAD **S112263152**
N/A

Relative: KY LEAD:
Lower Facility ID: 1719
Company Or Origin.: Kentucky Lead Poisoning Prevention Program
Actual: Date Received: 10/25/2005
524 ft. KDPH Tracking Number: 41-163-0011
Risk Assessment: TRUE
Lead Inspection: FALSE
Clearance Exam: FALSE
Risk Assessor Name: Susanna Ferguson
Certification Number: 41-163
Reviewed Date: 11/10/2005
Deficiencies: FALSE
Response Date: Not reported
Amendment Rec'd Date: Not reported
Description: Not reported
Comments: Reviewed by A. Maynard

Y125
ENE **HAYSWOOD HOSPITAL**
> 1 **20 WEST 4TH ST.**
1.864 mi. **MAYSVILLE, KY 41056**
9842 ft. **Site 1 of 8 in cluster Y**

BROWNFIELDS **S110293325**
N/A

Relative: BROWNFIELDS:
Lower Acreage: Not reported
Zoning: Not reported
Actual: BF #: 52
572 ft. Latitude: Not reported
Longitude: Not reported
Lat/Long Method: Not reported
Current Use: Vacant
Past Use: Hospital
Market?: N
Marketing Goal: Not reported
Known Contaminant: Not reported
Suspected Contaminant: asbestos, lead, mercury, silver, mold, and PCBs
Investig. Status: Phase I Environmental Site Assessment (All Appropriate Inquiry) underway
Remed Status: Remediation has not begun
Controls?: Not reported
Controls Descr: Not reported
Inv Comments: Being assessed under Brownfield Grant. Had previous investigation by Corps of Engineers.
Remed Comments: Not reported
Contact Relation: Local economic development agency
Contact Company: Not reported
Contact Name: Not reported
Contact Addr 1: 20 West 4th St.
Contact City/State/Zip: Maysville, KY 41056
Contact Phone: Not reported
Contact Email: Not reported
Owner Company: Not reported
Owner Name: Not reported
Owner Addr 1: 20 West 4th St.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

S110293325

Owner City/State/Zip: Maysville, KY 41012
Owner Phone: Not reported
Owner Email: Not reported
Buildings?: No
Water Available: Not reported
Water Provider: Not reported
Wastewater Available: Not reported
Wastewater Provider: Not reported
Gas Available: Not reported
Gas Provider: Not reported
Electricity Available: Not reported
Electricity Provider: Not reported
Broadband Available: Not reported
Broadband Provider: Not reported
Additional Util Comm.: Not reported
Int. Airport: Not reported
Distance Int. Airport: Not reported
Parkway: Not reported
Distance Parkway: Not reported
Loc Airport: Not reported
Distance Loc Airport: Not reported
Railroad: Not reported
Distance Railroad: Not reported
Riverport: Not reported
Distance Riverport: Not reported
Transport Comment: Not reported
Sale/Lease: Not reported
Sale Price: Not reported
Property Photographs: N
Aerial Photographs: N
Property Map: N
Curr Rev Date: 04/05/2010
AI#: Not reported
BF Status: Property accepted for listing only - Verified
Potential Incentives: Not reported
Incentives Used: Not reported
Redevelopment Benefits: Not reported
Agency Comment: Not reported

Y126 HAYSWOOD HOSPITAL
ENE 20 WEST 4TH STREET
> 1 MAYSVILLE, KY 41056

FINDS 1016356062
N/A

1.864 mi.
9842 ft.

Site 2 of 8 in cluster Y

Relative:
Lower

FINDS:

Registry ID: 110041721287

Actual:
572 ft.

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System) is the Superfund database that is used to support management in all phases of the Superfund program. The system contains information on all aspects of hazardous waste sites,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

1016356062

including an inventory of sites, planned and actual site activities,
and financial information.

Y127
ENE
> 1
1.864 mi.
9842 ft.

HAYSWOOD HOSPITAL
20 WEST 4TH STREET
MAYSVILLE, KY 41056

US BROWNFIELDS

1014718183
N/A

Site 3 of 8 in cluster Y

Relative:
Lower

Actual:
572 ft.

US BROWNFIELDS:

Recipient name: Buffalo Trace Area Development District
Grant type: Assessment
Property name: HAYSWOOD HOSPITAL
Property #: Not reported
Parcel size: 1.5
Property Description: The 65,000 sq. ft. building was used as a former hospital which opened in 1915 with additions in the 1920s, 1950s, and 1960s. Hayswood Hospital served the citizens of Maysville until it was replaced in 1983 by a new regional medical center. The property has been through three owners since its closure in 1983.
Latitude: 38.6459315
Longitude: -83.7660062
HCM label: Not reported
Map scale: Not reported
Point of reference: Entrance Point of a Facility or Station
Datum: North American Datum of 1983
ACRES property ID: 111322
Start date: Not reported
Completed date: Not reported
Acres cleaned up: Not reported
Cleanup funding: Not reported
Cleanup funding source: Not reported
Assessment funding: 6002
Assessment funding source: US EPA - Brownfields Assessment Cooperative Agreement
Redevelopment funding: Not reported
Redev. funding source: Not reported
Redev. funding entity name: Not reported
Redevelopment start date: Not reported
Assessment funding entity: EPA
Cleanup funding entity: Not reported
Grant type: H
Accomplishment type: Phase I Environmental Assessment
Accomplishment count: 1
Cooperative agreement #: 95410208
Ownership entity: Private
Current owner: ED Haye, Inc.
Did owner change: N
Cleanup required: Unknown
Video available: No
Photo available: Yes
Institutional controls required: U
IC Category proprietary controls: Not reported
IC cat. info. devices: Not reported
IC cat. gov. controls: Not reported
IC cat. enforcement permit tools: Not reported
IC in place date: Not reported
IC in place: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

1014718183

State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Y
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Not reported
Lead cleaned up:	Not reported
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Not reported
Other metals cleaned:	Not reported
Other contaminants found:	Not reported
Other contaminants found description:	Not reported
PAHs found:	Not reported
PAHs cleaned up:	Not reported
PCBs found:	Not reported
PCBs cleaned up:	Not reported
Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Not reported
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Greenspace acreage and type:	Not reported
Superfund Fed. landowner flag:	N
Arsenic cleaned up:	Not reported
Cadmium cleaned up:	Not reported
Chromium cleaned up:	Not reported
Copper cleaned up:	Not reported
Iron cleaned up:	Not reported
mercury cleaned up:	Not reported
nickel cleaned up:	Not reported
No clean up:	Not reported
Pesticides cleaned up:	Not reported
Selenium cleaned up:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

1014718183

SVOCs cleaned up: Not reported
Unknown clean up: Not reported
Arsenic contaminant found: Not reported
Cadmium contaminant found: Not reported
Chromium contaminant found: Not reported
Copper contaminant found: Not reported
Iron contaminant found: Not reported
Mercury contaminant found: Not reported
Nickel contaminant found: Not reported
No contaminant found: Not reported
Pesticides contaminant found: Not reported
Selenium contaminant found: Not reported
SVOCs contaminant found: Not reported
Unknown contaminant found: Not reported
Future Use: Multistory Not reported
Media affected Bluiding Material: Not reported
Media affected indoor air: Not reported
Building material media cleaned up: Not reported
Indoor air media cleaned up: Not reported
Unknown media cleaned up: Not reported
Past Use: Multistory Not reported

Recipient name: Buffalo Trace Area Development District
Grant type: Assessment
Property name: HAYSWOOD HOSPITAL
Property #: Not reported
Parcel size: 1.5
Property Description: The 65,000 sq. ft. building was used as a former hospital which opened in 1915 with additions in the 1920s, 1950s, and 1960s. Hayswood Hospital served the citizens of Maysville until it was replaced in 1983 by a new regional medical center. The property has been through three owners since its closure in 1983.
Latitude: 38.6459315
Longitude: -83.7660062
HCM label: Not reported
Map scale: Not reported
Point of reference: Entrance Point of a Facility or Station
Datum: North American Datum of 1983
ACRES property ID: 111322
Start date: Not reported
Completed date: Not reported
Acres cleaned up: Not reported
Cleanup funding: Not reported
Cleanup funding source: Not reported
Assessment funding: 41610
Assessment funding source: US EPA - Brownfields Assessment Cooperative Agreement
Redevelopment funding: Not reported
Redev. funding source: Not reported
Redev. funding entity name: Not reported
Redevelopment start date: Not reported
Assessment funding entity: EPA
Cleanup funding entity: Not reported
Grant type: H
Accomplishment type: Phase II Environmental Assessment
Accomplishment count: 0
Cooperative agreement #: 95410208
Ownership entity: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

1014718183

Current owner:	ED Haye, Inc.
Did owner change:	N
Cleanup required:	Unknown
Video available:	No
Photo available:	Yes
Institutional controls required:	U
IC Category proprietary controls:	Not reported
IC cat. info. devices:	Not reported
IC cat. gov. controls:	Not reported
IC cat. enforcement permit tools:	Not reported
IC in place date:	Not reported
IC in place:	No
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Y
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Not reported
Lead cleaned up:	Not reported
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Not reported
Other metals cleaned:	Not reported
Other contaminants found:	Not reported
Other contams found description:	Not reported
PAHs found:	Not reported
PAHs cleaned up:	Not reported
PCBs found:	Not reported
PCBs cleaned up:	Not reported
Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Not reported
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

1014718183

Greenspace acreage and type:	Not reported
Superfund Fed. landowner flag:	N
Arsenic cleaned up:	Not reported
Cadmium cleaned up:	Not reported
Chromium cleaned up:	Not reported
Copper cleaned up:	Not reported
Iron cleaned up:	Not reported
mercury cleaned up:	Not reported
nickel cleaned up:	Not reported
No clean up:	Not reported
Pesticides cleaned up:	Not reported
Selenium cleaned up:	Not reported
SVOCs cleaned up:	Not reported
Unknown clean up:	Not reported
Arsenic contaminant found:	Not reported
Cadmium contaminant found:	Not reported
Chromium contaminant found:	Not reported
Copper contaminant found:	Not reported
Iron contaminant found:	Not reported
Mercury contaminant found:	Not reported
Nickel contaminant found:	Not reported
No contaminant found:	Not reported
Pesticides contaminant found:	Not reported
Selenium contaminant found:	Not reported
SVOCs contaminant found:	Not reported
Unknown contaminant found:	Not reported
Future Use: Multistory	Not reported
Media affected Bluiding Material:	Not reported
Media affected indoor air:	Not reported
Building material media cleaned up:	Not reported
Indoor air media cleaned up:	Not reported
Unknown media cleaned up:	Not reported
Past Use: Multistory	Not reported

128
NE
> 1
1.868 mi.
9865 ft.

110 THIRD ST MAYSVILLE
110 THIRD STREET
MAYSVILLE, KY 41056

SHWS S106886227
N/A

Relative:
Lower

SHWS:

Facility Id:	52953
Status:	Closed
Description:	110 THIRD ST. MAYSVILLE (Closed: Non- Incident)
Closure Date:	08/20/1996
Longitude:	-83.7673
Latitude:	38.647664
Subject Item County:	Mason
Sub Item Longitude:	-83.7676
Sub Item Latitude:	38.64779
Subject Item Address:	110 3rd St
Subject Item Address2:	Not reported
Subject Item City,St,Zip:	Maysville, KY 41056
Regulatory Desc:	Petroleum Cleanup
Closure Option:	Non-Incident
Side SG:	41693

Actual:
534 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

X129
NE **219 1/2 WEST THIRD STREET**
> 1 **MAYSVILLE, KY 41056**
1.870 mi.
9873 ft. **Site 2 of 2 in cluster X**

Relative: KY LEAD:
Lower Facility ID: 711
Company Or Origin.: Environmental Inspections
Actual: Date Received: 11/05/2001
526 ft. KDPH Tracking Number: 41-059-0004
Risk Assessment: TRUE
Lead Inspection: FALSE
Clearance Exam: FALSE
Risk Assessor Name: Steve Rice
Certification Number: 41-059
Reviewed Date: Not reported
Deficiencies: FALSE
Response Date: Not reported
Amendment Rec'd Date: Not reported
Description: Not reported
Comments: Reviewed by Brian Short

Database(s) EDR ID Number
EPA ID Number

LEAD **S107467603**
N/A

130 **ARNOLD DISTRIBUTING CO**
ENE **US 68**
> 1 **MAYSVILLE, KY 41056**
1.870 mi.
9873 ft.

Relative: UST:
Lower Facility Name: ARNOLD DISTRIBUTING CO
Sequence Id: 6238081
Actual: Facility ID: 67963
619 ft. Owner Name: Finch Oil Company Inc
Owner Address: Lexington Rd
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 06/22/1989
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported

UST **U000203850**
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARNOLD DISTRIBUTING CO (Continued)

U000203850

Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1969
Closed In Place Date: Not reported
Capacity in Gallons: 2000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 06/22/1989
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARNOLD DISTRIBUTING CO (Continued)

U000203850

Decode For Plekdetcod: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1969
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Y131
ENE
> 1
1.878 mi.
9914 ft.
FORMER HAYSWOOD HOSPITAL
W 4TH ST
MAYSVILLE, KY 41056
Site 4 of 8 in cluster Y

SHWS **U000807237**
UST **N/A**

Relative:
Lower

Actual:
566 ft.

SHWS:
Facility Id: 67833
Status: **Closed**
Description: Brownfield in Maysville
Closure Date: 08/17/2006
Longitude: -83.7664
Latitude: 38.645910
Subject Item County: Mason
Sub Item Longitude: -83.7664
Sub Item Latitude: 38.64591
Subject Item Address: W 4th St
Subject Item Address2: Not reported
Subject Item City,St,Zip: Maysville, KY 41056
Regulatory Desc: Federal Superfund
Closure Option: Option A No Action Necessary
Side SG: 126341

UST:

Facility Name: FORMER HAYSWOOD HOSPITAL
Sequence Id: 2977081
Facility ID: 67833
Owner Name: Presbyterian Homes and Services of Kentucky Inc
Owner Address: 1030 Alta Vista Rd
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Louisville, KY 40205
Internal Document ID: 0
Latitude: 38.64591
Longitude: -83.76644

Inert Material Code: Not reported
Removed Date: 02/01/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER HAYSWOOD HOSPITAL (Continued)

U000807237

Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: Not reported
Capacity in Gallons: 150
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 02/01/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER HAYSWOOD HOSPITAL (Continued)

U000807237

Decode For Textcrprd: Unknown
Decode For Treldecod: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldecod: Unknown
Decode For Preldecod: Unknown
Decode For Pledetsuc: Unknown
Decode For Plekdecod: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: Not reported
Capacity in Gallons: 5000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Z132 **KENTUCKY UTILITIES**
NE **619 W. 2ND ST**
> 1 **MAYSVILLE, KY 40156**
1.881 mi.
9932 ft. **Site 1 of 7 in cluster Z**

SHWS **S113401928**
N/A

Relative: SHWS:
Lower Facility Id: 117718
Status: **Closed**
Actual: Description: Maysville Manufactured Gas Plant #1
528 ft. Closure Date: 07/18/2013
Longitude: -83.7768
Latitude: 38.657919
Subject Item County: Mason
Sub Item Longitude: -83.7767
Sub Item Latitude: 38.65790
Subject Item Address: 619 W 2nd St
Subject Item Address2: Not reported
Subject Item City,St,Zip: Maysville, KY 40156
Regulatory Desc: Federal Superfund
Closure Option: Option A No Action Necessary
Side SG: Historical Ops

Z133 **BENTLEYS QUICK STOP**
NE **621 W. 2ND STREET**
> 1 **MAYSVILLE, KY 40156**
1.882 mi.
9935 ft. **Site 2 of 7 in cluster Z**

SHWS **S113401954**
N/A

Relative: SHWS:
Lower Facility Id: 59377
Status: **Closed**
Actual: Description: Former Manufactured Gas Plant #2
527 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENTLEYS QUICK STOP (Continued)

S113401954

Closure Date: 09/24/2014
Longitude: Not reported
Latitude: Not reported
Subject Item County: Mason
Sub Item Longitude: -83.7777
Sub Item Latitude: 38.65906
Subject Item Address: Blue Run Rd
Subject Item Address2: Not reported
Subject Item City, St, Zip: Maysville, KY 41056
Regulatory Desc: Federal Superfund
Closure Option: Option A No Action Necessary
Side SG: Historical Ops

Z134
NE
> 1
1.883 mi.
9940 ft.

625 W 2ND ST
MAYSVILLE, KY 41056
Site 3 of 7 in cluster Z

EDR Hist Auto

1015582064
N/A

Relative:
Lower

Actual:
526 ft.

EDR Historical Auto Stations:
Name: WORTHINGTON COLLISION
Year: 2003
Address: 625 W 2ND ST

Name: WORTHINGTON COLLISION
Year: 2004
Address: 625 W 2ND ST

Y135
ENE
> 1
1.884 mi.
9946 ft.

HAYSWOOD HOSPITAL
FOURTH & MARKET STREET
MAYSVILLE, KY 41056
Site 5 of 8 in cluster Y

RCRA NonGen / NLR

1000518789
KYD985087642

Relative:
Lower

Actual:
562 ft.

RCRA NonGen / NLR:
Date form received by agency: 12/10/1992
Facility name: HAYSWOOD HOSPITAL
Facility address: FOURTH & MARKET STREET
MAYSVILLE, KY 41056
EPA ID: KYD985087642
Mailing address: WEST SECOND STREET
MAYSVILLE, KY 41056
Contact: SUSETTE BLEVINS
Contact address: 137 WEST SECOND STREET
MAYSVILLE, KY 41056
Contact country: US
Contact telephone: (606) 564-3495
Contact email: Not reported
EPA Region: 04
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PRESBYTERIAN HOMES & SERVICES OF KY.
Owner/operator address: 2116 BUECHEL BANK ROAD
MAYSVILLE, KY 40218

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAYSWOOD HOSPITAL (Continued)

1000518789

Owner/operator country: Not reported
Owner/operator telephone: (606) 564-3495
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: NONE
. Waste name: None

Historical Generators:

Date form received by agency: 03/01/1992
Site name: HAYSWOOD HOSPITAL
Classification: Large Quantity Generator

Violation Status: No violations found

Y136 **MAYSVILLE/HAYSWOOD HOSPITAL**
ENE **FOURTH & MARKET STREET**
> 1 **MAYSVILLE, KY 41056**

FINDS **1016269528**
N/A

1.884 mi.
9947 ft.

Site 6 of 8 in cluster Y

Relative:
Lower

FINDS:

Registry ID: 110008365027

Actual:
562 ft.

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)
is an federal online database for Brownfields Grantees to
electronically submit data directly to EPA.

RCRAInfo is a national information system that supports the Resource
Conservation and Recovery Act (RCRA) program through the tracking of
events and activities related to facilities that generate, transport,
and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA
program staff to track the notification, permit, compliance, and
corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Z137 **HARPER OIL PRODUCTS INC**
NE **635 W 2ND ST**
> 1 **MAYSVILLE, KY 41056**
1.887 mi.
9962 ft. **Site 4 of 7 in cluster Z**

Database(s) EDR ID Number
EPA ID Number

UST **U004114513**
 N/A

Relative:
Lower

UST:

Actual:
528 ft.

Facility Name: HARPER OIL PRODUCTS INC
Sequence Id: 9415081
Facility ID: 3001
Owner Name: Harper Properties Inc
Owner Address: PO Box 6325
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Florence, KY 41022
Internal Document ID: 0
Latitude: 38.659972
Longitude: -83.777674

Inert Material Code: Not reported
Removed Date: 11/01/1988
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Prior to 1988
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Kerosene
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 4
Tank Status: TR8
Installation Date: 01/01/1956
Closed In Place Date: Not reported
Capacity in Gallons: 550

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARPER OIL PRODUCTS INC (Continued)

U004114513

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 11/01/1988
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Prior to 1988
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treltdetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preltdetcd: Unknown
Decode For Preltdetsuc: Unknown
Decode For Plekdtdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 6
Tank Status: TR8
Installation Date: 01/01/1976
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 10/18/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARPER OIL PRODUCTS INC (Continued)

U004114513

Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldecod: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldecod: Unknown
Decode For Preldecod: Unknown
Decode For Pledetsuc: Unknown
Decode For Pledetsuc: Not Applicable
Decode For Tsubcd: Oil
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 5
Tank Status: TRM
Installation Date: 01/01/1976
Closed In Place Date: Not reported
Capacity in Gallons: 550
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Z138 HARPER OIL PRODUCTS INC
NE 635 W 2ND ST
> 1 MAYSVILLE, KY 41056
1.887 mi.
9962 ft.

FINDS 1004506875
N/A

Relative:
Lower

FINDS:

Registry ID: 110006749714

Actual:
528 ft.

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARPER OIL PRODUCTS INC (Continued)

1004506875

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

STATE MASTER

AIR MINOR

Z139 **HARPER OIL PRODUCTS INC**
NE **635 W 2ND ST**
> 1 **MAYSVILLE, KY 41056**
1.887 mi.
9962 ft. **Site 6 of 7 in cluster Z**

SPILLS **S108909491**
AIRS **N/A**
NPDES

Relative:
Lower

Actual:
528 ft.

SPILLS:

Facility Status: Referred to Program
Incident Type: FACILITY SPILL
Program Code: Not reported
Received By Staff: Lovitt, Ron
Received Date: 02/21/2012
Report Date: 2/21/2012 3:51:48 PM
Dispatch Description: Petroleum (off-road kerosene) detected in soil borings. Facility is a bulk plant. They are re-routing piping during construction.
Source Name: Harper Oil Products Inc (AI ID: 3001)
Source Address: 635 W 2nd St
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Solid Waste
Inc ID: 2343594
Lead Invest Person ID: 22594
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.66916
Longitude: -83.78250

AIRS:

Facility: 2116100004
Alt Facility Name: Bobby Harper Dist
Alt Facility End Date: Not reported
Contact Name: Mr. Billy Denton
Contact Addr: KY 8

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARPER OIL PRODUCTS INC (Continued)

S108909491

City: Maysville
State: KY
Zip: 41056
Phone: 502-637-1421
Daq contact fax: Not reported
Daq contact email: harperoil@maysvilleky.net
Emps: 5
Plant Class Descr.: X; Minor/All PTE <all major source thrsh
Principal Product: OIL MARKET
Acreage: 0.20
Latitude/Longitude: 38.66 / -83.78
SIC: 5171
SIC Desc: Petroleum Bulk Stations and Terminals
NAIC: 424710
NAIC Desc: Petroleum Bulk Stations and Terminals
AI Id: 3001
AI Start Date: 06/19/2002
AI End Date: Not reported
DAQ AI Type: WHOLESALE-Nondur Goods, Bulk Distn Stations (4247)
DAQ Reg Comment: Not reported
Mailing Address Line 2: Not reported
Mailing Address Line 3: Not reported
SCC: 40301001, 40301008, 40301017, 40301018, 40714697, 40714698
State Plant Class Code: X000
Inspector Assigned AI: Jeff Watson
Last Inspection Lead: Jeff Watson
Last Inspection Date: 12/03/2014
Air Programs: 0-SIP Source
Air Subparts: Not Applicable

NPDES:

Federal Facility ID: Not reported
Facility Status: ACTIVE
KY DES #: KY0091359
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: Not reported
Design Capacity: Not reported
Fee Category: NPIND
SIC Code: 5171
Lat/Long: +3840090 / -08346570
Lat/Long Method: A
USGS Hydrologic Basin Code: 05090201
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: 0521
Basin Code Description: OR/OHIO R-MAIN STEM
DMR Contact: B STEPHEN HARPER
Contact Telephone: 8592831001
Mailing Address: LARRY D HARPER, VP
Mailing Address 2: PO BOX 6325
Mailing City,St,Zip: FLORENCE, KY 41022
Permit Issued: 04/24/2009
Permit Expires: 05/31/2014
SIC Code Description: PETROLEUM BULK STATIONS & TERM
Reveiving Waters: OHIO RIVER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARPER OIL PRODUCTS INC (Continued)

S108909491

Major/Minor: MINOR
Effective Date: Not reported
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: Not reported
Original Issue Date: Not reported
Approved For Electronic DMR Submission: Not reported

Z140 HARPER OIL PRODUCTS INC
NE 635 W 2ND ST
> 1 MASON (County), KY 41056
1.887 mi.
9962 ft. Site 7 of 7 in cluster Z

NPDES S117568515
N/A

Relative:
Lower

Actual:
528 ft.

NPDES:

Federal Facility ID: Not reported
Facility Status: Effective
KY DES #: KYR003959
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: Not reported
Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 5172
Lat/Long: 38.659972 / -83.777674
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 021
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: B. Stephen Harper
Contact Telephone: 859-283-1001
Mailing Address: 7975 KY Dr
Mailing Address 2: Not reported
Mailing City, St, Zip: Florence, KY 41042
Permit Issued: 06/05/2014
Permit Expires: 05/31/2018
SIC Code Description: Petroleum Products
Reveiving Waters: Not reported
Major/Minor: Minor
Effective Date: 07/01/2014
Affiliation Type Desc: PMA
Organization Formal Name: Harper Oil Products Inc
Facility Type Desc: Not reported
State Facility ID: 3001
Original Issue Date: 06/05/2014
Approved For Electronic DMR Submission: Yes

Federal Facility ID: Not reported
Facility Status: Effective
KY DES #: KYR003959
Total App# Design Flow (MGD): Not reported
Horizontal Collect Method Desc: Not reported
Facility Addr 2: Not reported
Inactive Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARPER OIL PRODUCTS INC (Continued)

S117568515

Design Capacity: Not reported
Fee Category: Not reported
SIC Code: 5172
Lat/Long: 38.659972 / -83.777674
Lat/Long Method: Not reported
USGS Hydrologic Basin Code: 021
Facility Stream Segment: Not reported
Facility Mileage Indicator: Not reported
Basin Code: Not reported
Basin Code Description: Not reported
DMR Contact: B. Stephen Harper
Contact Telephone: 859-283-1001
Mailing Address: Not reported
Mailing Address 2: Not reported
Mailing City, St, Zip: Not reported
Permit Issued: 06/05/2014
Permit Expires: 05/31/2018
SIC Code Description: Petroleum Products
Receiving Waters: Not reported
Major/Minor: Minor
Effective Date: 07/01/2014
Affiliation Type Desc: Not reported
Organization Formal Name: Not reported
Facility Type Desc: Not reported
State Facility ID: 3001
Original Issue Date: 06/05/2014
Approved For Electronic DMR Submission: Yes

Y141
ENE
> 1
1.890 mi.
9980 ft.

**FORMER HAYSWOOD HOSPITAL
FOURTH AND MARKET STREETS
MAYSVILLE, KY**

**RGA HWS S115711867
N/A**

Relative:
Lower

RGA HWS:

2012 FORMER HAYSWOOD HOSPITAL FOURTH AND MARKET STREETS
2011 FORMER HAYSWOOD HOSPITAL FOURTH AND MARKET STREETS

Actual:
560 ft.

Y142
ENE
> 1
1.890 mi.
9980 ft.

**MAYSVILLE/HAYSWOOD HOSPITAL
4TH AND MARKET STREETS
MAYSVILLE, KY 41056**

**US BROWNFIELDS 1014349932
N/A**

Relative:
Lower

US BROWNFIELDS:

Recipient name: R4 TBA (STAG Funded)
Grant type: TBA
Property name: MAYSVILLE/HAYSWOOD HOSPITAL
Property #: Not reported
Parcel size: 1.5

Actual:
560 ft.

Property Description: Hayswood Hospital, located on the perimeter of the old core city and central business district, operated as a community hospital from 1915 until 1983, when the new Meadowview Regional opened in a heavy-traffic area of Maysville. The hospital has been abandoned since the 1983.

Latitude: Not reported
Longitude: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE/HAYSWOOD HOSPITAL (Continued)

1014349932

HCM label:	Address Matching-Nearest Intersection
Map scale:	Not reported
Point of reference:	Center of a Facility or Station
Datum:	World Geodetic System of 1984
ACRES property ID:	17922
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	1
Assessment funding source:	US EPA - TBA Funding
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported
Redevelopment start date:	Not reported
Assessment funding entity:	EPA
Cleanup funding entity:	Not reported
Grant type:	H
Accomplishment type:	Phase II Environmental Assessment
Accomplishment count:	1
Cooperative agreement #:	n/a
Ownership entity:	Not reported
Current owner:	Not reported
Did owner change:	Not reported
Cleanup required:	Yes
Video available:	No
Photo available:	Yes
Institutional controls required:	U
IC Category proprietary controls:	Not reported
IC cat. info. devices:	Not reported
IC cat. gov. controls:	Not reported
IC cat. enforcement permit tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Y
Air cleaned:	Not reported
Asbestos found:	Y
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Y
Groundwater cleaned:	Not reported
Lead contaminant found:	Y
Lead cleaned up:	Not reported
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Y
Other metals cleaned:	Not reported
Other contaminants found:	Y
Other contams found description:	mold, SVOC, phenol

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE/HAYSWOOD HOSPITAL (Continued)

1014349932

PAHs found:	Not reported
PAHs cleaned up:	Not reported
PCBs found:	Not reported
PCBs cleaned up:	Not reported
Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Y
Sediments cleaned:	Not reported
Soil affected:	Y
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Greenspace acreage and type:	Not reported
Superfund Fed. landowner flag:	Not reported
Arsenic cleaned up:	Not reported
Cadmium cleaned up:	Not reported
Chromium cleaned up:	Not reported
Copper cleaned up:	Not reported
Iron cleaned up:	Not reported
mercury cleaned up:	Not reported
nickel cleaned up:	Not reported
No clean up:	Not reported
Pesticides cleaned up:	Not reported
Selenium cleaned up:	Not reported
SVOCs cleaned up:	Not reported
Unknown clean up:	Not reported
Arsenic contaminant found:	Not reported
Cadmium contaminant found:	Not reported
Chromium contaminant found:	Not reported
Copper contaminant found:	Not reported
Iron contaminant found:	Not reported
Mercury contaminant found:	Not reported
Nickel contaminant found:	Not reported
No contaminant found:	Not reported
Pesticides contaminant found:	Not reported
Selenium contaminant found:	Not reported
SVOCs contaminant found:	Not reported
Unknown contaminant found:	Not reported
Future Use: Multistory	Not reported
Media affected Bluiding Material:	Not reported
Media affected indoor air:	Not reported
Building material media cleaned up:	Not reported
Indoor air media cleaned up:	Not reported
Unknown media cleaned up:	Not reported
Past Use: Multistory	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

AA143
NE
> 1
1.897 mi.
10016 ft.

400 WEST SECOND STREET
MAYSVILLE, KY 41056
Site 1 of 5 in cluster AA

LEAD S109144733
N/A

Relative:
Lower

KY LEAD:

Facility ID: 3021
Company Or Origin.: Lexington-Fayette County Health Department
Date Received: 03/14/2008
KDPH Tracking Number: 48-018-0006
Risk Assessment: TRUE
Lead Inspection: FALSE
Clearance Exam: FALSE
Risk Assessor Name: Nathan Powell
Certification Number: 48-018
Reviewed Date: 3/19/2008
Deficiencies: FALSE
Response Date: Not reported
Amendment Rec'd Date: Not reported
Description: Not reported
Comments: Reviewed by A. Maynard

Actual:
521 ft.

144
NE
> 1
1.920 mi.
10135 ft.

MAYSVILLE, KY

SPILLS S117107318
N/A

Relative:
Lower

SPILLS:

Facility Status: Env. Closed
Incident Type: TRANSPORTATION ACCIDENT - TRAIN
Program Code: Not reported
Received By Staff: Maze, Rodney
Received Date: 10/23/2006
Report Date: 10/23/06 5:45
Dispatch Description: Diesel fuel spill from train engine.
Source Name: Not reported
Source Address: Railway Line MM CA604EOC# 20063346NRC# 815683
Substances: Diesel
Other Substances Desc: Not reported
Media Impacted: Solid Waste
Inc ID: 215324
Lead Invest Person ID: 9470
Compliance: No
Notification: Yes
Priority: Emergency, Immed. Resp.
Incident End Date: Not reported
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 48423 CIV20060001
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: 10/23/2006 12:00:00 AM
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.65361
Longitude: -83.77361

Actual:
521 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

AB145 **THE COTTON MILL LTD CO**
NE **237 W 2ND ST**
> 1 **MAYSVILLE, KY 41056**
1.922 mi.
10148 ft. **Site 1 of 6 in cluster AB**

RCRA NonGen / NLR **1009398849**
 KYR000045302

Relative:
Lower

Actual:
512 ft.

RCRA NonGen / NLR:

Date form received by agency: 05/08/2006

Facility name: THE COTTON MILL LTD CO

Facility address: 237 W 2ND ST
MAYSVILLE, KY 41056

EPA ID: KYR000045302

Mailing address: WALL ST
MAYSVILLE, KY 41056

Contact: JEFF SCHUMACHER

Contact address: WALL ST
MAYSVILLE, KY 41056

Contact country: US

Contact telephone: (606) 564-9066

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: THE COTTON MILL LTD CO

Owner/operator address: W 2ND ST
MAYSVILLE, KY 41056

Owner/operator country: US

Owner/operator telephone: (606) 564-9066

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 05/08/2006

Owner/Op end date: Not reported

Owner/operator name: THE COTTON MILL LTD CO

Owner/operator address: WALL ST
MAYSVILLE, KY 41056

Owner/operator country: US

Owner/operator telephone: (606) 564-9066

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 05/08/2006

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE COTTON MILL LTD CO (Continued)

1009398849

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/16/2007
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

AB146 THE COTTON MILL LTD CO
NE 237 W 2ND ST
> 1 MAYSVILLE, KY 41056
1.922 mi.
10148 ft. Site 2 of 6 in cluster AB

FINDS 1009458943
N/A

Relative:
Lower

Actual:
512 ft.

FINDS:

Registry ID: 110024831306

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

AB147 **COTTON MILL LTD CO**
NE **237 W 2ND ST**
> 1 **MAYSVILLE, KY 41056**
1.922 mi.
10148 ft. **Site 3 of 6 in cluster AB**

UST **U003415425**
N/A

Relative:
Lower

UST:

Actual:
512 ft.

Facility Name: COTTON MILL LTD CO
Sequence Id: 1021081
Facility ID: 3009
Owner Name: January And Woods Co Inc
Owner Address: Po Box 308
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: 38.65125
Longitude: -83.769694

Inert Material Code: Not reported
Removed Date: 06/18/2001
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Suction
Decode For Preldetcd: None
Decode For Preldetsuc: None
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1970
Closed In Place Date: 06/08/1998
Capacity in Gallons: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COTTON MILL LTD CO (Continued)

U003415425

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

AC148
NE
> 1
1.933 mi.
10204 ft.

CSX TRANSPORTATION
341 WEST FRONT STREET
MAYSVILLE, KY 41056

RCRA NonGen / NLR
FINDS

1004706390
KYD985114347

Site 1 of 2 in cluster AC

Relative:
Lower

RCRA NonGen / NLR:

Date form received by agency: 11/08/2010

Facility name: CSX TRANSPORTATION

Facility address: 341 WEST FRONT STREET
MAYSVILLE, KY 41056

EPA ID: KYD985114347

Mailing address: WATER STREET, J340
JACKSONVILLE, FL 32202

Contact: C E HICKS

Contact address: 500 WATER STREET, J340
JACKSONVILLE, FL 32202

Contact country: US

Contact telephone: (904) 359-4800

Contact email: Not reported

EPA Region: 04

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CSX TRANSPORTATION

Owner/operator address: 500 WATER STREET
JACKSONVILLE, FL 32202

Owner/operator country: Not reported

Owner/operator telephone: (904) 359-4800

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: CSX TRANSPORTATION

Owner/operator address: 500 WATER STREET
JACKSONVILLE, FL 32202

Owner/operator country: US

Owner/operator telephone: (904) 359-4800

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 04/01/1997

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CSX TRANSPORTATION (Continued)

1004706390

Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 04/15/1997

Site name: CSX TRANSPORTATION

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D002

. Waste name: CORROSIVE WASTE

. Waste code: D006

. Waste name: CADMIUM

. Waste code: D009

. Waste name: MERCURY

Violation Status: No violations found

FINDS:

Registry ID: 110003242964

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

AC149 **CSX TRANSPORTATION - MASON CO**
NE **341 W FRONT ST**
> 1 **MAYSVILLE, KY 41056**
1.933 mi.
10204 ft. **Site 2 of 2 in cluster AC**

UST **U002033956**
N/A

Relative: **UST:**
Lower Facility Name: CSX TRANSPORTATION - MASON CO
Sequence Id: 1003081
Facility ID: 48423
Actual: Owner Name: CSX Transportation Inc
510 ft. Owner Address: 500 Water St J275
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Jacksonville, FL 32202
Internal Document ID: 0
Latitude: 38.634972
Longitude: -83.766667

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CSX TRANSPORTATION - MASON CO (Continued)

U002033956

Inert Material Code: Not reported
Removed Date: 09/15/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Unknown
Decode For Treldetcd: None
Decode For Tintprcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptyecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Kerosene
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: Not reported
Capacity in Gallons: 500
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 09/15/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CSX TRANSPORTATION - MASON CO (Continued)

U002033956

Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcprcd: Unknown
Decode For Treldecod: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldecod: Unknown
Decode For Preldecod: Unknown
Decode For Plekdecod: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1901
Closed In Place Date: 08/02/1994
Capacity in Gallons: 500
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

AB150 SHUGARS AUTO PARTS
NE 124 WEST 2ND STREET
> 1 MAYSVILLE, KY 41056

1.935 mi.
10219 ft.

Site 4 of 6 in cluster AB

FINDS 1017406681
N/A

Relative:
Lower

FINDS:

Registry ID: 110063081980

Actual:
514 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

AB151
NE 124 W 2ND ST
> 1 MAYSVILLE, KY 41056
1.935 mi.
10219 ft. Site 5 of 6 in cluster AB

EDR Hist Auto 1015190889
N/A

Relative: EDR Historical Auto Stations:
Lower Name: DOYLE HERB AUTO REPAIR
Year: 2002
Address: 124 W 2ND ST
Actual: Name: DOYLE HERB AUTO REPAIR
514 ft. Year: 2003
Address: 124 W 2ND ST
Name: HERB DOYLE AUTO REPAIR
Year: 2004
Address: 124 W 2ND ST
Name: HERB DOYLE AUTO REPAIR
Year: 2005
Address: 124 W 2ND ST
Name: HERB DOYLE AUTO REPAIR
Year: 2006
Address: 124 W 2ND ST
Name: HERB DOYLE AUTO REPAIR
Year: 2007
Address: 124 W 2ND ST
Name: HERB DOYLE AUTO REPAIR
Year: 2008
Address: 124 W 2ND ST

AB152 SHUGARS AUTO PARTS
NE 124 WEST 2ND STREET
> 1 MAYSVILLE, KY 41056
1.935 mi.
10219 ft. Site 6 of 6 in cluster AB

RCRA-SQG 1016957076
KYR000063677

Relative: RCRA-SQG:
Lower Date form received by agency: 12/01/2014
Facility name: SHUGARS AUTO PARTS
Actual: Facility address: 124 WEST 2ND STREET
514 ft. MAYSVILLE, KY 41056
EPA ID: KYR000063677
Mailing address: WEST 2ND STREET
MAYSVILLE, KY 41056
Contact: BILL SHUGARS
Contact address: WEST 2ND STREET
MAYSVILLE, KY 41056
Contact country: US
Contact telephone: (606) 564-9071
Contact email: Not reported
EPA Region: 04
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHUGARS AUTO PARTS (Continued)

1016957076

waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: BILL SHUGARS
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: BILL SHUGARS
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

153
ENE
> 1
1.937 mi.
10229 ft.

MANLEY AUTO SALES
US 68
MAYSVILLE, KY 41056

UST U000203869
N/A

Relative:
Lower

UST:

Facility Name: MANLEY AUTO SALES
Sequence Id: 6259081
Facility ID: 67954
Owner Name: Finch Oil Company Inc
Owner Address: Lexington Rd

Actual:
574 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANLEY AUTO SALES (Continued)

U000203869

Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Maysville, KY 41056
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 08/18/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1961
Closed In Place Date: Not reported
Capacity in Gallons: 1000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 08/18/1992
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

MANLEY AUTO SALES (Continued)

U000203869

Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: UNK
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcprcd: Unknown
Decode For Treldetcd: None
Decode For Tintprotcd: Unknown
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcprcd: Unknown
Decode For Ptypecode: Unknown
Decode For Preldetcd: Unknown
Decode For Preldetsuc: Unknown
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1961
Closed In Place Date: Not reported
Capacity in Gallons: 1000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

AD154 59382 - CANTRELL OIL
NE 701 W SECOND ST
> 1 MAYSVILLE, KY 45056
1.938 mi.
10233 ft. Site 1 of 2 in cluster AD

FINDS 1014888519
N/A

Relative:
Lower

FINDS:

Registry ID: 110043841974

Actual:
530 ft.

Environmental Interest/Information System
LEAKING UNDERGROUND STORAGE TANK - ARRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AD155 **CANTRELL OIL**
NE **701 W SECOND ST**
> 1 **MAYSVILLE, KY 45056**
1.938 mi.
10233 ft. **Site 2 of 2 in cluster AD**

SB193 **U003555447**
UST **N/A**

Relative: KY SENATE BILL 193 INVENTORY:
Lower KY SENATE BILL 193 INVENTORY: CLW
Facility ID: 7506081
Actual: Soil / Groundwater: Soil
530 ft. Agency Interest Number: 59382

UST:

Facility Name: CANTRELL OIL
Sequence Id: 7506081
Facility ID: 59382
Owner Name: Cantrell Oil Company
Owner Address: PO Box 175
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Winchester, OH 45697
Internal Document ID: 0
Latitude: 38.65708002
Longitude: -83.7764436

Inert Material Code: Not reported
Removed Date: 03/09/2004
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: 03/13/1999
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Impressed Current Cathodic Prot
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Automatic Line Leak Detector
Decode For Preldetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CANTRELL OIL (Continued)

U003555447

Decode For Pmancd: Not reported
Subject Item ID: 5
Tank Status: TRM
Installation Date: 01/01/1967
Closed In Place Date: Not reported
Capacity in Gallons: 30000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 03/09/2004
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: 03/13/1999
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcprcd: Impressed Current Cathodic Prot
Decode For Treldecd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Single Wall Steel
Decode For Pextcprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preldecd: Automatic Line Leak Detector
Decode For Preldecsuc: Automatic Line Leak Detector
Decode For Plekdecd: Manual Line Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 4
Tank Status: TRM
Installation Date: 01/01/1967
Closed In Place Date: Not reported
Capacity in Gallons: 18000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 03/09/2004
Change in Service Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CANTRELL OIL (Continued)

U003555447

Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: 03/13/1999
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Impressed Current Cathodic Prot
Decode For Trelatcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tspilprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Prelatcd: Automatic Line Leak Detector
Decode For Prelatcd: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 3
Tank Status: TRM
Installation Date: 01/01/1967
Closed In Place Date: Not reported
Capacity in Gallons: 18000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 03/09/2004
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: 03/13/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CANTRELL OIL (Continued)

U003555447

Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Impressed Current Cathodic Prot
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized
Decode For Preldetcd: Automatic Line Leak Detector
Decode For Preldetsuc: Automatic Line Leak Detector
Decode For Plekdetcd: Manual Line Leak Detection
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 2
Tank Status: TRM
Installation Date: 01/01/1967
Closed In Place Date: Not reported
Capacity in Gallons: 10000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

Inert Material Code: Not reported
Removed Date: 03/09/2004
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: ASD
Last Tank Test Date: Not reported
Relined Date: 01/01/1985
Lining Insp Date: Not reported
Pipe Release Detection: ALD
Pipe Rel Detect Suc Code: ALD
Pipe Leak Detect Code: MLD
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: 03/13/1999
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrpcd: Impressed Current Cathodic Prot
Decode For Treldetcd: Automatic Tank Gauging
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Single Wall Spill Bucket
Decode For Tovflprvcd: Automatic Shutoff Device
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Impressed Current Cathodic Protection
Decode For Ptypecode: Pressurized

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CANTRELL OIL (Continued)

U003555447

Decode For Preditcod: Automatic Line Leak Detector
Decode For Preditcsuc: Automatic Line Leak Detector
Decode For Plekdetcod: Manual Line Leak Detection
Decode For Tsubcd: Gasoline
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1967
Closed In Place Date: Not reported
Capacity in Gallons: 30000
Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

AA156

NE

> 1

1.945 mi.

10267 ft.

MAYSVILLE, KY

Site 2 of 5 in cluster AA

SPILLS

S117117667

N/A

**Relative:
Lower**

SPILLS:

Facility Status: Env. Closed
Incident Type: ASBESTOS-DEMOLITION
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 06/06/2006
Report Date: 7/3/07 15:34
Dispatch Description: ACTS Notice 060032FRThe Cotton Mill LLCComplaint by Mason Co.:
possible illegal disposal of demolition materials
Source Name: Cotton Mill Ltd Co (AI ID: 3009); Johnny Paul Bevins
Source Address: 237 W 2nd St. & Picket Lane
Substances: Asbestos (Friable), Asbestos (Non-Friable), Waste
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 2261409
Lead Invest Person ID: 9646
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 12/31/2007 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3009 CIV20080001
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.65125
Longitude: -83.76969

Facility Status: Env. Closed
Incident Type: ASBESTOS-DEMOLITION
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 06/06/2006
Report Date: 7/3/07 15:34

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117117667

Dispatch Description: ACTS Notice 060032FRThe Cotton Mill LLCComplaint by Mason Co.:
possible illegal disposal of demolition materials
Source Name: Cotton Mill Ltd Co (AI ID: 3009); Johnny Paul Bevins
Source Address: 237 W 2nd St. & Picket Lane
Substances: Asbestos (Friable), Asbestos (Non-Friable), Waste
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 2261409
Lead Invest Person ID: 9646
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 12/31/2007 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3009 CIV20080001
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.65125
Longitude: -83.76969

AA157
NE
> 1
1.945 mi.
10267 ft.

MAYSVILLE, KY

Site 3 of 5 in cluster AA

SPILLS S117102546
N/A

Relative:
Lower

Actual:
505 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: ASBESTOS-DEMOLITION
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 06/07/2006
Report Date: 6/8/06 14:00
Dispatch Description: ACTS Notice 060032FRDemolition @ the Cotton Mill, Ltd. Co. propertySee
TEMPO Incident ID 2251478 also.
Source Name: Cotton Mill Ltd Co (AI ID: 3009)
Source Address: former January & Wood Cotton Mill237 West 2nd Streetnext to flood wall
Substances: Asbestos (Friable), Asbestos (Non-Friable)
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 209856
Lead Invest Person ID: 9646
Compliance: No
Notification: Yes
Priority: Routine
Incident End Date: 12/31/2008 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3009 CIV20070001
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117102546

Latitude: 38.65125
Longitude: -83.76969

AA158
NE
> 1
1.945 mi.
10267 ft.

MAYSVILLE, KY

Site 4 of 5 in cluster AA

SPILLS S117121824
N/A

Relative:
Lower

Actual:
505 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: FLOODPLAIN
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 10/19/2007
Report Date: 10/19/07 10:56
Dispatch Description: Old Cotton Mill which belongs to Jerry Lundergan: the demolition materials are being dumped into the river on David Cartmell's property

Source Name: Cotton Mill Ltd Co (AI ID: 3009); David Cartmell property
Source Address: Not reported
Substances: Asbestos (Friable)
Other Substances Desc: Not reported
Media Impacted: Water Resources
Inc ID: 2266200
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 11/15/2007 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3009 CIV20070004
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.65125
Longitude: -83.76969

Facility Status: Env. Closed
Incident Type: FLOODPLAIN
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 10/19/2007
Report Date: 10/19/07 10:56
Dispatch Description: Old Cotton Mill which belongs to Jerry Lundergan: the demolition materials are being dumped into the river on David Cartmell's property

Source Name: Cotton Mill Ltd Co (AI ID: 3009); David Cartmell property
Source Address: Not reported
Substances: Asbestos (Friable)
Other Substances Desc: Not reported
Media Impacted: Water Resources
Inc ID: 2266200
Lead Invest Person ID: 6186
Compliance: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117121824

Notification: No
Priority: Routine
Incident End Date: 11/15/2007 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3009 CIV20070004
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.65125
Longitude: -83.76969

AA159

NE

> 1

1.945 mi.

10267 ft.

MAYSVILLE, KY

Site 5 of 5 in cluster AA

SPILLS

S117111000

N/A

Relative:
Lower

Actual:
505 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: ASBESTOS-DEMOLITION
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 06/07/2006
Report Date: 1/25/07 13:26
Dispatch Description: Not reported
Source Name: Cotton Mill Ltd Co (AI ID: 3009)
Source Address: Old cotton mill, west side of Mayesville. MIke has been there. address not given.
Substances: Asbestos (Friable), Asbestos (Non-Friable)
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 2253942
Lead Invest Person ID: 9646
Compliance: No
Notification: Yes
Priority: Routine
Incident End Date: 12/31/2007 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 3009 CIV20070002
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.65125
Longitude: -83.76969

Map ID
Direction
Distance
Elevation

MAP FINDINGS

AE160
ENE
> 1
1.951 mi.
10300 ft.

Relative:
Lower

Actual:
535 ft.

MAYSVILLE, KY
Site 1 of 5 in cluster AE

SPILLS:

Facility Status: Env. Closed
Incident Type: NON-PERMITTED DISCHARGE; STREAM DEGRADATION
Program Code: Not reported
Received By Staff: Fraley, Dan
Received Date: 09/21/2008
Report Date: 9/23/2008 6:18:00 AM
Dispatch Description: 100's of pounds of brick dust, coated with coal soot, gasoline lead, and diesel soot that was washed down the drain in Maysville ky. by city contractors.

Source Name: City Contractors
Source Address: Cox building at the corner of 3rd and Market.
Substances: Unknown, Washing Activities
Other Substances Desc: Not reported
Media Impacted: Wastewater
Inc ID: 2284555
Lead Invest Person ID: 6186
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 10/29/2008
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: Not reported
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.64661
Longitude: 83.765071

Database(s)

EDR ID Number
EPA ID Number

SPILLS S117138050
N/A

AE161
ENE
> 1
1.951 mi.
10301 ft.

Relative:
Lower

Actual:
538 ft.

MAYSVILLE, KY
Site 2 of 5 in cluster AE

SPILLS:

Facility Status: Env. Closed
Incident Type: AIR RELEASE, OTHER
Program Code: Not reported
Received By Staff: Seelhorst, Rick
Received Date: 09/01/2005
Report Date: 9/1/05 12:00
Dispatch Description: fugitive dust
Source Name: First Christian Church (AI ID: 75924)
Source Address: 18 E Third St., Maysville, KY
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 199350
Lead Invest Person ID: 9645
Compliance: Yes

SPILLS S117093655
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S117093655

Notification: No
Priority: Routine
Incident End Date: Not reported
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 75924 CIV20050003
Most Recent ENF Activity: AI: 75924 ELW20050001
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 38.64597
Longitude: -83.76458

AE162

ENE

> 1

1.953 mi.

10313 ft.

MAYSVILLE, KY

Site 3 of 5 in cluster AE

SPILLS S117093542
N/A

Relative:
Lower

Actual:
537 ft.

SPILLS:

Facility Status: Env. Closed
Incident Type: AIR RELEASE, FUGITIVE EMISSIONS
Program Code: Not reported
Received By Staff: Little, Michael
Received Date: 09/02/2005
Report Date: 9/20/05 12:22
Dispatch Description: Chaliandros propertyFugitive emissions(dust)
Source Name: Nick Chaliandros Property (AI ID: 75772)
Source Address: 235 Market St., Maysville KY 41056upstairs apartmentscorner of 3rd & Market Streets
Substances: Not reported
Other Substances Desc: Not reported
Media Impacted: Air
Inc ID: 199222
Lead Invest Person ID: 9646
Compliance: Yes
Notification: No
Priority: Routine
Incident End Date: 9/2/2005 12:00:00 AM
Follow Up Priority Desc: Not reported
Most Recent Comp Eval Activity: AI: 75772 CIV20050002
Most Recent ENF Activity: Not reported
Begin Emergency Date: Not reported
End Emergency Date: Not reported
MARS Function Code: Not reported
Locked: Not reported
Closure Type Desc: Not reported
Latitude: 83.76455
Longitude: -38.64600

Map ID
Direction
Distance
Elevation

MAP FINDINGS

AF163 **CROUNSE CORPORATION**
NE **102 WEST 2ND STREET**
> 1 **MAYSVILLE, KY 41056**
1.961 mi.
10352 ft. **Site 1 of 3 in cluster AF**

RCRA NonGen / NLR **1000461544**
FINDS **KYD985080589**

Relative:
Lower

Actual:
517 ft.

RCRA NonGen / NLR:

Date form received by agency: 02/10/1992

Facility name: CROUNSE CORPORATION

Facility address: 102 WEST 2ND STREET

MAYSVILLE, KY 41056

EPA ID: KYD985080589

Mailing address: WEST 2ND STREET

MAYSVILLE, KY 41056

Contact: KEVIN D. CISSNA

Contact address: 102 WEST 2ND STREET

MAYSVILLE, KY 41056

Contact country: US

Contact telephone: (606) 564-6843

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CROUNSE CORPORATION

Owner/operator address: 102 WEST 2ND STREET

MAYSVILLE, KY 41056

Owner/operator country: Not reported

Owner/operator telephone: (606) 564-6843

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

. Waste code: NONE

. Waste name: None

Facility Has Received Notices of Violations:

Regulation violated: SS - krs 224.46-580

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CROUNSE CORPORATION (Continued)

1000461544

Area of violation: Generators - General
Date violation determined: 03/11/1992
Date achieved compliance: 03/23/1992
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 03/17/1992
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 03/24/1992
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Generators - General
Date achieved compliance: 03/23/1992
Evaluation lead agency: State

Evaluation date: 03/11/1992
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 03/23/1992
Evaluation lead agency: State

FINDS:

Registry ID: 110003235516

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AF164 **MASON CO - SOLID WASTE MANAGEMENT PLANNING**
NE **219 STANLEY REED**
> 1 **MAYSVILLE, KY 41056**
1.971 mi.
10406 ft. **Site 2 of 3 in cluster AF**

FINDS **1015816238**
N/A

Relative:
Lower

FINDS:

Registry ID: 110045085938

Actual:
520 ft.

Environmental Interest/Information System
STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

AE165 **TOYOTA MOTOR MANUFACTURING USA INC**
ENE **1001 CHERRY BLOOSOM WAY**
> 1 **GEORGETOWN (SCOTT), KY**
1.973 mi.
10415 ft. **Site 4 of 5 in cluster AE**

RGA LF **S115708711**
N/A

Relative: RGA LF:
Lower 2011 TOYOTA MOTOR MANUFACTURING USA INC 1001 CHERRY BLOOSOM
WAY
2009 TOYOTA MOTOR MANUFACTURING USA INC 1001 CHERRY BLOOSOM
Actual:
534 ft. WAY

AE166 **FIRST CHRISTIAN CHURCH**
ENE **18 E THIRD ST**
> 1 **MAYSVILLE, KY 41056**
1.977 mi.
10439 ft. **Site 5 of 5 in cluster AE**

FINDS **1015975291**
N/A

Relative: FINDS:
Lower Registry ID: 110045163871
Actual:
534 ft. Environmental Interest/Information System
STATE MASTER

AG167 **MAYSVILLE RIVERFRONT DEVELOPMENT**
ENE **LIMESTONE ST**
> 1 **MAYSVILLE, KY 41056**
1.979 mi.
10448 ft. **Site 1 of 3 in cluster AG**

FINDS **1015917018**
N/A

Relative: FINDS:
Lower Registry ID: 110045294882
Actual:
536 ft. Environmental Interest/Information System
STATE MASTER

AG168 **SAINT PATRICKS SCHOOL**
ENE **318 LIMESTONE ST**
> 1 **MAYSVILLE, KY 41056**
1.980 mi.
10454 ft. **Site 2 of 3 in cluster AG**

FINDS **1015813906**
N/A

Relative: FINDS:
Lower Registry ID: 110045062203
Actual:
535 ft. Environmental Interest/Information System
STATE MASTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

169
ENE
> 1
1.980 mi.
10454 ft.

MAYSVILLE CO GLC-52217
116 E 4TH ST
MAYSVILLE, KY 41056

Database(s)
EDR ID Number
EPA ID Number

UST **U001442280**
N/A

Relative:
Lower

Actual:
536 ft.

UST:

Facility Name: MAYSVILLE CO GLC-52217
Sequence Id: 800081
Facility ID: 66476
Owner Name: Bellsouth Telecommunications LLC
Owner Address: 308 S Akard St Rm 1700
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Dallas, TX 75202
Internal Document ID: 0
Latitude: Not reported
Longitude: Not reported

Inert Material Code: Not reported
Removed Date: 11/09/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Tank Mfg Code: Not reported
Tank Overfill Protection: UNK
Last Tank Test Date: Not reported
Relined Date: Not reported
Lining Insp Date: Not reported
Pipe Release Detection: NON
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Last Contained Date: Not reported
Pipe Mfg Code: Not reported
Last Pipe Test Date: Not reported
Last CP Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Decode For Tstatus: Removed Tank Verified
Decode For Inertmatcd: Not reported
Decode For Tmatcode: Single Wall Steel
Decode For Textcrprd: Coating & Cathodic Protection
Decode For Treldetcd: None
Decode For Tintprotcd: Not Applicable
Decode For Tsplprevcd: Unknown
Decode For Tovflprvcd: Unknown
Decode For Pmatcode: Single Wall Steel
Decode For Pextcoprcd: Other Please Specify
Decode For Ptypecode: Suction
Decode For Preldetcd: None
Decode For Preldetsuc: None
Decode For Plekdetcd: Not Applicable
Decode For Tsubcd: Diesel
Decode For Tmancd: Not reported
Decode For Pmancd: Not reported
Subject Item ID: 1
Tank Status: TRM
Installation Date: 01/01/1970
Closed In Place Date: Not reported
Capacity in Gallons: 560

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAYSVILLE CO GLC-52217 (Continued)

U001442280

Compartment Number: 1
Piping Installation Date: Not reported
Added To Tank Date: Not reported

AF170
NE
> 1
1.992 mi.
10517 ft.

LEDGER-INDEPENDENT (THE)
41 W. SECOND STREET
MAYSVILLE, KY 41056

RCRA-CESQG
FINDS

1004706262
KYD985077239

Site 3 of 3 in cluster AF

Relative:
Lower

Actual:
514 ft.

RCRA-CESQG:

Date form received by agency: 10/05/1990
Facility name: LEDGER-INDEPENDENT (THE)
Facility address: 41 W. SECOND STREET
MAYSVILLE, KY 41056
EPA ID: KYD985077239
Mailing address: P.O. BOX 518
MAYSVILLE, KY 41056
Contact: JOHN ARN
Contact address: P.O. BOX 518
MAYSVILLE, KY 41056
Contact country: US
Contact telephone: (606) 564-9091
Contact email: Not reported
EPA Region: 04
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: HOWARD PUBLICATIONS
Owner/operator address: UNKNOWN
UNKNOWN, KY 99999
Owner/operator country: Not reported
Owner/operator telephone: (606) 564-9091
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LEDGER-INDEPENDENT (THE) (Continued)

1004706262

Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 11/02/2007
Date achieved compliance: 12/05/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/02/2007
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/02/2013
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/08/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/02/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/05/2007
Evaluation lead agency: State

FINDS:

Registry ID: 110003234759

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LEDGER-INDEPENDENT (THE) (Continued)

1004706262

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

171
ENE
> 1
1.992 mi.
10518 ft.

NATIVITY MONTESSORI SCHOOL
31 E 3RD ST
MAYSVILLE, KY 41056

FINDS 1015870917
N/A

Relative:
Lower

FINDS:

Registry ID: 110045251598

Actual:
533 ft.

Environmental Interest/Information System
STATE MASTER

AH172
ENE
> 1
1.994 mi.
10530 ft.

WESTERN SKY INDUSTRIES INC
ARNOLD AVE
MAYSVILLE, KY 41056
Site 1 of 3 in cluster AH

FINDS 1006827721
N/A

Relative:
Lower

FINDS:

Registry ID: 110013872283

Actual:
535 ft.

Environmental Interest/Information System
AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

AIR MINOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

AG173 **EDR Hist Cleaner** **1015039293**
ENE **307 Limestone St** **N/A**
> 1 **Maysville, KY 41056**

1.995 mi.
10533 ft. **Site 3 of 3 in cluster AG**

Relative: EDR Historical Cleaners:
Lower Name: Harts Steam Cleaners
Year: 2002
Actual: Address: 307 Limestone St
534 ft.

AH174 **FINDS** **1015945353**
ENE **737 Arnold Avenue** **N/A**
> 1 **Maysville, KY 41056**

1.999 mi.
10556 ft. **Site 2 of 3 in cluster AH**

Relative: FINDS:
Lower Registry ID: 110044970779
Actual: Environmental Interest/Information System
532 ft. RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AH175 **RCRA NonGen / NLR** **1000518192**
ENE **737 Arnold Avenue** **KYD985081090**
> 1 **Maysville, KY 41056**

1.999 mi.
10556 ft. **Site 3 of 3 in cluster AH**

Relative: RCRA NonGen / NLR:
Lower Date form received by agency: 12/02/2011
Facility name: WELCO TECHNOLOGIES
Facility address: 737 Arnold Avenue
Maysville, KY 41056
EPA ID: KYD985081090
Mailing address: Arnold Avenue
Maysville, KY 41056
Contact: Benny Meade
Contact address: 737 Arnold Avenue
Maysville, KY 41056
Contact country: US
Contact telephone: (606) 564-9341
Contact email: Not reported
EPA Region: 04
Land type: Private
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: N/A
Owner/operator address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WELCO TECHNOLOGIES (Continued)

1000518192

Owner/operator country: Not reported
Owner/operator telephone: US
Legal status: Not reported
Owner/Operator Type: Private
Owner/Op start date: Operator
Owner/Op end date: 04/25/2006
Not reported

Owner/operator name: WESTERN SKY INDUSTRIES
Owner/operator address: MARKET STREET 12 FLOOR
PHILADELPHIA, PA 19102

Owner/operator country: US
Owner/operator telephone: (215) 665-5700
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/25/2006
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 04/25/2006
Site name: WELCO TECHNOLOGIES
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D040
. Waste name: TRICHLOROETHYLENE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE,
1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED
FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING
CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF
ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED
IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE
SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WELCO TECHNOLOGIES (Continued)

1000518192

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 01/17/2006

Site name: WELCO TECHNOLOGIES

Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 12/21/2004

Site name: WELCO TECHNOLOGIES

Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WELCO TECHNOLOGIES (Continued)

1000518192

1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 02/09/2004

Site name: WELCO TECHNOLOGIES

Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE

- . Waste code: D040
- . Waste name: TRICHLORETHYLENE

- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: U031
- . Waste name: 1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)

- . Waste code: U037
- . Waste name: BENZENE, CHLORO- (OR) CHLOROBENZENE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WELCO TECHNOLOGIES (Continued)

1000518192

- . Waste code: U069
- . Waste name: 1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE

- . Waste code: U080
- . Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

- . Waste code: U112
- . Waste name: ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)

- . Waste code: U151
- . Waste name: MERCURY

- . Waste code: U154
- . Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)

- . Waste code: U159
- . Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

- . Waste code: U160
- . Waste name: 2-BUTANONE, PEROXIDE (R,T) (OR) METHYL ETHYL KETONE PEROXIDE (R,T)

- . Waste code: U188
- . Waste name: PHENOL

- . Waste code: U228
- . Waste name: ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE

- . Waste code: U239
- . Waste name: BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)

Date form received by agency: 05/18/1999

Site name: WELCO TECHNOLOGIES

Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE

- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WELCO TECHNOLOGIES (Continued)

1000518192

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SS - krs224.46-580
Area of violation: Generators - General
Date violation determined: 07/30/1991
Date achieved compliance: 10/18/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/27/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 12/02/2011
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/13/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 04/21/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/18/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 12/11/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/30/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 10/18/1991
Evaluation lead agency: State

Count: 1 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
MAYSVILLE	S110169598	MCLAREN DEVELOPMENT PROPERTY	40 HIGHLAND HOLLOW, APT 47	41056	SHWS, CDL

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/30/2015	Source: EPA
Date Data Arrived at EDR: 11/07/2015	Telephone: N/A
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/26/2016
Number of Days to Update: 58	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1 Telephone 617-918-1143	EPA Region 6 Telephone: 214-655-6659
EPA Region 3 Telephone 215-814-5418	EPA Region 7 Telephone: 913-551-7247
EPA Region 4 Telephone 404-562-8033	EPA Region 8 Telephone: 303-312-6774
EPA Region 5 Telephone 312-886-6686	EPA Region 9 Telephone: 415-947-4246
EPA Region 10 Telephone 206-553-8665	

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 10/30/2015	Source: EPA
Date Data Arrived at EDR: 11/07/2015	Telephone: N/A
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/26/2016
Number of Days to Update: 58	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/30/2015	Source: EPA
Date Data Arrived at EDR: 11/07/2015	Telephone: N/A
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/26/2016
Number of Days to Update: 58	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 03/26/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/08/2015	Telephone: 703-603-8704
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 01/06/2016
Number of Days to Update: 64	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Varies

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 11/23/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 03/07/2016
	Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 11/23/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 03/07/2016
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/09/2015	Source: EPA
Date Data Arrived at EDR: 06/26/2015	Telephone: 800-424-9346
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/18/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/26/2015	Telephone: (404) 562-8651
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/18/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/26/2015	Telephone: (404) 562-8651
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/18/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/26/2015	Telephone: (404) 562-8651
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/18/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/26/2015	Telephone: (404) 562-8651
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/18/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/28/2015	Source: Department of the Navy
Date Data Arrived at EDR: 05/29/2015	Telephone: 843-820-7326
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 11/13/2015
Number of Days to Update: 13	Next Scheduled EDR Contact: 02/29/2016
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 11/24/2015
Number of Days to Update: 53	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 11/24/2015
Number of Days to Update: 53	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/22/2015	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 06/26/2015	Telephone: 202-267-2180
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/29/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: State Leads List

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 12/22/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/28/2015	Telephone: 502-564-6716
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 11/30/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Facilities List

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/07/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/08/2015	Telephone: 502-564-6716
Date Made Active in Reports: 02/02/2016	Last EDR Contact: 02/01/2016
Number of Days to Update: 56	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

PSTEAF: Facility Ranking List

The Underground Storage Tank Branch (USTB) has ranked all PSTEAF reimbursable facilities requiring corrective action, in accordance with 401 KAR 42:290. Directive letters will be issued on the basis of facility ranking and available PSTEAF funding in sequential order as ranked. For example, Rank 2 facilities will be issued directives before Rank 3 facilities.

Date of Government Version: 09/01/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 10/14/2015	Telephone: 502-564-5981
Date Made Active in Reports: 11/23/2015	Last EDR Contact: 01/13/2016
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Quarterly

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/13/2015	Source: EPA Region 6
Date Data Arrived at EDR: 08/03/2015	Telephone: 214-665-6597
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 07/21/2015	Source: EPA Region 10
Date Data Arrived at EDR: 07/29/2015	Telephone: 206-553-2857
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 76	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/30/2015	Source: EPA Region 7
Date Data Arrived at EDR: 04/28/2015	Telephone: 913-551-7003
Date Made Active in Reports: 06/22/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 55	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/08/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/08/2015	Telephone: 415-972-3372
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/27/2016
Number of Days to Update: 32	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/04/2015	Source: EPA, Region 5
Date Data Arrived at EDR: 11/13/2015	Telephone: 312-886-7439
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/30/2015	Source: EPA Region 8
Date Data Arrived at EDR: 05/05/2015	Telephone: 303-312-6271
Date Made Active in Reports: 06/22/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 48	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/27/2015	Source: EPA Region 1
Date Data Arrived at EDR: 10/29/2015	Telephone: 617-918-1313
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 02/08/2016
Number of Days to Update: 67	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/24/2015	Source: EPA Region 4
Date Data Arrived at EDR: 12/01/2015	Telephone: 404-562-8677
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Semi-Annually

SB193: SB193 Branch Site Inventory List

The inventory indicates facilities that have performed permanent closure activities at a regulated underground storage tank facility and have known soil and/or groundwater contamination.

Date of Government Version: 09/05/2006	Source: Department of Environmental Protection
Date Data Arrived at EDR: 09/13/2006	Telephone: 502-564-5981
Date Made Active in Reports: 10/18/2006	Last EDR Contact: 01/08/2016
Number of Days to Update: 35	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 01/08/2016
Number of Days to Update: 55	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Varies

UST: Underground Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/04/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/04/2015	Telephone: 502-564-5981
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 12/04/2015
Number of Days to Update: 45	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/20/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 10/29/2015	Telephone: 617-918-1313
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 02/08/2016
Number of Days to Update: 67	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/24/2015	Source: EPA Region 4
Date Data Arrived at EDR: 12/01/2015	Telephone: 404-562-9424
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2015	Source: EPA Region 5
Date Data Arrived at EDR: 11/13/2015	Telephone: 312-886-6136
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/13/2015	Source: EPA Region 6
Date Data Arrived at EDR: 08/03/2015	Telephone: 214-665-7591
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014	Source: EPA Region 7
Date Data Arrived at EDR: 11/25/2014	Telephone: 913-551-7003
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 65	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/28/2015	Source: EPA Region 8
Date Data Arrived at EDR: 08/14/2015	Telephone: 303-312-6137
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 60	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 07/21/2015	Source: EPA Region 10
Date Data Arrived at EDR: 07/29/2015	Telephone: 206-553-2857
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 76	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 12/14/2014	Source: EPA Region 9
Date Data Arrived at EDR: 02/13/2015	Telephone: 415-972-3368
Date Made Active in Reports: 03/13/2015	Last EDR Contact: 01/27/2016
Number of Days to Update: 28	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

ENG CONTROLS: Engineering Controls Site Listing

A listing of sites that use engineering controls.

Date of Government Version: 12/22/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/28/2015	Telephone: 502-564-6716
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 11/30/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

INST CONTROL: State Superfund Database

A list of closed sites in the State Superfund Database. Institutional controls would be in place at any site that uses Contained or Managed as a Closure Option.

Date of Government Version: 12/22/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/23/2015	Telephone: 502-564-6716
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 11/30/2015
Number of Days to Update: 26	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Program Sites

Sites that have been accepted into the Voluntary Cleanup Program or have submitted an application.

Date of Government Version: 12/09/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/28/2015	Telephone: 502-564-6716
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 11/30/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/29/2014	Source: EPA, Region 1
Date Data Arrived at EDR: 10/01/2014	Telephone: 617-918-1102
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/28/2015
Number of Days to Update: 36	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Kentucky Brownfield Inventory

The Kentucky Brownfield Program has created an inventory of brownfield sites in order to market the properties to those interested in brownfield redevelopment. The Kentucky Brownfield Program is working to promote the redevelopment of these sites by helping to remove barriers that prevent reuse, providing useful information to communities, developers and the public and encouraging a climate that fosters redevelopment of contaminated sites.

Date of Government Version: 11/17/2015	Source: Division of Compliance Assistance
Date Data Arrived at EDR: 11/20/2015	Telephone: 502-564-0323
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 01/19/2016
Number of Days to Update: 59	Next Scheduled EDR Contact: 05/02/2016
	Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/21/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/23/2015	Telephone: 202-566-2777
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 12/21/2015
Number of Days to Update: 103	Next Scheduled EDR Contact: 04/04/2016
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF: Historical Landfills

This solid waste facility listing contains detail information that is not included in the landfill listing. A listing with detail information is no longer available by the Department of Environmental Protection.

Date of Government Version: 05/01/2003	Source: Department of Environmental Protection
Date Data Arrived at EDR: 03/30/2006	Telephone: 502-564-6716
Date Made Active in Reports: 05/01/2006	Last EDR Contact: 02/23/2009
Number of Days to Update: 32	Next Scheduled EDR Contact: 05/25/2009
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SWRCY: Recycling Facilities

A listing of recycling facilities located in the state of Kentucky.

Date of Government Version: 07/18/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/24/2015	Telephone: 502-564-6716
Date Made Active in Reports: 08/10/2015	Last EDR Contact: 01/22/2016
Number of Days to Update: 17	Next Scheduled EDR Contact: 05/02/2016
	Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 02/01/2016
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 01/25/2016
Number of Days to Update: 137	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 08/12/2015	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 09/04/2015	Telephone: 202-307-1000
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 08/31/2015
Number of Days to Update: 60	Next Scheduled EDR Contact: 12/14/2015
	Data Release Frequency: No Update Planned

CDL: Clandestine Drug Lab Location Listing

Clandestine drug lab site locations.

Date of Government Version: 12/22/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/28/2015	Telephone: 502-564-6716
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 11/30/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 08/12/2015	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 09/04/2015	Telephone: 202-307-1000
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 11/25/2015
Number of Days to Update: 60	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Quarterly

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/18/2014	Telephone: 202-564-6023
Date Made Active in Reports: 04/24/2014	Last EDR Contact: 01/25/2016
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/24/2015	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 06/26/2015	Telephone: 202-366-4555
Date Made Active in Reports: 09/02/2015	Last EDR Contact: 12/30/2015
Number of Days to Update: 68	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Annually

SPILLS: State spills

A listing of spill and/or release related incidents.

Date of Government Version: 11/17/2015	Source: DEP, Emergency Response
Date Data Arrived at EDR: 11/20/2015	Telephone: 502-564-2380
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 01/19/2016
Number of Days to Update: 59	Next Scheduled EDR Contact: 05/02/2016
	Data Release Frequency: Varies

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/26/2015	Telephone: (404) 562-8651
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 12/18/2015
Number of Days to Update: 82	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 07/08/2015	Telephone: 202-528-4285
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 12/11/2015
Number of Days to Update: 97	Next Scheduled EDR Contact: 03/21/2016
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2016
Number of Days to Update: 62	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2016
Number of Days to Update: 339	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2011	Telephone: 615-532-8599
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 11/19/2015
Number of Days to Update: 54	Next Scheduled EDR Contact: 02/29/2016
	Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/01/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/03/2015	Telephone: 202-566-1917
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 11/13/2015
Number of Days to Update: 61	Next Scheduled EDR Contact: 02/29/2016
	Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 11/10/2015
Next Scheduled EDR Contact: 02/22/2016
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 11/13/2015
Next Scheduled EDR Contact: 02/22/2016
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 01/15/2015
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 14

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 12/23/2015
Next Scheduled EDR Contact: 04/04/2016
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 02/12/2015
Date Made Active in Reports: 06/02/2015
Number of Days to Update: 110

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/24/2015
Next Scheduled EDR Contact: 03/07/2016
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/25/2016
Next Scheduled EDR Contact: 05/09/2016
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 74

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 12/11/2015
Next Scheduled EDR Contact: 03/21/2016
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/26/2015	Telephone: 202-564-8600
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 69	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 11/13/2015
Number of Days to Update: 3	Next Scheduled EDR Contact: 02/22/2016
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014	Source: EPA
Date Data Arrived at EDR: 10/15/2014	Telephone: 202-566-0500
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/12/2016
Number of Days to Update: 33	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/23/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/06/2015	Telephone: 202-564-5088
Date Made Active in Reports: 03/09/2015	Last EDR Contact: 01/08/2016
Number of Days to Update: 31	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 11/18/2015
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/07/2016
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 11/18/2015
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/07/2016
	Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/26/2015	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 07/10/2015	Telephone: 301-415-7169
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 02/08/2016
Number of Days to Update: 95	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 01/13/2016
Number of Days to Update: 76	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/11/2015
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/21/2016
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/19/2011	Telephone: 202-566-0517
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 01/29/2016
Number of Days to Update: 83	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/07/2015
Date Data Arrived at EDR: 07/09/2015
Date Made Active in Reports: 09/16/2015
Number of Days to Update: 69

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 01/07/2016
Next Scheduled EDR Contact: 04/18/2016
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 02/03/2016
Next Scheduled EDR Contact: 05/16/2016
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 04/17/2015
Date Made Active in Reports: 06/02/2015
Number of Days to Update: 46

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 12/23/2015
Next Scheduled EDR Contact: 04/11/2016
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 02/24/2015
Date Made Active in Reports: 09/30/2015
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 11/24/2015
Next Scheduled EDR Contact: 03/07/2016
Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Semi-Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 11/19/2015
Number of Days to Update: 146	Next Scheduled EDR Contact: 03/07/2016
	Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/26/2014	Telephone: 703-603-8787
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 01/26/2016
Number of Days to Update: 64	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001	Source: American Journal of Public Health
Date Data Arrived at EDR: 10/27/2010	Telephone: 703-305-6451
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/02/2009
Number of Days to Update: 36	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/20/2015	Source: EPA
Date Data Arrived at EDR: 10/27/2015	Telephone: 202-564-2496
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 12/22/2015
Number of Days to Update: 69	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/20/2015	Source: EPA
Date Data Arrived at EDR: 10/27/2015	Telephone: 202-564-2496
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 12/22/2015
Number of Days to Update: 69	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/18/2015	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 09/01/2015	Telephone: 303-231-5959
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 12/03/2015
Number of Days to Update: 125	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005	Source: USGS
Date Data Arrived at EDR: 02/29/2008	Telephone: 703-648-7709
Date Made Active in Reports: 04/18/2008	Last EDR Contact: 12/04/2015
Number of Days to Update: 49	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011	Source: USGS
Date Data Arrived at EDR: 06/08/2011	Telephone: 703-648-7709
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 12/04/2015
Number of Days to Update: 97	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/20/2015	Source: EPA
Date Data Arrived at EDR: 09/09/2015	Telephone: (404) 562-9900
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 12/10/2015
Number of Days to Update: 55	Next Scheduled EDR Contact: 03/21/2016
	Data Release Frequency: Quarterly

AIRS: Permitted Airs Facility Listing

A listing of permitted Airs facilities.

Date of Government Version: 12/01/2015	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/04/2015	Telephone: 502-573-3382
Date Made Active in Reports: 01/18/2016	Last EDR Contact: 11/30/2015
Number of Days to Update: 45	Next Scheduled EDR Contact: 03/14/2016
	Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Sites

A listing of coal ash pond site locations.

Date of Government Version: 12/09/2013	Source: Department of Environmental Protection
Date Data Arrived at EDR: 05/01/2014	Telephone: 502-564-6716
Date Made Active in Reports: 07/07/2014	Last EDR Contact: 02/01/2016
Number of Days to Update: 67	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DRYCLEANERS: Drycleaner Listing

A listing of drycleaner facility locations.

Date of Government Version: 12/01/2015
Date Data Arrived at EDR: 12/04/2015
Date Made Active in Reports: 01/18/2016
Number of Days to Update: 45

Source: Department of Environmental Protection
Telephone: 502-573-3382
Last EDR Contact: 11/30/2015
Next Scheduled EDR Contact: 03/14/2016
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

A listing of financial assurance information.

Date of Government Version: 08/24/2015
Date Data Arrived at EDR: 08/26/2015
Date Made Active in Reports: 09/08/2015
Number of Days to Update: 13

Source: Department of Environmental Protection
Telephone: 502-564-6716
Last EDR Contact: 02/01/2016
Next Scheduled EDR Contact: 05/16/2016
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

Financial Assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 05/14/2014
Date Data Arrived at EDR: 06/06/2014
Date Made Active in Reports: 06/24/2014
Number of Days to Update: 18

Source: Department of Environmental Protection
Telephone: 502-564-5981
Last EDR Contact: 02/01/2016
Next Scheduled EDR Contact: 05/16/2016
Data Release Frequency: Varies

Financial Assurance 3: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 12/10/2015
Date Made Active in Reports: 01/18/2016
Number of Days to Update: 39

Source: Department of Environmental Protection
Telephone: 502-564-6716
Last EDR Contact: 02/01/2016
Next Scheduled EDR Contact: 05/16/2016
Data Release Frequency: Varies

LEAD: Environmental Lead Program Report Tracking Database

Lead Report Tracking Database

Date of Government Version: 04/17/2015
Date Data Arrived at EDR: 06/02/2015
Date Made Active in Reports: 07/09/2015
Number of Days to Update: 37

Source: Department of Public Health
Telephone: 502-564-4537
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Varies

NPDES: Permitted Facility Listing

A listing of permitted wastewater facilities.

Date of Government Version: 11/30/2015
Date Data Arrived at EDR: 12/01/2015
Date Made Active in Reports: 01/18/2016
Number of Days to Update: 48

Source: Department of Environmental Protection
Telephone: 502-564-3410
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Varies

UIC: UIC Information

A listing of wells identified as underground injection wells, in the Kentucky Oil & Gas Wells data base.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/08/2015
Date Data Arrived at EDR: 10/21/2015
Date Made Active in Reports: 11/23/2015
Number of Days to Update: 33

Source: Kentucky Geological Survey
Telephone: 859-323-0544
Last EDR Contact: 01/20/2016
Next Scheduled EDR Contact: 05/02/2016
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists.

Date of Government Version: N/A	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/03/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 186	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists.

Date of Government Version: N/A	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/15/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 198	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 08/19/2013	Telephone: 860-424-3375
Date Made Active in Reports: 10/03/2013	Last EDR Contact: 11/16/2015
Number of Days to Update: 45	Next Scheduled EDR Contact: 02/29/2016
	Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/17/2015	Telephone: N/A
Date Made Active in Reports: 08/12/2015	Last EDR Contact: 01/15/2016
Number of Days to Update: 26	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 11/02/2015	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/08/2015	Telephone: 518-402-8651
Date Made Active in Reports: 12/09/2015	Last EDR Contact: 02/03/2016
Number of Days to Update: 31	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/24/2015
Date Made Active in Reports: 08/18/2015
Number of Days to Update: 25

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/19/2016
Next Scheduled EDR Contact: 05/02/2016
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/19/2015
Date Made Active in Reports: 07/15/2015
Number of Days to Update: 26

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/19/2015
Next Scheduled EDR Contact: 03/07/2016
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 03/19/2015
Date Made Active in Reports: 04/07/2015
Number of Days to Update: 19

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 12/09/2015
Next Scheduled EDR Contact: 03/28/2016
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Certified Child Care Homes

Source: Cabinet for Families & Children

Telephone: 502-564-7130

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Environmental & Public Protection Cabinet

Telephone: 502-564-6736

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK® - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

14408.000 MAYSVILLE SUA
SMALL URBAN AREA STUDY
MAYSVILLE, KY 41056

TARGET PROPERTY COORDINATES

Latitude (North):	38.631974 - 38° 37' 55.11"
Longitude (West):	83.795901 - 83° 47' 45.24"
Universal Transverse Mercator:	Zone 17
UTM X (Meters):	256621.2
UTM Y (Meters):	4279439.5
Elevation:	898 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5940225 MAYSVILLE WEST, KY
Version Date:	2013

South Map:	5939863 MAYS LICK, KY
Version Date:	2013

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> MASON, KY	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	21161C - FEMA DFIRM Flood data
Additional Panels in search area:	Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> MAYSVILLE WEST	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
------------------------------------------------------	---------------------------------------------------------------------------------------

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Paleozoic
System:	Ordovician
Series:	Upper Ordovician (Cincinnatian)
Code:	O3 <i>(decoded above as Era, System & Series)</i>

GEOLOGIC AGE IDENTIFICATION


Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 4533866.1s



- ★ Target Property
- SSURGO Soil
- Water



SITE NAME: 14408.000 MAYSVILLE SUA
ADDRESS: Small Urban Area Study
Maysville KY 41056
LAT/LONG: 38.631974 / 83.795901

CLIENT: QK4, Inc.
CONTACT: Tom Springer
INQUIRY #: 4533866.1s
DATE: February 09, 2016 7:45 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Lowell

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 76 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Boundary			Classification			Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 6.5 Min: 4.5
2	9 inches	22 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 14 Min: 1.4	Max: 6.5 Min: 4.5
3	22 inches	48 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 4 Min: 1.4	Max: 7.8 Min: 5.1

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
4	48 inches	53 inches	unweathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

Soil Map ID: 2

Soil Component Name: Lowell

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 157 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 6.5 Min: 4.5
2	7 inches	22 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 14 Min: 1.4	Max: 6.5 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	22 inches	61 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 4 Min: 1.4	Max: 7.8 Min: 5.1
4	61 inches	66 inches	unweathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

Soil Map ID: 3

Soil Component Name: Lowell

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 157 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 6.5 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	7 inches	22 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 14 Min: 1.4	Max: 6.5 Min: 4.5
3	22 inches	61 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 4 Min: 1.4	Max: 7.8 Min: 5.1
4	61 inches	66 inches	unweathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

Soil Map ID: 4

Soil Component Name: Faywood

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 76 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.3 Min: 5.1

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	9 inches	29 inches	silty clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 4 Min: 0.42	Max: 7.3 Min: 5.1
3	29 inches	33 inches	unweathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

Soil Map ID: 5

Soil Component Name: Faywood

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 76 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.3 Min: 5.1
2	9 inches	29 inches	silty clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 4 Min: 0.42	Max: 7.3 Min: 5.1

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	29 inches	33 inches	unweathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

Soil Map ID: 6

Soil Component Name: Water

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 7

Soil Component Name: Eden

Soil Surface Texture: flaggy silty clay loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	flaggy silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 4 Min: 0.42	Max: 7.8 Min: 4.5
2	7 inches	24 inches	flaggy silty clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay.	Max: 1.4 Min: 0.42	Max: 7.8 Min: 4.5
3	24 inches	40 inches	weathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	2.000
Federal FRDS PWS	Nearest PWS within 2.000 miles
State Database	2.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
D17	USGS40000387304	1 - 2 Miles NE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		



Note: PWS System location is not always the same as well location.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	KY6000000060387	1/8 - 1/4 Mile SW
A2	KY6000000060388	1/8 - 1/4 Mile SW
A3	KY6000000060442	1/8 - 1/4 Mile SW
4	KY6000000076838	1/8 - 1/4 Mile NW
5	KY6000000075494	1/2 - 1 Mile WNW
B6	KY6000000075492	1/2 - 1 Mile WNW
7	KY6000000075493	1 - 2 Miles WNW
8	KY6000000063702	1 - 2 Miles NE
B9	KY6000000075491	1 - 2 Miles WNW
C10	KY6000000092755	1 - 2 Miles WNW
C11	KY6000000092756	1 - 2 Miles WNW
C12	KY6000000092754	1 - 2 Miles WNW
C13	KY6000000092757	1 - 2 Miles WNW
14	KY6000000092758	1 - 2 Miles WNW
15	KY6000000032577	1 - 2 Miles WNW
D16	KY6000000049625	1 - 2 Miles NE

PHYSICAL SETTING SOURCE MAP - 4533866.1s



SITE NAME: 14408.000 MAYSVILLE SUA
 ADDRESS: Small Urban Area Study
 Maysville KY 41056
 LAT/LONG: 38.631974 / 83.795901

CLIENT: QK4, Inc.
 CONTACT: Tom Springer
 INQUIRY #: 4533866.1s
 DATE: February 09, 2016 7:44 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

			Database	EDR ID Number
A1				
SW			KY WELLS	KY6000000060387
1/8 - 1/4 Mile				
Higher				
Fid:	60386	Akgwa:	80002770	
Altid:	B-01			
Latdecimal:	38.63055556			
Longdecima:	-83.79805556			
County:	Mason			
Quadname:	Maysville West			
Physiograp:	Bluegrass			
Type:	M			
Surfaceele:	900			
Usage:	Monitoring Well - Ambient Monitoring			
Enddate:	07-APR-92	Site id:	KY6000000060387	
<hr/>				
A2				
SW			KY WELLS	KY6000000060388
1/8 - 1/4 Mile				
Higher				
Fid:	60387	Akgwa:	80002771	
Altid:	MW-01			
Latdecimal:	38.63055556			
Longdecima:	-83.79805556			
County:	Mason			
Quadname:	Maysville West			
Physiograp:	Bluegrass			
Type:	M			
Surfaceele:	900			
Usage:	Monitoring Well - Ambient Monitoring			
Enddate:	07-APR-92	Site id:	KY6000000060388	
<hr/>				
A3				
SW			KY WELLS	KY6000000060442
1/8 - 1/4 Mile				
Higher				
Fid:	60441	Akgwa:	80002834	
Altid:	RW-01			
Latdecimal:	38.63055556			
Longdecima:	-83.79805556			
County:	Mason			
Quadname:	Maysville West			
Physiograp:	Bluegrass			
Type:	M			
Surfaceele:	900			
Usage:	Monitoring Well - Ambient Monitoring			
Enddate:	12-MAY-92	Site id:	KY6000000060442	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

4

NW

1/8 - 1/4 Mile

Lower

KY WELLS

KY6000000076838

Fid:	76837	Akgwa:	80033923
Altid:	B-01		
Latdecimal:	38.63388889		
Longdecima:	-83.79805556		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	960		
Usage:	Monitoring Well - Ambient Monitoring		
Enddate:	12-MAR-98	Site id:	KY6000000076838

5

WNW

1/2 - 1 Mile

Lower

KY WELLS

KY6000000075494

Fid:	75493	Akgwa:	80031824
Altid:	Not Reported		
Latdecimal:	38.635346		
Longdecima:	-83.81219		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	0		
Usage:	Remediation		
Enddate:	10-SEP-09	Site id:	KY6000000075494

B6

WNW

1/2 - 1 Mile

Higher

KY WELLS

KY6000000075492

Fid:	75491	Akgwa:	80031822
Altid:	Not Reported		
Latdecimal:	38.636698		
Longdecima:	-83.813067		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	0		
Usage:	Remediation		
Enddate:	09-SEP-09	Site id:	KY6000000075492

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

7

WNW
1 - 2 Miles
Lower

KY WELLS KY6000000075493

Fid:	75492	Akgwa:	80031823
Altid:	Not Reported		
Latdecimal:	38.635507		
Longdecima:	-83.814076		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	0		
Usage:	Remediation		
Enddate:	10-SEP-09	Site id:	KY6000000075493

8

NE
1 - 2 Miles
Lower

KY WELLS KY6000000063702

Fid:	63701	Akgwa:	80007646
Altid:	MW-01		
Latdecimal:	38.64111111		
Longdecima:	-83.78111111		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	880		
Usage:	Monitoring Well - Ambient Monitoring		
Enddate:	10-DEC-93	Site id:	KY6000000063702

B9

WNW
1 - 2 Miles
Higher

KY WELLS KY6000000075491

Fid:	75490	Akgwa:	80031821
Altid:	Not Reported		
Latdecimal:	38.637316		
Longdecima:	-83.813955		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	0		
Usage:	Remediation		
Enddate:	09-SEP-09	Site id:	KY6000000075491

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

		Database	EDR ID Number
C10			
WNW		KY WELLS	KY6000000092755
1 - 2 Miles Higher			
Fid:	92754	Akgwa:	80056772
Altid:	MW-02		
Latdecimal:	38.637765		
Longdecima:	-83.815114		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	895		
Usage:	Remediation		
Enddate:	03-JUL-09	Site id:	KY6000000092755
<hr/>			
C11			
WNW		KY WELLS	KY6000000092756
1 - 2 Miles Higher			
Fid:	92755	Akgwa:	80056773
Altid:	MW-03		
Latdecimal:	38.638136		
Longdecima:	-83.815079		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	900		
Usage:	Remediation		
Enddate:	03-JUL-09	Site id:	KY6000000092756
<hr/>			
C12			
WNW		KY WELLS	KY6000000092754
1 - 2 Miles Lower			
Fid:	92753	Akgwa:	80056771
Altid:	MW-01		
Latdecimal:	38.637542		
Longdecima:	-83.815525		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	890		
Usage:	Remediation		
Enddate:	03-JUL-09	Site id:	KY6000000092754

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

C13
WNW
1 - 2 Miles
Higher

Database EDR ID Number

KY WELLS KY6000000092757

Fid:	92756	Akgwa:	80056774
Altid:	MW-04		
Latdecimal:	38.638663		
Longdecima:	-83.815073		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	905		
Usage:	Remediation		
Enddate:	03-JUL-09	Site id:	KY6000000092757

14
WNW
1 - 2 Miles
Higher

KY WELLS KY6000000092758

Fid:	92757	Akgwa:	80056775
Altid:	MW-05		
Latdecimal:	38.639069		
Longdecima:	-83.815097		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	M		
Surfaceele:	920		
Usage:	Remediation		
Enddate:	03-JUL-09	Site id:	KY6000000092758

15
WNW
1 - 2 Miles
Higher

KY WELLS KY6000000032577

Fid:	32576	Akgwa:	54977
Altid:	Not Reported		
Latdecimal:	38.64361111		
Longdecima:	-83.82833333		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Bluegrass		
Type:	W		
Surfaceele:	900		
Usage:	Not Reported		
Enddate:	01-JAN-00	Site id:	KY6000000032577

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

D16
NE
1 - 2 Miles
Lower

Database EDR ID Number

KY WELLS KY6000000049625

Fid:	49624	Akgwa:	40004226
Altid:	383854083455701		
Latdecimal:	38.648407		
Longdecima:	-83.765755		
County:	Mason		
Quadname:	Maysville West		
Physiograp:	Outer Blue Grass		
Type:	W		
Surfaceele:	520		
Usage:	Domestic - Single Household		
Enddate:	Not Reported	Site id:	KY6000000049625

D17
NE
1 - 2 Miles
Lower

FED USGS USGS40000387304

Org. Identifier:	USGS-KY		
Formal name:	USGS Kentucky Water Science Center		
Monloc Identifier:	USGS-383854083455701		
Monloc name:	C24B0014		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	05090201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	38.6484074
Longitude:	-83.7657546	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsyz:	NAD83	Vert measure val:	520
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsyz:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Lexington Limestone		
Aquifer type:	Not Reported		
Construction date:	19320000	Welldepth:	260
Welldepth units:	ft	Wellholeddepth:	260
Wellholeddepth units:	ft		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: KY Radon

Radon Test Results

Zip	Test Date	Test Result
41056	9/7/2003	1.20
41056	9/17/2003	0.40
41056	3/29/2004	3.00
41056	7/14/2002	2.10
41056	3/13/2003	1.90
41056	3/19/2003	4.00
41056	3/30/2003	0.20
41056	4/2/2003	0.20
41056	4/4/2003	2.10
41056	4/7/2003	0.70
41056	4/10/2003	0.20
41056	4/25/2003	0.00
41056	4/25/2003	0.40
41056	5/27/2003	1.70

Federal EPA Radon Zone for MASON County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 41056

Number of sites tested: 5

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.050 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	1.360 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Environmental & Public Protection Cabinet

Telephone: 502-564-6736

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Kentucky Water Well Records Database

Source: Kentucky Geological Survey

Telephone: 859-257-5500

Water Wells in Kentucky. Data from the Kentucky Ground Water Data Repository.

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Locations

Source: Kentucky Geological Survey

Telephone: 859-257-5500

Oil and gas well locations in the state of Kentucky

RADON

State Database: KY Radon

Source: Department of Public Health

Telephone: 502-564-4856

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.