


APPENDIX N
TYPICAL SECTION FOR KY 32
NORTH TO KY 799


COUNTY OF	ITEM NO.	SHEET NO.
ROWAN	9-8406.00	R002B

TYPICAL SECTIONS

SCALE: 1" = 5'




COMMERCIAL ENTRANCE SECTION




RESIDENTIAL AND FARM FIELD ENTRANCE SECTION

- NOTES**
- ① FOR ROCK SLOPES, SEE CROSS SECTIONS.
 - ② SEE CROSS SECTIONS FOR SLOPES OUTSIDE THE LIMITS OF THE SHOULDERS.
 - ③ SEE PLANS FOR RIPRAP CHANNEL LINING REQUIREMENTS. UNLESS OTHERWISE DIRECTED ALL DITCHES NOT RECEIVING RIPRAP CHANNEL LINING SHALL BE LINED WITH EROSION CONTROL BLANKET WITH A MINIMUM DEPTH TO PROTECT OF ONE (1) FOOT.
 - ④ SHOULDERS SHALL BE WIDENED 3' WHERE GUARDRAIL IS TO BE INSTALLED.



DETAIL "E"
N.T.S.
COMMERCIAL ENTRANCE PAVEMENT



DETAIL "F"
N.T.S.
RESIDENTIAL AND FARM ENTRANCE PAVEMENT

SCALE: 1" = 5'

LOCAL ACCESS ROAD & ENTRANCE
TYPICAL SECTION
KY 377 RECONSTRUCTION

FILE NAME: T:\3919-KY 377 ROWAN\PHASE 1\SHEETS\TYPICAL SECTIONS\R0020BTS.DGN
 USER: JSIugantz
 DATE PLOTTED: February 12, 2014
 E-SHEET NAME:
 MicroStation v8.11.7.443

