
APPENDIX A:

Structures Information

| Bridge ID | Route | Bridge Crossing | Bridge Description | NBI Deck Rating | NBI Superstructure Rating | NBI Substructure Rating | NBI Channel Rating | NBI Culvert Rating | Condition |
|------------|--------------------------|--------------------------|--|-----------------|---------------------------|-------------------------|--------------------|--------------------|-----------|
| 030C00120N | ALVEY BRIDGE RD | OLD PANTHER CREEK | 84 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 7 | 7 | N | Good |
| 030C00083N | WAYNE BRIDGE RD | PANTHER CREEK | 135 Foot - 3 Span Prestressed concrete Stringer/Multi-beam or Girder | 7 | 7 | 6 | 7 | N | Fair |
| 030C00178N | KELLER RD | KELLER DITCH | 50 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 6 | 6 | 7 | 8 | N | Fair |
| 030C00148N | KELLER RD | BIG DITCH | 50 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 6 | 5 | 7 | 7 | N | Fair |
| 030B00058R | AUDUBON PKWY | WENDELL FORD EXPRESSWAY | 189 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 7 | 7 | 6 | N | N | Fair |
| 030B00059R | AUDUBON PKWY | WORTHINGTON RD | 140 Foot - 3 Span Steel continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | N | N | Good |
| 030B00062N | AUDUBON PKWY | RHODES CK | 23 Foot - Single Span Concrete Culvert (includes frame culverts) | N | N | N | 5 | 6 | Fair |
| 030C00103N | WEST 5TH ST RD | KATIE MEADOW SLOUGH | 30 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 6 | 6 | N | Fair |
| 030B00071N | WEST 5TH ST RD | WENDELL FORD EXPRESSWAY | 199 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 5 | 6 | 7 | N | N | Fair |
| 030B00058L | AUDUBON PKWY NC | WENDELL FORD EXPRESSWAY | 189 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 7 | 7 | 6 | N | N | Fair |
| 030B00059L | AUDUBON PKWY NC | WORTHINGTON RD | 140 Foot - 3 Span Steel continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | N | N | Good |
| 030C00114N | LEE RUDY RD | BRANCH-RHODES CRK | 24 Foot - Single Span Steel Stringer/Multi-beam or Girder | 6 | 5 | 5 | 6 | N | Fair |
| 030C00128N | WIMSATT RD | KATE MEADOW SLOUGH | 27 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 8 | 5 | 7 | N | Fair |
| 030C00119N | OAKFORD RD | KATIE MEADOW SLOUGH | 72 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 6 | 6 | 6 | 7 | N | Fair |
| 030C00183N | FIELDS RD | TRIBUTARY TO BURNETT CRE | 35 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 8 | 8 | 5 | N | Good |
| 030C00209N | FIELDS RD | Burnett Creek | 65 Foot - Single Span Prestressed concrete Box Beam or Girders - Single or Spred | 9 | 9 | 9 | 8 | N | Good |
| 030C00187N | KING RD | Caney Creek | 33 Foot - Single Span Steel Stringer/Multi-beam or Girder | 7 | 7 | 6 | 5 | N | Fair |
| 030C00167N | LYDDANE BRIDGE RD | RHODES CREEK | 50 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 6 | 7 | 6 | 6 | N | Fair |
| 030B00060N | LYDDANE BRIDGE RD | AUDUBON PKWY | 214 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 5 | 7 | 7 | N | N | Fair |
| 030C00166N | LYDDANE BRIDGE RD | GILES DITCH | 47 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 7 | 7 | N | Good |
| 030C00004N | SOUTH HAMPTON RD | BURNETT FORK | 32 Foot - Single Span Concrete Channel Beam | 6 | 5 | 6 | 5 | N | Fair |
| 030B00085R | I-165 | WENDELL FORD EXPRESSWAY | 189 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | N | N | Fair |
| 030B00082R | I-165 | N FORK PANTHER CK | 155 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | 7 | N | Fair |
| 030C00016N | GRAVES LN | ALLGOOD DITCH | 23 Foot - Single Span Concrete Slab | 6 | 4 | 4 | 6 | N | Poor |
| 030C00191N | WINNING COLORS WAY | Big Ditch | 36 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 8 | 8 | 8 | N | Good |
| 030C00204N | KELLY CEMETERY RD | Slop Creek | 25 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 8 | 7 | 7 | 8 | N | Good |
| 030C00021N | ROCKPORT FERRY RD | KELLY CREEK | 27 Foot - Single Span Concrete Tee Beam | 5 | 4 | 5 | 7 | N | Poor |
| 030B00081R | I-165 | N FORK PANTHER CK | 180 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 7 | 6 | 7 | N | Fair |
| 030B00094R | I-165 | N FORK PANTHER CK | 155 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 7 | 7 | 7 | N | Fair |
| 030B00085L | I-165 NC | WENDELL FORD EXPRESSWAY | 189 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | N | N | Good |
| 030C00199N | DANIELS LN | Yellow Creek | 32 Foot - Single Span Concrete Culvert (includes frame culverts) | N | N | N | 8 | 8 | Good |
| 030C00115N | PLEASANT VALLEY RD NO. 2 | BURNETT CREEK | 68 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 8 | 8 | 7 | 5 | N | Good |
| 030B00093N | SUTHERLIN LN | W.H. NATCHER PARKWAY | 321 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 5 | 6 | 6 | N | N | Fair |
| 030B00092N | MASONVILLE-HABIT RD | W.H. NATCHER PARKWAY | 258 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 5 | 7 | 7 | N | N | Fair |
| 030C00206N | VILLA PT | Horse Fork Creek | 29 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 7 | 7 | Good |
| 030C00143N | MILLERS MILL RD | NORTH FK PANTHER CREEK | 93 Foot - 3 Span Concrete Slab | 7 | 8 | 7 | 7 | N | Good |
| 030C00122N | OLD HIGHWAY 54 | CANEY CREEK | 34 Foot - Single Span Concrete Slab | 8 | 7 | 8 | 7 | N | Good |
| 030C00101N | VEACH RD | HORSE FK OF PANTHER CRK | 83 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 7 | 4 | N | Good |
| 030C00133N | SUTHERLAND RD | NORTH FORK PANTHER CREEK | 106 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 7 | 5 | N | Good |
| 030C00141N | SHARP RD | RHODES CREEK | 73 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 8 | 7 | N | Good |
| 030B00130N | KY-142 | BAILEY CR;N.FK.PANTHER C | 78 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 6 | 6 | 6 | N | Fair |
| 030B00129N | KY-142 | BAILEY CR;N.FK.PANTHER C | 24 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 6 | 7 | N | Fair |
| 030B00128N | KY-142 | BAILEY CR;N.FK.PANTHER C | 34 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 6 | 6 | 7 | N | Fair |
| 030B00127N | KY-142 | BAILEY CR;N.FK.PANTHER C | 26 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 6 | 7 | N | Fair |
| 030B00173N | KY-144 | US 60 | 295 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 8 | 7 | N | N | Fair |
| 030B00175R | US-60 | Yellow Creek | 892 Foot - 9 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 8 | 7 | 8 | 7 | N | Good |
| 030B00172L | US-60 NC | KY 1456 | 333 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 8 | 7 | N | N | Fair |
| 030B00171L | US-60 NC | Daniels Lane | 189 Foot - 3 Span Concrete continuous Stringer/Multi-beam or Girder | 7 | 6 | 6 | N | N | Fair |
| 030B00170L | US-60 NC | Trib. to Yellow Creek | 117 Foot - Single Span Prestressed concrete Stringer/Multi-beam or Girder | 7 | 8 | 7 | 8 | N | Good |
| 030B00011N | KY-144 | YELLOW CREEK | 28 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 5 | 7 | Good |
| 030B00069L | WENDELL FORD EXPY NC | OLD ICRR BED | 220 Foot - 4 Span Concrete Tee Beam | 7 | 7 | 6 | 8 | N | Fair |
| 030B00068L | WENDELL FORD EXPY NC | KY298 | 150 Foot - 3 Span Concrete Tee Beam | 6 | 6 | 7 | N | N | Fair |

| Bridge ID | Route | Bridge Crossing | Bridge Description | NBI Deck Rating | NBI Superstructure Rating | NBI Substructure Rating | NBI Channel Rating | NBI Culvert Rating | Condition |
|------------|-----------------------|--------------------------|---|-----------------|---------------------------|-------------------------|--------------------|--------------------|-----------|
| 030B00078L | WENDELL FORD EXPY NC | HORSE FORK CK | 93 Foot - 3 Span Concrete Tee Beam | 7 | 5 | 7 | 6 | N | Fair |
| 030B00142N | KY-279 NORTH | KATIE MEADOWS SLOUGH | 68 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 8 | 7 | N | Good |
| 030B00098N | KY-279 SOUTH | RHODES CREEK | 38 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 8 | 7 | 8 | 7 | N | Good |
| 030B00061N | KY-279 SOUTH | AUDUBON PKWY | 224 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 5 | 7 | 7 | N | N | Fair |
| 030B00126N | KY-279 SOUTH | PANTHER CREEK | 184 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | 5 | N | Good |
| 030B00117N | HILL BRIDGE RD | SOUTH FORK OF PANTHER CR | 107 Foot - 3 Span Concrete continuous Tee Beam | 6 | 6 | 6 | 6 | N | Fair |
| 030B00076L | WENDELL FORD EXPY NC | SUTHERLAND RD | 116 Foot - 3 Span Concrete Tee Beam | 7 | 6 | 7 | N | N | Fair |
| 030B00077L | WENDELL FORD EXPY NC | J.R.MILLER BLVD | 152 Foot - 3 Span Concrete Tee Beam | 7 | 6 | 7 | N | N | Fair |
| 030B00075L | WENDELL FORD EXPY NC | US431 | 172 Foot - 3 Span Steel Stringer/Multi-beam or Girder | 7 | 7 | 6 | N | N | Fair |
| 030B00074L | WENDELL FORD EXPY NC | TAMARACK RD | 150 Foot - 3 Span Prestressed concrete Stringer/Multi-beam or Girder | 7 | 7 | 6 | N | N | Fair |
| 030B00072L | WENDELL FORD EXPY NC | BITTLE RD | 143 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | N | N | Good |
| 030B00150N | OLD HARTFORD RD | PANTHER CK BRANCH | 93 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 8 | 8 | 8 | 7 | N | Good |
| 030B00152L | US-60 NC | PUP CREEK | 504 Foot - 5 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 7 | 7 | N | Fair |
| 030B00176L | US-60 NC | Ky 2830 & CSX RR | 425 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 8 | 7 | N | N | Good |
| 030B00167N | KY-405 | Trib. to Vanburen Creek | 28 Foot - Single Span Concrete Culvert (includes frame culverts) | N | N | N | 8 | 7 | Good |
| 030B00100N | KY-405 | PUP CREEK | 157 Foot - 4 Span Concrete Tee Beam | 6 | 7 | 6 | 7 | N | Fair |
| 030B00115N | KY-554 | RHODES CREEK | 114 Foot - 3 Span Concrete Tee Beam | 6 | 6 | 6 | 7 | N | Fair |
| 030B00175L | US-60 NC | Yellow Creek | 872 Foot - 9 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 8 | 7 | 7 | 8 | N | Good |
| 030B00036N | NEW HARTFORD RD | RELIEF STRUCTURE | 132 Foot - 4 Span Concrete Tee Beam | 5 | 5 | 5 | 6 | N | Fair |
| 030B00037N | NEW HARTFORD RD | RELIEF STRUCTURE | 231 Foot - 7 Span Concrete Tee Beam | 6 | 5 | 5 | 7 | N | Fair |
| 030B00038N | US-231 | PANTHER CREEK | 159 Foot - 3 Span Concrete Tee Beam | 6 | 5 | 5 | 6 | N | Fair |
| 030B00029N | US-231 | BRANCH OF PANTHER CREEK | 28 Foot - 3 Span Concrete Culvert (includes frame culverts) | N | N | N | 6 | 6 | Fair |
| 030B00116N | KY-554 | UNNAME STREAM | 22 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 7 | 7 | Good |
| 030B00169N | KY-603 | US 60 | 283 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 8 | 7 | N | N | Good |
| 030B00158R | US-231 | FLOOD PLAIN-OHIO RIVER | 957 Foot - 10 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | 8 | N | Fair |
| 030B00163N | NEW HARTFORD RD | US 60 BYPASS | 182 Foot - 4 Span Prestressed concrete continuous Box Beam or Girders - Multiple | 5 | 7 | 7 | N | N | Fair |
| 030B00158L | US-231 NC | FLOOD PLAIN-OHIO RIVER | 957 Foot - 10 Span Concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | 8 | N | Fair |
| 030B00083N | NEWBOLT RD | W.H. NATCHER PARKWAY | 211 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | N | N | Fair |
| 030B00050N | US-431 | BRANCH OF PANTHER CREEK | 20 Foot - Single Span Concrete Culvert (includes frame culverts) | N | N | N | 8 | 7 | Good |
| 030B00047N | US-431 | BRANCH OF PANTHER CREEK | 23 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 6 | 6 | Fair |
| 030B00048N | US-431 | BRANCH OF PANTHER CREEK | 99 Foot - 3 Span Concrete Tee Beam | 6 | 7 | 7 | 7 | N | Fair |
| 030B00179N | REID RD | YELLOW CREEK | 58 Foot - Single Span Prestressed concrete Stringer/Multi-beam or Girder | 8 | 8 | 8 | 8 | N | Good |
| 030B00063N | KY-1554 | AUDUBON PKWY | 194 Foot - 2 Span Steel continuous Stringer/Multi-beam or Girder | 7 | 7 | 6 | N | N | Fair |
| 030B00125N | KY-1554 | RHODES CREEK | 104 Foot - 3 Span Concrete Tee Beam | 6 | 7 | 7 | 7 | N | Fair |
| 030B00149N | WRIGHTS LANDING RD | TRIB TO VANBUREN CREEK | 26 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 6 | 7 | 7 | N | Fair |
| 030B00049N | US-431 | PANTHER CREEK | 412 Foot - 3 Span Steel continuous Stringer/Multi-beam or Girder | 6 | 5 | 6 | 7 | N | Fair |
| 030B00177N | SOUTHTOWN BLVD | Goetz Ditch | 45 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 8 | 8 | 8 | N | Good |
| 030B00147N | TODD BRIDGE RD | PANTHER CREEK | 164 Foot - 3 Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 6 | 6 | 7 | N | Fair |
| 030B00156N | CARTER RD | US 60 BYPASS | 255 Foot - 4 Span Prestressed concrete Stringer/Multi-beam or Girder | 6 | 5 | 7 | N | N | Fair |
| 030B00155N | KY-2830 | YELLOW CREEK | 206 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | 8 | N | Good |
| 030B00005N | KY-2830 | SLOP CREEK | 23 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 6 | 6 | Fair |
| 030B00007N | KY-2830 | PUP CREEK | 165 Foot - 5 Span Concrete Tee Beam | 6 | 6 | 5 | 7 | N | Fair |
| 030B00082L | I-165 NC | N FORK PANTHER CK | 155 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 7 | 6 | 7 | N | Fair |
| 030B00081L | I-165 NC | N FORK PANTHER CK | 180 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 7 | 6 | 7 | N | Fair |
| 030B00094L | I-165 NC | N FORK PANTHER CK | 155 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 7 | 6 | 7 | N | Fair |
| 030B00084N | FAIRVIEW DR | W.H. NATCHER PARKWAY | 225 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | N | N | Fair |
| 030C00205N | COMMONWEALTH CT | Horse Fork Creek | 24 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 7 | 8 | Good |
| 030C00208N | PANTHER CREEK PARK DR | Trib. to Panther creek | 89 Foot - Single Span Prestressed concrete Stringer/Multi-beam or Girder | 9 | 9 | 9 | 7 | N | Good |
| 030B00176R | US-60 | Ky 2830 & CSX RR | 425 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 8 | 7 | N | N | Good |
| 030B00157N | KY-54 | US 60 BY-PASS | 215 Foot - 4 Span Prestressed concrete continuous Box Beam or Girders - Single or Spred | 7 | 7 | 6 | N | N | Fair |
| 030B00069R | WENDELL FORD EXPY | OLD ICRR BED | 220 Foot - 4 Span Concrete continuous Tee Beam | 6 | 7 | 7 | 8 | N | Fair |
| 030B00068R | WENDELL FORD EXPY | KY298 | 150 Foot - 3 Span Concrete continuous Tee Beam | 5 | 7 | 6 | N | N | Fair |
| 030B00018N | KY-54 | CANEY CREEK | 84 Foot - 3 Span Concrete Tee Beam | 5 | 7 | 6 | 7 | N | Fair |

| Bridge ID | Route | Bridge Crossing | Bridge Description | NBI Deck Rating | NBI Superstructure Rating | NBI Substructure Rating | NBI Channel Rating | NBI Culvert Rating | Condition |
|------------|-------------------|--------------------------|---|-----------------|---------------------------|-------------------------|--------------------|--------------------|-----------|
| 030B00017N | KY-54 | BARNETT CREEK | 99 Foot - 3 Span Concrete Tee Beam | 6 | 7 | 6 | 7 | N | Fair |
| 030B00078R | WENDELL FORD EXPY | HORSE FORK CK | 93 Foot - 3 Span Concrete Tee Beam | 6 | 7 | 6 | 6 | N | Fair |
| 030B00076R | WENDELL FORD EXPY | SUTHERLAND RD | 115 Foot - 3 Span Concrete Tee Beam | 7 | 7 | 6 | N | N | Fair |
| 030B00077R | WENDELL FORD EXPY | J.R.MILLER BLVD | 152 Foot - 3 Span Concrete Tee Beam | 7 | 7 | 5 | N | N | Fair |
| 030B00075R | WENDELL FORD EXPY | US431 | 172 Foot - 3 Span Steel Stringer/Multi-beam or Girder | 7 | 6 | 6 | N | N | Fair |
| 030B00074R | WENDELL FORD EXPY | TAMARACK RD | 150 Foot - 3 Span Prestressed concrete Stringer/Multi-beam or Girder | 7 | 7 | 6 | N | N | Fair |
| 030B00053N | WEST PARRISH AVE | OWENBORO BELTLINE | 210 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 5 | 7 | N | N | Fair |
| 030B00054N | KY-81 | UNNAME STREAM | 39 Foot - 2 Span Concrete Culvert (includes frame culverts) | N | N | N | 7 | 5 | Fair |
| 030B00055N | KY-81 | PANTHER CREEK | 246 Foot - Single Span Steel Truss - Thru | 6 | 5 | 5 | 6 | N | Fair |
| 030B00072R | WENDELL FORD EXPY | BITTLE RD | 143 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 7 | 7 | 7 | N | N | Good |
| 030B00154N | US-60 | TRIB- KELLY CREEK | 74 Foot - 3 Span Concrete Culvert (includes frame culverts) | N | N | N | 8 | 6 | Poor |
| 030B00091N | KY-142 | I 165 | 231 Foot - 4 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | N | N | Fair |
| 030B00104N | KY-142 | YELLOW CREEK | 53 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 5 | 4 | N | Fair |
| 030B00131N | KY-142 | BAILEY CR;N.FK.PANTHER C | 26 Foot - Single Span Prestressed concrete Box Beam or Girders - Multiple | 7 | 7 | 6 | 7 | N | Fair |
| 030B00153N | US-60 | KELLY CREEK | 63 Foot - 3 Span Concrete Culvert (includes frame culverts) | N | N | N | 7 | 6 | Fair |
| 030B00152R | US-60 | PUP CREEK | 504 Foot - 5 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 6 | 6 | 7 | N | Fair |
| 030B00096N | US-60 | KATIE MEADOW SLOUGH | 152 Foot - 4 Span Concrete Tee Beam | 5 | 6 | 4 | 8 | N | Poor |
| 030B00172R | US-60 | KY 1456 | 333 Foot - 3 Span Prestressed concrete continuous Stringer/Multi-beam or Girder | 6 | 8 | 7 | N | N | Fair |
| 030B00171R | US-60 | Daniels Lane | 189 Foot - 3 Span Concrete continuous Stringer/Multi-beam or Girder | 8 | 6 | 7 | N | N | Fair |
| 030B00170R | US-60 | Trib. to Yellow Creek | 117 Foot - Single Span Prestressed concrete Stringer/Multi-beam or Girder | 8 | 8 | 7 | 8 | N | Good |