

RT_NE_UNIQUE	Which Side of the Road When Driving North	MP	Distance to Adjacent Road Access Point	Distance in Feet (Rounded)
054-US-0041A -000		3.275		
054-US-0041A -000	R	3.290	0.015	79.20
054-US-0041A -000	R	3.310	0.020	105.60
054-US-0041A -000	R	3.357	0.047	248.16
054-US-0041A -000	R	3.374	0.017	89.76
054-US-0041A -000	R	3.418	0.044	232.32
054-US-0041A -000	R	3.426	0.008	42.24
054-US-0041A -000	L (SUB)	3.443	0.017	89.76
054-US-0041A -000	R	3.449	0.006	31.68
054-US-0041A -000	R	3.472	0.023	121.44
054-US-0041A -000	R(DIRT ENTRANCE)	3.491	0.019	100.32
054-US-0041A -000	R	3.510	0.019	100.32
054-US-0041A -000	L	3.544	0.034	179.52
054-US-0041A -000	R	3.553	0.009	47.52
054-US-0041A -000	L (SUB)	3.575	0.022	116.16
054-US-0041A -000	R(DWAY), L(WWM)	3.588	0.013	68.64
054-US-0041A -000	R(DWAY), L(WWM)	3.599	0.011	58.08
054-US-0041A -000	L	3.624	0.025	132.00
054-US-0041A -000	R	3.640	0.016	84.48
054-US-0041A -000	R	3.650	0.010	52.80
054-US-0041A -000	L	3.666	0.016	84.48
054-US-0041A -000	R	3.722	0.056	295.68
054-US-0041A -000	L	3.743	0.021	110.88
054-US-0041A -000	L,R	3.799	0.056	295.68
054-US-0041A -000	R	3.814	0.015	79.20
054-US-0041A -000	R(LITTLE MTC DRIVE)	3.849	0.035	184.80
054-US-0041A -000	R	3.874	0.025	132.00
054-US-0041A -000	R	3.899	0.025	132.00
054-US-0041A -000	R	3.939	0.040	211.20
054-US-0041A -000	R (BUSINESS)	4.059	0.120	633.60
054-US-0041A -000	R(BUSINESS)	4.114	0.055	290.40
054-US-0041A -000		4.140	0.026	137.28
054-US-0041A -000	L(RR), R	4.249	0.109	575.52
054-US-0041A -000	R	4.429	0.180	950.40
054-US-0041A -000	R	4.454	0.025	132.00
054-US-0041A -000	R	4.640	0.186	982.08
054-US-0041A -000	R(POSSIBLE FARM ENTRANCE)	4.675	0.035	184.80
054-US-0041A -000	L	4.705	0.030	158.40
054-US-0041A -000	L	4.745	0.040	211.20
054-US-0041A -000	R	4.765	0.020	105.60
054-US-0041A -000	L	4.785	0.020	105.60
054-US-0041A -000	L	4.800	0.015	79.20
054-US-0041A -000	L	4.805	0.005	26.40
054-US-0041A -000	L	4.841	0.036	190.08
054-US-0041A -000	R	4.871	0.030	158.40
054-US-0041A -000	R	4.876	0.005	26.40
054-US-0041A -000	R	4.946	0.070	369.60
054-US-0041A -000	R	4.967	0.021	110.88
054-US-0041A -000	R	5.002	0.035	184.80
054-US-0041A -000	L	5.010	0.008	42.24
054-US-0041A -000	L	5.026	0.016	84.48
054-US-0041A -000	L,R	5.056	0.030	158.40
054-US-0041A -000	L	5.085	0.029	153.12
054-US-0041A -000	L,R	5.095	0.010	52.80
054-US-0041A -000	L	5.114	0.019	100.32
054-US-0041A -000	R (BBQ BUSINESS)	5.124	0.010	52.80
054-US-0041A -000	L	5.145	0.021	110.88
054-US-0041A -000	R	5.163	0.018	95.04
054-US-0041A -000	R	5.187	0.024	126.72
054-US-0041A -000	R TURN DRIVEWAY R DRIVE L	5.208	0.021	110.88
054-US-0041A -000	R	5.210	0.002	10.56
054-US-0041A -000	R	5.220	0.010	52.80
054-US-0041A -000	R(KY 630N EXIT HEADED N)	5.237	0.017	89.76
054-US-0041A -000	L	5.252	0.015	79.20
054-US-0041A -000	R (POST OFFICE)	5.262	0.010	52.80
054-US-0041A -000	L (FARM DRIVE)	5.282	0.020	105.60
054-US-0041A -000		5.515	0.233	1230.24
054-US-0041A -000	L,R	5.602	0.087	459.36
054-US-0041A -000	L	5.647	0.045	237.60
054-US-0041A -000	R(DIRT ENTRANCE)	5.657	0.010	52.80
054-US-0041A -000	L	5.682	0.025	132.00
054-US-0041A -000	R	5.702	0.020	105.60
054-US-0041A -000	R	5.727	0.025	132.00
054-US-0041A -000	R	5.888	0.161	850.08
054-US-0041A -000	L	5.993	0.105	554.40
054-US-0041A -000	R	6.033	0.040	211.20
054-US-0041A -000	L	6.323	0.290	1531.20
054-US-0041A -000	L(HISTORIC HOME)	6.358	0.035	184.80
054-US-0041A -000	R (GRAVEL)	6.543	0.185	976.80
054-US-0041A -000	R (DIRT)	6.638	0.095	501.60
054-US-0041A -000		6.759	0.121	638.88
054-US-0041A -000	R (DIRT)	6.903	0.144	760.32
054-US-0041A -000	L	6.998	0.095	501.60
054-US-0041A -000	R	7.023	0.025	132.00
054-US-0041A -000	L	7.053	0.030	158.40
054-US-0041A -000	R	7.103	0.050	264.00
054-US-0041A -000	L	7.154	0.051	269.28
054-US-0041A -000	L(DIRT)	7.178	0.024	126.72
054-US-0041A -000	L	7.208	0.030	158.40
054-US-0041A -000	R(SUB)	7.293	0.085	448.80
054-US-0041A -000	L	7.308	0.015	79.20
054-US-0041A -000	L	7.363	0.055	290.40
054-US-0041A -000	L	7.427	0.064	337.92
054-US-0041A -000	R (TRANSCANADA)	7.447	0.020	105.60
054-US-0041A -000	L (sub)	7.532	0.085	448.80

RT_NE_UNIQUE	Which Side of the Road When Driving North	MP	Distance to Adjacent Road Access Point	Distance in Feet (Rounded)
054-US-0041A -000	L(GRAVEL)	7.582	0.050	264.00
054-US-0041A -000	L(GRAVEL)	7.617	0.035	184.80
054-US-0041A -000	R	7.674	0.057	300.96
054-US-0041A -000	L	7.722	0.048	253.44
054-US-0041A -000	L (NEBO CEMETERY)	7.827	0.105	554.40
054-US-0041A -000	R	7.837	0.010	52.80
054-US-0041A -000	L (NEBO CEMETERY)	7.882	0.045	237.60
054-US-0041A -000	L(GRAVEL)	7.917	0.035	184.80
054-US-0041A -000	L	7.997	0.080	422.40
054-US-0041A -000	R(GRAIN BIN ACCESS)	8.007	0.010	52.80
054-US-0041A -000	L	8.032	0.025	132.00
054-US-0041A -000	R	8.136	0.104	549.12
054-US-0041A -000	L(GRAVEL)	8.171	0.035	184.80
054-US-0041A -000		8.254	0.083	438.24
054-US-0041A -000	R(DIRT ENTRANCE)	8.277	0.023	121.44
054-US-0041A -000	R	8.397	0.120	633.60
054-US-0041A -000	R(CIRCLE DRIVE)	8.412	0.015	79.20
054-US-0041A -000	R(CIRCLE DRIVE)	8.421	0.009	47.52
054-US-0041A -000	R,L	8.431	0.010	52.80
054-US-0041A -000	R	8.451	0.020	105.60
054-US-0041A -000	L	8.521	0.070	369.60
054-US-0041A -000	R	8.551	0.030	158.40
054-US-0041A -000	L	8.561	0.010	52.80
054-US-0041A -000	R	8.581	0.020	105.60
054-US-0041A -000	L	8.605	0.024	126.72
054-US-0041A -000	L	8.626	0.021	110.88
054-US-0041A -000	L (GRAVEL)	8.646	0.020	105.60
054-US-0041A -000	R (POST OFFICE TOO)	8.679	0.033	174.24
054-US-0041A -000	L	8.691	0.012	63.36
054-US-0041A -000	L,R	8.721	0.030	158.40
054-US-0041A -000	R(ATT BLDG IN NEBO)	8.741	0.020	105.60
054-US-0041A -000	L(PARGAS BLDG)	8.756	0.015	79.20
054-US-0041A -000	L,R(CONTINUOUS ACCESS)	8.771	0.015	79.20
054-US-0041A -000	L,R	8.794	0.023	121.44
054-US-0041A -000	L(CONTINUOUS),R	8.801	0.007	36.96
054-US-0041A -000	R(GRAVEL)	8.816	0.015	79.20
054-US-0041A -000	R	8.851	0.035	184.80
054-US-0041A -000	L(BUSINESS), R (CHURCH)	8.871	0.020	105.60
054-US-0041A -000	R(CHURCH EXIT)	8.901	0.030	158.40
054-US-0041A -000	L	9.021	0.120	633.60
054-US-0041A -000	L (BUSINESS)	9.051	0.030	158.40
054-US-0041A -000	L	9.156	0.105	554.40
054-US-0041A -000	L	9.191	0.035	184.80
054-US-0041A -000	R(DIRT ENTRANCE)	9.292	0.101	533.28
054-US-0041A -000	L	9.448	0.156	823.68
054-US-0041A -000	L	9.493	0.045	237.60
054-US-0041A -000	R (MULTI BUSINESS DRIVE)	9.523	0.030	158.40
054-US-0041A -000	R	9.685	0.162	855.36
054-US-0041A -000	L(DIRT), R	9.799	0.114	601.92
054-US-0041A -000	L, R(DIRT)	9.963	0.164	865.92
054-US-0041A -000	L(GRAVEL)	10.087	0.124	654.72
054-US-0041A -000	R(DIRT ENTRANCE)	10.142	0.055	290.40
054-US-0041A -000	L	10.162	0.020	105.60
054-US-0041A -000	L,R	10.389	0.227	1198.56
054-US-0041A -000	L	10.561	0.172	908.16
054-US-0041A -000	L	10.601	0.040	211.20
054-US-0041A -000	L(DIRT/GRAVEL)	10.691	0.090	475.20
054-US-0041A -000	L(DRIVE TO MP 10.691 HOUSE)	10.715	0.024	126.72
054-US-0041A -000	R(GRAVEL CIRCLE DRIVE)	10.765	0.050	264.00
054-US-0041A -000	R(GRAVEL CIRCLE DRIVE)	10.775	0.010	52.80
054-US-0041A -000	L	10.924	0.149	786.72
054-US-0041A -000	L,R	10.934	0.010	52.80
054-US-0041A -000	R	10.949	0.015	79.20
054-US-0041A -000	L	10.964	0.015	79.20
054-US-0041A -000	R(GRAVEL)	11.029	0.065	343.20
054-US-0041A -000	L	11.038	0.009	47.52
054-US-0041A -000	L	11.099	0.061	322.08
054-US-0041A -000	L	11.149	0.050	264.00
054-US-0041A -000	L	11.174	0.025	132.00
054-US-0041A -000	L	11.194	0.020	105.60
054-US-0041A -000	L	11.204	0.010	52.80
054-US-0041A -000	L	11.243	0.039	205.92
054-US-0041A -000	L	11.372	0.129	681.12
054-US-0041A -000	R	11.432	0.060	316.80
054-US-0041A -000	R	11.487	0.055	290.40
054-US-0041A -000		11.898	0.411	2170.08
054-US-0041A -000	R(DIRT ENTRANCE)	12.228	0.330	1742.40
054-US-0041A -000	L(BUSNESS IN HOUSE)	12.287	0.059	311.52
054-US-0041A -000	L	12.322	0.035	184.80
054-US-0041A -000	R	12.391	0.069	364.32
054-US-0041A -000	L (GRAVEL),R (HOME BUSINESS GRAVEL)	12.456	0.065	343.20
054-US-0041A -000	R	12.461	0.005	26.40
054-US-0041A -000	R(HOME BUSINESS)	12.540	0.079	417.12
054-US-0041A -000	L(GRAVEL)	12.555	0.015	79.20
054-US-0041A -000	R	12.620	0.065	343.20
054-US-0041A -000	L	12.627	0.007	36.96
054-US-0041A -000	L	12.659	0.032	168.96
054-US-0041A -000	R(DIRT ENTRANCE)	12.798	0.139	733.92
054-US-0041A -000	L	12.808	0.010	52.80
054-US-0041A -000	L	12.843	0.035	184.80
054-US-0041A -000	L (CAR BUSINESS)	12.878	0.035	184.80
054-US-0041A -000	L	12.913	0.035	184.80
054-US-0041A -000	L	12.933	0.020	105.60
054-US-0041A -000	L,R	13.043	0.110	580.80
054-US-0041A -000	R	13.102	0.059	311.52

RT_NE_UNIQUE	Which Side of the Road When Driving North	MP	Distance to Adjacent Road Access Point	Distance in Feet (Rounded)
054-US-0041A -000	L	13.107	0.005	26.40
054-US-0041A -000	R	13.117	0.010	52.80
054-US-0041A -000	R?	13.190	0.073	385.44
054-US-0041A -000	L	13.193	0.003	15.84
054-US-0041A -000		13.278		
				0.00
117-US-0041A -000		0.000		0.00
117-US-0041A -000	L(CIRCLE DRIVE TO BUSINESS)	0.085	0.170	897.60
117-US-0041A -000	L(CIRCLE DRIVE TO BUSINESS)	0.094	0.009	47.52
117-US-0041A -000	L(SAME BUSINESS AS ABOVE)	0.104	0.010	52.80
117-US-0041A -000	L	0.321	0.217	1145.76
117-US-0041A -000	R (BUSINESS/HOUSE)	0.326	0.005	26.40
117-US-0041A -000	R??	0.397	0.071	374.88
117-US-0041A -000		0.401	0.004	21.12
117-US-0041A -000	L	0.470	0.069	364.32
117-US-0041A -000	L (DRIVE AND CHURCH)	0.542	0.072	380.16
117-US-0041A -000	R(CHURCH)	0.578	0.036	190.08
117-US-0041A -000	R(OTHER DRIVE OF SAME CHURCH)	0.608	0.030	158.40
117-US-0041A -000	L	0.626	0.018	95.04
117-US-0041A -000	L,R	0.653	0.027	142.56
117-US-0041A -000	L	0.673	0.020	105.60
117-US-0041A -000	L	0.688	0.015	79.20
117-US-0041A -000	L	0.728	0.040	211.20
117-US-0041A -000	R	0.738	0.010	52.80
117-US-0041A -000	R	0.794	0.056	295.68
117-US-0041A -000	R (CHURCH DRIVE)	0.839	0.045	237.60
117-US-0041A -000	R	0.880	0.041	216.48
117-US-0041A -000	R,L	0.900	0.020	105.60
117-US-0041A -000	R(BUSINESS CIRCLE)	0.905	0.005	26.40
117-US-0041A -000	R, L	0.934	0.029	153.12
117-US-0041A -000	L	0.961	0.027	142.56
117-US-0041A -000	R	0.966	0.005	26.40
117-US-0041A -000	R	0.991	0.025	132.00
117-US-0041A -000	R	1.011	0.020	105.60
117-US-0041A -000	R	1.037	0.026	137.28
117-US-0041A -000	R (INDEPENDENCE BANK)	1.052	0.015	79.20
117-US-0041A -000	R(INDEPENDENCE BANK)	1.076	0.024	126.72
117-US-0041A -000	R	1.112	0.036	190.08
117-US-0041A -000	R (EMPTY BUSINESS)	1.122	0.010	52.80
117-US-0041A -000	R (SAME EMPTY BUSINESS)	1.137	0.015	79.20
117-US-0041A -000	R (WIDE DRIVE)	1.152	0.015	79.20
117-US-0041A -000	R (OLD DRIVE)	1.172	0.020	105.60
117-US-0041A -000	L	1.194	0.022	116.16
117-US-0041A -000	L (EZ STOP SHOP CANNOT TURN LEFT)	1.222	0.028	147.84
117-US-0041A -000	R (DOLLAR GENERAL/CVS)	1.242	0.048	253.44
117-US-0041A -000	L	1.271	0.049	258.72
117-US-0041A -000	L	1.324	0.053	279.84