

Questions and Corrections 2012-08

3/9/2012

2012-08: Statewide Right-of-Way Services

Note: Selection Committee Member has been changed from Keith McDonald to Bruce Napier.

3/9/2012

2012-08: Statewide Structural Steel Shop Inspection

QUESTION: Page 1 requirements include a certification that the firm is currently registered with the Commonwealth of Kentucky in accordance with KRS 322.060 to perform the engineering services needed for this project” Because the Kentucky PE licenses are not required at the time of the response to announcement, must the firm certify that it is currently registered with the Commonwealth of Kentucky to perform the engineering services? Or can the firm apply for the license after the selection?

RESPONSE: Because the Kentucky PE licenses are not required at the time of the response to announcement, the firm is not required to certify that it is currently registered with the Commonwealth of Kentucky to perform the engineering services. The Selected Consultant firm will be required to obtain licensure after the selection and before a contract can be offered.

2/29/2012

2012-08 Statewide Structural Steel Shop inspection

QUESTION: Are the two licensed professional engineers both required to be licensed in KY or would another state PE be acceptable?

RESPONSE: The Professional Engineers will not be required to be licensed in Kentucky at the time of response to announcement be considered for selection. However, before a contract can be executed with the selected consultant, the Professional Engineers identified in the response must obtain Kentucky licensure.

2/29/2012

2012-08 Statewide Enhance Curve Signing

QUESTION: In Section VII, “Method of Design,” what is your definition of “sign plans?”

RESPONSE: Please follow Section XI. Project Deliverables in the advertisement as the minimum requirement.

2/24/2012

2012-08 Statewide Environmental Studies

QUESTION: In the past, 10 pages each have been allowed in the response for the Statewide Environmental Studies for both resumes and similar projects. Will that be the case again for the 2012-

08 bulletin?

RESPONSE: Yes, KYTC will allow the following modifications to the standard response format for response to Statewide Environmental Studies advertisement only.

Page 4 (A-E) Resumes, may be expanded, not to exceed 10 pages total (A-J).

Page 5 (A-B) Workload / commitments, may be expanded, not to exceed 4 pages total (A-D).

Page 6 (A-E) Project Experience, may be expanded, not to exceed 10 pages total (A-J).

2/23/2012

2012-08 Statewide Structural Steel Fabrication Inspection

QUESTION: It is our understanding that the Commonwealth of Kentucky, Department of Highways does not keep a list of approved structural steel fabricators. Are you able to tell us which facilities were used in the last 12 months?

RESPONSE: Over the last year we have used PDM (Wisconsin), Delong (Missouri), and Walbash (Indiana), and a shop in North Carolina. Also, KY has an 'in-state' shop with Stupp Bridge. Note that we have used shops and have bids from shops almost everywhere in the US over the past several years.

QUESTION: Please confirm that our submittal is limited to 19 pages (this includes topics discussed on Page 1-7 and the allowable number of pages for each topic).

RESPONSE: Yes, the basic response is limited to 19 pages as outline in the Instructions for Response to Kentucky Transportation Cabinet's Announcement for Engineering and Related Services.

QUESTION: Page 2 (A-B): Project Service and Summary indicates that "two registered professional engineers are required for ALL projects having Structural services." - Does this apply to Structural Steel Shop Inspections? Please advise.

RESPONSE: The two registered professional engineers are not considered needed to be placed in every shop, but are considered home office support. These are the engineers who will be KYTC contacts and provide engineering support concerning problems in the shops.

QUESTION: Page 4 (A-E): Relative Experience of Key Project Team Members indicates that our response should include a resume for the Project Manager and up to 9 other Key Project Team Members. Later, it states that "a total of 5 pages (A-E) are permitted for these resumes." Does this mean we can submit 10 resumes, but only have 5 pages to do so?

RESPONSE: Yes, you may submit 10 resumes, but only have 5 pages to do so.

QUESTION: Is it necessary to submit a Certificate of Authority and a copy of our Business Registration with our response?

RESPONSE: No, this information should be on file with your prequalification application.

QUESTION: Is it necessary to submit EEO information and a Campaign Finance Law Form with our response?

RESPONSE: Responses must include Campaign Finance Law Compliance Form for the Prime submitting firm only. EEO information will be submitted by the selected consultant after selection. No EEO information is necessary for the response to announcement.